Fiji (Ages 13-15) Global Youth Tobacco Survey (GYTS)



FACT SHEET

The Fiji GYTS includes data on prevalence of cigarette and other tobacco use as well as information on five determinants of tobacco use: access/availability and price, exposure to secondhand smoke (SHS), cessation, media and advertising, and school curriculum. These determinants are components Fiji could include in a comprehensive tobacco control program.

The Fiji GYTS was a school-based survey of students in Form 2, 3 and 4 conducted in 2005.

A two-stage cluster sample design was used to produce representative data for Fiji. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate. The school response rate was 100.0%, the class response rate was 98.6%, the student response rate was 80.9%, and the overall response rate was 79.8%. A total of 1,687 students aged 13-15 participated in the Fiji GYTS.

Prevalence

17.3% of students had ever smoked cigarettes (Boy = 22.4%, Girl = 11.7%)

11.5% currently use any tobacco product (Boy = 11.6%, Girl = 10.2%)

5.0% currently smoke cigarettes (Boy = 6.7%, Girl = 3.1%)

7.7% currently use other tobacco products (Boy = 6.7%, Girl = 7.6%)

16.9% of never smokers are likely to initiate smoking next year

Knowledge and Attitudes

55.1% think boys and 41.4% think girls who smoke have more friends 13.6% think boys and 12.3% think girls who smoke look more attractive

Access and Availability - Current Smokers

20.7% usually smoke at home 24.9% buy cigarettes in a store

Exposure to Secondhand Smoke (SHS)

47.1% live in homes where others smoke in their presence

56.8% are around others who smoke in places outside their home

39.1% think smoking should be banned from public places

51.9% think smoke from others is harmful to them

47.1% have one or more parents who smoke

6.0% have most or all friends who smoke

Cessation - Current Smokers

88.2% want to stop smoking

83.1% tried to stop smoking during the past year

90.4% have ever received help to stop smoking

Media and Advertising

85.9% saw anti-smoking media messages, in the past 30 days

68.5% saw pro-cigarette ads on billboards, in the past 30 days

70.7% saw pro-cigarette ads in newspapers or magazines, in the past 30 days

13.1% have an object with a cigarette brand logo

7.2% were offered free cigarettes by a tobacco company representative

School

56.0% had been taught in class, during the past year, about the dangers of smoking

40.7% had discussed in class, during the past year, reasons why people their age smoke

45.1% had been taught in class, during the past year, the effects of tobacco use

Highlights

- More than 1 in 10 students currently use any form of tobacco; 5% of the students currently smoke cigarettes; 7.7% currently use some other form of tobacco.
- SHS exposure is high Close to half the students live in homes where others smoke, and nearly 2 in 5 students are exposed to smoke around others outside of the home; nearly half of the students have one or more parents who smokes; and 6% of the students have friends who smoke.
- Over half the students think smoke from others is harmful to them.
- 13.1% of students has an object with a cigarette brand logo on it.
- Nearly 1 in 9 of the current smokers want to stop.
- 7.2% of the students were offered a free cigarette by a tobacco company representative.
- More than 8 in 10 students saw anti-smoking media messages in the past 30 days; Over two-thirds of the students saw pro-cigarette ads in the past 30 days.