

Tobacco Use

Current smoking Description: Current smokers among all respondents.

Instrument question:

- Do you currently smoke any tobacco products, such as cigarettes, cigars, or pipes?

Percentage of current smokers									
Age Group (years)	Men			Women			Both Sexes		
	n	% Current smoker	95% CI	n	% Current smoker	95% CI	n	% Current smoker	95% CI
15-24	798	25.0	20.9--29.6	853	2.3	1.4--3.9	1651	14.1	11.7--16.9
25-34	677	56.7	51.7--61.6	863	6.7	4.5--9.8	1540	31.4	27.8--35.2
35-44	548	56.6	51.1--61.9	737	6.2	4.5--8.4	1285	29.7	26.7--32.8
45-54	449	49.2	44.5--54	585	5.2	3--8.8	1034	28.2	25.2--31.3
55-64	247	46.9	38.6--55.3	256	3.9	1.9--7.7	503	25.4	20.7--30.7
15-64	2719	49.1	46.5--51.8	3294	5.3	4--7	6013	27.1	25.2--29

Analysis Information:

- Questions used: T1
 - Epi Info program name: Tsmokestatus (unweighted); TsmokestatusWT (weighted)
-

Smoking Status Description: Smoking status of all respondents.

Instrument questions:

- Do you currently smoke any tobacco products, such as cigarettes, cigars, or pipes?
- Do you currently smoke tobacco products daily?
- In the past, did you ever smoke any tobacco products?

Smoking status									
Men									
Age Group (years)	n	Current smoker				Non-smokers			
		% Daily	95% CI	% Non-daily	95% CI	% Former smoker	95% CI	% Never smoker	95% CI
15-24	798	19.3	15.5-23.8	5.6	3.9-8.2	7.9	5.5-11.2	67.1	62.2-71.8
25-34	677	50.6	45.7-55.6	6.1	4.1-8.9	10.4	7.7-14	32.9	27.7-38.5
35-44	548	53.8	48-59.5	2.8	1.5-5	18.6	14.6-23.5	24.8	20.3-29.9
45-54	449	46.7	42-51.5	2.5	1.3-4.7	26.1	19.8-33.7	24.6	19.2-31
55-64	247	44.7	36.2-53.5	2.2	0.9-4.9	23.2	16.7-31.1	30	23.4-37.5
15-64	2719	45.4	42.6-48.3	3.7	2.8-4.9	18	15.4-21	32.8	30.2-35.6

Smoking status									
Women									
Age Group (years)	n	Current smoker				Non-smokers			
		% Daily	95% CI	% Non-daily	95% CI	% Former smoker	95% CI	% Never smoker	95% CI
15-24	853	1.3	0.7-2.6	1	0.5-2.1	2.2	1.3-3.7	95.5	93.4-96.9
25-34	863	5.6	3.6-8.7	1.1	0.6-1.9	4.7	3.4-6.4	88.7	84.6-91.8
35-44	737	4.9	3.5-6.7	1.3	0.6-2.7	2.7	1.7-4.3	91.1	88.6-93.2
45-54	585	5	2.8-8.6	0.2	0-1.3	4	2.4-6.8	90.8	86.4-93.9
55-64	256	3.9	1.9-7.7	0	0-0	2.9	1.3-6.4	93.2	88-96.2
15-64	3294	4.5	3.3-6	0.8	0.5-1.3	3.4	2.6-4.4	91.3	89.1-93.1

Smoking status									
Both Sexes									
Age Group (years)	n	Current smoker				Non-smokers			
		% Daily	95% CI	% Non-daily	95% CI	% Former smoker	95% CI	% Never smoker	95% CI
15-24	1651	10.7	8.6-13.2	3.4	2.5-4.6	5.1	3.7-7	80.8	77.9-83.3
25-34	1540	27.9	24.5-31.5	3.5	2.5-5.1	7.5	6-9.3	61.1	57-65.1
35-44	1285	27.7	24.6-31	2	1.2-3.3	10.1	8.2-12.5	60.2	57.5-62.9
45-54	1034	26.7	24-29.7	1.4	0.8-2.6	15.6	12-20	56.3	52.5-60
55-64	503	24.3	19.6-29.7	1.1	0.5-2.5	13	9.5-17.6	61.6	55.9-67
15-64	6013	24.8	23-26.8	2.3	1.8-2.9	10.6	9.2-12.2	62.3	60-64.5

Analysis Information:

- Questions used: T1, T2, T8
 - Epi Info program name: Tsmokestatus (unweighted); TsmokestatusWT (weighted)
-

Daily smoking

Description: Percentage of current daily smokers among smokers.

Instrument questions:

- Do you currently smoke any tobacco products, such as cigarettes, cigars, or pipes?
- Do you currently smoke tobacco products daily?

Current daily smokers among smokers									
Age Group (years)	Men			Women			Both Sexes		
	n	% Daily smokers	95% CI	n	% Daily smokers	95% CI	n	% Daily smokers	95% CI
15-24	220	77.4	68.3--84.5	25	56.6	32--78.3	245	75.8	68.6--81.7
25-34	388	89.3	84.6--92.7	51	84.2	72.2--91.6	439	88.7	84.2--92.1
35-44	289	95.1	91.1--97.3	52	79.2	63--89.5	341	93.3	89.0--96.0
45-54	220	94.9	90.6--97.2	34	95.8	78--99.3	254	94.9	91.1--97.2
55-64	111	95.4	89.3--98.1	11	100	100--100	122	95.8	90.2--98.2
15-64	1228	92.5	90.1--94.3	173	84.2	77.4--89.3	1401	91.7	89.3--93.5

Analysis Information:

- Questions used: T1, T2
- Epi Info program name: Tsmokefreq (unweighted); TsmokefreqWT (weighted)

Initiation and duration of smoking

Description: Mean age of initiation and mean duration of smoking, in years, among smokers (no total age group for mean duration of smoking as age influences these values).

Instrument questions:

- Do you currently smoke any tobacco products, such as cigarettes, cigars, or pipes?
- How old were you when you first started smoking?
- Do you remember how long ago it was?

Mean age started smoking									
Age Group (years)	Men			Women			Both Sexes		
	n	Mean age	95% CI	n	Mean age	95% CI	n	Mean age	95% CI
15-24	166	16.9	16.3--17.5	15	17.7	16.6--18.8	181	17.0	16.4--17.5
25-34	340	17.8	17.3--18.3	39	22.9	21.2--24.7	379	18.3	17.8--18.8
35-44	274	19.3	18.4--20.1	40	26.8	22.4--31.2	314	20.0	19.3--20.6
45-54	207	19.6	18.3--20.9	32	27.4	22.8--32.1	239	20.3	19.1--21.5
55-64	104	22.5	19.9--25.0	11	29.6	22.8--36.4	115	23.1	20.6--25.5
15-64	1091	19.1	18.6--19.7	137	25.9	23.6--28.2	1228	19.7	19.2--20.3

Mean duration of smoking									
Age Group (years)	Men			Women			Both Sexes		
	n	Mean duration	95% CI	n	Mean duration	95% CI	n	Mean duration	95% CI
15-24	166	3.9	3.1--4.6	15	4.1	3.4--4.7	181	3.9	3.2--4.6
25-34	340	11.5	10.9--12.1	39	6.5	4.8--8.2	379	11.0	10.5--11.5
35-44	274	19.7	18.5--20.8	40	13.0	9.2--16.8	314	19.1	18.2--19.9
45-54	207	29.8	28.5--31.1	32	21.1	16.1--26.0	239	29.0	27.8--30.3
55-64	104	36.4	33.9--38.8	11	28.8	21.6--36	115	35.7	33.4--38.1
15-64	1091	21.2	20.2--22.1	137	14.4	11.1--17.6	1228	20.5	19.5--21.5

Analysis Information:

- Questions used: T1, T3, T4a-c
- Epi Info program name: Tsmokeagetime (unweighted); TsmokeagetimeWT (weighted)

Manufactured cigarette smokers Description: Percentage of smokers who use manufactured cigarettes among daily smokers and among current smokers.

Instrument questions:

- Do you currently smoke any tobacco products, such as cigarettes, cigars, or pipes?
- Do you currently smoke tobacco products daily?
- On average, how many of the following products do you smoke each day?

Manufactured cigarette smokers among daily smokers										
Age Group (years)	Men				Women			Both Sexes		
	n	% Manufactured cigarette smoker	95% CI		n	% Manufactured cigarette smoker	95% CI	n	% Manufactured cigarette smoker	95% CI
15-24	171	99.4	95.8--99.9	15	100	100--100	186	99.5	96.0--99.9	
25-34	342	98.7	95.1--99.7	39	100	100--100	381	98.8	95.5--99.7	
35-44	274	97.3	92.1--99.1	40	100	100--100	314	97.6	92.8--99.2	
45-54	207	90.2	80.3--95.4	32	96	73.4--99.5	239	90.7	81.3--95.7	
55-64	104	85.3	73.9--92.2	11	100	100--100	115	86.5	75.8--92.9	
15-64	1098	94.8	89.8--97.5	137	98.8	91.3--99.9	1235	95.2	90.5--97.6	

Manufactured cigarette smokers among current smokers										
Age Group (years)	Men				Women			Both Sexes		
	n	% Manufactured cigarette smoker	95% CI		n	% Manufactured cigarette smoker	95% CI	n	% Manufactured cigarette smoker	95% CI
15-24	220	99.6	96.7--99.9	25	100	100--100	245	99.6	97--99.9	
25-34	386	98.8	95.6--99.7	50	100	100--100	436	99.0	96--99.7	
35-44	289	96.9	91.5--98.9	52	100	100--100	341	97.2	92.4--99	
45-54	220	89.6	79.5--95.1	34	96.1	74.5--99.5	254	90.2	80.5--95.4	
55-64	111	85.9	74.9--92.6	11	100	100--100	122	87.0	76.7--93.2	
15-64	1226	94.7	89.3--97.4	172	99.0	92.6--99.9	1398	95.1	90.2--97.6	

Analysis Information:

- Questions used: T1, T2, T5a, T5aw
- Epi Info program name: Tsmokeman (unweighted); TsmokemanWT (weighted)

Amount of tobacco used among daily smokers by type

Description: Mean amount of tobacco used by daily smokers per day, by type.

Instrument questions:

- Do you currently smoke any tobacco products, such as cigarettes, cigars, or pipes?
- Do you currently smoke tobacco products daily?
- On average, how many of the following products do you smoke each day?

Mean amount of tobacco used by daily smokers by type									
Age Group (years)	Men								
	n	Mean # of manufactured cig.	95% CI	n	Mean # of hand-rolled cig.	95% CI	n	Mean # of pipes of tobacco	95% CI
15-24	171	6.1	5.1--7.1	171	0.5	-0.3--1.3	171	0	0--0
25-34	342	9.9	9--10.7	342	0.4	0--0.8	342	0	0--0.1
35-44	274	10.9	9.7--12.1	274	0.4	0.1--0.6	274	0	0--0
45-54	207	11	9.5--12.4	207	1.4	0.5--2.3	207	0	0--0
55-64	104	9.6	7.3--11.9	104	2.2	1--3.4	104	0.6	0.1--1.2
15-64	1098	10.3	9.5--11.2	1098	0.8	0.4--1.3	1098	0	0--0.1

Mean amount of tobacco used by daily smokers by type									
Age Group (years)	Men								
	n	Mean # of cigars, cheerots, cigarillos	95% CI	n	Mean # of shisha sessions	95% CI	n	Mean # of other type of tobacco	95% CI
15-24	171	0	0--0	171	0	0--0	169	0.5	-0.3--1.3
25-34	342	0	0--0	342	0	0--0	340	0.2	0--0.4
35-44	274	0	0--0	274	0	0--0	272	0.4	0--0.7
45-54	207	0	0--0	207	0	0--0	203	0.7	0--1.5
55-64	104	0	0--0	104	0	0--0	103	0.7	0.1--1.5
15-64	1098	0	0--0	1098	0	0--0	1087	0.5	0.1--0.8

Mean amount of tobacco used by daily smokers by type									
Age Group (years)	Women								
	n	Mean # of manufactured cig.	95% CI	n	Mean # of hand-rolled cig.	95% CI	n	Mean # of pipes of tobacco	95% CI
15-24	15	4.5	2.9--6.2	15	0	0--0	15	0.1	-0.1--0.2
25-34	39	5.3	3.9--6.7	39	0	0--0	39	0	0--0
35-44	40	7	5.2--8.7	40	0	0--0	40	0	0--0
45-54	32	6.8	4.5--9	32	0.6	-0.2--1.4	32	0.4	-0.3--1.1
55-64	11	7.1	4.2--10.1	11	0	0--0	11	0	0--0
15-64	137	6.4	5.5--7.4	137	0.2	-0.1--0.4	137	0.1	-0.1--0.3

Mean amount of tobacco used by daily smokers by type									
Age Group (years)	Women								
	n	Mean # of cigars, cheerots, cigarillos	95% CI	n	Mean # of shisha sessions	95% CI	n	Mean # of other type of tobacco	95% CI
15-24	15	0	0--0	15	0	0--0	15	0.1	0.1--0.3
25-34	39	0	0--0	39	0	0--0	39	0	0--0
35-44	40	0	0--0	40	0	0--0	40	0	0--0
45-54	32	0	0--0	32	0	0--0	32	0.2	0.2--0.6
55-64	11	0	0--0	11	0	0--0	11	0	0--0
15-64	137	0	0--0	137	0	0--0	137	0.1	0.1--0.2

Mean amount of tobacco used by daily smokers by type									
Age Group (years)	Both Sexes								
	n	Mean # of manufactured cig.	95% CI	n	Mean # of hand-rolled cig.	95% CI	n	Mean # of pipes of tobacco	95% CI
15-24	186	6.0	5.1--7	186	0.5	0.2--1.2	186	0	0--0
25-34	381	9.4	8.6--10.3	381	0.3	0--0.7	381	0	0--0
35-44	314	10.5	9.4--11.7	314	0.3	0.1--0.6	314	0	0--0
45-54	239	10.6	9.2--12	239	1.3	0.5--2.2	239	0	0--0.1
55-64	115	9.4	7.3--11.5	115	2	0.9--3.1	115	0.5	0.1--1.1
15-64	1235	10.0	9.2--10.8	1235	0.7	0.3--1.2	1235	0.1	0--0.1

Mean amount of tobacco used by daily smokers by type									
Age Group (years)	Both Sexes								
	n	Mean # of cigars, cheerots, cigarillos	95% CI	n	Mean # of shisha sessions	95% CI	n	Mean # of other type of tobacco	95% CI
15-24	186	0	0--0	186	0	0--0	185	0.8	-0.2--1.9
25-34	381	0	0--0	381	0	0--0	380	0.2	0--0.4
35-44	314	0	0--0	314	0	0--0	312	0.3	0--0.6
45-54	239	0	0--0	239	0	0--0	235	0.7	0--1.4
55-64	115	0	0--0	115	0	0--0	114	0.6	-0.1--1.4
15-64	1235	0	0--0	1235	0	0--0	1226	0.5	0.1--0.8

Analysis Information:

- Questions used: T1, T2, T5a-T5f
- Epi Info program name: Tsmoketype (unweighted); TsmoketypeWT (weighted)

Smoked tobacco consumption

Description: Percentage of current smokers who smoke each of the following products.

Instrument questions:

- Do you currently smoke any tobacco products, such as cigarettes, cigars, or pipes?
- Do you currently smoke tobacco products daily?
- On average, how many of the following products do you smoke each day/week?

Percentage of current smokers smoking each of the following products									
Age Group (years)	Men								
	n	% Manuf. cigs	95% CI	n	% Hand-rolled cigs.	95% CI	n	% Pipes of tobacco	95% CI
15-24	220	99.6	96.7--99.9	220	2.3	0.6--8.2	220	0.2	0--1.2
25-34	388	98.1	95.1--99.3	388	6.6	2.7--14.9	388	0.4	0.1--1.6
35-44	289	96.9	91.5--98.9	289	7.4	3.9--13.7	289	0.5	0.1--2.2
45-54	220	89.6	79.5--95.1	220	13.7	7.8--23.2	220	0.4	0--2.6
55-64	111	85.9	74.9--92.6	111	20.5	12.1--32.5	111	7.4	2.3--20.8
15-64	1228	94.5	89.3--97.3	1228	9.5	5.7--15.5	1228	0.8	0.4--1.6

Percentage of current smokers smoking each of the following products									
Age Group (years)	Men								
	n	% Cigars, cheroots, cigarillos	95% CI	n	% shisha sessions	95% CI	n	% Other	95% CI
15-24	220	0.2	0--1.2	220	0		220	2.1	0.5--8.3
25-34	388	0	0--0	388	0		388	4.1	1.5--11
35-44	289	0	0--0	289	0		289	5.7	2.4--13.3
45-54	220	0	0--0	220	0		220	7.4	2.8--18
55-64	111	0.1	0--1	111	0		111	5.6	1.8--16
15-64	1228	0.02	0--0.2	1228	0		1228	5.6	2.6--11.7

Percentage of current smokers smoking each of the following products									
Age Group (years)	Women								
	n	% Manuf. cigs	95% CI	n	% Hand-rolled cigs.	95% CI	n	% Pipes of tobacco	95% CI
15-24	25	100	100--100	25	0	0--0	25	4.5	0.5--29.1
25-34	51	99.2	93.8--99.9	51	0	0--0	51	0	0--0
35-44	52	100	100--100	52	0	0--0	52	0	0--0
45-54	34	96.1	74.5--99.5	34	7.8	2--26.1	34	3.9	0.6--21.2
55-64	11	100	100--100	11	0	0--0	11	0	0--0
15-64	173	98.8	93.3--99.8	173	2	0.5--7.4	173	1.3	0.3--5.4

Percentage of current smokers smoking each of the following products									
Age Group (years)	Women								
	n	% Cigars, cheroots, cigarillos	95% CI	n	% shisha sessions	95% CI	n	% Other	95% CI
15-24	25	0		25	0		25	6.3	1.1--28.4
25-34	51	0		51	0		51	0	0--0
35-44	52	0		52	0		52	0	0--0
45-54	34	0		34	0		34	10.3	2.6--33.6
55-64	11	0		11	0		11	0	0--0
15-64	173	0		173	0		173	3	0.7--11.5

Percentage of current smokers smoking each of the following products									
Age Group (years)	Both sex								
	n	% Manuf. cigs	95% CI	n	% Hand-rolled cigs.	95% CI	n	% Pipes of tobacco	95% CI
15-24	245	99.6	97--99.9	245	2.1	0.6--7.4	245	0.5	0.1--2.3
25-34	439	98.2	95.7--99.3	439	5.9	2.5--13.1	439	0.3	0.1--1.4
35-44	341	97.2	92.4--99	341	6.6	3.4--12.4	341	0.5	0.1--1.9
45-54	254	90.2	80.5--95.4	254	13.2	7.6--22.1	254	0.7	0.2--2.7
55-64	122	87	76.7--93.2	122	18.9	11.1--30.3	122	6.8	2.2--19.4
15-64	1401	95	90.1--97.5	1401	8.8	5.2--14.3	1401	0.9	0.5--1.6

Percentage of current smokers smoking each of the following products									
Age Group (years)	Both sex								
	n	% Cigars, cheroots, cigarillos	95% CI	n	% shisha sessions	95% CI	n	% Other	95% CI
15-24	245	0.1	0--1.1	245	0		245	2.4	0.5--10.2
25-34	439	0	0--0	439	0		439	3.7	1.3--9.7
35-44	341	0	0--0	341	0		341	5.1	2.1--12
45-54	254	0	0--0	254	0		254	7.6	3--18
55-64	122	0.1	0--1	122	0		122	5.2	1.6--15.1
15-64	1401	0	0--0.1	1401	0		1401	5.3	2.4--11.3

Analysis Information:

- Questions used: T1, T2, T5a-T5fw

Epi Info program name: Tsmoketypeprev (unweighted); TsmoketypeprevWT (weighted)

Frequency of daily cigarette smoking Description: Percentage of daily cigarette smokers smoking given quantities of manufactured or hand-rolled cigarettes per day.

Instrument questions:

- Do you currently smoke any tobacco products, such as cigarettes, cigars, or pipes?
- Do you currently smoke tobacco products daily?
- On average, how many of the following products do you smoke each day?

Percentage of daily smokers smoking given quantities of manufactured or hand-rolled cigarettes per day											
Age Group (years)	Men										
	n	% <5 Cigs.	95% CI	% 5-9 Cigs.	95% CI	% 10-14 Cigs.	95% CI	% 15-24 Cigs.	95% CI	% ≥ 25 Cigs.	95% CI
15-24	171	36.0	26.6-45.5	44.0	34.6-53.3	13.0	5.7-20.4	5.1	0.9-9.3	1.9	0.0-5.6
25-34	342	14.5	9.1-19.9	31.5	25.1-38.0	26.8	20.2-33.5	26.5	21.0-32.1	0.6	0.0-1.3
35-44	274	12.4	7.0-17.8	27.9	19.8-36.1	26.8	19.5-34.1	29.8	22.1-37.5	3.1	0.0-6.9
45-54	207	15.2	9.2-21.2	19.2	12.3-26.0	23.4	15.4-31.4	40.3	31.7-49.0	1.9	0.0-4.4
55-64	102	21.9	10.5-33.2	22.7	10.7-34.6	17.5	8.8-26.3	31.9	21.2-42.6	6.0	1.1-11.0
15-64	1096	15.8	12.5-19.0	26.7	21.5-31.9	24.3	19.4-29.2	30.9	26.2-35.6	2.3	0.8-3.9

Percentage of daily smokers smoking given quantities of manufactured or hand-rolled cigarettes per day											
Age Group (years)	Women										
	n	% <5 Cigs.	95% CI	% 5-9 Cigs.	95% CI	% 10-14 Cigs.	95% CI	% 15-24 Cigs.	95% CI	% ≥ 25 Cigs.	95% CI
15-24	15	57.8	34.1-81.5	19.6	0.0-41.2	22.6	0.0-48.5	0.0	0.0-0.0	0.0	
25-34	39	57.9	32.4-83.4	27.3	10.9-43.8	10.8	0.0-21.9	3.9	0.0-9.8	0.0	
35-44	40	33.9	14.0-53.8	19.3	1.8-36.8	43.5	17.6-69.4	3.3	0.0-8.9	0.0	
45-54	32	42.2	12.9-71.4	18.5	2.1-35.0	23.1	1.4-44.8	16.2	1.3-31.1	0.0	
55-64	11	37.4	8.3-66.4	22.7	0.0-48.2	33.1	0.0-71.7	6.9	0.0-20.9	0.0	
15-64	137	43.0	31.2-54.8	21.1	11.4-30.8	28.6	16.2-41.0	7.3	2.4-12.2	0.0	

Percentage of daily smokers smoking given quantities of manufactured or hand-rolled cigarettes per day											
Age Group (years)	Both Sexes										
	n	% <5 Cigs.	95% CI	% 5-9 Cigs.	95% CI	% 10-14 Cigs.	95% CI	% 15-24 Cigs.	95% CI	% ≥ 25 Cigs.	95% CI
15-24	186	37.3	28.0-46.7	42.5	33.2-51.9	13.6	6.3-20.9	4.8	0.8-8.7	1.8	0.0-5.2
25-34	381	18.9	13.3-24.6	31.1	25.9-36.3	25.2	19.1-31.3	24.2	19.5-29.0	0.5	0.0-1.2
35-44	314	14.4	8.9-20.0	27.1	19.6-34.6	28.4	22.3-34.4	27.3	20.2-34.3	2.8	0.0-6.3
45-54	239	17.6	11.4-23.7	19.1	12.4-25.8	23.4	16.2-30.6	38.2	30.1-46.3	1.8	0.0-4.0
55-64	113	23.1	12.5-33.8	22.7	11.7-33.7	18.8	10.3-27.3	29.9	19.3-40.4	5.5	1.0-10.1
15-64	1233	18.2	14.7-21.8	26.2	21.6-30.8	24.7	20.6-28.8	28.7	24.2-33.2	2.1	0.7-3.6

Analysis Information:

- Questions used: T1, T2, T5a, T5b
- Epi Info program name: Tcigs (unweighted); TcigsWT (weighted)

Former daily smokers and former smokers

Description: Percentage of former daily smokers among all respondents and among ever daily smokers, and the mean duration, in years, since former smokers quit smoking.

Instrument questions:

- Do you currently smoke any tobacco products, such as cigarettes, cigars, or pipes?
- Do you currently smoke tobacco products daily?
- In the past did you ever smoke any tobacco products?
- In the past, did you ever smoke daily?
- How old were you when you stopped smoking?

Former daily smokers (who don't smoke currently) among all respondents									
Age Group (years)	Men			Women			Both Sexes		
	n	% Former daily smokers	95% CI	n	% Former daily smokers	95% CI	n	% Former daily smokers	95% CI
15-24	798	4.8	3.2--7.2	853	0.8	0.3--1.7	1651	2.9	2--4.2
25-34	677	9.7	7--13.3	863	2.9	1.9--4.4	1540	6.3	4.9--8
35-44	548	16.5	12.9--20.8	737	1.9	1.1--3.1	1285	8.7	7.1--10.6
45-54	449	24.5	18.2--32.3	585	3.5	2--6.1	1034	14.5	10.9--19
55-64	247	23.4	16.9--31.4	256	1.7	0.7--3.8	503	12.5	9.1--17.1
15-64	2719	16.3	13.7--19.3	3294	2.4	1.7--3.3	6013	9.3	7.9--10.8

Former daily smokers (who don't smoke currently) among ever daily smokers									
Age Group (years)	Men			Women			Both Sexes		
	n	% Former daily smokers	95% CI	n	% Former daily smokers	95% CI	n	% Former daily smokers	95% CI
15-24	218	20	13.1--29.4	22	36.1	17.2--60.5	240	21.2	14.4--30.2
25-34	415	16.1	11.8--21.6	64	34.4	26.1--43.6	479	18.4	14.4--23.2
35-44	366	23.4	18.5--29.2	55	27.9	17.5--41.5	421	23.9	19.3--29.2
45-54	305	34.4	27.1--42.6	46	41.7	25.5--59.9	351	35.2	28--43.1
55-64	161	34.4	25--45.1	20	30.2	16.2--49.3	181	34	25.2--44.1
15-64	1465	26.4	22.7--30.5	207	34.4	27.5--42.1	1672	27.2	23.8--31

Mean years since cessation									
Age Group (years)	Men			Women			Both Sexes		
	n	Mean years	95% CI	n	Mean years	95% CI	n	Mean years	95% CI
15-24	71	2.2	1.5--2.9	20	2.4	1.5--3.2	91	2.2	1.6--2.8
25-34	76	4.8	3.7--5.9	41	4.9	3.3--6.4	117	4.8	3.9--5.6
35-44	96	8.5	6.4--10.6	21	7.5	4.1--11	117	8.4	6.5--10.3
45-54	100	11.9	8.5--15.4	14	8.2	4.9--11.5	114	11.5	8.6--14.5
55-64	56	17.4	12.7--22.1	11	20.7	13.8--27.5	67	17.8	13.5--22.1
15-64	399	9.9	8.3--11.5	107	7.3	5.8--8.8	506	9.5	8.2--10.9

Analysis Information:

- Questions used: T1, T2, T8, T9, T10, T11a-c
- Epi Info program name: Tsmokeexdaily (unweighted); TsmokeexdailyWT (weighted)

Cessation Description: Percentage of current smokers who have tried to stop smoking during the past 12 months.

Instrument questions:

- Do you currently smoke any tobacco products, such as cigarettes, cigars, or pipes?
- During the past 12 months, have you tried to stop smoking?

Current smokers who have tried to stop smoking									
Age Group (years)	Men			Women			Both Sexes		
	n	% Tried to stop smoking	95% CI	n	% Tried to stop smoking	95% CI	n	% Tried to stop smoking	95% CI
15-24	220	49.9	41.7--58.2	25	21.9	7.4--49.7	245	47.7	39.5--56.1
25-34	388	44	37.7--50.5	51	39.7	29.4--50.9	439	43.5	37.3--49.9
35-44	289	37.2	30.5--44.4	52	40.7	25--58.5	341	37.6	31--44.6
45-54	220	46	37.1--55.1	34	66.5	39.5--85.8	254	47.8	39.2--56.6
55-64	111	35.3	23.8--48.8	11	15.5	4.2--43.3	122	33.8	23.7--45.6
15-64	1228	42.1	38.1--46.1	173	44.8	32.5--57.9	1401	42.3	38.5--46.3

Analysis Information:

- Questions used: T1, T6
- Epi Info program name: Tcessation (unweighted); TcessationWT (weighted)

Advice to stop smoking Description: Percentage of current smokers who have been advised by a doctor or other health worker to stop smoking, among those smokers who have had a visit to a doctor or other health worker in the past 12 months.

Instrument questions:

- Do you currently smoke any tobacco products, such as cigarettes, cigars, or pipes?
- During any visit to a doctor or other health worker in the past 12 months, were you advised to quit smoking tobacco?

Current smokers who have been advised by doctor to stop smoking									
Age Group (years)	Men			Women			Both Sexes		
	n	% Advised to stop smoking	95% CI	n	% Advised to stop smoking	95% CI	n	% Advised to stop smoking	95% CI
15-24	185	17.7	10.9--27.6	16	13.6	3.5--40.8	201	17.4	10.9--26.8
25-34	329	25.8	20.5--31.8	39	23.7	9.3--48.3	368	25.6	20.2--31.9
35-44	241	39.2	31--48.1	46	14.4	5.2--34.1	287	36.2	27.8--45.4
45-54	197	36.4	27.6--46.1	31	37.8	19.7--60.2	228	36.5	28--46
55-64	101	42.4	27--59.4	10	24.8	6.6--60.6	111	41	26.8--56.9
15-64	1053	34.1	28--40.7	142	23.1	13--37.5	1195	33	26.9--39.7

Analysis Information:

- Questions used: T1, T7
- Epi Info program name: Tcessation (unweighted); TcessationWT (weighted)

Current users of smokeless tobacco Description: Percentage of current users of smokeless tobacco among all respondents.

Instrument question:

- Do you currently use any smokeless tobacco such as [snuff, chewing tobacco, betel]?

Current users of smokeless tobacco									
Age Group (years)	Men			Women			Both Sexes		
	n	% Current users	95% CI	n	% Current users	95% CI	n	% Current users	95% CI
15-24	798	0.3	0.0-0.6	853	0.0	0.0-0.0	1651	0.2	0.0-0.3
25-34	677	0.2	0.0-0.5	863	0.2	0.0-0.6	1540	0.2	0.0-0.4
35-44	548	0.4	0.0-1.1	737	0.2	0.0-0.5	1285	0.3	0.0-0.6
45-54	449	1.1	0.1-2.1	585	0.6	0.0-1.6	1034	0.9	0.2-1.6
55-64	247	3.4	0.6-6.3	256	0.0	0.0-0.0	503	1.7	0.3-3.1
15-64	2719	0.8	0.3-1.2	3294	0.2	0.0-0.5	6013	0.5	0.2-0.8

Analysis Information:

- Questions used: T12
 - Epi Info program name: Tsmokelessstatus (unweighted); TsmokelessstatusWT (weighted)
-

Status of smokeless tobacco use Description: Status of using smokeless tobacco among all respondents.

Instrument questions:

- Do you currently use any smokeless tobacco such as [snuff, chewing tobacco, betel]?
- Do you currently use smokeless tobacco products daily?
- In the past, did you ever use smokeless tobacco such as [snuff, chewing tobacco, betel]?

Smokeless tobacco use							
Men							
Age Group (years)	n	Current user				Non user	
		% Daily	95% CI	% Non-daily	95% CI	%	95% CI
15-24	798	0.0	0.0-0.0	0.3	0.0-0.6	99.7	99.4-100.0
25-34	677	0.1	0.0-0.3	0.1	0.0-0.2	99.8	99.5-100.0
35-44	548	0.0	0.0-0.0	0.4	0.0-1.1	99.6	98.9-100.0
45-54	449	0.2	0.0-0.6	0.9	0.0-1.8	98.9	97.9-99.9
55-64	247	1.5	0.0-3.4	1.9	0.0-3.8	96.6	93.7-99.4
15-64	2719	0.2	0.0-0.3	0.6	0.2-0.9	99.2	98.8-99.7

Smokeless tobacco use							
Women							
Age Group (years)	n	Current user				Non user	
		% Daily	95% CI	% Non-daily	95% CI	%	95% CI
15-24	853	0.0	0.0-0.0	0.0	0.0-0.0	100.0	100.0-100.0
25-34	863	0.0	0.0-0.0	0.2	0.0-0.6	99.8	99.4-100.0
35-44	737	0.0	0.0-0.0	0.2	0.0-0.5	99.8	99.6-100.0
45-54	585	0.1	0.0-0.3	0.5	0.0-1.5	99.4	98.4-100.0
55-64	256	0.0	0.0-0.0	0.0	0.0-0.0	100.0	100.0-100.0
15-64	3294	0.0	0.0-0.1	0.2	0.0-0.5	99.8	99.5-100.0

Smokeless tobacco use							
Both sex							
Age Group (years)	n	Current user				Non user	
		% Daily	95% CI	% Non-daily	95% CI	%	95% CI
15-24	1651	0.0	0.0-0.0	0.2	0.0-0.3	99.8	99.7-100.0
25-34	1540	0.1	0.0-0.2	0.1	0.0-0.3	99.8	99.6-100.0
35-44	1285	0.0	0.0-0.0	0.3	0.0-0.6	99.7	99.4-100.0
45-54	1034	0.2	0.0-0.4	0.7	0.0-1.4	99.1	98.4-99.8
55-64	503	0.8	0.0-1.7	0.9	0.0-1.9	98.3	96.9-99.7
15-64	6013	0.1	0.0-0.2	0.4	0.1-0.7	99.5	99.2-99.8

Analysis Information:

- Questions used: T12, T13, T15
- Epi Info program name: Tsmokelessstatus (unweighted); TsmokelessstatusWT (weighted)

Current tobacco users

Description: Percentage of daily and current (daily plus non-daily) tobacco users, includes smoking and smokeless, among all respondents.

Instrument questions:

- Do you currently smoke any tobacco products, such as cigarettes, cigars, or pipes?
- Do you currently smoke tobacco products daily?
- Do you currently use any smokeless tobacco such as [snuff, chewing tobacco, betel]?
- Do you currently use smokeless tobacco products daily?

Current tobacco users									
Age Group (years)	Men			Women			Both Sexes		
	n	% Current users	95% CI	n	% Current users	95% CI	n	% Current users	95% CI
15-24	798	25.2	21--29.8	853	2.3	1.4--3.9	1651	14.2	11.8--17
25-34	677	56.8	51.9--61.6	863	6.9	4.7--10	1540	31.5	28--35.3
35-44	548	56.6	51.1--61.9	737	6.3	4.7--8.4	1285	29.8	26.8--32.8
45-54	449	49.8	45--54.7	585	5.8	3.2--10.2	1034	28.7	25.6--32
55-64	247	48.6	40.9--56.3	256	3.9	1.9--7.7	503	26.2	21.8--31.2
15-64	2719	49.5	46.8--52.1	3294	5.6	4.2--7.4	6013	27.4	25.4--29.4

Daily tobacco users									
Age Group (years)	Men			Women			Both Sexes		
	n	% Daily users	95% CI	n	% Daily users	95% CI	n	% Daily users	95% CI
15-24	798	19.3	15.5--23.8	853	1.3	0.7--2.6	1651	10.7	8.6--13.2
25-34	677	50.7	45.8--55.6	863	5.6	3.6--8.7	1540	27.9	24.6--31.5
35-44	548	53.8	48--59.5	737	4.9	3.5--6.7	1285	27.7	24.6--31
45-54	449	46.9	42.2--51.7	585	5	2.9--8.6	1034	26.9	24.1--29.8
55-64	247	45	36.5--53.7	256	3.9	1.9--7.7	503	24.5	19.8--29.8
15-64	2719	45.5	42.7--48.4	3294	4.5	3.4--6	6013	24.9	23--26.8

Analysis Information:

- Questions used: T1, T2, T12, T13
- Epi Info program name: Tdailyuser (unweighted); TdailyuserWT (weighted)

Exposure to second-hand smoke in home in past 30 days

Description: Percentage of respondents exposed second-hand smoke in the home in the past 30 days.

Instrument question:

- In the past 30 days, did someone smoke in your home?

Exposed to second-hand smoke in home during the past 30 days									
Age Group (years)	Men			Women			Both Sexes		
	n	% Exposed	95% CI	n	% Exposed	95% CI	n	% Exposed	95% CI
15-24	792	48.5	43.2--53.9	846	43.8	39.3--48.5	1638	46.3	42.4--50.2
25-34	674	33.7	28.8--38.9	861	45.1	39.2--51	1535	39.4	35--44.1
35-44	545	33.5	29.4--37.9	736	50.4	45.5--55.4	1281	42.6	39.2--46.1
45-54	449	32.4	26.9--38.3	582	42.4	37.5--47.5	1031	37.2	33.1--41.4
55-64	245	42.5	32.5--53.1	256	39.8	32.7--47.4	501	41.2	34.2--48.5
15-64	2705	36	32.5--39.7	3281	45.8	42.4--49.1	5986	40.9	37.9--44

Analysis Information:

- Questions used: T17
- Epi Info program name: Tetshome (unweighted); TetshomeWT (weighted)

Exposure to second-hand smoke in the workplace in past 30 days

Description: Percentage of respondents exposed to second-hand smoke in the workplace in the past 30 days.

Instrument question:

- During the past 30 days, did someone smoke in closed areas in your workplace (in the building, in a work area or a specific office)?

Exposed to second-hand smoke in the workplace during the past 30 days									
Age Group (years)	Men			Women			Both Sexes		
	n	% Exposed	95% CI	n	% Exposed	95% CI	n	% Exposed	95% CI
15-24	788	24.1	19.3--29.8	852	15	11.9--18.8	1640	19.7	16.3--23.6
25-34	647	38.5	31.7--45.8	860	22.2	17.9--27.3	1507	30.1	25.6--35
35-44	526	36.7	31.2--42.6	728	18.6	14.7--23.3	1254	26.9	23.4--30.8
45-54	436	30.3	25.7--35.3	576	20.5	16.5--25.3	1012	25.6	22.1--29.5
55-64	237	15.4	10.2--22.5	254	19.3	12.4--28.8	491	17.4	12.9--23.1
15-64	2634	31.9	28.4--35.5	3270	19.4	16.4--22.8	5904	25.5	22.7--28.5

Analysis Information:

- Questions used: T18
- Epi Info program name: Tetswork (unweighted); TetsworkWT (weighted)