

Preparation and use of chlorine

1:10 solution

- Soiled clothes
- Toilets
- Body Fluid Spills
- Floors/Environment

1:100 solution

- Bare hands and skin

Calcium hypochlorite powder or granules 70%




1 tablespoon per 2 liters of water



1 tablespoon per 20 liters of water



Making chlorine water from 5% bleach



Protect yourself while caring for sick person - 1

- Wear the jacket
 - Take out rings, watch from hand



- Wash hands with soap and water or chlorine solution



- Tear one handle of the plastic bag.
- Put your hands inside the plastic bag
- Loosely tie the opening by inserting the torn handle around intact handle



Protect yourself while caring for sick person - 2

- Wash wet plastic bag to check for holes
 - If your hands get wet inside, change the plastic bag
- Care for the sick person
- Remove hands from the plastic bag in bucket with strong chlorine without touching the bucket. Wash hands with chlorine or soap and water



Protect yourself while caring for sick person - 3

- Soak the plastic bag for 15 minutes
Use stick to push
- Take out the plastic bag and burn immediately
- Clean the bucket with strong chlorine.
Throw chlorine in the toilet or throw in a dug hole



Protect yourself while caring for sick person - 4

- Wash hands up to the elbow with weak chlorine



- Open jacket without getting in contact with the jacket parts



- Soak jacket in 0.5% chlorine for 30 minutes
- Wash your hands with soap and water

