

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Honduras Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
17-17	Q1	Q1	How old are you?		
			1 11 years old or younger	33	1.9
			2 12 years old	235	14.7
			3 13 years old	429	25.5
			4 14 years old	467	25.8
			5 15 years old	355	18.8
			6 16 years old or older	244	13.3
			Missing	16	
18-18	Q2	Q2	What is your sex?		
			1 Male	839	46.9
			2 Female	909	53.1
			Missing	31	
19-19	Q3	Q3	In what grade are you?		
			1 6th grade	0	0.0
			2 7th grade	621	39.0
			3 8th grade	553	29.1
			4 9th grade	459	23.7
			5 1 curso	137	7.8
			6 2 curso	4	0.2
			7 3 curso	2	0.1
20-23	Q4	Q4	Missing	3	
24-29	Q5	Q5	How tall are you without your shoes on? (Note: Data are in meters.)		
30-30	Q6	Q9	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
			During the past 30 days, how often did you go hungry because there was not enough food in your home?		
			1 Never	1,133	63.3
			2 Rarely	393	22.8
			3 Sometimes	172	10.0
			4 Most of the time	30	1.8
30-30	Q6	Q9	5 Always	39	2.1
			Missing	12	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Honduras Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
31-31	Q7	Q13	During the past 30 days, how many times per day did you usually eat fruit, such as guava, bananas, watermelon, papaya, or mangoes?		
			1 I did not eat fruit during the past 30 days	242	13.6
			2 Less than one time per day	340	19.1
			3 1 time per day	440	24.7
			4 2 times per day	320	17.9
			5 3 times per day	205	11.9
			6 4 times per day	87	4.8
			7 5 or more times per day	138	7.9
			Missing	7	
32-32	Q8	Q14	During the past 30 days, how many times per day did you usually eat vegetables, such as tomatoes, carrots, Patastes, broccoli, or beans (green beans in pods)?		
			1 I did not eat vegetables during the past 30 days	233	13.3
			2 Less than one time per day	310	17.5
			3 1 time per day	546	31.0
			4 2 times per day	318	17.9
			5 3 times per day	175	10.2
			6 4 times per day	58	3.3
			7 5 or more times per day	116	6.8
			Missing	23	
33-33	Q9	Q16	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as Coke, Pepsi, Mirinda, Spray, or Tropical?		
			1 I did not drink carbonated soft drinks during the past 30 days	146	7.9
			2 Less than one time per day	311	18.3
			3 1 time per day	433	24.7
			4 2 times per day	373	20.5
			5 3 times per day	225	12.9
			6 4 times per day	92	5.1
			7 5 or more times per day	182	10.6
			Missing	17	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Honduras Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
34-34	Q10	Q17	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as Burger King, Bigos, Churchs Chicken, Dominos Pizza, Dunkin Donuts, Kentucky Fried Chicken (KFC), Little Caesars, McDonalds, Pizza Hut, Popeyes, Pollo Campero, and Wendys?		
			1 0 days	942	53.0
			2 1 day	374	21.6
			3 2 days	208	12.0
			4 3 days	110	6.6
			5 4 days	42	2.2
			6 5 days	31	1.8
			7 6 days	17	0.9
			8 7 days	29	1.8
			Missing	26	
35-35	Q11	Q21	During the past 30 days, how many times per day did you usually clean or brush your teeth?		
			1 I did not clean or brush my teeth during the past 30 days	31	1.7
			2 Less than 1 time per day	46	2.6
			3 1 time per day	147	8.2
			4 2 times per day	383	21.4
			5 3 times per day	882	50.0
			6 4 or more times per day	283	16.2
			Missing	7	
36-36	Q12	Q22	During the past 30 days, how often did you wash your hands before eating?		
			1 Never	41	2.3
			2 Rarely	90	5.0
			3 Sometimes	174	9.7
			4 Most of the time	477	27.0
			5 Always	988	56.0
			Missing	9	
37-37	Q13	Q23	During the past 30 days, how often did you wash your hands after using the toilet or latrine?		
			1 Never	43	2.4
			2 Rarely	51	2.9
			3 Sometimes	63	3.5
			4 Most of the time	224	12.3
			5 Always	1,374	78.9
			Missing	24	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Honduras Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
38-38	Q14	Q25	During the past 30 days, how often did you use soap when washing your hands?		
			1 Never	767	44.2
			2 Rarely	278	15.3
			3 Sometimes	250	14.2
			4 Most of the time	164	9.4
			5 Always	293	16.9
			Missing	27	
39-39	Q15	Q30	During the past 12 months, how many times were you physically attacked?		
			1 0 times	1,411	79.2
			2 1 time	184	10.4
			3 2 or 3 times	100	5.8
			4 4 or 5 times	19	1.0
			5 6 or 7 times	27	1.7
			6 8 or 9 times	5	0.3
			7 10 or 11 times	5	0.2
			8 12 or more times	24	1.4
			Missing	4	
40-40	Q16	Q32	During the past 12 months, how many times were you in a physical fight?		
			1 0 times	1,266	71.9
			2 1 time	257	15.1
			3 2 or 3 times	137	8.2
			4 4 or 5 times	32	1.8
			5 6 or 7 times	15	0.8
			6 8 or 9 times	7	0.4
			7 10 or 11 times	5	0.4
			8 12 or more times	25	1.5
			Missing	35	
41-41	Q17	Q33	During the past 12 months, how many times were you seriously injured?		
			1 0 times	1,036	64.4
			2 1 time	383	23.9
			3 2 or 3 times	129	8.3
			4 4 or 5 times	20	1.3
			5 6 or 7 times	10	0.7
			6 8 or 9 times	4	0.2
			7 10 or 11 times	1	0.1
			8 12 or more times	16	1.1
			Missing	180	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Honduras Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
42-42	Q18	Q34	During the past 12 months, what was the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	1,235	74.0
			2 I had a broken bone or a dislocated joint	95	5.4
			3 I had a cut or stab wound	33	2.1
			4 I had a concussion or other head or neck injury, was knocked out, or could not breathe	46	2.9
			5 I had a gunshot wound	8	0.4
			6 I had a bad burn	24	1.4
			7 I was poisoned or took too much of a drug	12	0.9
			8 Something else happened to me	210	13.0
			Missing	116	
43-43	Q19	Q35	During the past 12 months, what was the major cause of the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	1,172	72.9
			2 I was in a motor vehicle accident or hit by a motor vehicle	25	1.4
			3 I fell	178	11.1
			4 Something fell on me or hit me	27	1.9
			5 I was attacked or abused or was fighting with someone	16	1.0
			6 I was in a fire or too near a flame or something hot	11	0.7
			7 I inhaled or swallowed something bad for me	11	0.8
			8 Something else caused my injury	161	10.1
			Missing	178	
44-44	Q20	Q36	During the past 30 days, on how many days were you bullied?		
			1 0 days	1,175	68.1
			2 1 or 2 days	346	20.9
			3 3 to 5 days	97	5.9
			4 6 to 9 days	30	1.9
			5 10 to 19 days	10	0.6
			6 20 to 29 days	11	0.7
			7 All 30 days	31	1.9
			Missing	79	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Honduras Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
45-45	Q21	Q37	During the past 30 days, how were you bullied most often?		
		1	I was not bullied during the past 30 days	1,257	73.2
		2	I was hit, kicked, pushed, shoved around, or locked indoors	37	2.1
		3	I was made fun of because of my race, nationality, or color	44	2.6
		4	I was made fun of because of my religion	23	1.4
		5	I was made fun of with sexual jokes, comments, or gestures	61	3.7
		6	I was left out of activities on purpose or completely ignored	44	2.7
		7	I was made fun of because of how my body or face looks	74	4.7
		8	I was bullied in some other way	156	9.7
			Missing	83	
46-46	Q22	Q38	During the past 12 months, how often have you felt lonely?		
		1	Never	688	39.3
		2	Rarely	506	29.4
		3	Sometimes	356	20.5
		4	Most of the time	112	6.4
		5	Always	70	4.3
			Missing	47	
47-47	Q23	Q39	During the past 12 months, how often have you been so worried about something that you could not sleep at night?		
		1	Never	662	37.3
		2	Rarely	577	32.4
		3	Sometimes	422	24.2
		4	Most of the time	79	4.4
		5	Always	29	1.6
			Missing	10	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Honduras Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
48-48	Q24	Q40	During the past 12 months, did you ever seriously consider attempting suicide?		
			1 Yes	328	19.5
			2 No	1,406	80.5
			Missing	45	
49-49	Q25	Q41	During the past 12 months, did you make a plan about how you would attempt suicide?		
			1 Yes	323	18.9
			2 No	1,416	81.1
			Missing	40	
50-50	Q26	Q42	During the past 12 months, how many times did you actually attempt suicide?		
			1 0 times	1,472	82.7
			2 1 time	175	10.0
			3 2 or 3 times	76	4.6
			4 4 or 5 times	26	1.4
			5 6 or more times	20	1.3
			Missing	10	
51-51	Q27	Q43	How many close friends do you have?		
			1 0	118	6.9
			2 1	166	9.9
			3 2	188	10.5
			4 3 or more	1,278	72.7
			Missing	29	
52-52	Q28	Q44	How old were you when you first tried a cigarette?		
			1 I have never smoked cigarettes	1,257	74.6
			2 7 years old or younger	63	3.5
			3 8 or 9 years old	55	3.3
			4 10 or 11 years old	82	4.9
			5 12 or 13 years old	135	8.2
			6 14 or 15 years old	86	4.8
			7 16 years old or older	10	0.6
			Missing	91	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Honduras Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
53-53	Q29	Q45	During the past 30 days, on how many days did you smoke cigarettes?		
			1 0 days	1,537	87.3
			2 1 or 2 days	136	7.5
			3 3 to 5 days	35	2.0
			4 6 to 9 days	26	1.6
			5 10 to 19 days	9	0.5
			6 20 to 29 days	5	0.3
			7 All 30 days	13	0.7
			Missing	18	
54-54	Q30	Q46	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as cigars, snuff, or pipe chewing snuff?		
			1 0 days	1,681	95.5
			2 1 or 2 days	45	2.5
			3 3 to 5 days	19	1.0
			4 6 to 9 days	3	0.2
			5 10 to 19 days	8	0.4
			6 20 to 29 days	3	0.2
			7 All 30 days	4	0.2
			Missing	16	
55-55	Q31	Q47	During the past 12 months, have you ever tried to stop smoking cigarettes?		
			1 I have never smoked cigarettes	1,361	79.8
			2 I did not smoke cigarettes during the past 12 months	170	10.1
			3 Yes	132	7.8
			4 No	41	2.4
			Missing	75	
56-56	Q32	Q48	During the past 7 days, on how many days have people smoked in your presence?		
			1 0 days	878	49.2
			2 1 or 2 days	478	26.9
			3 3 or 4 days	138	7.8
			4 5 or 6 days	65	3.8
			5 All 7 days	209	12.3
			Missing	11	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Honduras Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
57-57	Q33	Q49	Which of your parents or guardians use any form of tobacco?		
			1 Neither	1,495	84.1
			2 My father or male guardian	152	8.7
			3 My mother or female guardian	27	1.5
			4 Both	24	1.4
			5 I do not know	70	4.2
			Missing	11	
58-58	Q34	Q50	How old were you when you had your first drink of alcohol other than a few sips?		
			1 I have never had a drink of alcohol other than a few sips	1,028	66.3
			2 7 years old or younger	65	4.3
			3 8 or 9 years old	46	3.0
			4 10 or 11 years old	72	4.9
			5 12 or 13 years old	181	11.5
			6 14 or 15 years old	133	8.1
			7 16 years old or older	29	1.9
			Missing	225	
59-59	Q35	Q51	During the past 30 days, on how many days did you have at least one drink containing alcohol?		
			1 0 days	1,430	84.1
			2 1 or 2 days	183	10.5
			3 3 to 5 days	38	2.4
			4 6 to 9 days	21	1.2
			5 10 to 19 days	15	0.9
			6 20 to 29 days	3	0.2
			7 All 30 days	12	0.7
			Missing	77	
60-60	Q36	Q52	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?		
			1 I did not drink alcohol during the past 30 days	1,407	81.6
			2 Less than one drink	100	5.4
			3 1 drink	59	3.5
			4 2 drinks	52	3.2
			5 3 drinks	39	2.1
			6 4 drinks	23	1.3
			7 5 or more drinks	54	3.1
			Missing	45	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Honduras Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
61-61	Q37	Q53	During the past 30 days, how did you usually get the alcohol you drank?		
			1 I did not drink alcohol during the past 30 days	1,406	83.0
			2 I bought it in a store, shop, or from a street vendor	46	2.7
			3 I gave someone else money to buy it for me	24	1.3
			4 I got it from my friends	112	6.7
			5 I got it from my family	46	2.7
			6 I stole it or got it without permission	10	0.5
			7 I got it some other way	53	3.1
			Missing	82	
62-62	Q38	Q55	During your life, how many times did you drink so much alcohol that you were really drunk?		
			1 0 times	1,542	89.1
			2 1 or 2 times	139	8.0
			3 3 to 9 times	31	1.8
			4 10 or more times	21	1.1
			Missing	46	
63-63	Q39	Q56	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?		
			1 0 times	1,545	92.9
			2 1 or 2 times	84	5.0
			3 3 to 9 times	16	1.0
			4 10 or more times	18	1.1
			Missing	116	
68-68	Q44	Q57	Have you ever had sexual intercourse?		
			1 Yes	434	25.3
			2 No	1,234	74.7
			Missing	111	
69-69	Q45	Q58	How old were you when you had sexual intercourse for the first time?		
			1 I have never had sexual intercourse	1,397	81.8
			2 11 years old or younger	87	5.0
			3 12 years old	42	2.4
			4 13 years old	49	2.7
			5 14 years old	60	3.3
			6 15 years old	62	3.4
			7 16 years old or older	24	1.5
			Missing	58	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Honduras Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
70-70	Q46	Q60	During your life, with how many people have you had sexual intercourse?		
			1 I have never had sexual intercourse	1,412	81.9
			2 1 person	164	9.3
			3 2 people	69	3.9
			4 3 people	45	2.2
			5 4 people	18	1.0
			6 5 people	10	0.5
			7 6 or more people	21	1.1
			Missing	40	
71-71	Q47	Q61	The last time you had sexual intercourse, did you or your partner use a condom ?		
			1 I have never had sexual intercourse	1,376	81.7
			2 Yes	216	12.3
			3 No	107	6.1
			Missing	80	
72-72	Q48	Q62	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?		
			1 I have never had sexual intercourse	1,359	81.5
			2 Yes	138	8.0
			3 No	124	7.0
			4 I do not know	61	3.5
			Missing	97	
73-73	Q49	Q64	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
			1 0 days	505	29.7
			2 1 day	422	23.8
			3 2 days	226	12.8
			4 3 days	138	7.8
			5 4 days	76	4.3
			6 5 days	76	4.2
			7 6 days	25	1.6
			8 7 days	273	15.8
			Missing	38	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Honduras Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
74-74	Q50	Q66	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?		
			1 0 days	649	37.8
			2 1 day	214	11.7
			3 2 days	70	4.2
			4 3 days	57	3.1
			5 4 days	48	2.7
			6 5 days	220	12.3
			7 6 days	37	2.1
			8 7 days	459	26.1
			Missing	25	
75-75	Q51	Q67	During this school year, on how many days did you go to physical education (PE) class each week?		
			1 0 days	155	9.4
			2 1 day	626	36.6
			3 2 days	422	23.6
			4 3 days	37	2.0
			5 4 days	36	2.0
			6 5 or more days	447	26.5
			Missing	56	
76-76	Q52	Q69	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as chatting or playing Nintendo, Wii, or with devices such as smart phones?		
			1 Less than 1 hour per day	637	36.7
			2 1 to 2 hours per day	593	33.5
			3 3 to 4 hours per day	299	17.6
			4 5 to 6 hours per day	97	5.5
			5 7 to 8 hours per day	48	2.6
			6 More than 8 hours per day	68	4.1
			Missing	37	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Honduras Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
77-77	Q53	Q70	During the past 30 days, on how many days did you miss classes or school without permission?		
			1 0 days	1,267	72.7
			2 1 or 2 days	336	19.3
			3 3 to 5 days	79	4.5
			4 6 to 9 days	26	1.6
			5 10 or more days	32	1.9
			Missing	39	
78-78	Q54	Q71	During the past 30 days, how often were most of the students in your school kind and helpful?		
			1 Never	250	15.0
			2 Rarely	349	19.9
			3 Sometimes	337	19.6
			4 Most of the time	348	20.2
			5 Always	446	25.3
			Missing	49	
79-79	Q55	Q72	During the past 30 days, how often did your parents or guardians check to see if your homework was done?		
			1 Never	353	20.1
			2 Rarely	279	16.1
			3 Sometimes	221	12.5
			4 Most of the time	281	16.2
			5 Always	621	35.2
			Missing	24	
80-80	Q56	Q73	During the past 30 days, how often did your parents or guardians understand your problems and worries?		
			1 Never	389	22.6
			2 Rarely	312	17.9
			3 Sometimes	236	13.1
			4 Most of the time	255	15.0
			5 Always	552	31.4
			Missing	35	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Honduras Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
81-81	Q57	Q74	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?		
			1 Never	329	19.0
			2 Rarely	231	13.3
			3 Sometimes	223	12.9
			4 Most of the time	272	15.4
			5 Always	678	39.4
			Missing	46	
82-82	Q58	Q75	During the past 30 days, how often did your parents or guardians go through your things without your approval?		
			1 Never	1,124	64.6
			2 Rarely	290	16.5
			3 Sometimes	165	9.4
			4 Most of the time	62	3.6
			5 Always	101	6.0
			Missing	37	
185-185	QN6		Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days		
			1 Yes	69	3.9
			2 No	1,698	96.1
			Missing	12	
186-186	QN7		Percentage of students who usually ate fruit two or more times per day during the past 30 days		
			1 Yes	750	42.6
			2 No	1,022	57.4
			Missing	7	
187-187	QN8		Percentage of students who usually ate vegetables three or more times per day during the past 30 days		
			1 Yes	349	20.3
			2 No	1,407	79.7
			Missing	23	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Honduras Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
188-188	QN9		Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days		
		1	Yes	1,305	73.8
		2	No	457	26.2
			Missing	17	
189-189	QN10		Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days		
		1	Yes	229	13.4
		2	No	1,524	86.6
			Missing	26	
190-190	QN11		Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days		
		1	Yes	77	4.2
		2	No	1,695	95.8
			Missing	7	
191-191	QN12		Percentage of students who never or rarely washed their hands before eating during the past 30 days		
		1	Yes	131	7.3
		2	No	1,639	92.7
			Missing	9	
192-192	QN13		Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days		
		1	Yes	94	5.3
		2	No	1,661	94.7
			Missing	24	
193-193	QN14		Percentage of students who never or rarely used soap when washing their hands during the past 30 days		
		1	Yes	1,045	59.5
		2	No	707	40.5
			Missing	27	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Honduras Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
194-194	QN15		Percentage of students who were physically attacked one or more times during the past 12 months		
		1	Yes	364	20.8
		2	No	1,411	79.2
			Missing	4	
195-195	QN16		Percentage of students who were in a physical fight one or more times during the past 12 months		
		1	Yes	478	28.1
		2	No	1,266	71.9
			Missing	35	
196-196	QN17		Percentage of students who were seriously injured one or more times during the past 12 months		
		1	Yes	563	35.6
		2	No	1,036	64.4
			Missing	180	
197-197	QN18		Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint		
		1	Yes	95	20.7
		2	No	333	79.3
			Missing	1,351	
198-198	QN19		Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle		
		1	Yes	25	5.3
		2	No	404	94.7
			Missing	1,350	
199-199	QN20		Percentage of students who were bullied on one or more days during the past 30 days		
		1	Yes	525	31.9
		2	No	1,175	68.1
			Missing	79	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Honduras Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
200-200	QN21		Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors		
		1	Yes	37	7.9
		2	No	402	92.1
			Missing	1,340	
201-201	QN22		Percentage of students who most of the time or always felt lonely during the past 12 months		
		1	Yes	182	10.7
		2	No	1,550	89.3
			Missing	47	
202-202	QN23		Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months		
		1	Yes	108	6.0
		2	No	1,661	94.0
			Missing	10	
203-203	QN24		Percentage of students who ever seriously considered attempting suicide during the past 12 months		
		1	Yes	328	19.5
		2	No	1,406	80.5
			Missing	45	
204-204	QN25		Percentage of students who made a plan about how they would attempt suicide during the past 12 months		
		1	Yes	323	18.9
		2	No	1,416	81.1
			Missing	40	
205-205	QN26		Percentage of students who actually attempted suicide one or more times during the past 12 months		
		1	Yes	297	17.3
		2	No	1,472	82.7
			Missing	10	
206-206	QN27		Percentage of students who had no close friends		
		1	Yes	118	6.9
		2	No	1,632	93.1
			Missing	29	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Honduras Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
207-207	QN28		Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years		
			1 Yes	335	78.8
			2 No	96	21.2
			Missing	1,348	
208-208	QN29		Percentage of students who smoked cigarettes on one or more days during the past 30 days		
			1 Yes	224	12.7
			2 No	1,537	87.3
			Missing	18	
209-209	QN30		Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days		
			1 Yes	82	4.5
			2 No	1,681	95.5
			Missing	16	
210-210	QN31		Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months		
			1 Yes	132	76.6
			2 No	41	23.4
			Missing	1,606	
211-211	QN32		Percentage of students who reported people smoked in their presence on one or more days during the past seven days		
			1 Yes	890	50.8
			2 No	878	49.2
			Missing	11	
212-212	QN33		Percentage of students who had parents or guardians who used any form of tobacco		
			1 Yes	203	11.7
			2 No	1,565	88.3
			Missing	11	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Honduras Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
213-213	QN34		Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years		
		1	Yes	364	70.3
		2	No	162	29.7
			Missing	1,253	
214-214	QN35		Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days		
		1	Yes	272	15.9
		2	No	1,430	84.1
			Missing	77	
215-215	QN36		Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol		
		1	Yes	168	52.1
		2	No	159	47.9
			Missing	1,452	
216-216	QN37		Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends		
		1	Yes	112	39.2
		2	No	179	60.8
			Missing	1,488	
217-217	QN38		Percentage of students who drank so much alcohol that they were really drunk one or more times during their life		
		1	Yes	191	10.9
		2	No	1,542	89.1
			Missing	46	
218-218	QN39		Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol		
		1	Yes	118	7.1
		2	No	1,545	92.9
			Missing	116	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Honduras Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
223-223	QN44		Percentage of students who ever had sexual intercourse		
		1	Yes	434	25.3
		2	No	1,234	74.7
			Missing	111	
224-224	QN45		Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years		
		1	Yes	178	55.4
		2	No	146	44.6
			Missing	1,455	
225-225	QN46		Percentage of students who had sexual intercourse with two or more people during their life		
		1	Yes	163	8.8
		2	No	1,576	91.2
			Missing	40	
226-226	QN47		Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse		
		1	Yes	216	66.9
		2	No	107	33.1
			Missing	1,456	
227-227	QN48		Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse		
		1	Yes	138	43.4
		2	No	185	56.6
			Missing	1,456	
228-228	QN49		Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days		
		1	Yes	374	21.5
		2	No	1,367	78.5
			Missing	38	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Honduras Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
229-229	QN50		Percentage of students who did not walk or ride a bicycle to or from school during the past seven days		
		1	Yes	649	37.8
		2	No	1,105	62.2
			Missing	25	
230-230	QN51		Percentage of students who went to physical education (PE) class on three or more days each week during this school year		
		1	Yes	520	30.4
		2	No	1,203	69.6
			Missing	56	
231-231	QN52		Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities		
		1	Yes	512	29.9
		2	No	1,230	70.1
			Missing	37	
232-232	QN53		Percentage of students who missed classes or school without permission on one or more of the past 30 days		
		1	Yes	473	27.3
		2	No	1,267	72.7
			Missing	39	
233-233	QN54		Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days		
		1	Yes	794	45.5
		2	No	936	54.5
			Missing	49	
234-234	QN55		Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days		
		1	Yes	902	51.4
		2	No	853	48.6
			Missing	24	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Honduras Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
235-235	QN56		Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days		
		1	Yes	807	46.3
		2	No	937	53.7
			Missing	35	
236-236	QN57		Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days		
		1	Yes	950	54.8
		2	No	783	45.2
			Missing	46	
237-237	QN58		Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days		
		1	Yes	1,414	81.1
		2	No	328	18.9
			Missing	37	
350-350	QNOWTG		Percentage of students who were overweight (>+1SD from median for BMI by age and sex)		
		1	Yes	309	18.7
		2	No	1,370	81.3
			Missing	100	
351-351	QNOBESEG		Percentage of students who were obese (>+2SD from median for BMI by age and sex)		
		1	Yes	92	5.4
		2	No	1,587	94.6
			Missing	100	
352-352	QNUNWTG		Percentage of students who were underweight (<-2SD from median for BMI by age and sex)		
		1	Yes	40	2.4
		2	No	1,639	97.6
			Missing	100	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Honduras Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
353-353	QNFRVGG		Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days		
		1	Yes	444	25.9
		2	No	1,307	74.1
			Missing	28	
354-354	QNANYTBG		Percentage of students who used any tobacco on one or more days during the past 30 days		
		1	Yes	241	13.7
		2	No	1,510	86.3
			Missing	28	
355-355	QNPA7G		Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days		
		1	Yes	273	15.8
		2	No	1,468	84.2
			Missing	38	
356-356	QNPE5G		Percentage of students who went to physical education (PE) class on five or more days each week during this school year		
		1	Yes	447	26.5
		2	No	1,276	73.5
			Missing	56	
357-357	QNC1G		Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse		
		1	Yes	88	49.6
		2	No	85	50.4
			Missing	1,606	
358-358	QNC2G		Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days		
		1	Yes	63	66.5
		2	No	34	33.5
			Missing	1,682	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Honduras Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
362-371	WEIGHT				
372-380	STRATUM				
381-385	PSU				