

2003 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Kenya Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
1-3	SITE		Site Code		
4-13	SCHOOL		School Codes		
14-16	CLASS		Class Codes		
17-17	Q1	Q1	How old are you?		
			1 11 years old or younger	44	1.7
			2 12 years old	213	7.5
			3 13 years old	689	19.5
			4 14 years old	1,068	28.9
			5 15 years old	1,001	26.7
			6 16 years old or older	600	15.6
			Missing	76	
18-18	Q2	Q2	What is your sex?		
			1 Male	1,784	49.1
			2 Female	1,882	50.9
			Missing	25	
19-19	Q3	Q3	In what grade are you?		
			1 Class 7	1,571	44.7
			2 Class 8	1,422	35.9
			3 Form 1	345	10.5
			4 Form 2	318	8.9
			Missing	35	
20-23	Q4	Q4	How tall are you without your shoes on? (Note: Data are in meters.)		
24-29	Q5	Q5	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
30-30	Q6	Q6	During the past 30 days, how often did you go hungry because there was not enough food in your home?		
			1 Never	1,439	37.9
			2 Rarely	436	13.4
			3 Sometimes	1,234	34.0
			4 Most of the time	370	10.5
			5 Always	139	4.2
			Missing	73	

2003 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Kenya Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
31-31	Q7	Q7	During the past 30 days, how many times per day did you usually eat fruit, such as bananas, oranges, mangoes, avocados, guavas, pawpaws, or berries?		
			1 I did not eat fruit during the past 30 days	509	13.6
			2 Less than one time per day	731	20.2
			3 1 time per day	1,152	31.8
			4 2 times per day	494	13.6
			5 3 times per day	413	12.0
			6 4 times per day	70	2.2
			7 5 or more times per day	244	6.7
			Missing	78	
32-32	Q8	Q8	During the past 30 days, how many times per day did you usually eat vegetables, such as sukuma wiki, spinach, cabbages, managu, saghet, or murere?		
			1 I did not eat vegetables during the past 30 days	166	4.6
			2 Less than one time per day	456	12.8
			3 1 time per day	1,296	35.2
			4 2 times per day	1,075	30.9
			5 3 times per day	282	7.9
			6 4 times per day	73	2.0
			7 5 or more times per day	244	6.6
			Missing	99	
34-34	Q10	Q15	During the past 30 days, how often did you wash your hands before eating?		
			1 Never	113	3.1
			2 Rarely	177	5.5
			3 Sometimes	549	14.4
			4 Most of the time	675	18.9
			5 Always	2,082	58.1
			Missing	95	

2003 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Kenya Survey**  
**Public Use Codebook**

<b>Data Location</b>	<b>Standard Variable Name</b>	<b>Country Question Number</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percent</b>
35-35	Q11	Q16	During the past 30 days, how often did you wash your hands after using the toilet or latrine?		
			1 Never	262	6.8
			2 Rarely	234	7.3
			3 Sometimes	667	18.4
			4 Most of the time	560	16.3
			5 Always	1,829	51.1
			Missing	139	
36-36	Q12	Q17	During the past 30 days, how often did you use soap when washing your hands?		
			1 Never	240	6.7
			2 Rarely	334	9.9
			3 Sometimes	1,329	36.4
			4 Most of the time	649	18.6
			5 Always	1,001	28.5
			Missing	138	
37-37	Q13	Q19	During the past 12 months, how many times were you physically attacked?		
			Missing	3,691	
38-38	Q14	Q20	During the past 12 months, how many times were you in a physical fight?		
			1 0 times	1,879	50.2
			2 1 time	635	18.1
			3 2 or 3 times	505	15.0
			4 4 or 5 times	215	6.3
			5 6 or 7 times	88	2.6
			6 8 or 9 times	43	1.4
			7 10 or 11 times	38	1.1
			8 12 or more times	170	5.3
			Missing	118	

2003 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Kenya Survey**  
**Public Use Codebook**

<b>Data Location</b>	<b>Standard Variable Name</b>	<b>Country Question Number</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percent</b>
39-39	Q15	Q21	During the past 12 months, how many times were you seriously injured?		
			1 0 times	769	28.8
			2 1 time	644	26.8
			3 2 or 3 times	500	20.9
			4 4 or 5 times	188	8.0
			5 6 or 7 times	102	4.5
			6 8 or 9 times	48	2.3
			7 10 or 11 times	52	2.5
			8 12 or more times	143	6.2
			Missing	1,245	
40-40	Q16	Q22	During the past 12 months, what were you doing when the most serious injury happened to you?		
			1 I was not seriously injured during the past 12 months	753	28.3
			2 Playing or training for a sport	469	20.2
			3 Walking or running, but not as part of playing or training for a sport	457	19.4
			4 Riding a bicycle or scooter	334	13.9
			5 Riding or driving in a car or other motor vehicle	91	4.2
			6 Doing any paid or unpaid work, including housework, yard work, or cooking	132	5.6
			7 Nothing	120	5.4
			8 Something else	68	2.9
			Missing	1,267	

2003 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Kenya Survey**  
**Public Use Codebook**

<b>Data Location</b>	<b>Standard Variable Name</b>	<b>Country Question Number</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percent</b>
41-41	Q17	Q23	During the past 12 months, what was the major cause of the most serious injury that happened to you?		
		1	I was not seriously injured during the past 12 months	750	28.7
		2	I was in a motor vehicle accident or hit by a motor vehicle	185	8.6
		3	I fell	484	20.5
		4	Something fell on me or hit me	294	12.5
		5	I was fighting with someone	142	6.1
		6	I was attacked, assaulted, or abused by someone	125	5.7
		7	I was in a fire or too near a flame or something hot	136	6.1
		8	Something else caused my injury	274	11.8
			Missing	1,301	
42-42	Q18	Q24	During the past 12 months, how did the most serious injury happen to you?		
		1	I was not seriously injured during the past 12 months	754	29.5
		2	I hurt myself by accident	627	27.3
		3	Someone else hurt me by accident	368	16.3
		4	I hurt myself on purpose	375	16.8
		5	Someone else hurt me on purpose	236	10.1
			Missing	1,331	

2003 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Kenya Survey**  
**Public Use Codebook**

<b>Data Location</b>	<b>Standard Variable Name</b>	<b>Country Question Number</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percent</b>
43-43	Q19	Q25	During the past 12 months, what was the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	744	28.6
			2 I had a broken bone or a dislocated joint	417	17.7
			3 I had a cut, puncture, or stab wound	538	23.7
			4 I had a concussion or other head or neck injury, was knocked out, or could not breathe	183	8.1
			5 I had a gunshot wound	69	3.3
			6 I had a bad burn	113	5.5
			7 I lost all or part of a foot, leg, hand, or arm	69	3.4
			8 Something else happened to me	247	9.8
			Missing	1,311	
44-44	Q20	Q26	During the past 30 days, on how many days were you bullied?		
			1 0 days	1,310	42.3
			2 1 or 2 days	858	30.3
			3 3 to 5 days	397	14.7
			4 6 to 9 days	144	5.5
			5 10 to 19 days	72	2.7
			6 20 to 29 days	53	2.3
			7 All 30 days	56	2.1
			Missing	801	

2003 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Kenya Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
45-45	Q21	Q27	During the past 30 days, how were you bullied most often?		
		1	I was not bullied during the past 30 days	1,349	42.6
		2	I was hit, kicked, pushed, shoved around, or locked indoors	379	14.1
		3	I was made fun of because of my race or color	204	7.3
		4	I was made fun of because of my religion	192	6.7
		5	I was made fun of with sexual jokes, comments, or gestures	218	7.5
		6	I was left out of activities on purpose or completely ignored	171	6.2
		7	I was made fun of because of how my body or face looks	211	7.6
		8	I was bullied in some other way	237	8.0
			Missing	730	
46-46	Q22	Q28	During the past 12 months, how often have you felt lonely?		
		1	Never	998	27.5
		2	Rarely	492	14.6
		3	Sometimes	1,471	40.4
		4	Most of the time	399	11.8
		5	Always	176	5.7
			Missing	155	
47-47	Q23	Q29	During the past 12 months, how often have you been so worried about something that you could not sleep at night?		
		1	Never	1,149	30.6
		2	Rarely	542	15.9
		3	Sometimes	1,343	38.0
		4	Most of the time	367	10.8
		5	Always	146	4.7
			Missing	144	

2003 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Kenya Survey  
Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
48-48	Q24	Q30	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing your usual activities?		
			1 Yes	1,649	48.9
			2 No	1,826	51.1
			Missing	216	
49-49	Q25	Q31	During the past 12 months, did you ever seriously consider attempting suicide?		
			1 Yes	907	27.9
			2 No	2,489	72.1
			Missing	295	
50-50	Q26	Q32	During the past 12 months, did you make a plan about how you would attempt suicide?		
			1 Yes	994	30.0
			2 No	2,382	70.0
			Missing	315	
51-51	Q27	Q33	How many close friends do you have?		
			1 0	435	11.7
			2 1	874	25.3
			3 2	669	19.7
			4 3 or more	1,594	43.4
			Missing	119	
52-52	Q28	Q34	How old were you when you first tried a cigarette?		
			1 I have never smoked cigarettes	2,584	75.0
			2 7 years old or younger	249	7.4
			3 8 or 9 years old	162	5.5
			4 10 or 11 years old	151	4.7
			5 12 or 13 years old	154	4.4
			6 14 or 15 years old	79	2.1
			7 16 years old or older	37	0.9
			Missing	275	

2003 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Kenya Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
53-53	Q29	Q35	During the past 30 days, on how many days did you smoke cigarettes?		
			1 0 days	2,969	83.9
			2 1 or 2 days	174	4.9
			3 3 to 5 days	110	3.8
			4 6 to 9 days	88	2.7
			5 10 to 19 days	46	1.6
			6 20 to 29 days	29	1.0
			7 All 30 days	63	2.1
			Missing	212	
54-54	Q30	Q36	During the past 30 days, on how many days did you use any other form of tobacco, such as snuff, or chewed tobacco?		
			1 0 days	3,126	84.7
			2 1 or 2 days	181	5.1
			3 3 to 5 days	130	3.7
			4 6 to 9 days	64	2.0
			5 10 to 19 days	48	1.7
			6 20 to 29 days	29	1.0
			7 All 30 days	52	1.8
			Missing	61	
56-56	Q32	Q37	During the past 7 days, on how many days have people smoked in your presence?		
			1 0 days	1,625	44.3
			2 1 or 2 days	628	17.3
			3 3 or 4 days	369	11.2
			4 5 or 6 days	205	6.1
			5 All 7 days	728	21.1
			Missing	136	
57-57	Q33	Q38	Which of your parents or guardians use any form of tobacco?		
			1 Neither	1,642	47.4
			2 My father or male guardian	600	16.8
			3 My mother or female guardian	154	4.7
			4 Both	153	4.5
			5 I do not know	979	26.6
			Missing	163	

2003 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Kenya Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
58-58	Q34	Q39	During the past 30 days, on how many days did you have at least one drink containing alcohol?		
			1 0 days	2,602	82.1
			2 1 or 2 days	251	8.1
			3 3 to 5 days	92	3.5
			4 6 to 9 days	64	2.2
			5 10 to 19 days	34	1.4
			6 20 to 29 days	30	1.3
			7 All 30 days	37	1.4
			Missing	581	
59-59	Q35	Q40	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?		
			1 I did not drink alcohol during the past 30 days	2,547	80.3
			2 Less than one drink	207	6.7
			3 1 drink	174	6.0
			4 2 drinks	81	3.1
			5 3 drinks	37	1.7
			6 4 drinks	20	0.9
			7 5 or more drinks	36	1.4
			Missing	589	
60-60	Q36	Q41	During the past 30 days, how did you usually get the alcohol you drank?		
			1 I did not drink alcohol during the past 30 days	2,503	81.5
			2 I bought it in a store, shop, or from a street vendor	77	3.0
			3 I gave someone else money to buy it for me	91	3.1
			4 I got it from my friends	166	6.1
			5 I got it from home	81	3.2
			6 I stole it	24	1.2
			7 I made it myself	24	0.9
			8 I got it some other way	36	1.1
			Missing	689	

2003 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Kenya Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent	
61-61	Q37	Q43	During your life, how many times did you drink so much alcohol that you were really drunk?			
			1	0 times	2,764	77.6
			2	1 or 2 times	466	12.9
			3	3 to 9 times	167	5.1
			4	10 or more times	144	4.4
				Missing	150	
62-62	Q38	Q44	During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?			
			1	0 times	2,417	69.4
			2	1 or 2 times	522	15.7
			3	3 to 9 times	231	7.0
			4	10 or more times	236	7.9
				Missing	285	
63-63	Q39	Q45	During your life, how many times have you used drugs such as marijuana, bhang, mushrooms, speed, or cloud 9?			
			1	0 times	2,989	84.8
			2	1 or 2 times	296	8.7
			3	3 to 9 times	116	3.4
			4	10 or more times	103	3.0
				Missing	187	
64-64	Q40	Q46	Have you ever had sexual intercourse?			
			1	Yes	915	36.7
			2	No	1,597	63.3
				Missing	1,179	

2003 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Kenya Survey**  
**Public Use Codebook**

<b>Data Location</b>	<b>Standard Variable Name</b>	<b>Country Question Number</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percent</b>
65-65	Q41	Q47	How old were you when you had sexual intercourse for the first time?		
		1	I have never had sexual intercourse	1,590	62.9
		2	11 years old or younger	391	15.5
		3	12 years old	177	7.1
		4	13 years old	123	4.8
		5	14 years old	106	4.5
		6	15 years old	84	3.6
		7	16 years old or older	45	1.6
			Missing	1,175	
67-67	Q43	Q48	During the past 12 months, have you had sexual intercourse?		
		1	Yes	463	15.7
		2	No	2,610	84.3
			Missing	618	
68-68	Q44	Q49	The last time you had sexual intercourse, did you or your partner use a condom or sock, gumboot, rider, trust, or tube?		
		1	I have never had sexual intercourse	1,542	62.3
		2	Yes	408	17.0
		3	No	510	20.7
			Missing	1,231	
69-69	Q45	Q50	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1	0 days	995	27.1
		2	1 day	708	20.3
		3	2 days	512	14.3
		4	3 days	341	10.0
		5	4 days	189	5.8
		6	5 days	200	6.0
		7	6 days	139	4.0
		8	7 days	433	12.5
			Missing	174	

2003 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Kenya Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
70-70	Q46	Q51	During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?		
			1 0 days	909	24.8
			2 1 day	669	20.0
			3 2 days	551	16.0
			4 3 days	414	11.7
			5 4 days	234	7.3
			6 5 days	186	5.9
			7 6 days	142	4.1
			8 7 days	361	10.2
			Missing	225	
71-71	Q47	Q52	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as attending meetings, barazas, or prayers?		
			1 Less than 1 hour per day	1,127	32.5
			2 1 to 2 hours per day	990	29.2
			3 3 to 4 hours per day	550	17.1
			4 5 to 6 hours per day	264	7.9
			5 7 to 8 hours per day	158	5.1
			6 More than 8 hours per day	277	8.2
			Missing	325	
72-72	Q48	Q53	During the past 7 days, on how many days did you walk or ride a bicycle to and from school?		
			1 0 days	1,665	46.3
			2 1 day	342	9.9
			3 2 days	242	7.1
			4 3 days	213	5.9
			5 4 days	161	4.7
			6 5 days	272	8.2
			7 6 days	111	3.1
			8 7 days	544	14.9
			Missing	141	

2003 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Kenya Survey**  
**Public Use Codebook**

<b>Data Location</b>	<b>Standard Variable Name</b>	<b>Country Question Number</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percent</b>
73-73	Q49	Q54	During the past 7 days, how long did it usually take for you to get to and from school each day?		
			1 Less than 10 minutes per day	888	26.0
			2 10 to 19 minutes per day	643	19.2
			3 20 to 29 minutes per day	517	16.1
			4 30 to 39 minutes per day	391	11.9
			5 40 to 49 minutes per day	228	6.6
			6 50 to 59 minutes per day	162	5.3
			7 60 or more minutes per day	483	14.9
			Missing	379	
74-74	Q50	Q55	During the past 30 days, on how many days did you miss classes or school without permission?		
			1 0 days	2,056	60.0
			2 1 or 2 days	761	22.5
			3 3 to 5 days	272	8.6
			4 6 to 9 days	153	4.7
			5 10 or more days	142	4.2
			Missing	307	
75-75	Q51	Q56	During the past 30 days, how often were most of the students in your school kind and helpful?		
			1 Never	501	13.9
			2 Rarely	461	14.0
			3 Sometimes	1,108	30.9
			4 Most of the time	631	18.1
			5 Always	805	23.1
			Missing	185	
76-76	Q52	Q57	During the past 30 days, how often did your parents or guardians check to see if your homework was done?		
			1 Never	593	16.9
			2 Rarely	358	10.4
			3 Sometimes	866	25.0
			4 Most of the time	505	14.6
			5 Always	1,134	33.1
			Missing	235	

2003 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Kenya Survey  
Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
77-77	Q53	Q58	During the past 30 days, how often did your parents or guardians understand your problems and worries?		
			1 Never	533	15.1
			2 Rarely	430	12.2
			3 Sometimes	965	27.6
			4 Most of the time	591	17.6
			5 Always	922	27.6
			Missing	250	
78-78	Q54	Q59	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?		
			1 Never	636	17.8
			2 Rarely	425	12.1
			3 Sometimes	991	28.7
			4 Most of the time	570	18.0
			5 Always	810	23.5
			Missing	259	
146-146	QN6		Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home		
			1 Yes	509	14.7
			2 No	3,109	85.3
			Missing	73	
147-147	QN7		Percentage of students who usually ate fruit, such as bananas, oranges, mangoes, avocados, guavas, pawpaws, or berries one or more times per day during the past 30 days		
			1 Yes	2,373	66.3
			2 No	1,240	33.7
			Missing	78	
148-148	QN8		Percentage of students who usually ate vegetables, such as sukuma, wiki, spinach, cabbages, managu, saghet, or murere one or more times per day during the past 30 days		
			1 Yes	2,970	82.7
			2 No	622	17.3
			Missing	99	

2003 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

**Kenya Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
150-150	QN10		Percentage of students who never or rarely washed their hands before eating during the past 30 days		
		1	Yes	290	8.7
		2	No	3,306	91.3
			Missing	95	
151-151	QN11		Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days		
		1	Yes	496	14.1
		2	No	3,056	85.9
			Missing	139	
152-152	QN12		Percentage of students who never or rarely used soap when washing their hands during the past 30 days		
		1	Yes	574	16.5
		2	No	2,979	83.5
			Missing	138	
153-153	QN13		Percentage of students who were physically attacked one or more times during the past 12 months - Data not available		
			Missing	3,691	
154-154	QN14		Percentage of students who were in a physical fight one or more times during the past 12 months		
		1	Yes	1,694	49.8
		2	No	1,879	50.2
			Missing	118	
155-155	QN15		Percentage of students who were seriously injured one or more times during the past 12 months		
		1	Yes	1,677	71.2
		2	No	769	28.8
			Missing	1,245	

2003 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Kenya Survey**  
**Public Use Codebook**

<b>Data Location</b>	<b>Standard Variable Name</b>	<b>Country Question Number</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percent</b>
156-156	QN16		Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport		
		1	Yes	465	28.3
		2	No	1,185	71.7
			Missing	2,041	
157-157	QN17		Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall		
		1	Yes	480	29.0
		2	No	1,139	71.0
			Missing	2,072	
158-158	QN18		Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident		
		1	Yes	617	38.5
		2	No	968	61.5
			Missing	2,106	
159-159	QN19		Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury		
		1	Yes	411	24.7
		2	No	1,205	75.3
			Missing	2,075	
160-160	QN20		Percentage of students who were bullied on one or more days during the past 30 days		
		1	Yes	1,580	57.7
		2	No	1,310	42.3
			Missing	801	

2003 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Kenya Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
161-161	QN21		Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors		
		1	Yes	356	24.2
		2	No	1,184	75.8
			Missing	2,151	
162-162	QN22		Percentage of students who felt lonely most of the time or always during the past 12 months		
		1	Yes	575	17.5
		2	No	2,961	82.5
			Missing	155	
163-163	QN23		Percentage of students who most of the time or always felt so worried about something that they could not sleep at night during the past 12 months		
		1	Yes	513	15.5
		2	No	3,034	84.5
			Missing	144	
164-164	QN24		Percentage of students who felt sad or hopeless almost every day for two weeks or more in a row that they stopped doing their usual activities during the past 12 months		
		1	Yes	1,649	48.9
		2	No	1,826	51.1
			Missing	216	
165-165	QN25		Percentage of students who seriously considered attempting suicide during the past 12 months		
		1	Yes	907	27.9
		2	No	2,489	72.1
			Missing	295	
166-166	QN26		Percentage of students who made a plan about how they would attempt suicide during the past 12 months		
		1	Yes	994	30.0
		2	No	2,382	70.0
			Missing	315	

2003 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Kenya Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
167-167	QN27		Percentage of students who have no close friends		
		1	Yes	435	11.7
		2	No	3,137	88.3
			Missing	119	
168-168	QN28		Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age 9 or younger		
		1	Yes	198	47.9
		2	No	241	52.1
			Missing	3,252	
169-169	QN29		Percentage of students who smoked cigarettes on one or more days during the past 30 days		
		1	Yes	510	16.1
		2	No	2,969	83.9
			Missing	212	
170-170	QN30		Percentage of students who used any other form of tobacco, such as snuff, or chewed tobacco on one or more of the past 30 days		
		1	Yes	504	15.3
		2	No	3,126	84.7
			Missing	61	
172-172	QN32		Percentage of students who reported people smoking in their presence on one or more of the past seven days		
		1	Yes	1,930	55.7
		2	No	1,625	44.3
			Missing	136	
173-173	QN33		Percentage of students who have a parent or guardian who uses any form of tobacco		
		1	Yes	907	26.0
		2	No	2,621	74.0
			Missing	163	

2003 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Kenya Survey  
Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
174-174	QN34		Percentage of students who drank alcohol on one or more of the past 30 days		
		1	Yes	508	17.9
		2	No	2,602	82.1
			Missing	581	
175-175	QN35		Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days		
		1	Yes	348	12.9
		2	No	2,754	87.1
			Missing	589	
176-176	QN36		Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days		
		1	Yes	77	3.0
		2	No	2,925	97.0
			Missing	689	
177-177	QN37		Percentage of students who drank so much alcohol that they were really drunk one or more times during their life		
		1	Yes	777	22.4
		2	No	2,764	77.6
			Missing	150	
178-178	QN38		Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life		
		1	Yes	989	30.6
		2	No	2,417	69.4
			Missing	285	
179-179	QN39		Percentage of students who used drugs, such as marijuana, bhang, mushrooms, speed, or cloud 9 one or more times during their life		
		1	Yes	515	15.2
		2	No	2,989	84.8
			Missing	187	

2003 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Kenya Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
180-180	QN40		Percentage of students who have ever had sexual intercourse		
		1	Yes	915	36.7
		2	No	1,597	63.3
			Missing	1,179	
181-181	QN41		Percentage of students who had sexual intercourse for the first time before age 13		
		1	Yes	568	22.6
		2	No	1,948	77.4
			Missing	1,175	
183-183	QN43		Percentage of students who had sexual intercourse during the past 12 months		
		1	Yes	463	15.7
		2	No	2,610	84.3
			Missing	618	
184-184	QN44		Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse		
		1	Yes	231	51.0
		2	No	214	49.0
			Missing	3,246	
185-185	QN45		Percentage of students who were physically active all seven days for a total of at least 60 minutes per day during the past seven days		
		1	Yes	433	12.5
		2	No	3,084	87.5
			Missing	174	
186-186	QN46		Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week		
		1	Yes	361	10.2
		2	No	3,105	89.8
			Missing	225	

2003 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Kenya Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
187-187	QN47		Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as attending meetings, barazas, or prayers during a typical or usual day		
		1	Yes	1,249	38.3
		2	No	2,117	61.7
			Missing	325	
188-188	QN48		Percentage of students who did not walk or ride a bicycle to and from school during the past seven days		
		1	Yes	1,665	46.3
		2	No	1,885	53.7
			Missing	141	
189-189	QN49		Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days		
		1	Yes	2,048	61.3
		2	No	1,264	38.7
			Missing	379	
190-190	QN50		Percentage of students who missed classes or school without permission on one or more of the past 30 days		
		1	Yes	1,328	40.0
		2	No	2,056	60.0
			Missing	307	
191-191	QN51		Percentage of students who reported that most of the students in their school were kind and helpful most of the time or always during the past 30 days		
		1	Yes	1,436	41.2
		2	No	2,070	58.8
			Missing	185	

2003 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Kenya Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
192-192	QN52		Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days		
		1	Yes	1,639	47.7
		2	No	1,817	52.3
			Missing	235	
193-193	QN53		Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days		
		1	Yes	1,513	45.2
		2	No	1,928	54.8
			Missing	250	
194-194	QN54		Percentage of students whose parents or guardians knew what they were doing with their free time most of the time or always during the past 30 days		
		1	Yes	1,380	41.4
		2	No	2,052	58.6
			Missing	259	
262-262	QNROVWGT		Percentage of students who are at risk for becoming overweight		
		1	Yes	101	26.4
		2	No	281	73.6
			Missing	3,309	
263-263	QNOVWGT		Percentage of students who are overweight		
		1	Yes	31	9.7
		2	No	351	90.3
			Missing	3,309	
265-265	QNFRVGG		Percentage of students who ate five or more servings of fruits and vegetables per day during the past 30 days		
		1	Yes	744	21.0
		2	No	2,795	79.0
			Missing	152	

2003 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Kenya Survey**  
**Public Use Codebook**

<b>Data Location</b>	<b>Standard Variable Name</b>	<b>Country Question Number</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percent</b>
266-266	QNANYTOB		Percentage of students who used any tobacco during the past 30 days		
		1	Yes	621	19.3
		2	No	2,825	80.7
			Missing	245	
267-267	QNMINPAG		Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average		
		1	Yes	2,876	83.6
		2	No	557	16.4
			Missing	258	
268-268	QNWKRD		Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days		
		1	Yes	2,661	80.2
		2	No	618	19.8
			Missing	412	
358-369	Weight		Weight		
370-374	PSU		Primary Sampling Unit		
375-383	Stratum		Stratum		