

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Public Use Codebook**

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|------------------------------------------------------------------------------------------------------|----------------------|------------------|
| 1-3 | SITE | | Site Code | | |
| 4-13 | SCHOOL | | School Codes | | |
| 14-16 | CLASS | | Class Codes | | |
| 17-17 | Q1 | Q1 | How old are you? | | |
| | | | 1 11 years old or younger | 5 | 0.3 |
| | | | 2 12 years old | 289 | 16.6 |
| | | | 3 13 years old | 515 | 28.3 |
| | | | 4 14 years old | 606 | 29.6 |
| | | | 5 15 years old | 397 | 18.2 |
| | | | 6 16 years old or older | 145 | 7.0 |
| | | | Missing | 14 | |
| 18-18 | Q2 | Q2 | What is your sex? | | |
| | | | 1 Male | 1,018 | 51.0 |
| | | | 2 Female | 941 | 49.0 |
| | | | Missing | 12 | |
| 19-19 | Q3 | Q3 | In what grade are you? | | |
| | | | 1 7° Primary grade | 593 | 34.5 |
| | | | 2 8° Primary grade | 611 | 32.7 |
| | | | 3 1° Secondary grade | 738 | 32.9 |
| | | | Missing | 29 | |
| 20-23 | Q4 | Q4 | How tall are you without your shoes on? (Note: Data are in meters.) | | |
| 24-29 | Q5 | Q5 | How much do you weigh without your shoes on? (Note: Data are in kilograms.) | | |
| 30-30 | Q6 | Q6 | During the past 30 days, how often did you go hungry because there was not enough food in your home? | | |
| | | | 1 Never | 1,525 | 77.5 |
| | | | 2 Rarely | 295 | 15.0 |
| | | | 3 Sometimes | 116 | 6.1 |
| | | | 4 Most of the time | 20 | 1.0 |
| | | | 5 Always | 10 | 0.5 |
| | | | Missing | 5 | |

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Public Use Codebook**

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|----------------------|-------------------------------|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------------------|
| 31-31 | Q7 | Q7 | During the past 30 days, how many times per day did you usually eat fruit, such as apples, oranges, or bananas? | | |
| | | 1 | I did not eat fruit during the past 30 days | 134 | 7.0 |
| | | 2 | Less than one time per day | 406 | 20.5 |
| | | 3 | 1 time per day | 565 | 28.9 |
| | | 4 | 2 times per day | 461 | 23.7 |
| | | 5 | 3 times per day | 230 | 11.7 |
| | | 6 | 4 times per day | 75 | 3.9 |
| | | 7 | 5 or more times per day | 88 | 4.5 |
| | | | Missing | 12 | |
| 32-32 | Q8 | Q8 | During the past 30 days, how many times per day did you usually eat vegetables, such as tomatoes, lettuces, celery, carrots, or broccoli? | | |
| | | 1 | I did not eat vegetables during the past 30 days | 91 | 4.7 |
| | | 2 | Less than one time per day | 241 | 12.2 |
| | | 3 | 1 time per day | 860 | 44.2 |
| | | 4 | 2 times per day | 480 | 24.6 |
| | | 5 | 3 times per day | 126 | 6.5 |
| | | 6 | 4 times per day | 49 | 2.6 |
| | | 7 | 5 or more times per day | 100 | 5.3 |
| | | | Missing | 24 | |
| 33-33 | Q9 | Q18 | During the past 30 days, how many times per day did you usually clean or brush your teeth? | | |
| | | 1 | I did not clean or brush my teeth during the past 30 days | 31 | 1.6 |
| | | 2 | 1 time per day | 216 | 11.0 |
| | | 3 | 2 times per day | 542 | 27.6 |
| | | 4 | 3 times per day | 784 | 39.7 |
| | | 5 | 4 or more times per day | 392 | 20.1 |
| | | | Missing | 6 | |

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Public Use Codebook**

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|----------------------|-------------------------------|--------------------------------|-----------------------------------------------------------------------------------------------|-----------------------------|-------------------------|
| 34-34 | Q10 | Q21 | During the past 30 days, how often did you wash your hands before eating? | | |
| | | | 1 Never | 17 | 0.9 |
| | | | 2 Rarely | 38 | 2.0 |
| | | | 3 Sometimes | 124 | 6.5 |
| | | | 4 Most of the time | 444 | 22.2 |
| | | | 5 Always | 1,344 | 68.4 |
| | | | Missing | 4 | |
| 35-35 | Q11 | Q22 | During the past 30 days, how often did you wash your hands after using the toilet or latrine? | | |
| | | | 1 Never | 10 | 0.5 |
| | | | 2 Rarely | 14 | 0.8 |
| | | | 3 Sometimes | 39 | 2.1 |
| | | | 4 Most of the time | 195 | 10.1 |
| | | | 5 Always | 1,702 | 86.5 |
| | | | Missing | 11 | |
| 36-36 | Q12 | Q23 | During the past 30 days, how often did you use soap when washing your hands? | | |
| | | | 1 Never | 29 | 1.5 |
| | | | 2 Rarely | 62 | 3.2 |
| | | | 3 Sometimes | 178 | 9.3 |
| | | | 4 Most of the time | 547 | 28.5 |
| | | | 5 Always | 1,122 | 57.5 |
| | | | Missing | 33 | |
| 37-37 | Q13 | Q26 | During the past 12 months, how many times were you physically attacked? | | |
| | | | Missing | 1,971 | |

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Public Use Codebook**

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|----------------------------------------------------------------------------------------------|----------------------|------------------|
| 38-38 | Q14 | Q28 | During the past 12 months, how many times were you in a physical fight? | | |
| | | | 1 0 times | 1,263 | 63.9 |
| | | | 2 1 time | 343 | 18.0 |
| | | | 3 2 or 3 times | 192 | 9.8 |
| | | | 4 4 or 5 times | 64 | 3.3 |
| | | | 5 6 or 7 times | 29 | 1.6 |
| | | | 6 8 or 9 times | 22 | 1.2 |
| | | | 7 10 or 11 times | 5 | 0.3 |
| | | | 8 12 or more times | 40 | 2.0 |
| | | | Missing | 13 | |
| 39-39 | Q15 | Q29 | During the past 12 months, how many times were you seriously injured? | | |
| | | | 1 0 times | 1,117 | 63.5 |
| | | | 2 1 time | 410 | 23.3 |
| | | | 3 2 or 3 times | 173 | 9.8 |
| | | | 4 4 or 5 times | 35 | 2.1 |
| | | | 5 6 or 7 times | 17 | 1.1 |
| | | | 6 8 or 9 times | 3 | 0.2 |
| | | | 8 12 or more times | 1 | 0.1 |
| | | | Missing | 215 | |
| 40-40 | Q16 | Q30 | During the past 12 months, what were you doing when the most serious injury happened to you? | | |
| | | | 1 I was not seriously injured during the past 12 months | 1,133 | 63.9 |
| | | | 2 Playing or training for a sport | 288 | 16.0 |
| | | | 3 Walking or running, but not as part of playing or training for a sport | 88 | 5.2 |
| | | | 4 Riding a bicycle or scooter | 73 | 4.1 |
| | | | 5 Riding or driving in a car or other motor vehicle | 8 | 0.4 |
| | | | 6 Doing any paid or unpaid work, including housework, yard work, or cooking | 12 | 0.7 |
| | | | 7 Nothing | 10 | 0.6 |
| | | | 8 Something else | 160 | 9.1 |
| | | | Missing | 199 | |

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Public Use Codebook**

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|------------------------------------------------------------------------------------------------------|----------------------|------------------|
| 41-41 | Q17 | O31 | During the past 12 months, what was the major cause of the most serious injury that happened to you? | | |
| | | 1 | I was not seriously injured during the past 12 months | 1,133 | 64.0 |
| | | 2 | I was in a motor vehicle accident or hit by a motor vehicle | 23 | 1.3 |
| | | 3 | I fell | 264 | 15.0 |
| | | 4 | Something fell on me or hit me | 55 | 3.1 |
| | | 5 | I was fighting with someone | 21 | 1.2 |
| | | 6 | I was attacked, assaulted, or abused by someone | 11 | 0.6 |
| | | 7 | I was in a fire or too near a flame or something hot | 2 | 0.1 |
| | | 8 | Something else caused my injury | 261 | 14.7 |
| | | | Missing | 201 | |
| 42-42 | Q18 | O32 | During the past 12 months, how did the most serious injury happen to you? | | |
| | | 1 | I was not seriously injured during the past 12 months | 1,120 | 64.3 |
| | | 2 | I hurt myself by accident | 424 | 24.2 |
| | | 3 | Someone else hurt me by accident | 102 | 5.9 |
| | | 4 | I hurt myself on purpose | 30 | 1.8 |
| | | 5 | Someone else hurt me on purpose | 64 | 3.8 |
| | | | Missing | 231 | |

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Public Use Codebook**

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|----------------------|-------------------------------|--------------------------------|------------------------------------------------------------------------------------------|-----------------------------|-------------------------|
| 43-43 | Q19 | Q33 | During the past 12 months, what was the most serious injury that happened to you? | | |
| | | | 1 I was not seriously injured during the past 12 months | 1,133 | 63.8 |
| | | | 2 I had a broken bone or a dislocated joint | 276 | 15.4 |
| | | | 3 I had a cut, puncture, or stab wound | 36 | 1.9 |
| | | | 4 I had a concussion or other head or neck injury, was knocked out, or could not breathe | 51 | 2.9 |
| | | | 5 I had a gunshot wound | 2 | 0.1 |
| | | | 6 I had a bad burn | 10 | 0.6 |
| | | | 7 I lost all or part of a foot, leg, hand, or arm | 5 | 0.3 |
| | | | 8 Something else happened to me | 263 | 14.9 |
| | | | Missing | 195 | |
| 44-44 | Q20 | Q37 | During the past 30 days, on how many days were you bullied? | | |
| | | | 1 0 days | 917 | 49.6 |
| | | | 2 1 or 2 days | 417 | 22.9 |
| | | | 3 3 to 5 days | 162 | 9.1 |
| | | | 4 6 to 9 days | 93 | 5.2 |
| | | | 5 10 to 19 days | 99 | 5.6 |
| | | | 6 20 to 29 days | 36 | 2.0 |
| | | | 7 All 30 days | 101 | 5.6 |
| | | | Missing | 146 | |

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Public Use Codebook**

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|----------------------|-------------------------------|--------------------------------|------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------------------|
| 45-45 | Q21 | Q38 | During the past 30 days, how were you bullied most often? | | |
| | | | 1 I was not bullied during the past 30 days | 915 | 50.0 |
| | | | 2 I was hit, kicked, pushed, shoved around, or locked indoors | 57 | 3.2 |
| | | | 3 I was made fun of because of my race or color | 66 | 3.8 |
| | | | 4 I was made fun of because of my religion | 20 | 1.1 |
| | | | 5 I was made fun of with sexual jokes, comments, or gestures | 67 | 3.8 |
| | | | 6 I was left out of activities on purpose or completely ignored | 29 | 1.6 |
| | | | 7 I was made fun of because of how my body or face looks | 230 | 13.0 |
| | | | 8 I was bullied in some other way | 423 | 23.5 |
| | | | Missing | 164 | |
| 46-46 | Q22 | Q40 | During the past 12 months, how often have you felt lonely? | | |
| | | | 1 Never | 544 | 27.8 |
| | | | 2 Rarely | 570 | 28.9 |
| | | | 3 Sometimes | 560 | 28.8 |
| | | | 4 Most of the time | 187 | 9.7 |
| | | | 5 Always | 94 | 4.9 |
| | | | Missing | 16 | |
| 47-47 | Q23 | Q41 | During the past 12 months, how often have you been so worried about something that you could not sleep at night? | | |
| | | | 1 Never | 632 | 32.3 |
| | | | 2 Rarely | 666 | 33.8 |
| | | | 3 Sometimes | 496 | 25.3 |
| | | | 4 Most of the time | 130 | 6.5 |
| | | | 5 Always | 39 | 2.1 |
| | | | Missing | 8 | |

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Public Use Codebook**

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent | |
|---------------|------------------------|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|------------------|------|
| 48-48 | Q24 | Q42 | During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing your usual activities? | | | |
| | | | 1 | Yes | 562 | 28.8 |
| | | | 2 | No | 1,404 | 71.2 |
| | | | | Missing | 5 | |
| 49-49 | Q25 | Q43 | During the past 12 months, did you ever seriously consider attempting suicide? | | | |
| | | | 1 | Yes | 385 | 19.7 |
| | | | 2 | No | 1,572 | 80.3 |
| | | | | Missing | 14 | |
| 50-50 | Q26 | Q44 | During the past 12 months, did you make a plan about how you would attempt suicide? | | | |
| | | | 1 | Yes | 315 | 16.5 |
| | | | 2 | No | 1,610 | 83.5 |
| | | | | Missing | 46 | |
| 51-51 | Q27 | Q45 | How many close friends do you have? | | | |
| | | | 1 | 0 | 135 | 7.0 |
| | | | 2 | 1 | 268 | 13.6 |
| | | | 3 | 2 | 354 | 17.8 |
| | | | 4 | 3 or more | 1,202 | 61.6 |
| | | | | Missing | 12 | |
| 52-52 | Q28 | Q46 | How old were you when you first tried a cigarette? | | | |
| | | | 1 | I have never smoked cigarettes | 935 | 53.5 |
| | | | 2 | 7 years old or younger | 61 | 3.4 |
| | | | 3 | 8 or 9 years old | 77 | 4.2 |
| | | | 4 | 10 or 11 years old | 194 | 10.7 |
| | | | 5 | 12 or 13 years old | 360 | 19.7 |
| | | | 6 | 14 or 15 years old | 145 | 7.8 |
| | | | 7 | 16 years old or older | 13 | 0.7 |
| | | | | Missing | 186 | |

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Public Use Codebook**

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|------------------------------------------------------------------------------------------------------------------------------------|----------------------|------------------|
| 53-53 | Q29 | Q47 | During the past 30 days, on how many days did you smoke cigarettes? | | |
| | | | 1 0 days | 1,401 | 76.8 |
| | | | 2 1 or 2 days | 173 | 9.3 |
| | | | 3 3 to 5 days | 69 | 3.7 |
| | | | 4 6 to 9 days | 26 | 1.4 |
| | | | 5 10 to 19 days | 65 | 3.4 |
| | | | 6 20 to 29 days | 32 | 1.6 |
| | | | 7 All 30 days | 72 | 3.7 |
| | | | Missing | 133 | |
| 54-54 | Q30 | Q48 | During the past 30 days, on how many days did you use any other form of tobacco, such as chewing tobacco, snuff, cigars, or pipes? | | |
| | | | 1 0 days | 1,877 | 95.4 |
| | | | 2 1 or 2 days | 44 | 2.2 |
| | | | 3 3 to 5 days | 10 | 0.6 |
| | | | 4 6 to 9 days | 14 | 0.8 |
| | | | 5 10 to 19 days | 6 | 0.3 |
| | | | 6 20 to 29 days | 3 | 0.2 |
| | | | 7 All 30 days | 11 | 0.6 |
| | | | Missing | 6 | |
| 55-55 | Q31 | Q49 | During the past 12 months, have you ever tried to stop smoking cigarettes? | | |
| | | | 1 I have never smoked cigarettes | 927 | 55.4 |
| | | | 2 I did not smoke cigarettes during the past 12 months | 259 | 14.8 |
| | | | 3 Yes | 353 | 20.3 |
| | | | 4 No | 167 | 9.5 |
| | | | Missing | 265 | |
| 56-56 | Q32 | Q50 | During the past 7 days, on how many days have people smoked in your presence? | | |
| | | | 1 0 days | 459 | 23.5 |
| | | | 2 1 or 2 days | 560 | 28.7 |
| | | | 3 3 or 4 days | 304 | 15.7 |
| | | | 4 5 or 6 days | 171 | 8.8 |
| | | | 5 All 7 days | 458 | 23.3 |
| | | | Missing | 19 | |

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Public Use Codebook**

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|----------------------|-------------------------------|--------------------------------|--------------------------------------------------------------------------------------------------------|-----------------------------|-------------------------|
| 57-57 | Q33 | Q01 | Which of your parents or guardians use any form of tobacco? | | |
| | | 1 | Neither | 1,025 | 51.9 |
| | | 2 | My father or male guardian | 359 | 18.2 |
| | | 3 | My mother or female guardian | 238 | 12.3 |
| | | 4 | Both | 247 | 12.6 |
| | | 5 | I do not know | 96 | 5.0 |
| | | | Missing | 6 | |
| 58-58 | Q34 | Q04 | During the past 30 days, on how many days did you have at least one drink containing alcohol? | | |
| | | 1 | 0 days | 1,372 | 74.5 |
| | | 2 | 1 or 2 days | 334 | 17.7 |
| | | 3 | 3 to 5 days | 71 | 3.7 |
| | | 4 | 6 to 9 days | 36 | 1.9 |
| | | 5 | 10 to 19 days | 25 | 1.3 |
| | | 6 | 20 to 29 days | 7 | 0.3 |
| | | 7 | All 30 days | 11 | 0.6 |
| | | | Missing | 115 | |
| 59-59 | Q35 | Q05 | During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day? | | |
| | | 1 | I did not drink alcohol during the past 30 days | 1,359 | 73.7 |
| | | 2 | Less than one drink | 251 | 13.2 |
| | | 3 | 1 drink | 93 | 5.1 |
| | | 4 | 2 drinks | 51 | 2.6 |
| | | 5 | 3 drinks | 30 | 1.6 |
| | | 6 | 4 drinks | 21 | 1.0 |
| | | 7 | 5 or more drinks | 52 | 2.7 |
| | | | Missing | 114 | |

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Public Use Codebook**

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|------------------|
| 60-60 | Q36 | Q56 | During the past 30 days, how did you usually get the alcohol you drank? | | |
| | | 1 | I did not drink alcohol during the past 30 days | 1,354 | 74.7 |
| | | 2 | I bought it in a store, shop, or from a street vendor | 106 | 5.5 |
| | | 3 | I gave someone else money to buy it for me | 18 | 0.9 |
| | | 4 | I got it from my friends | 162 | 8.6 |
| | | 5 | I got it from home | 103 | 5.7 |
| | | 6 | I stole it | 6 | 0.4 |
| | | 8 | I got it some other way | 76 | 4.1 |
| | | | Missing | 146 | |
| 61-61 | Q37 | Q57 | During your life, how many times did you drink so much alcohol that you were really drunk? | | |
| | | 1 | 0 times | 1,508 | 77.5 |
| | | 2 | 1 or 2 times | 305 | 15.2 |
| | | 3 | 3 to 9 times | 94 | 4.5 |
| | | 4 | 10 or more times | 55 | 2.7 |
| | | | Missing | 9 | |
| 62-62 | Q38 | Q58 | During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol? | | |
| | | 1 | 0 times | 1,744 | 88.9 |
| | | 2 | 1 or 2 times | 157 | 7.9 |
| | | 3 | 3 to 9 times | 39 | 2.1 |
| | | 4 | 10 or more times | 24 | 1.1 |
| | | | Missing | 7 | |
| 63-63 | Q39 | Q59 | During your life, how many times have you used drugs marijuana or cocaine? | | |
| | | 1 | 0 times | 1,785 | 92.0 |
| | | 2 | 1 or 2 times | 90 | 4.5 |
| | | 3 | 3 to 9 times | 38 | 1.9 |
| | | 4 | 10 or more times | 31 | 1.6 |
| | | | Missing | 27 | |

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Public Use Codebook**

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|----------------------------------------------------------------------------------|----------------------|------------------|
| 64-64 | Q40 | O62 | Have you ever had sexual intercourse? | | |
| | | | 1 Yes | 247 | 14.3 |
| | | | 2 No | 1,445 | 85.7 |
| | | | Missing | 279 | |
| 65-65 | Q41 | O63 | How old were you when you had sexual intercourse for the first time? | | |
| | | | 1 I have never had sexual intercourse | 1,445 | 85.2 |
| | | | 2 11 years old or younger | 78 | 4.5 |
| | | | 3 12 years old | 33 | 2.0 |
| | | | 4 13 years old | 44 | 2.5 |
| | | | 5 14 years old | 54 | 3.0 |
| | | | 6 15 years old | 38 | 2.2 |
| | | | 7 16 years old or older | 11 | 0.7 |
| | | | Missing | 268 | |
| 66-66 | Q42 | Q65 | During your life, with how many people have you had sexual intercourse? | | |
| | | | 1 I have never had sexual intercourse | 1,483 | 85.6 |
| | | | 2 1 person | 136 | 7.7 |
| | | | 3 2 people | 53 | 3.0 |
| | | | 4 3 people | 24 | 1.3 |
| | | | 5 4 people | 10 | 0.6 |
| | | | 6 5 people | 6 | 0.3 |
| | | | 7 6 or more people | 27 | 1.5 |
| | | | Missing | 232 | |
| 67-67 | Q43 | O66 | During the past 12 months, have you had sexual intercourse? | | |
| | | | 1 Yes | 166 | 9.0 |
| | | | 2 No | 1,647 | 91.0 |
| | | | Missing | 158 | |
| 68-68 | Q44 | O67 | The last time you had sexual intercourse, did you or your partner use a condom ? | | |
| | | | 1 I have never had sexual intercourse | 1,447 | 85.4 |
| | | | 2 Yes | 115 | 6.6 |
| | | | 3 No | 140 | 8.1 |
| | | | Missing | 269 | |

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Public Use Codebook**

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|----------------------|-------------------------------|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------------------|
| 69-69 | Q45 | Q70 | During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? | | |
| | | | 1 0 days | 482 | 24.8 |
| | | | 2 1 day | 452 | 23.1 |
| | | | 3 2 days | 299 | 15.5 |
| | | | 4 3 days | 217 | 11.1 |
| | | | 5 4 days | 151 | 7.7 |
| | | | 6 5 days | 126 | 6.4 |
| | | | 7 6 days | 41 | 2.0 |
| | | | 8 7 days | 182 | 9.4 |
| | | | Missing | 21 | |
| 70-70 | Q46 | Q71 | During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day? | | |
| | | | 1 0 days | 386 | 20.0 |
| | | | 2 1 day | 507 | 25.7 |
| | | | 3 2 days | 343 | 17.3 |
| | | | 4 3 days | 257 | 13.2 |
| | | | 5 4 days | 124 | 6.2 |
| | | | 6 5 days | 114 | 5.7 |
| | | | 7 6 days | 41 | 2.1 |
| | | | 8 7 days | 189 | 9.8 |
| | | | Missing | 10 | |
| 71-71 | Q47 | Q74 | How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities ? | | |
| | | | 1 Less than 1 hour per day | 505 | 26.5 |
| | | | 2 1 to 2 hours per day | 658 | 33.6 |
| | | | 3 3 to 4 hours per day | 437 | 22.3 |
| | | | 4 5 to 6 hours per day | 205 | 10.6 |
| | | | 5 7 to 8 hours per day | 65 | 3.3 |
| | | | 6 More than 8 hours per day | 72 | 3.6 |
| | | | Missing | 29 | |

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Public Use Codebook**

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|----------------------|-------------------------------|--------------------------------|--------------------------------------------------------------------------------------------------|-----------------------------|-------------------------|
| 72-72 | Q48 | Q75 | During the past 7 days, on how many days did you walk or ride a bicycle to and from school? | | |
| | | | 1 0 days | 558 | 28.5 |
| | | | 2 1 day | 144 | 7.3 |
| | | | 3 2 days | 80 | 4.2 |
| | | | 4 3 days | 51 | 2.6 |
| | | | 5 4 days | 59 | 2.9 |
| | | | 6 5 days | 359 | 18.2 |
| | | | 7 6 days | 28 | 1.3 |
| | | | 8 7 days | 684 | 35.0 |
| | | | Missing | 8 | |
| 73-73 | Q49 | Q76 | During the past 7 days, how long did it usually take for you to get to and from school each day? | | |
| | | | 1 Less than 10 minutes per day | 477 | 25.5 |
| | | | 2 10 to 19 minutes per day | 521 | 27.1 |
| | | | 3 20 to 29 minutes per day | 360 | 18.1 |
| | | | 4 30 to 39 minutes per day | 248 | 12.6 |
| | | | 5 40 to 49 minutes per day | 99 | 4.9 |
| | | | 6 50 to 59 minutes per day | 62 | 3.1 |
| | | | 7 60 or more minutes per day | 169 | 8.7 |
| | | | Missing | 35 | |
| 74-74 | Q50 | Q81 | During the past 30 days, on how many days did you miss classes or school without permission? | | |
| | | | 1 0 days | 1,580 | 80.5 |
| | | | 2 1 or 2 days | 238 | 12.1 |
| | | | 3 3 to 5 days | 89 | 4.6 |
| | | | 4 6 to 9 days | 19 | 1.0 |
| | | | 5 10 or more days | 35 | 1.8 |
| | | | Missing | 10 | |
| 75-75 | Q51 | Q82 | During the past 30 days, how often were most of the students in your school kind and helpful? | | |
| | | | 1 Never | 159 | 8.2 |
| | | | 2 Rarely | 432 | 22.5 |
| | | | 3 Sometimes | 458 | 23.6 |
| | | | 4 Most of the time | 509 | 25.8 |
| | | | 5 Always | 392 | 19.9 |
| | | | Missing | 21 | |

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Public Use Codebook**

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|----------------------|-------------------------------|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------------------|
| 76-76 | Q52 | Q83 | During the past 30 days, how often did your parents or guardians check to see if your homework was done? | | |
| | | | 1 Never | 416 | 21.1 |
| | | | 2 Rarely | 267 | 13.6 |
| | | | 3 Sometimes | 299 | 15.4 |
| | | | 4 Most of the time | 406 | 20.9 |
| | | | 5 Always | 551 | 28.9 |
| | | | Missing | 32 | |
| 77-77 | Q53 | Q84 | During the past 30 days, how often did your parents or guardians understand your problems and worries? | | |
| | | | 1 Never | 376 | 19.1 |
| | | | 2 Rarely | 321 | 16.4 |
| | | | 3 Sometimes | 297 | 15.0 |
| | | | 4 Most of the time | 336 | 17.2 |
| | | | 5 Always | 628 | 32.2 |
| | | | Missing | 13 | |
| 78-78 | Q54 | Q85 | During the past 30 days, how often did your parents or guardians really know what you were doing with your free time? | | |
| | | | 1 Never | 263 | 13.9 |
| | | | 2 Rarely | 264 | 13.5 |
| | | | 3 Sometimes | 260 | 13.2 |
| | | | 4 Most of the time | 394 | 19.9 |
| | | | 5 Always | 758 | 39.5 |
| | | | Missing | 32 | |
| 146-146 | QN6 | | Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home | | |
| | | | 1 Yes | 30 | 1.5 |
| | | | 2 No | 1,936 | 98.5 |
| | | | Missing | 5 | |

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Public Use Codebook**

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|----------------------|-------------------------------|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------------------|
| 147-147 | QN7 | | Percentage of students who usually ate fruit, such as apples, oranges, or bananas one or more times per day during the past 30 days | | |
| | | 1 | Yes | 1,419 | 72.5 |
| | | 2 | No | 540 | 27.5 |
| | | | Missing | 12 | |
| 148-148 | QN8 | | Percentage of students who usually ate vegetables, such as tomatoes, lettuces, celery, carrots, or broccoli one or more times per day during the past 30 days | | |
| | | 1 | Yes | 1,615 | 83.1 |
| | | 2 | No | 332 | 16.9 |
| | | | Missing | 24 | |
| 149-149 | QN9 | | Percentage of students who did not clean or brush their teeth during the past 30 days | | |
| | | 1 | Yes | 31 | 1.6 |
| | | 2 | No | 1,934 | 98.4 |
| | | | Missing | 6 | |
| 150-150 | QN10 | | Percentage of students who never or rarely washed their hands before eating during the past 30 days | | |
| | | 1 | Yes | 55 | 2.8 |
| | | 2 | No | 1,912 | 97.2 |
| | | | Missing | 4 | |
| 151-151 | QN11 | | Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days | | |
| | | 1 | Yes | 24 | 1.3 |
| | | 2 | No | 1,936 | 98.7 |
| | | | Missing | 11 | |
| 152-152 | QN12 | | Percentage of students who never or rarely used soap when washing their hands during the past 30 days | | |
| | | 1 | Yes | 91 | 4.7 |
| | | 2 | No | 1,847 | 95.3 |
| | | | Missing | 33 | |

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Public Use Codebook**

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|----------------------|-------------------------------|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------------------|
| 153-153 | QN13 | | Percentage of students who were physically attacked one or more times during the past 12 months - Data not available Missing | 1,971 | |
| 154-154 | QN14 | | Percentage of students who were in a physical fight one or more times during the past 12 months | | |
| | | 1 | Yes | 695 | 36.1 |
| | | 2 | No | 1,263 | 63.9 |
| | | | Missing | 13 | |
| 155-155 | QN15 | | Percentage of students who were seriously injured one or more times during the past 12 months | | |
| | | 1 | Yes | 639 | 36.5 |
| | | 2 | No | 1,117 | 63.5 |
| | | | Missing | 215 | |
| 156-156 | QN16 | | Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport | | |
| | | 1 | Yes | 284 | 44.3 |
| | | 2 | No | 348 | 55.7 |
| | | | Missing | 1,339 | |
| 157-157 | QN17 | | Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall | | |
| | | 1 | Yes | 260 | 41.5 |
| | | 2 | No | 369 | 58.5 |
| | | | Missing | 1,342 | |
| 158-158 | QN18 | | Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident | | |
| | | 1 | Yes | 420 | 68.0 |
| | | 2 | No | 192 | 32.0 |
| | | | Missing | 1,359 | |

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Public Use Codebook**

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|------------------|
| 159-159 | QN19 | | Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury | | |
| | | 1 | Yes | 275 | 42.9 |
| | | 2 | No | 360 | 57.1 |
| | | | Missing | 1,336 | |
| 160-160 | QN20 | | Percentage of students who were bullied on one or more days during the past 30 days | | |
| | | 1 | Yes | 908 | 50.4 |
| | | 2 | No | 917 | 49.6 |
| | | | Missing | 146 | |
| 161-161 | QN21 | | Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors | | |
| | | 1 | Yes | 56 | 6.4 |
| | | 2 | No | 830 | 93.6 |
| | | | Missing | 1,085 | |
| 162-162 | QN22 | | Percentage of students who felt lonely most of the time or always during the past 12 months | | |
| | | 1 | Yes | 281 | 14.6 |
| | | 2 | No | 1,674 | 85.4 |
| | | | Missing | 16 | |
| 163-163 | QN23 | | Percentage of students who most of the time or always felt so worried about something that they could not sleep at night during the past 12 months | | |
| | | 1 | Yes | 169 | 8.6 |
| | | 2 | No | 1,794 | 91.4 |
| | | | Missing | 8 | |
| 164-164 | QN24 | | Percentage of students who felt sad or hopeless almost every day for two weeks or more in a row that they stopped doing their usual activities during the past 12 months | | |
| | | 1 | Yes | 562 | 28.8 |
| | | 2 | No | 1,404 | 71.2 |
| | | | Missing | 5 | |

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Public Use Codebook**

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|----------------------|-------------------------------|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------------------|
| 165-165 | QN25 | | Percentage of students who seriously considered attempting suicide during the past 12 months | | |
| | | 1 | Yes | 385 | 19.7 |
| | | 2 | No | 1,572 | 80.3 |
| | | | Missing | 14 | |
| 166-166 | QN26 | | Percentage of students who made a plan about how they would attempt suicide during the past 12 months | | |
| | | 1 | Yes | 315 | 16.5 |
| | | 2 | No | 1,610 | 83.5 |
| | | | Missing | 46 | |
| 167-167 | QN27 | | Percentage of students who have no close friends | | |
| | | 1 | Yes | 135 | 7.0 |
| | | 2 | No | 1,824 | 93.0 |
| | | | Missing | 12 | |
| 168-168 | QN28 | | Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age 9 or younger | | |
| | | 1 | Yes | 65 | 15.3 |
| | | 2 | No | 365 | 84.7 |
| | | | Missing | 1,541 | |
| 169-169 | QN29 | | Percentage of students who smoked cigarettes on one or more days during the past 30 days | | |
| | | 1 | Yes | 437 | 23.2 |
| | | 2 | No | 1,401 | 76.8 |
| | | | Missing | 133 | |
| 170-170 | QN30 | | Percentage of students who used any other form of tobacco, such as chewing tobacco, snuff, cigars, or pipes on one or more of the past 30 days | | |
| | | 1 | Yes | 88 | 4.6 |
| | | 2 | No | 1,877 | 95.4 |
| | | | Missing | 6 | |

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Public Use Codebook**

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|------------------|
| 171-171 | QN31 | | Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried to stop smoking cigarettes during the past 12 months | | |
| | | 1 | Yes | 353 | 68.0 |
| | | 2 | No | 167 | 32.0 |
| | | | Missing | 1,451 | |
| 172-172 | QN32 | | Percentage of students who reported people smoking in their presence on one or more of the past seven days | | |
| | | 1 | Yes | 1,493 | 76.5 |
| | | 2 | No | 459 | 23.5 |
| | | | Missing | 19 | |
| 173-173 | QN33 | | Percentage of students who have a parent or guardian who uses any form of tobacco | | |
| | | 1 | Yes | 844 | 43.1 |
| | | 2 | No | 1,121 | 56.9 |
| | | | Missing | 6 | |
| 174-174 | QN34 | | Percentage of students who drank alcohol on one or more of the past 30 days | | |
| | | 1 | Yes | 484 | 25.5 |
| | | 2 | No | 1,372 | 74.5 |
| | | | Missing | 115 | |
| 175-175 | QN35 | | Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days | | |
| | | 1 | Yes | 247 | 13.0 |
| | | 2 | No | 1,610 | 87.0 |
| | | | Missing | 114 | |
| 176-176 | QN36 | | Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days | | |
| | | 1 | Yes | 106 | 5.5 |
| | | 2 | No | 1,719 | 94.5 |
| | | | Missing | 146 | |

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Public Use Codebook**

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|------------------|
| 177-177 | QN37 | | Percentage of students who drank so much alcohol that they were really drunk one or more times during their life | | |
| | | 1 | Yes | 454 | 22.5 |
| | | 2 | No | 1,508 | 77.5 |
| | | | Missing | 9 | |
| 178-178 | QN38 | | Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life | | |
| | | 1 | Yes | 220 | 11.1 |
| | | 2 | No | 1,744 | 88.9 |
| | | | Missing | 7 | |
| 179-179 | QN39 | | Percentage of students who used drugs, such as marijuana or cocaine one or more times during their life | | |
| | | 1 | Yes | 159 | 8.0 |
| | | 2 | No | 1,785 | 92.0 |
| | | | Missing | 27 | |
| 180-180 | QN40 | | Percentage of students who have ever had sexual intercourse | | |
| | | 1 | Yes | 247 | 14.3 |
| | | 2 | No | 1,445 | 85.7 |
| | | | Missing | 279 | |
| 181-181 | QN41 | | Percentage of students who had sexual intercourse for the first time before age 13 | | |
| | | 1 | Yes | 111 | 6.5 |
| | | 2 | No | 1,592 | 93.5 |
| | | | Missing | 268 | |
| 182-182 | QN42 | | Percentage of students who have had sexual intercourse with two or more people during their life time | | |
| | | 1 | Yes | 120 | 6.6 |
| | | 2 | No | 1,619 | 93.4 |
| | | | Missing | 232 | |

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Public Use Codebook**

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|------------------|
| 183-183 | QN43 | | Percentage of students who had sexual intercourse during the past 12 months | | |
| | | 1 | Yes | 166 | 9.0 |
| | | 2 | No | 1,647 | 91.0 |
| | | | Missing | 158 | |
| 184-184 | QN44 | | Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse | | |
| | | 1 | Yes | 83 | 50.4 |
| | | 2 | No | 81 | 49.6 |
| | | | Missing | 1,807 | |
| 185-185 | QN45 | | Percentage of students who were physically active all seven days for a total of at least 60 minutes per day during the past seven days | | |
| | | 1 | Yes | 182 | 9.4 |
| | | 2 | No | 1,768 | 90.6 |
| | | | Missing | 21 | |
| 186-186 | QN46 | | Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week | | |
| | | 1 | Yes | 189 | 9.8 |
| | | 2 | No | 1,772 | 90.2 |
| | | | Missing | 10 | |
| 187-187 | QN47 | | Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities during a typical or usual day | | |
| | | 1 | Yes | 779 | 39.9 |
| | | 2 | No | 1,163 | 60.1 |
| | | | Missing | 29 | |
| 188-188 | QN48 | | Percentage of students who did not walk or ride a bicycle to and from school during the past seven days | | |
| | | 1 | Yes | 558 | 28.5 |
| | | 2 | No | 1,405 | 71.5 |
| | | | Missing | 8 | |

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Public Use Codebook**

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|------------------|
| 189-189 | QN49 | | Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days | | |
| | | 1 | Yes | 1,358 | 70.7 |
| | | 2 | No | 578 | 29.3 |
| | | | Missing | 35 | |
| 190-190 | QN50 | | Percentage of students who missed classes or school without permission on one or more of the past 30 days | | |
| | | 1 | Yes | 381 | 19.5 |
| | | 2 | No | 1,580 | 80.5 |
| | | | Missing | 10 | |
| 191-191 | QN51 | | Percentage of students who reported that most of the students in their school were kind and helpful most of the time or always during the past 30 days | | |
| | | 1 | Yes | 901 | 45.7 |
| | | 2 | No | 1,049 | 54.3 |
| | | | Missing | 21 | |
| 192-192 | QN52 | | Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days | | |
| | | 1 | Yes | 957 | 49.8 |
| | | 2 | No | 982 | 50.2 |
| | | | Missing | 32 | |
| 193-193 | QN53 | | Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days | | |
| | | 1 | Yes | 964 | 49.4 |
| | | 2 | No | 994 | 50.6 |
| | | | Missing | 13 | |
| 194-194 | QN54 | | Percentage of students whose parents or guardians knew what they were doing with their free time most of the time or always during the past 30 days | | |
| | | 1 | Yes | 1,152 | 59.4 |
| | | 2 | No | 787 | 40.6 |
| | | | Missing | 32 | |

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Public Use Codebook**

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------|----------------------|------------------|
| 262-262 | QNROVWGT | | Percentage of students who are at risk for becoming overweight | | |
| | | 1 | Yes | 241 | 16.6 |
| | | 2 | No | 1,232 | 83.4 |
| | | | Missing | 498 | |
| 263-263 | QNOVWGT | | Percentage of students who are overweight | | |
| | | 1 | Yes | 33 | 2.2 |
| | | 2 | No | 1,440 | 97.8 |
| | | | Missing | 498 | |
| 265-265 | QNFRVGG | | Percentage of students who ate five or more servings of fruits and vegetables per day during the past 30 days | | |
| | | 1 | Yes | 418 | 21.8 |
| | | 2 | No | 1,520 | 78.2 |
| | | | Missing | 33 | |
| 266-266 | QNANYTOB | | Percentage of students who used any tobacco during the past 30 days | | |
| | | 1 | Yes | 445 | 23.8 |
| | | 2 | No | 1,390 | 76.2 |
| | | | Missing | 136 | |
| 267-267 | QNMINPAG | | Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average | | |
| | | 1 | Yes | 1,647 | 84.6 |
| | | 2 | No | 298 | 15.4 |
| | | | Missing | 26 | |
| 268-268 | QNWKRD | | Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days | | |
| | | 1 | Yes | 1,508 | 78.6 |
| | | 2 | No | 423 | 21.4 |
| | | | Missing | 40 | |
| 358-369 | Weight | | Weight | | |
| 370-374 | PSU | | Primary Sampling Unit | | |
| 375-383 | Stratum | | Stratum | | |