

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Malaysia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent	
17-17	Q1	Q1	How old are you?			
			1	11 years old or younger	33	0.1
			2	12 years old	178	0.7
			3	13 years old	5,184	20.4
			4	14 years old	5,357	20.6
			5	15 years old	5,554	20.2
			6	16 years old	4,562	19.2
			7	17 years old	4,410	17.7
			8	18 years old or older	215	1.1
	Missing	14				
18-18	Q2	Q2	What is your sex?			
			1	Male	12,732	50.2
			2	Female	12,729	49.8
				Missing	46	
19-19	Q3	Q3	In what grade are you?			
			1	Remove class	162	0.8
			2	Form 1	5,271	21.0
			3	Form 2	5,329	20.4
			4	Form 3	5,599	20.1
			5	Form 4	4,515	19.2
			6	FORM 5	4,571	18.4
	Missing	60				
20-23	Q4	Q6	How tall are you without your shoes on? (Note: Data are in meters.)			
24-29	Q5	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)			
30-30	Q6	Q10	During the past 30 days, how often did you go hungry because there was not enough food in your home?			
			1	Never	10,055	40.3
			2	Rarely	7,410	28.2
			3	Sometimes	6,768	26.7
			4	Most of the time	695	2.6
			5	Always	517	2.3
	Missing	62				

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Malaysia Survey  
Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
31-31	Q7	Q11	During the past 30 days, how many times per day did you usually eat fruit, such as NULL		
			1 I did not eat fruit during the past 30 days	1,991	8.3
			2 Less than one time per day	5,958	23.7
			3 1 time per day	6,231	23.9
			4 2 times per day	5,964	23.1
			5 3 times per day	3,117	12.3
			6 4 times per day	808	3.3
			7 5 or more times per day	1,370	5.3
			Missing	68	
32-32	Q8	Q12	During the past 30 days, how many times per day did you usually eat vegetables, such as NULL		
			1 I did not eat vegetables during the past 30 days	1,513	5.8
			2 Less than one time per day	3,517	13.5
			3 1 time per day	5,075	19.3
			4 2 times per day	7,905	31.5
			5 3 times per day	4,209	16.7
			6 4 times per day	1,040	4.1
			7 5 or more times per day	2,217	9.1
			Missing	31	
33-33	Q9	Q13	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as Coca Cola, Sprite, and Pepsi?		
			1 I did not drink carbonated soft drinks during the past 30 days	6,920	26.1
			2 Less than one time per day	11,347	44.5
			3 1 time per day	3,767	15.1
			4 2 times per day	1,838	7.3
			5 3 times per day	794	3.3
			6 4 times per day	293	1.3
			7 5 or more times per day	502	2.3
			Missing	46	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Malaysia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
34-34	Q10	Q16	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as McDonalds, KFC, and Pizza Hut?		
			1 0 days	13,486	52.9
			2 1 day	8,362	32.4
			3 2 days	2,158	8.7
			4 3 days	827	3.4
			5 4 days	252	1.0
			6 5 days	138	0.6
			7 6 days	47	0.2
			8 7 days	202	0.8
			Missing	35	
35-35	Q11	Q18	During the past 30 days, how many times per day did you usually clean or brush your teeth?		
			1 I did not clean or brush my teeth during the past 30 days	136	0.6
			2 Less than 1 time per day	479	2.1
			3 1 time per day	2,746	10.7
			4 2 times per day	10,701	41.3
			5 3 times per day	8,757	34.4
			6 4 or more times per day	2,644	10.8
			Missing	44	
36-36	Q12	Q23	During the past 30 days, how often did you wash your hands before eating?		
			1 Never	305	1.4
			2 Rarely	859	3.7
			3 Sometimes	2,507	10.7
			4 Most of the time	3,630	14.1
			5 Always	18,098	70.2
			Missing	108	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Malaysia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
37-37	Q13	Q24	During the past 30 days, how often did you wash your hands after using the toilet or latrine?		
			1 Never	335	1.6
			2 Rarely	928	3.8
			3 Sometimes	2,245	8.7
			4 Most of the time	3,109	11.3
			5 Always	18,855	74.5
			Missing	35	
38-38	Q14	Q25	During the past 30 days, how often did you use soap when washing your hands?		
			1 Never	567	2.4
			2 Rarely	2,844	11.3
			3 Sometimes	7,622	29.8
			4 Most of the time	5,550	20.5
			5 Always	8,874	36.0
			Missing	50	
39-39	Q15	Q26	During the past 12 months, how many times were you physically attacked?		
			1 0 times	18,536	72.2
			2 1 time	2,525	10.3
			3 2 or 3 times	2,547	10.3
			4 4 or 5 times	764	3.1
			5 6 or 7 times	319	1.3
			6 8 or 9 times	163	0.6
			7 10 or 11 times	86	0.3
			8 12 or more times	445	1.8
			Missing	122	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Malaysia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent	
40-40	Q16	Q27	During the past 12 months, how many times were you in a physical fight?			
			1	0 times	18,746	72.6
			2	1 time	2,913	11.8
			3	2 or 3 times	2,379	9.6
			4	4 or 5 times	652	2.7
			5	6 or 7 times	232	1.0
			6	8 or 9 times	111	0.4
			7	10 or 11 times	78	0.3
			8	12 or more times	376	1.5
	Missing	20				
41-41	Q17	Q28	During the past 12 months, how many times were you seriously injured?			
			1	0 times	14,256	65.1
			2	1 time	4,110	18.9
			3	2 or 3 times	2,387	11.4
			4	4 or 5 times	534	2.6
			5	6 or 7 times	177	0.8
			6	8 or 9 times	68	0.4
			7	10 or 11 times	27	0.1
			8	12 or more times	140	0.7
	Missing	3,808				
42-42	Q18	Q29	During the past 12 months, what was the most serious injury that happened to you?			
			1	I was not seriously injured during the past 12 months	17,653	76.7
			2	I had a broken bone or a dislocated joint	1,017	4.2
			3	I had a cut or stab wound	1,401	6.2
			4	I had a concussion or other head or neck injury, was knocked out, or could not breathe	539	2.5
			5	I had a gunshot wound	97	0.4
			6	I had a bad burn	88	0.4
			7	I was poisoned or took too much of a drug	48	0.2
			8	Something else happened to me	2,167	9.4
	Missing	2,497				

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Malaysia Survey**  
**Public Use Codebook**

<b>Data Location</b>	<b>Standard Variable Name</b>	<b>Country Question Number</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percent</b>
43-43	Q19	Q30	During the past 12 months, what was the major cause of the most serious injury that happened to you?		
		1	I was not seriously injured during the past 12 months	16,425	73.8
		2	I was in a motor vehicle accident or hit by a motor vehicle	1,091	5.2
		3	I fell	2,127	9.6
		4	Something fell on me or hit me	514	2.4
		5	I was attacked or abused or was fighting with someone	272	1.3
		6	I was in a fire or too near a flame or something hot	67	0.3
		7	I inhaled or swallowed something bad for me	71	0.4
		8	Something else caused my injury	1,637	7.0
			Missing	3,303	
44-44	Q20	Q31	During the past 30 days, on how many days were you bullied?		
		1	0 days	19,825	82.1
		2	1 or 2 days	2,578	11.2
		3	3 to 5 days	694	3.0
		4	6 to 9 days	315	1.3
		5	10 to 19 days	220	0.9
		6	20 to 29 days	103	0.4
		7	All 30 days	257	1.0
			Missing	1,515	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Malaysia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
45-45	Q21	Q32	During the past 30 days, how were you bullied most often?		
			1 I was not bullied during the past 30 days	20,554	85.7
			2 I was hit, kicked, pushed, shoved around, or locked indoors	381	1.7
			3 I was made fun of because of my race, nationality, or color	345	1.5
			4 I was made fun of because of my religion	107	0.5
			5 I was made fun of with sexual jokes, comments, or gestures	669	2.9
			6 I was left out of activities on purpose or completely ignored	161	0.7
			7 I was made fun of because of how my body or face looks	783	3.0
			8 I was bullied in some other way	942	3.9
	Missing	1,565			
46-46	Q22	Q35	During the past 12 months, how often have you felt lonely?		
			1 Never	7,919	31.4
			2 Rarely	8,222	32.2
			3 Sometimes	7,115	28.3
			4 Most of the time	1,425	5.4
			5 Always	661	2.7
				Missing	165
47-47	Q23	Q36	During the past 12 months, how often have you been so worried about something that you could not sleep at night?		
			1 Never	10,006	39.0
			2 Rarely	8,777	34.0
			3 Sometimes	5,339	21.5
			4 Most of the time	880	3.5
			5 Always	448	1.9
	Missing	57			

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Malaysia Survey  
Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
48-48	Q24	Q37	During the past 12 months, did you ever seriously consider attempting suicide?		
			1 Yes	1,852	7.9
			2 No	23,426	92.1
			Missing	229	
49-49	Q25	Q38	During the past 12 months, did you make a plan about how you would attempt suicide?		
			1 Yes	1,488	6.4
			2 No	23,643	93.6
			Missing	376	
50-50	Q26	Q39	During the past 12 months, how many times did you actually attempt suicide?		
			1 0 times	23,895	93.2
			2 1 time	907	3.8
			3 2 or 3 times	394	1.8
			4 4 or 5 times	189	0.8
			5 6 or more times	83	0.4
			Missing	39	
51-51	Q27	Q40	How many close friends do you have?		
			1 0	792	3.1
			2 1	1,417	5.7
			3 2	2,067	8.2
			4 3 or more	21,093	83.0
			Missing	138	
52-52	Q28	Q41	How old were you when you first tried a cigarette?		
			1 I have never smoked cigarettes	19,780	79.5
			2 7 years old or younger	492	2.0
			3 8 or 9 years old	447	1.9
			4 10 or 11 years old	898	3.6
			5 12 or 13 years old	1,633	7.0
			6 14 or 15 years old	1,096	4.8
			7 16 years old or older	243	1.2
Missing	918				

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Malaysia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
53-53	Q29	Q42	During the past 30 days, on how many days did you smoke cigarettes?		
			1 0 days	22,671	88.5
			2 1 or 2 days	963	4.2
			3 3 to 5 days	429	1.8
			4 6 to 9 days	265	1.2
			5 10 to 19 days	241	1.0
			6 20 to 29 days	177	0.7
			7 All 30 days	632	2.7
			Missing	129	
54-54	Q30	Q43	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as shisha/hookah, electronic cigarettes, snuff, chewing tobacco, pipes, curut, cigars, cigarillos or bidis?		
			1 0 days	24,208	94.5
			2 1 or 2 days	787	3.4
			3 3 to 5 days	202	0.8
			4 6 to 9 days	102	0.4
			5 10 to 19 days	62	0.3
			6 20 to 29 days	31	0.1
			7 All 30 days	99	0.4
			Missing	16	
55-55	Q31	Q45	During the past 12 months, have you ever tried to stop smoking cigarettes?		
			1 I have never smoked cigarettes	20,663	83.1
			2 I did not smoke cigarettes during the past 12 months	997	4.0
			3 Yes	2,626	11.4
			4 No	368	1.5
			Missing	853	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Malaysia Survey  
Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent	
56-56	Q32	Q46	During the past 7 days, on how many days have people smoked in your presence?			
			1	0 days	14,831	58.4
			2	1 or 2 days	4,865	18.6
			3	3 or 4 days	1,845	7.1
			4	5 or 6 days	790	3.3
			5	All 7 days	3,119	12.7
				Missing	57	
57-57	Q33	Q47	Which of your parents or guardians use any form of tobacco?			
			1	Neither	13,771	53.8
			2	My father or male guardian	9,848	38.4
			3	My mother or female guardian	183	0.8
			4	Both	231	1.0
			5	I do not know	1,379	6.0
				Missing	95	
58-58	Q34	Q50	How old were you when you had your first drink of alcohol other than a few sips?			
			1	I have never had a drink of alcohol other than a few sips	20,370	80.2
			2	7 years old or younger	465	2.2
			3	8 or 9 years old	404	1.8
			4	10 or 11 years old	686	3.1
			5	12 or 13 years old	1,149	5.5
			6	14 or 15 years old	1,025	4.9
			7	16 years old or older	465	2.3
	Missing	943				
59-59	Q35	Q51	During the past 30 days, on how many days did you have at least one drink containing alcohol?			
			1	0 days	23,359	91.1
			2	1 or 2 days	1,406	6.4
			3	3 to 5 days	264	1.3
			4	6 to 9 days	120	0.6
			5	10 to 19 days	65	0.3
			6	20 to 29 days	23	0.1
			7	All 30 days	48	0.2
	Missing	222				

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Malaysia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
60-60	Q36	Q52	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?		
			1 I did not drink alcohol during the past 30 days	23,067	89.2
			2 Less than one drink	1,034	4.9
			3 1 drink	676	3.1
			4 2 drinks	280	1.3
			5 3 drinks	124	0.6
			6 4 drinks	47	0.2
			7 5 or more drinks	155	0.8
			Missing	124	
61-61	Q37	Q53	During the past 30 days, how did you usually get the alcohol you drank?		
			1 I did not drink alcohol during the past 30 days	23,073	90.0
			2 I bought it in a store, shop, or from a street vendor	575	2.7
			3 I gave someone else money to buy it for me	140	0.6
			4 I got it from my friends	408	2.0
			5 I got it from my family	766	3.4
			6 I stole it or got it without permission	33	0.1
			7 I got it some other way	230	1.0
			Missing	282	
62-62	Q38	Q54	During your life, how many times did you drink so much alcohol that you were really drunk?		
			1 0 times	23,920	93.7
			2 1 or 2 times	941	4.4
			3 3 to 9 times	256	1.3
			4 10 or more times	145	0.7
			Missing	245	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Malaysia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
63-63	Q39	Q55	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?		
			1 0 times	24,428	97.5
			2 1 or 2 times	342	1.6
			3 3 to 9 times	128	0.6
			4 10 or more times	77	0.3
			Missing	532	
64-64	Q40	Q56	How old were you when you first used drugs?		
			1 I have never used drugs	24,368	98.0
			2 7 years old or younger	125	0.6
			3 8 or 9 years old	78	0.3
			4 10 or 11 years old	51	0.2
			5 12 or 13 years old	65	0.3
			6 14 or 15 years old	87	0.4
			7 16 years old or older	30	0.1
			Missing	703	
65-65	Q41	Q60	During your life, how many times have you used marijuana ?		
			1 0 times	25,093	99.1
			2 1 or 2 times	99	0.4
			3 3 to 9 times	48	0.2
			4 10 to 19 times	32	0.1
			5 20 or more times	32	0.1
			Missing	203	
66-66	Q42	Q61	During the past 30 days, how many times have you used marijuana ?		
			1 0 times	25,117	99.1
			2 1 or 2 times	92	0.4
			3 3 to 9 times	56	0.2
			4 10 to 19 times	39	0.2
			5 20 or more times	21	0.1
			Missing	182	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Malaysia Survey  
Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent	
67-67	Q43	Q62	During your life, how many times have you used amphetamines or methamphetamines ?			
			1	0 times	24,795	99.0
			2	1 or 2 times	86	0.4
			3	3 to 9 times	71	0.3
			4	10 to 19 times	28	0.2
			5	20 or more times	32	0.1
				Missing	495	
68-68	Q44	Q63	Have you ever had sexual intercourse?			
			1	Yes	1,882	8.3
			2	No	21,763	91.7
				Missing	1,862	
69-69	Q45	Q64	How old were you when you had sexual intercourse for the first time?			
			1	I have never had sexual intercourse	24,550	97.4
			2	11 years old or younger	145	0.6
			3	12 years old	87	0.4
			4	13 years old	92	0.4
			5	14 years old	94	0.4
			6	15 years old	93	0.4
			7	16 years old or older	124	0.5
	Missing	322				
70-70	Q46	Q65	During your life, with how many people have you had sexual intercourse?			
			1	I have never had sexual intercourse	24,583	97.5
			2	1 person	283	1.1
			3	2 people	122	0.5
			4	3 people	79	0.3
			5	4 people	44	0.2
			6	5 people	27	0.1
			7	6 or more people	53	0.2
	Missing	316				

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Malaysia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
71-71	Q47	Q66	The last time you had sexual intercourse, did you or your partner use a condom ?		
		1	I have never had sexual intercourse	23,773	97.5
		2	Yes	192	0.8
		3	No	386	1.7
			Missing	1,156	
72-72	Q48	Q67	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?		
		1	I have never had sexual intercourse	23,684	97.3
		2	Yes	276	1.2
		3	No	215	0.9
		4	I do not know	132	0.6
			Missing	1,200	
73-73	Q49	Q68	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1	0 days	4,564	19.6
		2	1 day	5,507	21.9
		3	2 days	4,369	17.3
		4	3 days	3,261	12.5
		5	4 days	1,579	6.0
		6	5 days	1,668	6.2
		7	6 days	629	2.3
		8	7 days	3,774	14.1
			Missing	156	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Malaysia Survey**  
**Public Use Codebook**

<b>Data Location</b>	<b>Standard Variable Name</b>	<b>Country Question Number</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percent</b>
74-74	Q50	Q69	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?		
			1 0 days	11,631	46.9
			2 1 day	1,989	8.1
			3 2 days	1,502	6.0
			4 3 days	966	3.8
			5 4 days	639	2.4
			6 5 days	2,743	10.6
			7 6 days	446	1.6
			8 7 days	5,539	20.6
			Missing	52	
75-75	Q51	Q70	During this school year, on how many days did you go to physical education (PE) class each week?		
			1 0 days	2,786	11.1
			2 1 day	10,832	42.2
			3 2 days	5,052	20.7
			4 3 days	852	3.3
			5 4 days	569	2.2
			6 5 or more days	5,303	20.4
			Missing	113	
76-76	Q52	Q71	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities ?		
			1 Less than 1 hour per day	4,846	20.2
			2 1 to 2 hours per day	8,316	32.5
			3 3 to 4 hours per day	6,951	26.8
			4 5 to 6 hours per day	2,628	10.2
			5 7 to 8 hours per day	867	3.5
			6 More than 8 hours per day	1,813	6.9
			Missing	86	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Malaysia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
77-77	Q53	Q72	During the past 30 days, on how many days did you miss classes or school without permission?		
			1 0 days	18,023	69.1
			2 1 or 2 days	5,519	23.1
			3 3 to 5 days	1,327	5.4
			4 6 to 9 days	343	1.4
			5 10 or more days	245	1.0
			Missing	50	
78-78	Q54	Q73	During the past 30 days, how often were most of the students in your school kind and helpful?		
			1 Never	1,356	6.0
			2 Rarely	4,482	18.0
			3 Sometimes	7,894	31.8
			4 Most of the time	5,181	19.0
			5 Always	6,529	25.3
			Missing	65	
79-79	Q55	Q74	During the past 30 days, how often did your parents or guardians check to see if your homework was done?		
			1 Never	9,967	39.6
			2 Rarely	6,409	24.8
			3 Sometimes	5,412	21.4
			4 Most of the time	1,619	6.0
			5 Always	1,999	8.3
			Missing	101	
80-80	Q56	Q75	During the past 30 days, how often did your parents or guardians understand your problems and worries?		
			1 Never	5,411	22.2
			2 Rarely	5,735	22.6
			3 Sometimes	6,016	23.6
			4 Most of the time	3,395	12.8
			5 Always	4,882	18.7
			Missing	68	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Malaysia Survey  
Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
81-81	Q57	Q76	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?		
			1 Never	3,025	12.7
			2 Rarely	4,775	19.2
			3 Sometimes	6,259	25.0
			4 Most of the time	4,694	17.5
			5 Always	6,640	25.6
			Missing	114	
82-82	Q58	Q77	During the past 30 days, how often did your parents or guardians go through your things without your approval?		
			1 Never	12,987	51.5
			2 Rarely	5,888	22.5
			3 Sometimes	4,108	16.5
			4 Most of the time	1,042	4.1
			5 Always	1,300	5.4
			Missing	182	
185-185	QN6		Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days		
			1 Yes	1,212	4.9
			2 No	24,233	95.1
			Missing	62	
186-186	QN7		Percentage of students who usually ate fruit two or more times per day during the past 30 days		
			1 Yes	11,259	44.0
			2 No	14,180	56.0
			Missing	68	
187-187	QN8		Percentage of students who usually ate vegetables three or more times per day during the past 30 days		
			1 Yes	7,466	29.8
			2 No	18,010	70.2
			Missing	31	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Malaysia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
188-188	QN9		Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days		
		1	Yes	7,194	29.4
		2	No	18,267	70.6
			Missing	46	
189-189	QN10		Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days		
		1	Yes	1,466	6.0
		2	No	24,006	94.0
			Missing	35	
190-190	QN11		Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days		
		1	Yes	615	2.7
		2	No	24,848	97.3
			Missing	44	
191-191	QN12		Percentage of students who never or rarely washed their hands before eating during the past 30 days		
		1	Yes	1,164	5.0
		2	No	24,235	95.0
			Missing	108	
192-192	QN13		Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days		
		1	Yes	1,263	5.4
		2	No	24,209	94.6
			Missing	35	
193-193	QN14		Percentage of students who never or rarely used soap when washing their hands during the past 30 days		
		1	Yes	3,411	13.7
		2	No	22,046	86.3
			Missing	50	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Malaysia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
194-194	QN15		Percentage of students who were physically attacked one or more times during the past 12 months		
		1	Yes	6,849	27.8
		2	No	18,536	72.2
			Missing	122	
195-195	QN16		Percentage of students who were in a physical fight one or more times during the past 12 months		
		1	Yes	6,741	27.4
		2	No	18,746	72.6
			Missing	20	
196-196	QN17		Percentage of students who were seriously injured one or more times during the past 12 months		
		1	Yes	7,443	34.9
		2	No	14,256	65.1
			Missing	3,808	
197-197	QN18		Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint		
		1	Yes	1,017	18.1
		2	No	4,340	81.9
			Missing	20,150	
198-198	QN19		Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle		
		1	Yes	1,091	20.0
		2	No	4,688	80.0
			Missing	19,728	
199-199	QN20		Percentage of students who were bullied on one or more days during the past 30 days		
		1	Yes	4,167	17.9
		2	No	19,825	82.1
			Missing	1,515	

**Malaysia Survey  
Public Use Codebook**

<b>Data Location</b>	<b>Standard Variable Name</b>	<b>Country Question Number</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percent</b>
200-200	QN21		Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors		
		1	Yes	381	12.2
		2	No	3,007	87.8
			Missing	22,119	
201-201	QN22		Percentage of students who most of the time or always felt lonely during the past 12 months		
		1	Yes	2,086	8.1
		2	No	23,256	91.9
			Missing	165	
202-202	QN23		Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months		
		1	Yes	1,328	5.4
		2	No	24,122	94.6
			Missing	57	
203-203	QN24		Percentage of students who ever seriously considered attempting suicide during the past 12 months		
		1	Yes	1,852	7.9
		2	No	23,426	92.1
			Missing	229	
204-204	QN25		Percentage of students who made a plan about how they would attempt suicide during the past 12 months		
		1	Yes	1,488	6.4
		2	No	23,643	93.6
			Missing	376	
205-205	QN26		Percentage of students who actually attempted suicide one or more times during the past 12 months		
		1	Yes	1,573	6.8
		2	No	23,895	93.2
			Missing	39	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Malaysia Survey  
Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
206-206	QN27		Percentage of students who had no close friends		
		1	Yes	792	3.1
		2	No	24,577	96.9
			Missing	138	
207-207	QN28		Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years		
		1	Yes	3,470	70.8
		2	No	1,339	29.2
			Missing	20,698	
208-208	QN29		Percentage of students who smoked cigarettes on one or more days during the past 30 days		
		1	Yes	2,707	11.5
		2	No	22,671	88.5
			Missing	129	
209-209	QN30		Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days		
		1	Yes	1,283	5.5
		2	No	24,208	94.5
			Missing	16	
210-210	QN31		Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months		
		1	Yes	2,626	88.1
		2	No	368	11.9
			Missing	22,513	
211-211	QN32		Percentage of students who reported people smoked in their presence on one or more days during the past seven days		
		1	Yes	10,619	41.6
		2	No	14,831	58.4
			Missing	57	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Malaysia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
212-212	QN33		Percentage of students who had parents or guardians who used any form of tobacco		
		1	Yes	10,262	40.2
		2	No	15,150	59.8
			Missing	95	
213-213	QN34		Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years		
		1	Yes	2,704	63.5
		2	No	1,490	36.5
			Missing	21,313	
214-214	QN35		Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days		
		1	Yes	1,926	8.9
		2	No	23,359	91.1
			Missing	222	
215-215	QN36		Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol		
		1	Yes	606	26.5
		2	No	1,710	73.5
			Missing	23,191	
216-216	QN37		Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends		
		1	Yes	408	20.5
		2	No	1,744	79.5
			Missing	23,355	
217-217	QN38		Percentage of students who drank so much alcohol that they were really drunk one or more times during their life		
		1	Yes	1,342	6.3
		2	No	23,920	93.7
			Missing	245	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Malaysia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
218-218	QN39		Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol		
		1	Yes	547	2.5
		2	No	24,428	97.5
			Missing	532	
219-219	QN40		Among students who ever used drugs, the percentage who first used drugs before age 14 years		
		1	Yes	319	73.7
		2	No	117	26.3
			Missing	25,071	
220-220	QN41		Percentage of students who used marijuana one or more times during their life		
		1	Yes	211	0.9
		2	No	25,093	99.1
			Missing	203	
221-221	QN42		Percentage of students who used marijuana one or more times during the past 30 days		
		1	Yes	208	0.9
		2	No	25,117	99.1
			Missing	182	
222-222	QN43		Percentage of students who used amphetamines or methamphetamines one or more times during their life		
		1	Yes	217	1.0
		2	No	24,795	99.0
			Missing	495	
223-223	QN44		Percentage of students who ever had sexual intercourse		
		1	Yes	1,882	8.3
		2	No	21,763	91.7
			Missing	1,862	

**Malaysia Survey  
Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
224-224	QN45		Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years		
		1	Yes	324	50.6
		2	No	311	49.4
			Missing	24,872	
225-225	QN46		Percentage of students who had sexual intercourse with two or more people during their life		
		1	Yes	325	1.4
		2	No	24,866	98.6
			Missing	316	
226-226	QN47		Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse		
		1	Yes	192	32.2
		2	No	386	67.8
			Missing	24,929	
227-227	QN48		Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse		
		1	Yes	276	43.7
		2	No	347	56.3
			Missing	24,884	
228-228	QN49		Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days		
		1	Yes	6,071	22.7
		2	No	19,280	77.3
			Missing	156	
229-229	QN50		Percentage of students who did not walk or ride a bicycle to or from school during the past seven days		
		1	Yes	11,631	46.9
		2	No	13,824	53.1
			Missing	52	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Malaysia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
230-230	QN51		Percentage of students who went to physical education (PE) class on three or more days each week during this school year		
		1	Yes	6,724	26.0
		2	No	18,670	74.0
			Missing	113	
231-231	QN52		Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities		
		1	Yes	12,259	47.3
		2	No	13,162	52.7
			Missing	86	
232-232	QN53		Percentage of students who missed classes or school without permission on one or more of the past 30 days		
		1	Yes	7,434	30.9
		2	No	18,023	69.1
			Missing	50	
233-233	QN54		Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days		
		1	Yes	11,710	44.3
		2	No	13,732	55.7
			Missing	65	
234-234	QN55		Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days		
		1	Yes	3,618	14.2
		2	No	21,788	85.8
			Missing	101	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Malaysia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
235-235	QN56		Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days		
			1 Yes	8,277	31.5
			2 No	17,162	68.5
			Missing	68	
236-236	QN57		Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days		
			1 Yes	11,334	43.1
			2 No	14,059	56.9
			Missing	114	
237-237	QN58		Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days		
			1 Yes	18,875	74.0
			2 No	6,450	26.0
			Missing	182	
350-350	QNOWTG		Percentage of students who were overweight (>+1SD from median for BMI by age and sex)		
			1 Yes	5,787	22.8
			2 No	18,974	77.2
			Missing	746	
351-351	QNOBESEG		Percentage of students who were obese (>+2SD from median for BMI by age and sex)		
			1 Yes	2,455	9.5
			2 No	22,306	90.5
			Missing	746	
352-352	QNUNWTG		Percentage of students who were underweight (<-2SD from median for BMI by age and sex)		
			1 Yes	2,107	8.8
			2 No	22,654	91.2
			Missing	746	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Malaysia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
353-353	QNFRVGG		Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days		
		1	Yes	7,246	28.7
		2	No	18,169	71.3
			Missing	92	
354-354	QNANYTBG		Percentage of students who used any tobacco on one or more days during the past 30 days		
		1	Yes	2,998	12.9
		2	No	22,369	87.1
			Missing	140	
355-355	QNPA7G		Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days		
		1	Yes	3,774	14.1
		2	No	21,577	85.9
			Missing	156	
356-356	QNPE5G		Percentage of students who went to physical education (PE) class on five or more days each week during this school year		
		1	Yes	5,303	20.4
		2	No	20,091	79.6
			Missing	113	
357-357	QNC1G		Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse		
		1	Yes	219	17.9
		2	No	923	82.1
			Missing	24,365	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Malaysia Survey**  
**Public Use Codebook**

<b>Data Location</b>	<b>Standard Variable Name</b>	<b>Country Question Number</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percent</b>
358-358	QNC2G		Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days		
		1	Yes	413	36.9
		2	No	778	63.1
			Missing	24,316	
362-371	WEIGHT				
372-380	STRATUM				
381-385	PSU				