

2010 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Peru Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
17-17	Q1	Q1	How old are you?		
			1 11 years old or younger	14	0.4
			2 12 years old	42	1.6
			3 13 years old	513	19.6
			4 14 years old	848	30.3
			5 15 years old	956	31.9
			6 16 years old or older	494	16.2
			Missing	15	
18-18	Q2	Q2	What is your sex?		
			1 Male	1,402	50.6
			2 Female	1,462	49.4
			Missing	18	
19-19	Q3	Q3	In what grade are you?		
			1 2nd grade	937	36.6
			2 3rd grade	931	33.3
			3 4th grade	993	30.1
			Missing	21	
20-23	Q4	Q4	How tall are you without your shoes on? (Note: Data are in meters.)		
24-29	Q5	Q5	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
30-30	Q6	Q6	During the past 30 days, how often did you go hungry because there was not enough food in your home?		
			1 Never	1,380	47.8
			2 Rarely	947	32.7
			3 Sometimes	467	16.3
			4 Most of the time	41	1.4
			5 Always	47	1.8

2010 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Peru Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
31-31	Q7	Q7	During the past 30 days, how many times per day did you usually eat fruit, such as bananas, apples, or oranges?		
		1	I did not eat fruit during the past 30 days	136	4.6
		2	Less than one time per day	662	22.9
		3	1 time per day	1,153	40.7
		4	2 times per day	632	21.7
		5	3 times per day	258	8.8
		6	4 times per day	21	0.7
		7	5 or more times per day	19	0.6
			Missing	1	
32-32	Q8	Q8	During the past 30 days, how many times per day did you usually eat vegetables, such as lettuce, carrots, or tomatoes?		
		1	I did not eat vegetables during the past 30 days	146	5.2
		2	Less than one time per day	562	19.3
		3	1 time per day	1,292	45.0
		4	2 times per day	621	21.6
		5	3 times per day	228	8.0
		6	4 times per day	11	0.4
		7	5 or more times per day	17	0.6
			Missing	5	
33-33	Q9	Q9	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as Coca-cola, Inka cola, Kola Inglesa, Pepsi cola, or Kola Real?		
		1	I did not drink carbonated soft drinks during the past 30 days	372	12.7
		2	Less than one time per day	967	33.2
		3	1 time per day	939	33.1
		4	2 times per day	401	14.0
		5	3 times per day	139	4.9
		6	4 times per day	32	1.1
		7	5 or more times per day	28	0.9
			Missing	4	

2010 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Peru Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
34-34	Q10	Q10	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as McDonalds, Bembos, Burger King, or Kentucky?		
		1	0 days	1,432	49.7
		2	1 day	762	26.4
		3	2 days	381	13.3
		4	3 days	179	6.3
		5	4 days	74	2.6
		6	5 days	38	1.3
		7	6 days	8	0.3
		8	7 days	4	0.1
			Missing	4	
35-35	Q11	Q11	During the past 30 days, how many times per day did you usually clean or brush your teeth?		
		1	I did not clean or brush my teeth during the past 30 days	39	1.3
		2	Less than 1 time per day	87	3.1
		3	1 time per day	364	13.0
		4	2 times per day	849	29.5
		5	3 times per day	1,254	43.2
		6	4 or more times per day	285	9.9
			Missing	4	
36-36	Q12	Q12	During the past 30 days, how often did you wash your hands before eating?		
		1	Never	23	0.8
		2	Rarely	132	4.5
		3	Sometimes	408	14.3
		4	Most of the time	990	34.5
		5	Always	1,316	45.9
			Missing	13	

2010 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Peru Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
37-37	Q13	Q13	During the past 30 days, how often did you wash your hands after using the toilet or latrine?		
			1 Never	58	2.0
			2 Rarely	136	4.7
			3 Sometimes	307	10.7
			4 Most of the time	683	23.9
			5 Always	1,674	58.6
			Missing	24	
38-38	Q14	Q14	During the past 30 days, how often did you use soap when washing your hands?		
			1 Never	39	1.4
			2 Rarely	194	6.6
			3 Sometimes	471	16.2
			4 Most of the time	894	31.6
			5 Always	1,262	44.1
			Missing	22	
39-39	Q15	Q15	During the past 12 months, how many times were you physically attacked?		
			1 0 times	1,789	62.0
			2 1 time	551	19.2
			3 2 or 3 times	311	10.9
			4 4 or 5 times	96	3.3
			5 6 or 7 times	48	1.7
			6 8 or 9 times	24	0.9
			7 10 or 11 times	9	0.3
			8 12 or more times	51	1.8
			Missing	3	

2010 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Peru Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
40-40	Q16	Q16	During the past 12 months, how many times were you in a physical fight?		
			1 0 times	1,815	62.2
			2 1 time	571	20.2
			3 2 or 3 times	272	9.6
			4 4 or 5 times	111	4.0
			5 6 or 7 times	39	1.5
			6 8 or 9 times	19	0.7
			7 10 or 11 times	7	0.3
			8 12 or more times	47	1.6
			Missing	1	
41-41	Q17	Q17	During the past 12 months, how many times were you seriously injured?		
			1 0 times	1,404	50.5
			2 1 time	925	33.8
			3 2 or 3 times	312	11.2
			4 4 or 5 times	67	2.5
			5 6 or 7 times	28	1.1
			6 8 or 9 times	9	0.3
			7 10 or 11 times	3	0.1
			8 12 or more times	13	0.4
			Missing	121	
42-42	Q18	Q18	During the past 12 months, what was the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	1,541	54.7
			2 I had a broken bone or a dislocated joint	190	6.7
			3 I had a cut or stab wound	102	3.7
			4 I had a concussion or other head or neck injury, was knocked out, or could not breathe	102	3.7
			5 I had a gunshot wound	15	0.6
			6 I had a bad burn	34	1.2
			7 I was poisoned or took too much of a drug	6	0.2
			8 Something else happened to me	810	29.2
			Missing	82	

2010 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Peru Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
43-43	Q19	Q19	During the past 12 months, what was the major cause of the most serious injury that happened to you?		
		1	I was not seriously injured during the past 12 months	1,503	53.7
		2	I was in a motor vehicle accident or hit by a motor vehicle	70	2.5
		3	I fell	581	21.1
		4	Something fell on me or hit me	67	2.5
		5	I was attacked or abused or was fighting with someone	73	2.8
		6	I was in a fire or too near a flame or something hot	19	0.7
		7	I inhaled or swallowed something bad for me	15	0.5
		8	Something else caused my injury	450	16.3
			Missing	104	
44-44	Q20	Q20	During the past 30 days, on how many days were you bullied?		
		1	0 days	1,456	52.5
		2	1 or 2 days	963	34.9
		3	3 to 5 days	161	5.8
		4	6 to 9 days	82	2.9
		5	10 to 19 days	35	1.2
		6	20 to 29 days	28	1.0
		7	All 30 days	46	1.6
			Missing	111	

2010 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Peru Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
45-45	Q21	Q21	During the past 30 days, how were you bullied most often?		
		1	I was not bullied during the past 30 days	1,555	55.9
		2	I was hit, kicked, pushed, shoved around, or locked indoors	116	4.2
		3	I was made fun of because of my race, nationality, or color	90	3.3
		4	I was made fun of because of my religion	53	2.0
		5	I was made fun of with sexual jokes, comments, or gestures	147	5.1
		6	I was left out of activities on purpose or completely ignored	121	4.4
		7	I was made fun of because of how my body or face looks	221	7.8
		8	I was bullied in some other way	475	17.2
			Missing	104	
46-46	Q22	Q22	During the past 12 months, how often have you felt lonely?		
		1	Never	572	20.4
		2	Rarely	1,134	39.7
		3	Sometimes	855	29.4
		4	Most of the time	213	7.3
		5	Always	94	3.2
			Missing	14	
47-47	Q23	Q23	During the past 12 months, how often have you been so worried about something that you could not sleep at night?		
		1	Never	632	22.8
		2	Rarely	1,109	38.8
		3	Sometimes	861	29.4
		4	Most of the time	190	6.6
		5	Always	72	2.4
			Missing	18	

2010 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Peru Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
48-48	Q24	Q24	During the past 12 months, did you ever seriously consider attempting suicide?		
			1 Yes	584	20.0
			2 No	2,275	80.0
			Missing	23	
49-49	Q25	Q25	During the past 12 months, did you make a plan about how you would attempt suicide?		
			1 Yes	448	15.3
			2 No	2,416	84.7
			Missing	18	
50-50	Q26	Q26	During the past 12 months, how many times did you actually attempt suicide?		
			1 0 times	2,353	82.6
			2 1 time	317	11.1
			3 2 or 3 times	110	3.7
			4 4 or 5 times	33	1.1
			5 6 or more times	40	1.4
			Missing	29	
51-51	Q27	Q27	How many close friends do you have?		
			1 0	156	5.4
			2 1	353	12.3
			3 2	467	16.4
			4 3 or more	1,893	66.0
			Missing	13	
52-52	Q28	Q28	How old were you when you first tried a cigarette?		
			1 I have never smoked cigarettes	1,808	65.9
			2 7 years old or younger	79	2.8
			3 8 or 9 years old	62	2.2
			4 10 or 11 years old	157	5.9
			5 12 or 13 years old	266	9.6
			6 14 or 15 years old	324	11.6
			7 16 years old or older	53	1.9
			Missing	133	

2010 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Peru Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
53-53	Q29	Q29	During the past 30 days, on how many days did you smoke cigarettes?		
			1 0 days	2,313	81.1
			2 1 or 2 days	381	13.3
			3 3 to 5 days	75	2.6
			4 6 to 9 days	41	1.5
			5 10 to 19 days	23	0.8
			6 20 to 29 days	9	0.3
			7 All 30 days	13	0.4
			Missing	27	
54-54	Q30	Q30	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as habano or cigars?		
			1 0 days	2,743	95.2
			2 1 or 2 days	94	3.4
			3 3 to 5 days	19	0.7
			4 6 to 9 days	9	0.3
			5 10 to 19 days	4	0.1
			6 20 to 29 days	4	0.1
			7 All 30 days	6	0.2
			Missing	3	
55-55	Q31	Q31	During the past 12 months, have you ever tried to stop smoking cigarettes?		
			1 I have never smoked cigarettes	1,969	70.7
			2 I did not smoke cigarettes during the past 12 months	289	9.9
			3 Yes	440	16.0
			4 No	95	3.3
			Missing	89	
56-56	Q32	Q32	During the past 7 days, on how many days have people smoked in your presence?		
			1 0 days	1,174	41.4
			2 1 or 2 days	1,112	39.0
			3 3 or 4 days	314	11.0
			4 5 or 6 days	105	3.8
			5 All 7 days	145	4.9
			Missing	32	

2010 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Peru Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
57-57	Q33	Q33	Which of your parents or guardians use any form of tobacco?		
		1	Neither	2,178	76.2
		2	My father or male guardian	301	10.3
		3	My mother or female guardian	32	1.1
		4	Both	34	1.2
		5	I do not know	329	11.3
			Missing	8	
58-58	Q34	Q35	How old were you when you had your first drink of alcohol other than a few sips?		
		1	I have never had a drink of alcohol other than a few sips	1,242	49.9
		2	7 years old or younger	92	3.7
		3	8 or 9 years old	93	4.0
		4	10 or 11 years old	140	5.7
		5	12 or 13 years old	417	16.6
		6	14 or 15 years old	451	17.3
		7	16 years old or older	79	2.9
			Missing	368	
59-59	Q35	Q36	During the past 30 days, on how many days did you have at least one drink containing alcohol?		
		1	0 days	1,914	70.6
		2	1 or 2 days	593	21.4
		3	3 to 5 days	127	4.5
		4	6 to 9 days	51	1.9
		5	10 to 19 days	25	0.9
		6	20 to 29 days	12	0.4
		7	All 30 days	10	0.4
			Missing	150	

2010 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Peru Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
60-60	Q36	Q37	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?		
			1 I did not drink alcohol during the past 30 days	1,940	68.5
			2 Less than one drink	415	14.2
			3 1 drink	193	6.8
			4 2 drinks	93	3.3
			5 3 drinks	68	2.4
			6 4 drinks	41	1.4
			7 5 or more drinks	97	3.4
			Missing	35	
61-61	Q37	Q38	During the past 30 days, how did you usually get the alcohol you drank?		
			1 I did not drink alcohol during the past 30 days	1,976	71.9
			2 I bought it in a store, shop, or from a street vendor	161	5.7
			3 I gave someone else money to buy it for me	96	3.3
			4 I got it from my friends	274	9.6
			5 I got it from my family	110	4.0
			6 I stole it or got it without permission	14	0.5
			7 I got it some other way	133	4.9
			Missing	118	
62-62	Q38	Q39	During your life, how many times did you drink so much alcohol that you were really drunk?		
			1 0 times	2,390	84.2
			2 1 or 2 times	374	12.9
			3 3 to 9 times	56	1.9
			4 10 or more times	32	1.1
			Missing	30	

2010 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Peru Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
63-63	Q39	Q40	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?		
		1	0 times	2,353	86.0
		2	1 or 2 times	302	11.2
		3	3 to 9 times	45	1.6
		4	10 or more times	32	1.2
			Missing	150	
64-64	Q40	Q41	How old were you when you first used drugs?		
		1	I have never used drugs	2,651	94.4
		2	7 years old or younger	19	0.7
		3	8 or 9 years old	11	0.4
		4	10 or 11 years old	14	0.6
		5	12 or 13 years old	40	1.4
		6	14 or 15 years old	59	2.1
		7	16 years old or older	10	0.4
			Missing	78	
65-65	Q41	Q42	During your life, how many times have you used marijuana (also called troncho, weeds, porro, marimba, dubi, or huiro)?		
		1	0 times	2,730	95.7
		2	1 or 2 times	77	2.7
		3	3 to 9 times	19	0.7
		4	10 to 19 times	8	0.3
		5	20 or more times	15	0.6
			Missing	33	
66-66	Q42	Q43	During the past 30 days, how many times have you used marijuana (also called, troncho, weeds, porro, marimba, dubi, or huiro)?		
		1	0 times	2,762	96.7
		2	1 or 2 times	60	2.2
		3	3 to 9 times	16	0.6
		4	10 to 19 times	8	0.3
		5	20 or more times	5	0.2
			Missing	31	

2010 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Peru Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
67-67	Q43	Q44	During your life, how many times have you used amphetamines or methamphetamines (also called metas)?		
		1	0 times	2,783	98.4
		2	1 or 2 times	34	1.2
		3	3 to 9 times	5	0.2
		4	10 to 19 times	1	0.0
		5	20 or more times	6	0.2
			Missing	53	
68-68	Q44	Q45	Have you ever had sexual intercourse?		
		1	Yes	566	19.7
		2	No	2,253	80.3
			Missing	63	
69-69	Q45	Q46	How old were you when you had sexual intercourse for the first time?		
		1	I have never had sexual intercourse	2,335	82.4
		2	11 years old or younger	99	3.4
		3	12 years old	52	1.9
		4	13 years old	83	2.9
		5	14 years old	127	4.6
		6	15 years old	107	3.4
		7	16 years old or older	43	1.4
			Missing	36	
70-70	Q46	Q47	During your life, with how many people have you had sexual intercourse?		
		1	I have never had sexual intercourse	2,345	82.2
		2	1 person	254	8.7
		3	2 people	118	4.0
		4	3 people	62	2.2
		5	4 people	24	0.8
		6	5 people	15	0.5
		7	6 or more people	46	1.6
			Missing	18	

2010 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Peru Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
71-71	Q47	Q48	The last time you had sexual intercourse, did you or your partner use a condom or poncho, capucha, forro, jebe, or casco?		
		1	I have never had sexual intercourse	2,322	82.1
		2	Yes	335	11.5
		3	No	181	6.4
			Missing	44	
72-72	Q48	Q49	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?		
		1	I have never had sexual intercourse	2,328	82.4
		2	Yes	200	6.8
		3	No	236	8.1
		4	I do not know	73	2.6
			Missing	45	
73-73	Q49	Q55	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1	0 days	514	18.4
		2	1 day	719	25.2
		3	2 days	361	12.4
		4	3 days	334	11.5
		5	4 days	219	7.7
		6	5 days	192	6.6
		7	6 days	87	3.0
		8	7 days	441	15.3
			Missing	15	

2010 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Peru Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
74-74	Q50	Q56	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?		
			1 0 days	805	28.8
			2 1 day	287	10.4
			3 2 days	169	6.0
			4 3 days	125	4.3
			5 4 days	99	3.5
			6 5 days	427	14.7
			7 6 days	47	1.7
			8 7 days	892	30.6
			Missing	31	
75-75	Q51	Q57	During this school year, on how many days did you go to physical education (PE) class each week?		
			1 0 days	225	7.8
			2 1 day	2,479	85.9
			3 2 days	116	4.0
			4 3 days	17	0.6
			5 4 days	2	0.1
			6 5 or more days	43	1.6
76-76	Q52	Q58	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as internet or chatting?		
			1 Less than 1 hour per day	972	34.0
			2 1 to 2 hours per day	1,068	37.4
			3 3 to 4 hours per day	538	18.5
			4 5 to 6 hours per day	165	5.7
			5 7 to 8 hours per day	45	1.5
			6 More than 8 hours per day	88	3.0
			Missing	6	

2010 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Peru Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
77-77	Q53	Q59	During the past 30 days, on how many days did you miss classes or school without permission?		
		1	0 days	1,806	63.1
		2	1 or 2 days	776	27.0
		3	3 to 5 days	194	7.0
		4	6 to 9 days	35	1.2
		5	10 or more days	48	1.7
			Missing	23	
78-78	Q54	Q60	During the past 30 days, how often were most of the students in your school kind and helpful?		
		1	Never	219	7.9
		2	Rarely	601	21.2
		3	Sometimes	788	27.4
		4	Most of the time	805	27.5
		5	Always	459	16.0
			Missing	10	
79-79	Q55	Q61	During the past 30 days, how often did your parents or guardians check to see if your homework was done?		
		1	Never	387	13.6
		2	Rarely	581	20.3
		3	Sometimes	630	22.2
		4	Most of the time	636	21.8
		5	Always	629	22.0
			Missing	19	
80-80	Q56	Q62	During the past 30 days, how often did your parents or guardians understand your problems and worries?		
		1	Never	511	18.3
		2	Rarely	646	22.6
		3	Sometimes	674	23.8
		4	Most of the time	521	17.8
		5	Always	507	17.6
			Missing	23	

2010 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Peru Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
81-81	Q57	Q63	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?		
		1	Never	562	20.2
		2	Rarely	650	22.5
		3	Sometimes	605	21.0
		4	Most of the time	536	18.3
		5	Always	519	17.9
			Missing	10	
82-82	Q58	Q64	During the past 30 days, how often did your parents or guardians go through your things without your approval?		
		1	Never	1,559	54.5
		2	Rarely	730	25.3
		3	Sometimes	357	12.4
		4	Most of the time	143	4.9
		5	Always	81	2.8
			Missing	12	
185-185	QN6		Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days		
		1	Yes	88	3.2
		2	No	2,794	96.8
186-186	QN7		Percentage of students who usually ate fruit two or more times per day during the past 30 days		
		1	Yes	930	31.7
		2	No	1,951	68.3
			Missing	1	
187-187	QN8		Percentage of students who usually ate vegetables three or more times per day during the past 30 days		
		1	Yes	256	8.9
		2	No	2,621	91.1
			Missing	5	

2010 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Peru Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
188-188	QN9		Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days		
		1	Yes	1,539	54.0
		2	No	1,339	46.0
			Missing	4	
189-189	QN10		Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days		
		1	Yes	303	10.7
		2	No	2,575	89.3
			Missing	4	
190-190	QN11		Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days		
		1	Yes	126	4.4
		2	No	2,752	95.6
			Missing	4	
191-191	QN12		Percentage of students who never or rarely washed their hands before eating during the past 30 days		
		1	Yes	155	5.3
		2	No	2,714	94.7
			Missing	13	
192-192	QN13		Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days		
		1	Yes	194	6.8
		2	No	2,664	93.2
			Missing	24	
193-193	QN14		Percentage of students who never or rarely used soap when washing their hands during the past 30 days		
		1	Yes	233	8.0
		2	No	2,627	92.0
			Missing	22	

2010 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Peru Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
194-194	QN15		Percentage of students who were physically attacked one or more times during the past 12 months		
		1	Yes	1,090	38.0
		2	No	1,789	62.0
			Missing	3	
195-195	QN16		Percentage of students who were in a physical fight one or more times during the past 12 months		
		1	Yes	1,066	37.8
		2	No	1,815	62.2
			Missing	1	
196-196	QN17		Percentage of students who were seriously injured one or more times during the past 12 months		
		1	Yes	1,357	49.5
		2	No	1,404	50.5
			Missing	121	
197-197	QN18		Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint		
		1	Yes	190	14.8
		2	No	1,069	85.2
			Missing	1,623	
198-198	QN19		Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle		
		1	Yes	70	5.4
		2	No	1,205	94.6
			Missing	1,607	
199-199	QN20		Percentage of students who were bullied on one or more days during the past 30 days		
		1	Yes	1,315	47.5
		2	No	1,456	52.5
			Missing	111	

2010 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Peru Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
200-200	QN21		Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors		
		1	Yes	116	9.5
		2	No	1,107	90.5
			Missing	1,659	
201-201	QN22		Percentage of students who most of the time or always felt lonely during the past 12 months		
		1	Yes	307	10.5
		2	No	2,561	89.5
			Missing	14	
202-202	QN23		Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months		
		1	Yes	262	8.9
		2	No	2,602	91.1
			Missing	18	
203-203	QN24		Percentage of students who ever seriously considered attempting suicide during the past 12 months		
		1	Yes	584	20.0
		2	No	2,275	80.0
			Missing	23	
204-204	QN25		Percentage of students who made a plan about how they would attempt suicide during the past 12 months		
		1	Yes	448	15.3
		2	No	2,416	84.7
			Missing	18	
205-205	QN26		Percentage of students who actually attempted suicide one or more times during the past 12 months		
		1	Yes	500	17.4
		2	No	2,353	82.6
			Missing	29	

2010 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Peru Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
206-206	QN27		Percentage of students who have no close friends		
		1	Yes	156	5.4
		2	No	2,713	94.6
			Missing	13	
207-207	QN28		Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years		
		1	Yes	564	60.3
		2	No	377	39.7
			Missing	1,941	
208-208	QN29		Percentage of students who smoked cigarettes on one or more days during the past 30 days		
		1	Yes	542	18.9
		2	No	2,313	81.1
			Missing	27	
209-209	QN30		Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days		
		1	Yes	136	4.8
		2	No	2,743	95.2
			Missing	3	
210-210	QN31		Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months		
		1	Yes	440	82.7
		2	No	95	17.3
			Missing	2,347	
211-211	QN32		Percentage of students who reported people smoked in their presence on one or more days during the past seven days		
		1	Yes	1,676	58.6
		2	No	1,174	41.4
			Missing	32	

2010 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Peru Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
212-212	QN33		Percentage of students who had parents or guardians who used any form of tobacco		
		1	Yes	367	12.5
		2	No	2,507	87.5
			Missing	8	
213-213	QN34		Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years		
		1	Yes	742	59.6
		2	No	530	40.4
			Missing	1,610	
214-214	QN35		Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days		
		1	Yes	818	29.4
		2	No	1,914	70.6
			Missing	150	
215-215	QN36		Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol		
		1	Yes	299	33.1
		2	No	608	66.9
			Missing	1,975	
216-216	QN37		Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends		
		1	Yes	274	34.2
		2	No	514	65.8
			Missing	2,094	
217-217	QN38		Percentage of students who drank so much alcohol that they were really drunk one or more times during their life		
		1	Yes	462	15.8
		2	No	2,390	84.2
			Missing	30	

2010 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Peru Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
218-218	QN39		Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol		
		1	Yes	379	14.0
		2	No	2,353	86.0
			Missing	150	
219-219	QN40		Among students who ever used drugs, the percentage who first used drugs before age 14 years		
		1	Yes	84	55.2
		2	No	69	44.8
			Missing	2,729	
220-220	QN41		Percentage of students who used marijuana one or more times during their life		
		1	Yes	119	4.3
		2	No	2,730	95.7
			Missing	33	
221-221	QN42		Percentage of students who used marijuana one or more times during the past 30 days		
		1	Yes	89	3.3
		2	No	2,762	96.7
			Missing	31	
222-222	QN43		Percentage of students who used amphetamines or methamphetamines one or more times during their life		
		1	Yes	46	1.6
		2	No	2,783	98.4
			Missing	53	
223-223	QN44		Percentage of students who ever had sexual intercourse		
		1	Yes	566	19.7
		2	No	2,253	80.3
			Missing	63	

2010 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Peru Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
224-224	QN45		Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years		
		1	Yes	234	46.7
		2	No	277	53.3
			Missing	2,371	
225-225	QN46		Percentage of students who had sexual intercourse with two or more people during their life		
		1	Yes	265	9.1
		2	No	2,599	90.9
			Missing	18	
226-226	QN47		Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse		
		1	Yes	335	64.3
		2	No	181	35.7
			Missing	2,366	
227-227	QN48		Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse		
		1	Yes	200	38.9
		2	No	309	61.1
			Missing	2,373	
228-228	QN49		Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days		
		1	Yes	720	24.8
		2	No	2,147	75.2
			Missing	15	
229-229	QN50		Percentage of students who did not walk or ride a bicycle to or from school during the past seven days		
		1	Yes	805	28.8
		2	No	2,046	71.2
			Missing	31	

2010 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Peru Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
230-230	QN51		Percentage of students who went to physical education (PE) class on three or more days each week during this school year		
		1	Yes	62	2.2
		2	No	2,820	97.8
231-231	QN52		Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities		
		1	Yes	836	28.6
		2	No	2,040	71.4
			Missing	6	
232-232	QN53		Percentage of students who missed classes or school without permission on one or more of the past 30 days		
		1	Yes	1,053	36.9
		2	No	1,806	63.1
			Missing	23	
233-233	QN54		Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days		
		1	Yes	1,264	43.4
		2	No	1,608	56.6
			Missing	10	
234-234	QN55		Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days		
		1	Yes	1,265	43.9
		2	No	1,598	56.1
			Missing	19	
235-235	QN56		Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days		
		1	Yes	1,028	35.4
		2	No	1,831	64.6
			Missing	23	

2010 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Peru Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
236-236	QN57		Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days		
		1	Yes	1,055	36.2
		2	No	1,817	63.8
			Missing	10	
237-237	QN58		Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days		
		1	Yes	2,289	79.9
		2	No	581	20.1
			Missing	12	
350-350	QNOWTG		Percentage of students who were overweight (>+1SD from median for BMI by age and sex)		
		1	Yes	501	19.8
		2	No	2,119	80.2
			Missing	262	
351-351	QNOBESEG		Percentage of students who were obese (>+2SD from median for BMI by age and sex)		
		1	Yes	72	3.0
		2	No	2,548	97.0
			Missing	262	
352-352	QNUNWTG		Percentage of students who were underweight (<-2SD from median for BMI by age and sex)		
		1	Yes	21	0.7
		2	No	2,599	99.3
			Missing	262	
353-353	QNFRVGG		Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days		
		1	Yes	271	9.3
		2	No	2,606	90.7
			Missing	5	

2010 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Peru Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
354-354	QNANYTBG		Percentage of students who used any tobacco on one or more days during the past 30 days		
		1	Yes	563	19.7
		2	No	2,289	80.3
			Missing	30	
355-355	QNPA7G		Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days		
		1	Yes	441	15.3
		2	No	2,426	84.7
			Missing	15	
356-356	QNPE5G		Percentage of students who went to physical education (PE) class on five or more days each week during this school year		
		1	Yes	43	1.6
		2	No	2,839	98.4
357-357	QNC1G		Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse		
		1	Yes	205	45.2
		2	No	244	54.8
			Missing	2,433	
358-358	QNC2G		Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days		
		1	Yes	179	71.4
		2	No	72	28.6
			Missing	2,631	
362-371	WEIGHT				
372-380	STRATUM				
381-385	PSU				