

# 2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Mongolia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
17-17	Q1	Q1	How old are you?		
			1 11 years old or younger	58	0.9
			2 12 years old	594	9.8
			3 13 years old	1,102	19.6
			4 14 years old	994	18.9
			5 15 years old	1,017	17.8
			6 16 years old	735	14.3
			7 17 years old	691	14.7
			8 18 years old or older	189	4.1
			Missing	13	
18-18	Q2	Q2	What is your sex?		
			1 Male	2,516	48.3
			2 Female	2,854	51.7
			Missing	23	
19-19	Q3	Q3	In what grade are you?		
			1 7th grade	1,366	22.1
			2 8th grade	934	20.3
			3 9th grade	1,186	19.5
			4 10th grade	1,119	22.2
			5 11th grade	712	15.8
			6 12th grade	4	0.1
			Missing	72	
20-23	Q4	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
24-29	Q5	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
30-30	Q6	Q11	During the past 30 days, how often did you go hungry because there was not enough food in your home?		
			1 Never	3,374	62.7
			2 Rarely	1,231	23.1
			3 Sometimes	657	12.2
			4 Most of the time	63	1.1
			5 Always	42	0.8
			Missing	26	

# 2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Mongolia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
31-31	Q7	Q13	During the past 30 days, how many times per day did you usually eat fruit, such as apples, grapefruit, bananas, or kiwi?		
			1 I did not eat fruit during the past 30 days	1,440	26.8
			2 Less than one time per day	1,756	33.1
			3 1 time per day	1,234	22.9
			4 2 times per day	488	8.9
			5 3 times per day	203	3.8
			6 4 times per day	73	1.3
			7 5 or more times per day	171	3.1
			Missing	28	
32-32	Q8	Q14	During the past 30 days, how many times per day did you usually eat vegetables, such as carrots, cabbage, or green vegetables?		
			1 I did not eat vegetables during the past 30 days	380	7.0
			2 Less than one time per day	920	17.3
			3 1 time per day	1,636	30.8
			4 2 times per day	1,111	21.0
			5 3 times per day	511	9.4
			6 4 times per day	102	1.9
			7 5 or more times per day	689	12.6
			Missing	44	
33-33	Q9	Q15	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as Coca, Pepsi Cola, or National Tereij?		
			1 I did not drink carbonated soft drinks during the past 30 days	1,434	26.2
			2 Less than one time per day	2,160	40.2
			3 1 time per day	1,114	20.9
			4 2 times per day	347	6.6
			5 3 times per day	155	3.0
			6 4 times per day	45	0.8
			7 5 or more times per day	124	2.3
			Missing	14	

# 2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Mongolia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
34-34	Q10	Q17	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as pizza or burger places?		
			1 0 days	2,416	44.8
			2 1 day	991	18.6
			3 2 days	546	10.2
			4 3 days	501	9.4
			5 4 days	253	4.8
			6 5 days	368	6.9
			7 6 days	39	0.7
			8 7 days	238	4.5
			Missing	41	
35-35	Q11	Q18	During the past 30 days, how many times per day did you usually clean or brush your teeth?		
			1 I did not clean or brush my teeth during the past 30 days	84	1.6
			2 Less than 1 time per day	202	3.7
			3 1 time per day	1,487	27.7
			4 2 times per day	2,272	42.7
			5 3 times per day	808	14.8
			6 4 or more times per day	522	9.5
			Missing	18	
36-36	Q12	Q19	During the past 30 days, how often did you wash your hands before eating?		
			1 Never	87	1.6
			2 Rarely	316	6.1
			3 Sometimes	946	17.7
			4 Most of the time	1,722	32.3
			5 Always	2,282	42.4
			Missing	40	
37-37	Q13	Q21	During the past 30 days, how often did you wash your hands after using the toilet or latrine?		
			1 Never	182	3.3
			2 Rarely	411	7.6
			3 Sometimes	854	15.9
			4 Most of the time	1,642	30.6
			5 Always	2,291	42.5
			Missing	13	

# 2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Mongolia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
38-38	Q14	Q22	During the past 30 days, how often did you use soap when washing your hands?		
			1 Never	39	0.7
			2 Rarely	130	2.4
			3 Sometimes	287	5.4
			4 Most of the time	1,190	22.4
			5 Always	3,706	69.1
			Missing	41	
39-39	Q15	Q25	During the past 12 months, how many times were you physically attacked?		
			1 0 times	3,872	72.0
			2 1 time	757	13.9
			3 2 or 3 times	459	8.6
			4 4 or 5 times	124	2.3
			5 6 or 7 times	36	0.7
			6 8 or 9 times	29	0.6
			7 10 or 11 times	23	0.4
			8 12 or more times	81	1.6
			Missing	12	
40-40	Q16	Q26	During the past 12 months, how many times were you in a physical fight?		
			1 0 times	3,162	58.6
			2 1 time	903	16.8
			3 2 or 3 times	769	14.6
			4 4 or 5 times	234	4.5
			5 6 or 7 times	94	1.8
			6 8 or 9 times	59	1.1
			7 10 or 11 times	28	0.5
			8 12 or more times	119	2.2
			Missing	25	
41-41	Q17	Q27	During the past 12 months, how many times were you seriously injured?		
			1 0 times	3,084	63.7
			2 1 time	967	20.0
			3 2 or 3 times	548	11.5
			4 4 or 5 times	126	2.7
			5 6 or 7 times	40	0.8
			6 8 or 9 times	23	0.5
			7 10 or 11 times	15	0.3
			8 12 or more times	24	0.5
			Missing	566	

# 2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Mongolia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
42-42	Q18	Q28	During the past 12 months, what was the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	3,899	78.4
			2 I had a broken bone or a dislocated joint	323	6.7
			3 I had a cut or stab wound	122	2.4
			4 I had a concussion or other head or neck injury, was knocked out, or could not breathe	160	3.2
			5 I had a gunshot wound	9	0.2
			6 I had a bad burn	48	1.0
			7 I was poisoned or took too much of a drug	19	0.4
			8 Something else happened to me	385	7.8
			Missing	428	
43-43	Q19	Q29	During the past 12 months, what was the major cause of the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	3,837	77.7
			2 I was in a motor vehicle accident or hit by a motor vehicle	79	1.6
			3 I fell	532	10.8
			4 Something fell on me or hit me	68	1.4
			5 I was attacked or abused or was fighting with someone	89	1.9
			6 I was in a fire or too near a flame or something hot	14	0.3
			7 I inhaled or swallowed something bad for me	14	0.3
			8 Something else caused my injury	296	6.0
			Missing	464	
44-44	Q20	Q30	During the past 30 days, on how many days were you bullied?		
			1 0 days	3,763	72.6
			2 1 or 2 days	925	17.7
			3 3 to 5 days	244	4.7
			4 6 to 9 days	105	2.0
			5 10 to 19 days	53	1.0
			6 20 to 29 days	39	0.7
			7 All 30 days	71	1.4
			Missing	193	

# 2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Mongolia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
45-45	Q21	Q31	During the past 30 days, how were you bullied most often?		
		1	I was not bullied during the past 30 days	4,096	79.1
		2	I was hit, kicked, pushed, shoved around, or locked indoors	213	4.1
		3	I was made fun of because of my race, nationality, or color	38	0.7
		4	I was made fun of because of my religion	14	0.3
		5	I was made fun of with sexual jokes, comments, or gestures	34	0.7
		6	I was left out of activities on purpose or completely ignored	252	4.8
		7	I was made fun of because of how my body or face looks	162	3.1
		8	I was bullied in some other way	374	7.3
			Missing	210	
46-46	Q22	Q36	During the past 12 months, how often have you felt lonely?		
		1	Never	1,539	28.5
		2	Rarely	1,654	30.8
		3	Sometimes	1,542	28.8
		4	Most of the time	433	8.1
		5	Always	212	3.8
			Missing	13	
47-47	Q23	Q37	During the past 12 months, how often have you been so worried about something that you could not sleep at night?		
		1	Never	2,277	42.1
		2	Rarely	1,871	34.9
		3	Sometimes	923	17.4
		4	Most of the time	231	4.5
		5	Always	67	1.2
			Missing	24	

# 2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Mongolia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
48-48	Q24	Q38	During the past 12 months, did you ever seriously consider attempting suicide?		
			1 Yes	1,232	23.0
			2 No	4,096	77.0
			Missing	65	
49-49	Q25	Q39	During the past 12 months, did you make a plan about how you would attempt suicide?		
			1 Yes	792	14.7
			2 No	4,570	85.3
			Missing	31	
50-50	Q26	Q40	During the past 12 months, how many times did you actually attempt suicide?		
			1 0 times	4,819	90.0
			2 1 time	336	6.3
			3 2 or 3 times	126	2.3
			4 4 or 5 times	36	0.7
			5 6 or more times	34	0.6
			Missing	42	
51-51	Q27	Q41	How many close friends do you have?		
			1 0	310	5.7
			2 1	476	8.8
			3 2	820	14.9
			4 3 or more	3,757	70.6
			Missing	30	
52-52	Q28	Q43	How old were you when you first tried a cigarette?		
			1 I have never smoked cigarettes	4,169	78.0
			2 7 years old or younger	160	3.1
			3 8 or 9 years old	125	2.5
			4 10 or 11 years old	138	2.7
			5 12 or 13 years old	263	5.2
			6 14 or 15 years old	261	5.4
			7 16 or 17 years old	139	3.0
			8 18 years old or older	7	0.2
			Missing	131	

# 2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Mongolia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
53-53	Q29	Q44	During the past 30 days, on how many days did you smoke cigarettes?		
			1 0 days	4,888	90.6
			2 1 or 2 days	173	3.5
			3 3 to 5 days	55	1.1
			4 6 to 9 days	42	0.9
			5 10 to 19 days	57	1.2
			6 20 to 29 days	39	0.8
			7 All 30 days	90	2.0
			Missing	49	
54-54	Q30	Q45	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as cigars, water pipe, cigarillos, pipe, chewing tobacco, or snuff?		
			1 0 days	5,061	93.6
			2 1 or 2 days	195	3.7
			3 3 to 5 days	47	0.9
			4 6 to 9 days	22	0.4
			5 10 to 19 days	25	0.5
			6 20 to 29 days	19	0.4
			7 All 30 days	21	0.5
			Missing	3	
55-55	Q31	Q46	During the past 12 months, have you ever tried to stop smoking cigarettes?		
			1 I have never smoked cigarettes	4,446	83.4
			2 I did not smoke cigarettes during the past 12 months	312	6.2
			3 Yes	394	8.1
			4 No	114	2.3
			Missing	127	
56-56	Q32	Q47	During the past 7 days, on how many days have people smoked in your presence?		
			1 0 days	2,113	39.2
			2 1 or 2 days	1,591	29.7
			3 3 or 4 days	593	11.2
			4 5 or 6 days	283	5.4
			5 All 7 days	770	14.6
			Missing	43	



# 2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Mongolia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
57-57	Q33	Q48	Which of your parents or guardians use any form of tobacco?		
			1 Neither	2,889	53.7
			2 My father or male guardian	2,081	38.6
			3 My mother or female guardian	135	2.6
			4 Both	181	3.4
			5 I do not know	94	1.8
			Missing	13	
58-58	Q34	Q49	How old were you when you had your first drink of alcohol other than a few sips?		
			1 I have never had a drink of alcohol other than a few sips	3,851	73.5
			2 7 years old or younger	187	3.7
			3 8 or 9 years old	85	1.7
			4 10 or 11 years old	100	2.0
			5 12 or 13 years old	210	4.1
			6 14 or 15 years old	372	7.8
			7 16 or 17 years old	298	6.7
			8 18 years old or older	26	0.6
			Missing	264	
59-59	Q35	Q50	During the past 30 days, on how many days did you have at least one drink containing alcohol?		
			1 0 days	4,878	91.1
			2 1 or 2 days	314	6.5
			3 3 to 5 days	75	1.6
			4 6 to 9 days	25	0.5
			5 10 to 19 days	7	0.1
			6 20 to 29 days	2	0.0
			7 All 30 days	5	0.1
			Missing	87	
60-60	Q36	Q51	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?		
			1 I did not drink alcohol during the past 30 days	4,859	90.5
			2 Less than one drink	232	4.7
			3 1 drink	116	2.4
			4 2 drinks	55	1.1
			5 3 drinks	24	0.5
			6 4 drinks	13	0.3
			7 5 or more drinks	21	0.4
			Missing	73	

# 2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Mongolia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
61-61	Q37	Q52	During the past 30 days, how did you usually get the alcohol you drank?		
			1 I did not drink alcohol during the past 30 days	4,785	90.7
			2 I bought it in a store, shop, or from a street vendor	233	5.0
			3 I gave someone else money to buy it for me	62	1.3
			4 I got it from my friends	84	1.7
			5 I got it from my family	20	0.4
			6 I stole it or got it without permission	12	0.3
			7 I got it some other way	32	0.6
			Missing	165	
62-62	Q38	Q56	During your life, how many times did you drink so much alcohol that you were really drunk?		
			1 0 times	4,677	88.2
			2 1 or 2 times	438	9.1
			3 3 to 9 times	84	1.8
			4 10 or more times	43	0.9
			Missing	151	
63-63	Q39	Q57	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?		
			1 0 times	5,138	96.0
			2 1 or 2 times	144	3.0
			3 3 to 9 times	32	0.7
			4 10 or more times	12	0.2
			Missing	67	
64-64	Q40	Q61	How old were you when you first used drugs?		
			1 I have never used drugs	4,658	91.0
			2 7 years old or younger	97	1.9
			3 8 or 9 years old	45	1.0
			4 10 or 11 years old	34	0.7
			5 12 or 13 years old	91	1.8
			6 14 or 15 years old	88	1.8
			7 16 or 17 years old	74	1.6
			8 18 years old or older	9	0.2
			Missing	297	

# 2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Mongolia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
65-65	Q41	Q62	During your life, how many times have you used marijuana (also called hashish or cannabis)?		
			1 0 times	5,260	98.7
			2 1 or 2 times	39	0.8
			3 3 to 9 times	15	0.3
			4 10 to 19 times	10	0.2
			5 20 or more times	4	0.1
			Missing	65	
66-66	Q42	Q63	During the past 30 days, how many times have you used marijuana (also called hashish or cannabis)?		
			1 0 times	5,300	98.9
			2 1 or 2 times	29	0.6
			3 3 to 9 times	14	0.3
			4 10 to 19 times	7	0.1
			5 20 or more times	3	0.0
			Missing	40	
67-67	Q43	Q64	During your life, how many times have you used amphetamines or methamphetamines (also called seduksin, dimedrol, doroperidol, or galoperidol)?		
			1 0 times	5,042	98.3
			2 1 or 2 times	46	0.9
			3 3 to 9 times	16	0.3
			4 10 to 19 times	12	0.3
			5 20 or more times	7	0.1
			Missing	270	
68-68	Q44	Q65	Have you ever had sexual intercourse?		
			1 Yes	741	15.3
			2 No	4,401	84.7
			Missing	251	
69-69	Q45	Q66	How old were you when you had sexual intercourse for the first time?		
			1 I have never had sexual intercourse	4,808	89.3
			2 11 years old or younger	65	1.3
			3 12 years old	37	0.7
			4 13 years old	47	1.0
			5 14 years old	65	1.3
			6 15 years old	120	2.5
			7 16 or 17 years old	176	3.8
			8 18 years old or older	7	0.2
			Missing	68	

# 2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Mongolia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
70-70	Q46	Q67	During your life, with how many people have you had sexual intercourse?		
			1 I have never had sexual intercourse	4,831	89.5
			2 1 person	248	5.0
			3 2 people	103	2.2
			4 3 people	61	1.3
			5 4 people	37	0.7
			6 5 people	18	0.4
			7 6 or more people	44	0.9
			Missing	51	
71-71	Q47	Q68	The last time you had sexual intercourse, did you or your partner use a condom ?		
			1 I have never had sexual intercourse	4,699	89.5
			2 Yes	275	5.8
			3 No	223	4.7
			Missing	196	
72-72	Q48	Q69	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?		
			1 I have never had sexual intercourse	4,733	89.8
			2 Yes	148	3.1
			3 No	240	5.0
			4 I do not know	101	2.2
			Missing	171	
73-73	Q49	Q74	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
			1 0 days	759	14.0
			2 1 day	898	16.8
			3 2 days	724	13.7
			4 3 days	673	12.6
			5 4 days	354	6.6
			6 5 days	449	8.5
			7 6 days	143	2.7
			8 7 days	1,344	25.2
			Missing	49	

# 2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Mongolia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
74-74	Q50	Q75	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?		
			1 0 days	982	18.2
			2 1 day	316	5.9
			3 2 days	270	5.1
			4 3 days	212	4.0
			5 4 days	151	2.8
			6 5 days	852	15.9
			7 6 days	167	3.1
			8 7 days	2,424	45.1
			Missing	19	
75-75	Q51	Q76	During this school year, on how many days did you go to physical education (PE) class each week?		
			1 0 days	254	4.8
			2 1 day	1,336	25.4
			3 2 days	3,371	63.1
			4 3 days	147	2.5
			5 4 days	28	0.5
			6 5 or more days	194	3.6
			Missing	63	
76-76	Q52	Q78	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities ?		
			1 Less than 1 hour per day	1,364	25.0
			2 1 to 2 hours per day	1,662	30.7
			3 3 to 4 hours per day	1,323	24.8
			4 5 to 6 hours per day	539	10.4
			5 7 to 8 hours per day	207	3.9
			6 More than 8 hours per day	273	5.2
			Missing	25	
77-77	Q53	Q79	During the past 30 days, on how many days did you miss classes or school without permission?		
			1 0 days	4,104	75.4
			2 1 or 2 days	973	18.7
			3 3 to 5 days	205	4.1
			4 6 to 9 days	47	1.0
			5 10 or more days	42	0.9
			Missing	22	

# 2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Mongolia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
78-78	Q54	Q80	During the past 30 days, how often were most of the students in your school kind and helpful?		
			1 Never	1,298	24.3
			2 Rarely	1,440	26.9
			3 Sometimes	1,262	23.9
			4 Most of the time	791	14.7
			5 Always	547	10.1
			Missing	55	
79-79	Q55	Q81	During the past 30 days, how often did your parents or guardians check to see if your homework was done?		
			1 Never	798	14.9
			2 Rarely	912	17.2
			3 Sometimes	1,121	21.2
			4 Most of the time	1,259	23.3
			5 Always	1,273	23.4
			Missing	30	
80-80	Q56	Q82	During the past 30 days, how often did your parents or guardians understand your problems and worries?		
			1 Never	1,475	27.6
			2 Rarely	1,234	23.0
			3 Sometimes	986	18.7
			4 Most of the time	845	15.6
			5 Always	811	15.0
			Missing	42	
81-81	Q57	Q83	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?		
			1 Never	806	15.0
			2 Rarely	912	17.4
			3 Sometimes	984	18.8
			4 Most of the time	1,202	22.6
			5 Always	1,413	26.3
			Missing	76	

# 2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Mongolia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
82-82	Q58	Q84	During the past 30 days, how often did your parents or guardians go through your things without your approval?		
			1 Never	2,768	51.4
			2 Rarely	1,393	26.1
			3 Sometimes	742	14.1
			4 Most of the time	256	4.9
			5 Always	192	3.5
			Missing	42	
185-185	QN6		Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days		
			1 Yes	105	1.9
			2 No	5,262	98.1
			Missing	26	
186-186	QN7		Percentage of students who usually ate fruit two or more times per day during the past 30 days		
			1 Yes	935	17.2
			2 No	4,430	82.8
			Missing	28	
187-187	QN8		Percentage of students who usually ate vegetables three or more times per day during the past 30 days		
			1 Yes	1,302	23.9
			2 No	4,047	76.1
			Missing	44	
188-188	QN9		Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days		
			1 Yes	1,785	33.6
			2 No	3,594	66.4
			Missing	14	
189-189	QN10		Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days		
			1 Yes	1,399	26.4
			2 No	3,953	73.6
			Missing	41	

# 2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Mongolia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
190-190	QN11		Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days		
		1	Yes	286	5.3
		2	No	5,089	94.7
			Missing	18	
191-191	QN12		Percentage of students who never or rarely washed their hands before eating during the past 30 days		
		1	Yes	403	7.6
		2	No	4,950	92.4
			Missing	40	
192-192	QN13		Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days		
		1	Yes	593	10.9
		2	No	4,787	89.1
			Missing	13	
193-193	QN14		Percentage of students who never or rarely used soap when washing their hands during the past 30 days		
		1	Yes	169	3.1
		2	No	5,183	96.9
			Missing	41	
194-194	QN15		Percentage of students who were physically attacked one or more times during the past 12 months		
		1	Yes	1,509	28.0
		2	No	3,872	72.0
			Missing	12	
195-195	QN16		Percentage of students who were in a physical fight one or more times during the past 12 months		
		1	Yes	2,206	41.4
		2	No	3,162	58.6
			Missing	25	
196-196	QN17		Percentage of students who were seriously injured one or more times during the past 12 months		
		1	Yes	1,743	36.3
		2	No	3,084	63.7
			Missing	566	



# 2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Mongolia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
197-197	QN18		Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint		
		1	Yes	323	30.9
		2	No	743	69.1
			Missing	4,327	
198-198	QN19		Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle		
		1	Yes	79	7.2
		2	No	1,013	92.8
			Missing	4,301	
199-199	QN20		Percentage of students who were bullied on one or more days during the past 30 days		
		1	Yes	1,437	27.4
		2	No	3,763	72.6
			Missing	193	
200-200	QN21		Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors		
		1	Yes	213	19.6
		2	No	874	80.4
			Missing	4,306	
201-201	QN22		Percentage of students who most of the time or always felt lonely during the past 12 months		
		1	Yes	645	11.9
		2	No	4,735	88.1
			Missing	13	
202-202	QN23		Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months		
		1	Yes	298	5.7
		2	No	5,071	94.3
			Missing	24	

# 2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Mongolia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
203-203	QN24		Percentage of students who ever seriously considered attempting suicide during the past 12 months		
			1 Yes	1,232	23.0
			2 No	4,096	77.0
			Missing	65	
204-204	QN25		Percentage of students who made a plan about how they would attempt suicide during the past 12 months		
			1 Yes	792	14.7
			2 No	4,570	85.3
			Missing	31	
205-205	QN26		Percentage of students who actually attempted suicide one or more times during the past 12 months		
			1 Yes	532	10.0
			2 No	4,819	90.0
			Missing	42	
206-206	QN27		Percentage of students who had no close friends		
			1 Yes	310	5.7
			2 No	5,053	94.3
			Missing	30	
207-207	QN28		Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years		
			1 Yes	686	61.4
			2 No	407	38.6
			Missing	4,300	
208-208	QN29		Percentage of students who smoked cigarettes on one or more days during the past 30 days		
			1 Yes	456	9.4
			2 No	4,888	90.6
			Missing	49	
209-209	QN30		Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days		
			1 Yes	329	6.4
			2 No	5,061	93.6
			Missing	3	

# 2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Mongolia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
210-210	QN31		Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months		
		1	Yes	394	78.0
		2	No	114	22.0
			Missing	4,885	
211-211	QN32		Percentage of students who reported people smoked in their presence on one or more days during the past seven days		
		1	Yes	3,237	60.8
		2	No	2,113	39.2
			Missing	43	
212-212	QN33		Percentage of students who had parents or guardians who used any form of tobacco		
		1	Yes	2,397	44.6
		2	No	2,983	55.4
			Missing	13	
213-213	QN34		Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years		
		1	Yes	582	43.3
		2	No	696	56.7
			Missing	4,115	
214-214	QN35		Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days		
		1	Yes	428	8.9
		2	No	4,878	91.1
			Missing	87	
215-215	QN36		Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol		
		1	Yes	113	24.8
		2	No	348	75.2
			Missing	4,932	

# 2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Mongolia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
216-216	QN37		Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends		
		1	Yes	84	18.7
		2	No	359	81.3
			Missing	4,950	
217-217	QN38		Percentage of students who drank so much alcohol that they were really drunk one or more times during their life		
		1	Yes	565	11.8
		2	No	4,677	88.2
			Missing	151	
218-218	QN39		Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol		
		1	Yes	188	4.0
		2	No	5,138	96.0
			Missing	67	
219-219	QN40		Among students who ever used drugs, the percentage who first used drugs before age 14 years		
		1	Yes	267	59.0
		2	No	171	41.0
			Missing	4,955	
220-220	QN41		Percentage of students who used marijuana one or more times during their life		
		1	Yes	68	1.3
		2	No	5,260	98.7
			Missing	65	
221-221	QN42		Percentage of students who used marijuana one or more times during the past 30 days		
		1	Yes	53	1.1
		2	No	5,300	98.9
			Missing	40	

# 2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Mongolia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
222-222	QN43		Percentage of students who used amphetamines or methamphetamines one or more times during their life		
		1	Yes	81	1.7
		2	No	5,042	98.3
			Missing	270	
223-223	QN44		Percentage of students who ever had sexual intercourse		
		1	Yes	741	15.3
		2	No	4,401	84.7
			Missing	251	
224-224	QN45		Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years		
		1	Yes	149	27.4
		2	No	368	72.6
			Missing	4,876	
225-225	QN46		Percentage of students who had sexual intercourse with two or more people during their life		
		1	Yes	263	5.5
		2	No	5,079	94.5
			Missing	51	
226-226	QN47		Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse		
		1	Yes	275	55.4
		2	No	223	44.6
			Missing	4,895	
227-227	QN48		Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse		
		1	Yes	148	30.2
		2	No	341	69.8
			Missing	4,904	

# 2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Mongolia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
228-228	QN49		Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days		
		1	Yes	1,936	36.4
		2	No	3,408	63.6
			Missing	49	
229-229	QN50		Percentage of students who did not walk or ride a bicycle to or from school during the past seven days		
		1	Yes	982	18.2
		2	No	4,392	81.8
			Missing	19	
230-230	QN51		Percentage of students who went to physical education (PE) class on three or more days each week during this school year		
		1	Yes	369	6.7
		2	No	4,961	93.3
			Missing	63	
231-231	QN52		Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities		
		1	Yes	2,342	44.3
		2	No	3,026	55.7
			Missing	25	
232-232	QN53		Percentage of students who missed classes or school without permission on one or more of the past 30 days		
		1	Yes	1,267	24.6
		2	No	4,104	75.4
			Missing	22	
233-233	QN54		Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days		
		1	Yes	1,338	24.8
		2	No	4,000	75.2
			Missing	55	

# 2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Mongolia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
234-234	QN55		Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days		
		1	Yes	2,532	46.7
		2	No	2,831	53.3
			Missing	30	
235-235	QN56		Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days		
		1	Yes	1,656	30.7
		2	No	3,695	69.3
			Missing	42	
236-236	QN57		Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days		
		1	Yes	2,615	48.8
		2	No	2,702	51.2
			Missing	76	
237-237	QN58		Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days		
		1	Yes	4,161	77.6
		2	No	1,190	22.4
			Missing	42	
350-350	QNOWTG		Percentage of students who were overweight (>+1SD from median for BMI by age and sex)		
		1	Yes	564	10.6
		2	No	4,707	89.4
			Missing	122	
351-351	QNOBESEG		Percentage of students who were obese (>+2SD from median for BMI by age and sex)		
		1	Yes	80	1.5
		2	No	5,191	98.5
			Missing	122	

# 2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Mongolia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
352-352	QNUNWTG		Percentage of students who were underweight (<-2SD from median for BMI by age and sex)		
		1	Yes	140	2.6
		2	No	5,131	97.4
			Missing	122	
353-353	QNFRVGG		Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days		
		1	Yes	1,008	18.6
		2	No	4,318	81.4
			Missing	67	
354-354	QNANYTBG		Percentage of students who used any tobacco on one or more days during the past 30 days		
		1	Yes	585	11.7
		2	No	4,757	88.3
			Missing	51	
355-355	QNPA7G		Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days		
		1	Yes	1,344	25.2
		2	No	4,000	74.8
			Missing	49	
356-356	QNPE5G		Percentage of students who went to physical education (PE) class on five or more days each week during this school year		
		1	Yes	194	3.6
		2	No	5,136	96.4
			Missing	63	
357-357	QNC1G		Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse		
		1	Yes	217	42.2
		2	No	315	57.8
			Missing	4,861	



# 2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Mongolia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
358-358	QNC2G		Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days		
		1	Yes	133	47.7
		2	No	143	52.3
			Missing	5,117	
362-371	WEIGHT				
372-380	STRATUM				
381-385	PSU				