

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania (Dar Es Salaam) Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
1-3	SITE		Site Code		
4-13	SCHOOL		School Codes		
14-16	CLASS		Class Codes		
17-17	Q1	Q1	How old are you?		
		1	11 years old or younger	293	18.3
		2	12 years old	540	28.5
		3	13 years old	611	26.6
		4	14 years old	380	14.5
		5	15 years old	226	8.5
		6	16 years old or older	104	3.5
			Missing	22	
18-18	Q2	Q2	What is your sex?		
		1	Male	1,026	44.7
		2	Female	1,114	55.3
			Missing	36	
19-19	Q3	Q3	In what grade are you?		
		1	Standard V	845	58.5
		2	Standard VI	1,253	39.3
		3	Standard VII	52	2.2
			Missing	26	
20-23	Q4	Q4	How tall are you without your shoes on? (Note: Data are in meters.)		
24-29	Q5	Q5	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
30-30	Q6	Q6	During the past 30 days, how often did you go hungry because there was not enough food in your home?		
		1	Never	1,579	72.4
		2	Rarely	342	16.3
		3	Sometimes	159	7.5
		4	Most of the time	52	2.4
		5	Always	28	1.3
			Missing	16	

2006 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Tanzania (Dar Es Salaam) Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
31-31	Q7	Q9	During the past 30 days, how many times per day did you usually eat fruit, such as ripe bananas, oranges, pawpaws, mangoes, or pineapples?		
		1	I did not eat fruit during the past 30 days	258	12.2
		2	Less than one time per day	239	11.2
		3	1 time per day	548	24.8
		4	2 times per day	328	14.4
		5	3 times per day	281	12.6
		6	4 times per day	94	4.9
		7	5 or more times per day	412	20.0
			Missing	16	
32-32	Q8	Q10	During the past 30 days, how many times per day did you usually eat vegetables, such as amaranth, cassava leaves, pumpkin leaves, cabbage, spinach, okra, or carrots?		
		1	I did not eat vegetables during the past 30 days	134	7.1
		2	Less than one time per day	251	12.0
		3	1 time per day	448	20.6
		4	2 times per day	512	21.9
		5	3 times per day	219	9.8
		6	4 times per day	116	5.6
		7	5 or more times per day	477	22.9
			Missing	19	
34-34	Q10	Q13	During the past 30 days, how often did you wash your hands before eating?		
		1	Never	60	3.2
		2	Rarely	36	2.1
		3	Sometimes	59	2.8
		4	Most of the time	849	39.7
		5	Always	1,149	52.2
			Missing	23	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania (Dar Es Salaam) Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
35-35	Q11	Q14	During the past 30 days, how often did you wash your hands after using the toilet or latrine?		
			1 Never	92	4.9
			2 Rarely	131	6.5
			3 Sometimes	163	8.1
			4 Most of the time	750	34.9
			5 Always	1,005	45.7
			Missing	35	
36-36	Q12	Q15	During the past 30 days, how often did you use soap when washing your hands?		
			1 Never	110	5.5
			2 Rarely	198	9.4
			3 Sometimes	393	18.2
			4 Most of the time	791	37.0
			5 Always	671	29.9
			Missing	13	
37-37	Q13	Q21	During the past 12 months, how many times were you physically attacked?		
			1 0 times	953	43.4
			2 1 time	452	21.1
			3 2 or 3 times	362	16.5
			4 4 or 5 times	101	4.8
			5 6 or 7 times	52	2.4
			6 8 or 9 times	30	1.4
			7 10 or 11 times	22	0.9
			8 12 or more times	194	9.4
			Missing	10	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania (Dar Es Salaam) Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
38-38	Q14	Q22	During the past 12 months, how many times were you in a physical fight?		
		1	0 times	1,290	59.2
		2	1 time	440	20.4
		3	2 or 3 times	273	12.9
		4	4 or 5 times	68	3.2
		5	6 or 7 times	27	1.4
		6	8 or 9 times	11	0.7
		7	10 or 11 times	8	0.4
		8	12 or more times	47	1.9
			Missing	12	
39-39	Q15	Q23	During the past 12 months, how many times were you seriously injured?		
		1	0 times	1,109	60.4
		2	1 time	484	26.4
		3	2 or 3 times	143	7.8
		4	4 or 5 times	39	2.2
		5	6 or 7 times	18	1.1
		6	8 or 9 times	7	0.5
		7	10 or 11 times	6	0.3
		8	12 or more times	25	1.3
			Missing	345	

2006 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Tanzania (Dar Es Salaam) Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
40-40	Q16	Q24	During the past 12 months, what were you doing when the most serious injury happened to you?		
		1	I was not seriously injured during the past 12 months	1,388	71.5
		2	Playing or training for a sport	212	10.5
		3	Walking or running, but not as part of playing or training for a sport	119	6.5
		4	Riding a bicycle or scooter	73	3.3
		5	Riding or driving in a car or other motor vehicle	12	0.5
		6	Doing any paid or unpaid work, including housework, yard work, or cooking	30	1.5
		7	Nothing	91	4.4
		8	Something else	33	1.8
			Missing	218	
41-41	Q17	Q25	During the past 12 months, what was the major cause of the most serious injury that happened to you?		
		1	I was not seriously injured during the past 12 months	1,419	70.3
		2	I was in a motor vehicle accident or hit by a motor vehicle	30	1.3
		3	I fell	286	14.5
		4	Something fell on me or hit me	86	4.3
		5	I was fighting with someone	37	1.5
		6	I was attacked, assaulted, or abused by someone	16	0.7
		7	I was in a fire or too near a flame or something hot	48	2.4
		8	Something else caused my injury	108	5.0
			Missing	146	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania (Dar Es Salaam) Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
42-42	Q18	Q26	During the past 12 months, how did the most serious injury happen to you?		
		1	I was not seriously injured during the past 12 months	1,358	69.1
		2	I hurt myself by accident	375	19.4
		3	Someone else hurt me by accident	171	8.6
		4	I hurt myself on purpose	13	0.8
		5	Someone else hurt me on purpose	51	2.2
			Missing	208	
43-43	Q19	Q27	During the past 12 months, what was the most serious injury that happened to you?		
		1	I was not seriously injured during the past 12 months	1,477	73.4
		2	I had a broken bone or a dislocated joint	135	6.2
		3	I had a cut, puncture, or stab wound	124	5.7
		4	I had a concussion or other head or neck injury, was knocked out, or could not breathe	87	4.2
		5	I had a gunshot wound	8	0.5
		6	I had a bad burn	67	3.4
		7	I lost all or part of a foot, leg, hand, or arm	18	1.1
		8	Something else happened to me	111	5.5
			Missing	149	
44-44	Q20	Q28	During the past 30 days, on how many days were you bullied?		
		1	0 days	1,481	74.8
		2	1 or 2 days	282	13.3
		3	3 to 5 days	96	4.6
		4	6 to 9 days	44	2.1
		5	10 to 19 days	35	1.9
		6	20 to 29 days	19	1.1
		7	All 30 days	51	2.2
			Missing	168	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania (Dar Es Salaam) Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
45-45	Q21	Q29	During the past 30 days, how were you bullied most often?		
		1	I was not bullied during the past 30 days	1,483	74.7
		2	I was hit, kicked, pushed, shoved around, or locked indoors	135	6.6
		3	I was made fun of because of my race or color	55	2.6
		4	I was made fun of because of my religion	45	2.3
		5	I was made fun of with sexual jokes, comments, or gestures	52	2.4
		6	I was left out of activities on purpose or completely ignored	38	1.8
		7	I was made fun of because of how my body or face looks	59	2.5
		8	I was bullied in some other way	145	7.0
			Missing	164	
46-46	Q22	Q31	During the past 12 months, how often have you felt lonely?		
		1	Never	1,112	51.5
		2	Rarely	697	32.9
		3	Sometimes	222	9.6
		4	Most of the time	104	4.9
		5	Always	26	1.1
			Missing	15	
47-47	Q23	Q32	During the past 12 months, how often have you been so worried about something that you could not sleep at night?		
		1	Never	1,436	67.5
		2	Rarely	428	19.6
		3	Sometimes	203	9.1
		4	Most of the time	74	3.2
		5	Always	14	0.6
			Missing	21	

2006 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Tanzania (Dar Es Salaam) Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
48-48	Q24	Q33	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing your usual activities?		
		1	Yes	505	23.6
		2	No	1,640	76.4
			Missing	31	
49-49	Q25	Q34	During the past 12 months, did you ever seriously consider attempting suicide?		
		1	Yes	237	11.2
		2	No	1,908	88.8
			Missing	31	
50-50	Q26	Q35	During the past 12 months, did you make a plan about how you would attempt suicide?		
		1	Yes	138	6.8
		2	No	1,975	93.2
			Missing	63	
51-51	Q27	Q36	How many close friends do you have?		
		1	0	185	8.3
		2	1	286	13.3
		3	2	431	19.2
		4	3 or more	1,255	59.2
			Missing	19	
52-52	Q28	Q37	How old were you when you first tried a cigarette?		
		1	I have never smoked cigarettes	1,931	94.5
		2	7 years old or younger	18	0.9
		3	8 or 9 years old	16	0.9
		4	10 or 11 years old	36	1.9
		5	12 or 13 years old	29	1.4
		6	14 or 15 years old	8	0.4
			Missing	138	

2006 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Tanzania (Dar Es Salaam) Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
53-53	Q29	Q38	During the past 30 days, on how many days did you smoke cigarettes?		
		1	0 days	2,008	97.3
		2	1 or 2 days	34	1.6
		3	3 to 5 days	15	0.7
		4	6 to 9 days	3	0.1
		5	10 to 19 days	2	0.1
		6	20 to 29 days	2	0.1
		7	All 30 days	2	0.1
			Missing	110	
54-54	Q30	Q39	During the past 30 days, on how many days did you use any other form of tobacco, such as tobacco roll, snuff, or chew tobacco?		
		1	0 days	1,654	95.7
		2	1 or 2 days	27	1.8
		3	3 to 5 days	12	0.9
		4	6 to 9 days	8	0.6
		5	10 to 19 days	5	0.3
		6	20 to 29 days	5	0.3
		7	All 30 days	5	0.4
			Missing	460	
55-55	Q31	Q42	During the past 12 months, have you ever tried to stop smoking cigarettes?		
		1	I have never smoked cigarettes	1,808	89.5
		2	I did not smoke cigarettes during the past 12 months	111	5.5
		3	Yes	64	3.2
		4	No	34	1.7
			Missing	159	
56-56	Q32	Q46	During the past 7 days, on how many days have people smoked in your presence?		
		1	0 days	894	41.0
		2	1 or 2 days	379	17.7
		3	3 or 4 days	151	7.3
		4	5 or 6 days	79	3.8
		5	All 7 days	644	30.2
			Missing	29	

2006 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Tanzania (Dar Es Salaam) Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
57-57	Q33	Q47	Which of your parents or guardians use any form of tobacco?		
		1	Neither	1,857	86.3
		2	My father or male guardian	134	6.1
		3	My mother or female guardian	24	1.3
		4	Both	14	0.8
		5	I do not know	106	5.5
			Missing	41	
58-58	Q34	Q52	During the past 30 days, on how many days did you have at least one drink containing alcohol?		
		1	0 days	1,910	94.9
		2	1 or 2 days	70	3.4
		3	3 to 5 days	18	0.9
		4	6 to 9 days	8	0.4
		5	10 to 19 days	3	0.1
		6	20 to 29 days	3	0.2
		7	All 30 days	1	0.0
			Missing	163	
59-59	Q35	Q53	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?		
		1	I did not drink alcohol during the past 30 days	1,887	93.4
		2	Less than one drink	57	3.2
		3	1 drink	28	1.3
		4	2 drinks	19	1.0
		5	3 drinks	10	0.5
		6	4 drinks	3	0.1
		7	5 or more drinks	8	0.4
			Missing	164	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania (Dar Es Salaam) Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
60-60	Q36	Q54	During the past 30 days, how did you usually get the alcohol you drank?		
		1	I did not drink alcohol during the past 30 days	1,886	94.5
		2	I bought it in a store, shop, or from a street vendor	12	0.6
		3	I gave someone else money to buy it for me	5	0.2
		4	I got it from my friends	19	1.0
		5	I got it from home	50	2.6
		6	I stole it	8	0.4
		8	I got it some other way	13	0.8
			Missing	183	
61-61	Q37	Q57	During your life, how many times did you drink so much alcohol that you were really drunk?		
		1	0 times	2,067	95.5
		2	1 or 2 times	60	3.0
		3	3 to 9 times	15	0.9
		4	10 or more times	15	0.7
			Missing	19	
62-62	Q38	Q58	During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?		
		1	0 times	1,855	86.1
		2	1 or 2 times	209	10.0
		3	3 to 9 times	40	2.0
		4	10 or more times	40	1.8
			Missing	32	
63-63	Q39	Q62	During your life, how many times have you used drugs such as bang or cocaine?		
		1	0 times	2,030	94.6
		2	1 or 2 times	63	3.5
		3	3 to 9 times	14	0.8
		4	10 or more times	16	1.0
			Missing	53	

2006 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Tanzania (Dar Es Salaam) Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
64-64	Q40	Q64	Have you ever had sexual intercourse?		
		1	Yes	163	7.9
		2	No	1,775	92.1
			Missing	238	
65-65	Q41	Q65	How old were you when you had sexual intercourse for the first time?		
		1	I have never had sexual intercourse	1,722	87.5
		2	11 years old or younger	155	8.2
		3	12 years old	39	1.7
		4	13 years old	22	1.0
		5	14 years old	15	0.7
		6	15 years old	12	0.6
		7	16 years old or older	7	0.2
			Missing	204	
66-66	Q42	Q66	During your life, with how many people have you had sexual intercourse?		
		1	I have never had sexual intercourse	1,739	86.5
		2	1 person	136	7.1
		3	2 people	43	2.2
		4	3 people	38	1.8
		5	4 people	24	1.0
		6	5 people	11	0.7
		7	6 or more people	16	0.8
			Missing	169	
67-67	Q43	Q67	During the past 12 months, have you had sexual intercourse?		
		1	Yes	277	12.7
		2	No	1,857	87.3
			Missing	42	
68-68	Q44	Q68	The last time you had sexual intercourse, did you or your partner use a condom ?		
		1	I have never had sexual intercourse	1,667	85.3
		2	Yes	97	4.9
		3	No	191	9.8
			Missing	221	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania (Dar Es Salaam) Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
69-69	Q45	Q76	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1	0 days	532	26.8
		2	1 day	384	18.1
		3	2 days	241	11.0
		4	3 days	197	8.9
		5	4 days	99	4.2
		6	5 days	111	5.2
		7	6 days	62	2.8
		8	7 days	517	23.1
			Missing	33	
70-70	Q46	Q77	During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?		
		1	0 days	593	29.8
		2	1 day	394	18.9
		3	2 days	252	12.0
		4	3 days	202	9.1
		5	4 days	94	4.0
		6	5 days	116	5.3
		7	6 days	76	3.5
		8	7 days	396	17.3
			Missing	53	
71-71	Q47	Q79	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as playing cards, plaiting hair, or embroidery.		
		1	Less than 1 hour per day	916	43.2
		2	1 to 2 hours per day	609	27.8
		3	3 to 4 hours per day	322	14.4
		4	5 to 6 hours per day	102	4.4
		5	7 to 8 hours per day	51	2.4
		6	More than 8 hours per day	163	7.8
			Missing	13	

2006 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Tanzania (Dar Es Salaam) Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
72-72	Q48	Q80	During the past 7 days, on how many days did you walk or ride a bicycle to and from school?		
		1	0 days	1,364	65.4
		2	1 day	169	7.9
		3	2 days	131	6.1
		4	3 days	77	3.3
		5	4 days	42	2.0
		6	5 days	109	4.6
		7	6 days	38	1.7
		8	7 days	206	9.0
			Missing	40	
73-73	Q49	Q81	During the past 7 days, how long did it usually take for you to get to and from school each day?		
		1	Less than 10 minutes per day	935	47.2
		2	10 to 19 minutes per day	417	19.1
		3	20 to 29 minutes per day	215	9.0
		4	30 to 39 minutes per day	171	7.1
		5	40 to 49 minutes per day	76	3.4
		6	50 to 59 minutes per day	50	2.2
		7	60 or more minutes per day	279	12.0
			Missing	33	
74-74	Q50	Q82	During the past 30 days, on how many days did you miss classes or school without permission?		
		1	0 days	1,433	66.4
		2	1 or 2 days	530	24.8
		3	3 to 5 days	102	4.9
		4	6 to 9 days	42	2.1
		5	10 or more days	39	1.8
			Missing	30	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania (Dar Es Salaam) Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
75-75	Q51	Q83	During the past 30 days, how often were most of the students in your school kind and helpful?		
		1	Never	759	37.4
		2	Rarely	482	22.5
		3	Sometimes	272	12.1
		4	Most of the time	436	20.0
		5	Always	174	8.1
			Missing	53	
76-76	Q52	Q84	During the past 30 days, how often did your parents or guardians check to see if your homework was done?		
		1	Never	419	20.2
		2	Rarely	300	14.1
		3	Sometimes	231	10.9
		4	Most of the time	793	36.7
		5	Always	403	18.1
			Missing	30	
77-77	Q53	Q85	During the past 30 days, how often did your parents or guardians understand your problems and worries?		
		1	Never	801	38.0
		2	Rarely	347	16.7
		3	Sometimes	233	10.7
		4	Most of the time	503	22.8
		5	Always	265	11.9
			Missing	27	
78-78	Q54	Q86	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?		
		1	Never	829	39.8
		2	Rarely	234	10.8
		3	Sometimes	221	10.6
		4	Most of the time	585	26.5
		5	Always	273	12.4
			Missing	34	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania (Dar Es Salaam) Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
146-146	QN6		Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home		
		1	Yes	80	3.8
		2	No	2,080	96.2
			Missing	16	
147-147	QN7		Percentage of students who usually ate fruit, such as ripe bananas, oranges, pawpaws, mangoes, or pineapples one or more times per day during the past 30 days		
		1	Yes	1,663	76.7
		2	No	497	23.3
			Missing	16	
148-148	QN8		Percentage of students who usually ate vegetables, such as amaranth, cassava leaves, pumpkin leaves, cabbage, spinach, okra, or carrots one or more times per day during the past 30 days		
		1	Yes	1,772	80.8
		2	No	385	19.2
			Missing	19	
150-150	QN10		Percentage of students who never or rarely washed their hands before eating during the past 30 days		
		1	Yes	96	5.3
		2	No	2,057	94.7
			Missing	23	
151-151	QN11		Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days		
		1	Yes	223	11.3
		2	No	1,918	88.7
			Missing	35	

2006 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Tanzania (Dar Es Salaam) Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
152-152	QN12		Percentage of students who never or rarely used soap when washing their hands during the past 30 days		
		1	Yes	308	14.9
		2	No	1,855	85.1
			Missing	13	
153-153	QN13		Percentage of students who were physically attacked one or more times during the past 12 months		
		1	Yes	1,213	56.6
		2	No	953	43.4
			Missing	10	
154-154	QN14		Percentage of students who were in a physical fight one or more times during the past 12 months		
		1	Yes	874	40.8
		2	No	1,290	59.2
			Missing	12	
155-155	QN15		Percentage of students who were seriously injured one or more times during the past 12 months		
		1	Yes	722	39.6
		2	No	1,109	60.4
			Missing	345	
156-156	QN16		Among students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport		
		1	Yes	211	28.5
		2	No	507	71.5
			Missing	1,458	
157-157	QN17		Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall		
		1	Yes	285	40.8
		2	No	434	59.2
			Missing	1,457	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania (Dar Es Salaam) Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
158-158	QN18		Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident		
		1	Yes	373	53.8
		2	No	333	46.2
			Missing	1,470	
159-159	QN19		Among students who were seriously injured during the past 12 months, the percentage who had a broken bone or a dislocated joint as their most serious injury		
		1	Yes	134	17.3
		2	No	584	82.7
			Missing	1,458	
160-160	QN20		Percentage of students who were bullied on one or more days during the past 30 days		
		1	Yes	527	25.2
		2	No	1,481	74.8
			Missing	168	
161-161	QN21		Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors		
		1	Yes	132	26.1
		2	No	388	73.9
			Missing	1,656	
162-162	QN22		Percentage of students who felt lonely most of the time or always during the past 12 months		
		1	Yes	130	6.0
		2	No	2,031	94.0
			Missing	15	
163-163	QN23		Percentage of students who most of the time or always felt so worried about something that they could not sleep at night during the past 12 months		
		1	Yes	88	3.8
		2	No	2,067	96.2
			Missing	21	

2006 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Tanzania (Dar Es Salaam) Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
164-164	QN24		Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing their usual activities during the past 12 months		
		1	Yes	505	23.6
		2	No	1,640	76.4
			Missing	31	
165-165	QN25		Percentage of students who seriously considered attempting suicide during the past 12 months		
		1	Yes	237	11.2
		2	No	1,908	88.8
			Missing	31	
166-166	QN26		Percentage of students who made a plan about how they would attempt suicide during the past 12 months		
		1	Yes	138	6.8
		2	No	1,975	93.2
			Missing	63	
167-167	QN27		Percentage of students who have no close friends		
		1	Yes	185	8.3
		2	No	1,972	91.7
			Missing	19	
168-168	QN28		Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age 13 or younger		
		1	Yes	51	92.3
		2	No	5	7.7
			Missing	2,120	
169-169	QN29		Percentage of students who smoked cigarettes on one or more days during the past 30 days		
		1	Yes	58	2.7
		2	No	2,008	97.3
			Missing	110	

2006 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Tanzania (Dar Es Salaam) Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
170-170	QN30		Percentage of students who used any other form of tobacco, such as tobacco roll, snuff, or chew tobacco on one or more days during the past 30 days		
		1	Yes	62	4.3
		2	No	1,654	95.7
			Missing	460	
171-171	QN31		Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes		
		1	Yes	64	64.6
		2	No	34	35.4
			Missing	2,078	
172-172	QN32		Percentage of students who reported people smoking in their presence on one or more days during the past 7 days		
		1	Yes	1,253	59.0
		2	No	894	41.0
			Missing	29	
173-173	QN33		Percentage of students who have a parent or guardian who uses any form of tobacco		
		1	Yes	172	8.2
		2	No	1,963	91.8
			Missing	41	
174-174	QN34		Percentage of students who had at least one drink containing alcohol on one or more days during the past 30 days		
		1	Yes	103	5.1
		2	No	1,910	94.9
			Missing	163	
175-175	QN35		Among students who had at least one drink containing alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol during the past 30 days		
		1	Yes	38	37.9
		2	No	64	62.1
			Missing	2,074	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania (Dar Es Salaam) Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
176-176	QN36		Among students who had at least one drink containing alcohol during the past 30 days, the percentage who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor		
		1	Yes	11	10.3
		2	No	91	89.7
			Missing	2,074	
177-177	QN37		Percentage of students who drank so much alcohol that they were really drunk one or more times during their life		
		1	Yes	90	4.5
		2	No	2,067	95.5
			Missing	19	
178-178	QN38		Percentage of students who had a hang-over, felt sick, got into trouble with their family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life		
		1	Yes	289	13.9
		2	No	1,855	86.1
			Missing	32	
179-179	QN39		Percentage of students who used drugs, such as bang or cocaine one or more times during their life		
		1	Yes	93	5.4
		2	No	2,030	94.6
			Missing	53	
180-180	QN40		Percentage of students who have ever had sexual intercourse		
		1	Yes	163	7.9
		2	No	1,775	92.1
			Missing	238	
181-181	QN41		Percentage of students who had sexual intercourse for the first time before age 13		
		1	Yes	194	9.9
		2	No	1,778	90.1
			Missing	204	

2006 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Tanzania (Dar Es Salaam) Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
182-182	QN42		Percentage of students who have had sexual intercourse with two or more people during their life		
		1	Yes	132	6.5
		2	No	1,875	93.5
			Missing	169	
183-183	QN43		Percentage of students who had sexual intercourse during the past 12 months		
		1	Yes	277	12.7
		2	No	1,857	87.3
			Missing	42	
184-184	QN44		Among students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse		
		1	Yes	41	39.8
		2	No	65	60.2
			Missing	2,070	
185-185	QN45		Percentage of students who were physically active for a total of at least 60 minutes per day on all 7 days during the past 7 days		
		1	Yes	517	23.1
		2	No	1,626	76.9
			Missing	33	
186-186	QN46		Percentage of students who were physically active for a total of at least 60 minutes per day on all 7 days during a typical or usual week		
		1	Yes	396	17.3
		2	No	1,727	82.7
			Missing	53	
187-187	QN47		Percentage of students who spent three or more hours per day during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities		
		1	Yes	638	29.0
		2	No	1,525	71.0
			Missing	13	

2006 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Tanzania (Dar Es Salaam) Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
188-188	QN48		Percentage of students who did not walk or ride a bicycle to and from school during the past seven days		
		1	Yes	1,364	65.4
		2	No	772	34.6
			Missing	40	
189-189	QN49		Percentage of students who usually took 29 minutes or less each day to get to and from school during the past 7 days		
		1	Yes	1,567	75.3
		2	No	576	24.7
			Missing	33	
190-190	QN50		Percentage of students who missed classes or school without permission on one or more days during the past 30 days		
		1	Yes	713	33.6
		2	No	1,433	66.4
			Missing	30	
191-191	QN51		Percentage of students who reported that most of the students in their school were never or rarely kind and helpful during the past 30 days		
		1	Yes	1,241	59.9
		2	No	882	40.1
			Missing	53	
192-192	QN52		Percentage of students whose parents or guardians never or rarely checked to see if their homework was done during the past 30 days		
		1	Yes	719	34.3
		2	No	1,427	65.7
			Missing	30	
193-193	QN53		Percentage of students whose parents or guardians never or rarely understood their problems and worries during the past 30 days		
		1	Yes	1,148	54.6
		2	No	1,001	45.4
			Missing	27	

2006 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Tanzania (Dar Es Salaam) Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
194-194	QN54		Percentage of students whose parents or guardians never or rarely really knew what they were doing with their free time during the past 30 days		
		1	Yes	1,063	50.6
		2	No	1,079	49.4
			Missing	34	
264-264	QNFRVGG		Percentage of students who ate fruits and vegetables five or more times per day during the past 30 days		
		1	Yes	940	44.6
		2	No	1,203	55.4
			Missing	33	
265-265	QNANYTBG		Percentage of students who used any tobacco on one or more of the past 30 days		
		1	Yes	62	4.2
		2	No	1,569	95.8
			Missing	545	
266-266	QNMINPAG		Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average		
		1	Yes	1,552	75.3
		2	No	551	24.7
			Missing	73	
267-267	QNWKRDG		Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days		
		1	Yes	1,932	92.4
		2	No	180	7.6
			Missing	64	
358-369	Weight		Weight		
370-374	PSU		Primary Sampling Unit		
375-383	Stratum		Stratum		
384-388	BMIPct		Percentile for body mass index, by age and sex		