

2005 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Lebanon Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|--|----------------------|------------------|
| 1-3 | SITE | | Site Code | | |
| 4-13 | SCHOOL | | School Codes | | |
| 14-16 | CLASS | | Class Codes | | |
| 17-17 | Q1 | Q1 | How old are you? | | |
| | | 1 | 11 years old or younger | 48 | 1.0 |
| | | 2 | 12 years old | 770 | 15.1 |
| | | 3 | 13 years old | 1,393 | 27.1 |
| | | 4 | 14 years old | 1,341 | 26.1 |
| | | 5 | 15 years old | 1,020 | 20.3 |
| | | 6 | 16 years old or older | 522 | 10.5 |
| | | | Missing | 21 | |
| 18-18 | Q2 | Q2 | What is your sex? | | |
| | | 1 | Male | 2,333 | 47.7 |
| | | 2 | Female | 2,776 | 52.3 |
| | | | Missing | 6 | |
| 19-19 | Q3 | Q3 | In what grade are you? | | |
| | | 1 | 7th grade | 1,988 | 38.8 |
| | | 2 | 8th grade | 1,578 | 32.1 |
| | | 3 | 9th grade | 1,540 | 29.1 |
| | | | Missing | 9 | |
| 20-23 | Q4 | Q4 | How tall are you without your shoes on? (Note: Data are in meters.) | | |
| 24-29 | Q5 | Q5 | How much do you weigh without your shoes on? (Note: Data are in kilograms.) | | |
| 30-30 | Q6 | Q8 | During the past 30 days, how often did you go hungry because there was not enough food in your home? | | |
| | | 1 | Never | 3,069 | 60.3 |
| | | 2 | Rarely | 1,170 | 23.2 |
| | | 3 | Sometimes | 674 | 13.5 |
| | | 4 | Most of the time | 113 | 2.3 |
| | | 5 | Always | 36 | 0.7 |
| | | | Missing | 53 | |

2005 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Lebanon Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|---|----------------------|------------------|
| 31-31 | Q7 | Q9 | During the past 30 days, how many times per day did you usually eat fruit, such as apples, bananas, and oranges? | | |
| | | 1 | I did not eat fruit during the past 30 days | 176 | 3.5 |
| | | 2 | Less than one time per day | 904 | 17.6 |
| | | 3 | 1 time per day | 1,213 | 23.8 |
| | | 4 | 2 times per day | 1,399 | 27.5 |
| | | 5 | 3 times per day | 794 | 15.7 |
| | | 6 | 4 times per day | 273 | 5.4 |
| | | 7 | 5 or more times per day | 333 | 6.6 |
| | | | Missing | 23 | |
| 32-32 | Q8 | Q10 | During the past 30 days, how many times per day did you usually eat vegetables, such as salads, spinach, eggplant, tomatoes, and cucumbers? | | |
| | | 1 | I did not eat vegetables during the past 30 days | 191 | 3.7 |
| | | 2 | Less than one time per day | 1,104 | 21.8 |
| | | 3 | 1 time per day | 1,907 | 37.4 |
| | | 4 | 2 times per day | 1,047 | 20.7 |
| | | 5 | 3 times per day | 455 | 8.9 |
| | | 6 | 4 times per day | 145 | 2.8 |
| | | 7 | 5 or more times per day | 224 | 4.6 |
| | | | Missing | 42 | |
| 33-33 | Q9 | Q18 | During the past 30 days, how many times per day did you usually clean or brush your teeth? | | |
| | | 1 | I did not clean or brush my teeth during the past 30 days | 259 | 5.3 |
| | | 2 | Less than 1 time per day | 351 | 7.0 |
| | | 3 | 1 time per day | 1,128 | 21.9 |
| | | 4 | 2 times per day | 1,577 | 30.7 |
| | | 5 | 3 times per day | 1,397 | 27.5 |
| | | 6 | 4 or more times per day | 388 | 7.6 |
| | | | Missing | 15 | |

2005 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Lebanon Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|---|----------------------|------------------|
| 34-34 | Q10 | Q20 | During the past 30 days, how often did you wash your hands before eating? | | |
| | | 1 | Never | 72 | 1.4 |
| | | 2 | Rarely | 152 | 3.0 |
| | | 3 | Sometimes | 320 | 6.2 |
| | | 4 | Most of the time | 833 | 16.2 |
| | | 5 | Always | 3,695 | 73.1 |
| | | | Missing | 43 | |
| 35-35 | Q11 | Q21 | During the past 30 days, how often did you wash your hands after using the toilet or latrine? | | |
| | | 1 | Never | 47 | 0.9 |
| | | 2 | Rarely | 70 | 1.4 |
| | | 3 | Sometimes | 140 | 2.8 |
| | | 4 | Most of the time | 428 | 8.4 |
| | | 5 | Always | 4,409 | 86.5 |
| | | | Missing | 21 | |
| 36-36 | Q12 | Q22 | During the past 30 days, how often did you use soap when washing your hands? | | |
| | | 1 | Never | 41 | 0.8 |
| | | 2 | Rarely | 68 | 1.4 |
| | | 3 | Sometimes | 197 | 4.0 |
| | | 4 | Most of the time | 790 | 15.6 |
| | | 5 | Always | 3,992 | 78.1 |
| | | | Missing | 27 | |
| 37-37 | Q13 | Q23 | During the past 12 months, how many times were you physically attacked? | | |
| | | 1 | 0 times | 2,976 | 58.7 |
| | | 2 | 1 time | 815 | 16.4 |
| | | 3 | 2 or 3 times | 617 | 12.3 |
| | | 4 | 4 or 5 times | 217 | 4.4 |
| | | 5 | 6 or 7 times | 104 | 2.1 |
| | | 6 | 8 or 9 times | 62 | 1.2 |
| | | 7 | 10 or 11 times | 39 | 0.8 |
| | | 8 | 12 or more times | 196 | 4.0 |
| | | | Missing | 89 | |

2005 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Lebanon Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|---|----------------------|------------------|
| 38-38 | Q14 | Q26 | During the past 12 months, how many times were you in a physical fight? | | |
| | | 1 | 0 times | 2,764 | 54.0 |
| | | 2 | 1 time | 950 | 18.8 |
| | | 3 | 2 or 3 times | 665 | 13.4 |
| | | 4 | 4 or 5 times | 228 | 4.6 |
| | | 5 | 6 or 7 times | 92 | 1.9 |
| | | 6 | 8 or 9 times | 69 | 1.4 |
| | | 7 | 10 or 11 times | 34 | 0.7 |
| | | 8 | 12 or more times | 256 | 5.2 |
| | | | Missing | 57 | |
| 39-39 | Q15 | Q27 | During the past 12 months, how many times were you seriously injured? | | |
| | | 1 | 0 times | 2,583 | 67.6 |
| | | 2 | 1 time | 768 | 20.4 |
| | | 3 | 2 or 3 times | 306 | 8.2 |
| | | 4 | 4 or 5 times | 65 | 1.7 |
| | | 5 | 6 or 7 times | 26 | 0.7 |
| | | 6 | 8 or 9 times | 30 | 0.8 |
| | | 7 | 10 or 11 times | 2 | 0.1 |
| | | 8 | 12 or more times | 21 | 0.6 |
| | | | Missing | 1,314 | |

2005 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Lebanon Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|--|----------------------|------------------|
| 40-40 | Q16 | Q28 | During the past 12 months, what were you doing when the most serious injury happened to you? | | |
| | | 1 | I was not seriously injured during the past 12 months | 2,583 | 67.6 |
| | | 2 | Playing or training for a sport | 350 | 9.4 |
| | | 3 | Walking or running, but not as part of playing or training for a sport | 135 | 3.6 |
| | | 4 | Riding a bicycle or scooter | 152 | 4.1 |
| | | 5 | Riding or driving in a car or other motor vehicle | 68 | 1.9 |
| | | 6 | Doing any paid or unpaid work, including housework, yard work, or cooking | 65 | 1.7 |
| | | 7 | Nothing | 150 | 3.9 |
| | | 8 | Something else | 294 | 7.8 |
| | | | Missing | 1,318 | |
| 41-41 | Q17 | Q29 | During the past 12 months, what was the major cause of the most serious injury that happened to you? | | |
| | | 1 | I was not seriously injured during the past 12 months | 2,581 | 67.6 |
| | | 2 | I was in a motor vehicle accident or hit by a motor vehicle | 95 | 2.5 |
| | | 3 | I fell | 301 | 8.0 |
| | | 4 | Something fell on me or hit me | 235 | 6.3 |
| | | 5 | I was fighting with someone | 89 | 2.4 |
| | | 6 | I was attacked, assaulted, or abused by someone | 41 | 1.1 |
| | | 7 | I was in a fire or too near a flame or something hot | 38 | 1.0 |
| | | 8 | Something else caused my injury | 420 | 11.0 |
| | | | Missing | 1,315 | |

2005 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Lebanon Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|--|----------------------|------------------|
| 42-42 | Q18 | Q30 | During the past 12 months, how did the most serious injury happen to you? | | |
| | | 1 | I was not seriously injured during the past 12 months | 2,586 | 68.0 |
| | | 2 | I hurt myself by accident | 656 | 17.5 |
| | | 3 | Someone else hurt me by accident | 353 | 9.5 |
| | | 4 | I hurt myself on purpose | 68 | 1.8 |
| | | 5 | Someone else hurt me on purpose | 116 | 3.1 |
| | | | Missing | 1,336 | |
| 43-43 | Q19 | Q31 | During the past 12 months, what was the most serious injury that happened to you? | | |
| | | 1 | I was not seriously injured during the past 12 months | 2,587 | 67.6 |
| | | 2 | I had a broken bone or a dislocated joint | 398 | 10.6 |
| | | 3 | I had a cut, puncture, or stab wound | 292 | 7.8 |
| | | 4 | I had a concussion or other head or neck injury, was knocked out, or could not breathe | 179 | 4.8 |
| | | 5 | I had a gunshot wound | 26 | 0.7 |
| | | 6 | I had a bad burn | 40 | 1.0 |
| | | 7 | I lost all or part of a foot, leg, hand, or arm | 6 | 0.2 |
| | | 8 | Something else happened to me | 275 | 7.2 |
| | | | Missing | 1,312 | |
| 44-44 | Q20 | Q32 | During the past 30 days, on how many days were you bullied? | | |
| | | 1 | 0 days | 3,023 | 66.2 |
| | | 2 | 1 or 2 days | 1,086 | 23.9 |
| | | 3 | 3 to 5 days | 238 | 5.3 |
| | | 4 | 6 to 9 days | 81 | 1.8 |
| | | 5 | 10 to 19 days | 42 | 1.0 |
| | | 6 | 20 to 29 days | 15 | 0.4 |
| | | 7 | All 30 days | 67 | 1.5 |
| | | | Missing | 563 | |

2005 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Lebanon Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|--|----------------------|------------------|
| 45-45 | Q21 | Q33 | During the past 30 days, how were you bullied most often? | | |
| | | 1 | I was not bullied during the past 30 days | 3,066 | 66.3 |
| | | 2 | I was hit, kicked, pushed, shoved around, or locked indoors | 415 | 9.1 |
| | | 3 | I was made fun of because of my race or color | 233 | 5.1 |
| | | 4 | I was made fun of because of my religion | 68 | 1.5 |
| | | 5 | I was made fun of with sexual jokes, comments, or gestures | 185 | 4.0 |
| | | 6 | I was left out of activities on purpose or completely ignored | 30 | 0.6 |
| | | 7 | I was made fun of because of how my body or face looks | 94 | 2.1 |
| | | 8 | I was bullied in some other way | 518 | 11.2 |
| | | | Missing | 506 | |
| 46-46 | Q22 | Q37 | During the past 12 months, how often have you felt lonely? | | |
| | | 1 | Never | 1,850 | 36.5 |
| | | 2 | Rarely | 1,700 | 33.4 |
| | | 3 | Sometimes | 915 | 18.0 |
| | | 4 | Most of the time | 432 | 8.5 |
| | | 5 | Always | 180 | 3.6 |
| | | | Missing | 38 | |
| 47-47 | Q23 | Q38 | During the past 12 months, how often have you been so worried about something that you could not sleep at night? | | |
| | | 1 | Never | 1,389 | 27.5 |
| | | 2 | Rarely | 1,798 | 35.5 |
| | | 3 | Sometimes | 1,181 | 23.2 |
| | | 4 | Most of the time | 536 | 10.5 |
| | | 5 | Always | 161 | 3.2 |
| | | | Missing | 50 | |

2005 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Lebanon Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|---|----------------------|------------------|
| 48-48 | Q24 | Q40 | During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing your usual activities? | | |
| | | 1 | Yes | 1,889 | 37.5 |
| | | 2 | No | 3,150 | 62.5 |
| | | | Missing | 76 | |
| 49-49 | Q25 | Q41 | During the past 12 months, did you ever seriously consider attempting suicide? | | |
| | | 1 | Yes | 804 | 16.0 |
| | | 2 | No | 4,234 | 84.0 |
| | | | Missing | 77 | |
| 50-50 | Q26 | Q42 | During the past 12 months, did you make a plan about how you would attempt suicide? | | |
| | | 1 | Yes | 547 | 11.1 |
| | | 2 | No | 4,453 | 88.9 |
| | | | Missing | 115 | |
| 51-51 | Q27 | Q43 | How many close friends do you have? | | |
| | | 1 | 0 | 175 | 3.5 |
| | | 2 | 1 | 440 | 8.8 |
| | | 3 | 2 | 708 | 14.0 |
| | | 4 | 3 or more | 3,745 | 73.7 |
| | | | Missing | 47 | |
| 58-58 | Q34 | Q45 | During the past 30 days, on how many days did you have at least one drink containing alcohol? | | |
| | | 1 | 0 days | 4,001 | 80.5 |
| | | 2 | 1 or 2 days | 562 | 11.3 |
| | | 3 | 3 to 5 days | 197 | 4.0 |
| | | 4 | 6 to 9 days | 95 | 1.9 |
| | | 5 | 10 to 19 days | 48 | 1.0 |
| | | 6 | 20 to 29 days | 19 | 0.4 |
| | | 7 | All 30 days | 46 | 0.9 |
| | | | Missing | 147 | |

2005 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Lebanon Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|--|----------------------|------------------|
| 59-59 | Q35 | Q46 | During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day? | | |
| | | 1 | I did not drink alcohol during the past 30 days | 3,968 | 80.1 |
| | | 2 | Less than one drink | 338 | 6.8 |
| | | 3 | 1 drink | 275 | 5.5 |
| | | 4 | 2 drinks | 182 | 3.7 |
| | | 5 | 3 drinks | 78 | 1.6 |
| | | 6 | 4 drinks | 34 | 0.7 |
| | | 7 | 5 or more drinks | 75 | 1.6 |
| | | | Missing | 165 | |
| 60-60 | Q36 | Q47 | During the past 30 days, how did you usually get the alcohol you drank? | | |
| | | 1 | I did not drink alcohol during the past 30 days | 3,954 | 82.1 |
| | | 2 | I bought it in a store, shop, or from a street vendor | 202 | 4.2 |
| | | 3 | I gave someone else money to buy it for me | 26 | 0.6 |
| | | 4 | I got it from my friends | 65 | 1.4 |
| | | 5 | I got it from home | 480 | 9.9 |
| | | 6 | I stole it | 16 | 0.3 |
| | | 8 | I got it some other way | 70 | 1.5 |
| | | | Missing | 302 | |
| 61-61 | Q37 | Q48 | During your life, how many times did you drink so much alcohol that you were really drunk? | | |
| | | 1 | 0 times | 4,327 | 86.2 |
| | | 2 | 1 or 2 times | 552 | 11.1 |
| | | 3 | 3 to 9 times | 72 | 1.4 |
| | | 4 | 10 or more times | 59 | 1.2 |
| | | | Missing | 105 | |

2005 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Lebanon Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|--|----------------------|------------------|
| 62-62 | Q38 | Q49 | During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol? | | |
| | | 1 | 0 times | 4,165 | 83.0 |
| | | 2 | 1 or 2 times | 663 | 13.4 |
| | | 3 | 3 to 9 times | 101 | 2.0 |
| | | 4 | 10 or more times | 77 | 1.6 |
| | | | Missing | 109 | |
| 63-63 | Q39 | Q51 | During your life, how many times have you used drugs such as marijuana (hashish), cocaine, heroin, ecstasy, medical tranquilizers, or stimulants without prescription? | | |
| | | 1 | 0 times | 4,917 | 96.5 |
| | | 2 | 1 or 2 times | 102 | 2.1 |
| | | 3 | 3 to 9 times | 27 | 0.5 |
| | | 4 | 10 or more times | 44 | 0.9 |
| | | | Missing | 25 | |
| 74-74 | Q50 | Q62 | During the past 30 days, on how many days did you miss classes or school without permission? | | |
| | | 1 | 0 days | 4,238 | 84.7 |
| | | 2 | 1 or 2 days | 514 | 10.5 |
| | | 3 | 3 to 5 days | 120 | 2.5 |
| | | 4 | 6 to 9 days | 42 | 0.9 |
| | | 5 | 10 or more days | 67 | 1.4 |
| | | | Missing | 134 | |
| 75-75 | Q51 | Q63 | During the past 30 days, how often were most of the students in your school kind and helpful? | | |
| | | 1 | Never | 396 | 8.0 |
| | | 2 | Rarely | 549 | 11.0 |
| | | 3 | Sometimes | 591 | 11.8 |
| | | 4 | Most of the time | 1,337 | 26.5 |
| | | 5 | Always | 2,159 | 42.6 |
| | | | Missing | 83 | |

2005 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Lebanon Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|---|----------------------|------------------|
| 76-76 | Q52 | Q64 | During the past 30 days, how often did your parents or guardians check to see if your homework was done? | | |
| | | 1 | Never | 1,141 | 22.6 |
| | | 2 | Rarely | 754 | 15.0 |
| | | 3 | Sometimes | 665 | 13.2 |
| | | 4 | Most of the time | 845 | 16.8 |
| | | 5 | Always | 1,631 | 32.5 |
| | | | Missing | 79 | |
| 77-77 | Q53 | Q65 | During the past 30 days, how often did your parents or guardians understand your problems and worries? | | |
| | | 1 | Never | 1,149 | 23.2 |
| | | 2 | Rarely | 770 | 15.4 |
| | | 3 | Sometimes | 702 | 14.0 |
| | | 4 | Most of the time | 844 | 16.6 |
| | | 5 | Always | 1,549 | 30.9 |
| | | | Missing | 101 | |
| 78-78 | Q54 | Q66 | During the past 30 days, how often did your parents or guardians really know what you were doing with your free time? | | |
| | | 1 | Never | 1,312 | 26.3 |
| | | 2 | Rarely | 673 | 13.6 |
| | | 3 | Sometimes | 585 | 11.6 |
| | | 4 | Most of the time | 799 | 15.7 |
| | | 5 | Always | 1,645 | 32.8 |
| | | | Missing | 101 | |
| 146-146 | QN6 | | Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home | | |
| | | 1 | Yes | 149 | 3.0 |
| | | 2 | No | 4,913 | 97.0 |
| | | | Missing | 53 | |

2005 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Lebanon Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|---|----------------------|------------------|
| 147-147 | QN7 | | Percentage of students who usually ate fruit, such as apples, bananas, and oranges one or more times per day during the past 30 days | | |
| | | 1 | Yes | 4,012 | 79.0 |
| | | 2 | No | 1,080 | 21.0 |
| | | | Missing | 23 | |
| 148-148 | QN8 | | Percentage of students who usually ate vegetables, such as salads, spinach, eggplant, tomatoes, and cucumbers one or more times per day during the past 30 days | | |
| | | 1 | Yes | 3,778 | 74.4 |
| | | 2 | No | 1,295 | 25.6 |
| | | | Missing | 42 | |
| 149-149 | QN9 | | Percentage of students who cleaned or brushed their teeth less than 1 time per day during the past 30 days | | |
| | | 1 | Yes | 610 | 12.3 |
| | | 2 | No | 4,490 | 87.7 |
| | | | Missing | 15 | |
| 150-150 | QN10 | | Percentage of students who never or rarely washed their hands before eating during the past 30 days | | |
| | | 1 | Yes | 224 | 4.5 |
| | | 2 | No | 4,848 | 95.5 |
| | | | Missing | 43 | |
| 151-151 | QN11 | | Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days | | |
| | | 1 | Yes | 117 | 2.3 |
| | | 2 | No | 4,977 | 97.7 |
| | | | Missing | 21 | |
| 152-152 | QN12 | | Percentage of students who never or rarely used soap when washing their hands during the past 30 days | | |
| | | 1 | Yes | 109 | 2.3 |
| | | 2 | No | 4,979 | 97.7 |
| | | | Missing | 27 | |

2005 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Lebanon Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|--|----------------------|------------------|
| 153-153 | QN13 | | Percentage of students who were physically attacked one or more times during the past 12 months | | |
| | | 1 | Yes | 2,050 | 41.3 |
| | | 2 | No | 2,976 | 58.7 |
| | | | Missing | 89 | |
| 154-154 | QN14 | | Percentage of students who were in a physical fight one or more times during the past 12 months | | |
| | | 1 | Yes | 2,294 | 46.0 |
| | | 2 | No | 2,764 | 54.0 |
| | | | Missing | 57 | |
| 155-155 | QN15 | | Percentage of students who were seriously injured one or more times during the past 12 months | | |
| | | 1 | Yes | 1,218 | 32.4 |
| | | 2 | No | 2,583 | 67.6 |
| | | | Missing | 1,314 | |
| 156-156 | QN16 | | Among students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport | | |
| | | 1 | Yes | 344 | 29.0 |
| | | 2 | No | 856 | 71.0 |
| | | | Missing | 3,915 | |
| 157-157 | QN17 | | Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall | | |
| | | 1 | Yes | 296 | 24.6 |
| | | 2 | No | 907 | 75.4 |
| | | | Missing | 3,912 | |

2005 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Lebanon Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|---|----------------------|------------------|
| 158-158 | QN18 | | Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident | | |
| | | 1 | Yes | 646 | 54.4 |
| | | 2 | No | 534 | 45.6 |
| | | | Missing | 3,935 | |
| 159-159 | QN19 | | Among students who were seriously injured during the past 12 months, the percentage who had a broken bone or a dislocated joint as their most serious injury | | |
| | | 1 | Yes | 390 | 32.5 |
| | | 2 | No | 812 | 67.5 |
| | | | Missing | 3,913 | |
| 160-160 | QN20 | | Percentage of students who were bullied on one or more days during the past 30 days | | |
| | | 1 | Yes | 1,529 | 33.8 |
| | | 2 | No | 3,023 | 66.2 |
| | | | Missing | 563 | |
| 161-161 | QN21 | | Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors | | |
| | | 1 | Yes | 401 | 26.9 |
| | | 2 | No | 1,101 | 73.1 |
| | | | Missing | 3,613 | |
| 162-162 | QN22 | | Percentage of students who felt lonely most of the time or always during the past 12 months | | |
| | | 1 | Yes | 612 | 12.1 |
| | | 2 | No | 4,465 | 87.9 |
| | | | Missing | 38 | |
| 163-163 | QN23 | | Percentage of students who most of the time or always felt so worried about something that they could not sleep at night during the past 12 months | | |
| | | 1 | Yes | 697 | 13.7 |
| | | 2 | No | 4,368 | 86.3 |
| | | | Missing | 50 | |

2005 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Lebanon Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|--|----------------------|------------------|
| 164-164 | QN24 | | Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing their usual activities during the past 12 months | | |
| | | 1 | Yes | 1,889 | 37.5 |
| | | 2 | No | 3,150 | 62.5 |
| | | | Missing | 76 | |
| 165-165 | QN25 | | Percentage of students who seriously considered attempting suicide during the past 12 months | | |
| | | 1 | Yes | 804 | 16.0 |
| | | 2 | No | 4,234 | 84.0 |
| | | | Missing | 77 | |
| 166-166 | QN26 | | Percentage of students who made a plan about how they would attempt suicide during the past 12 months | | |
| | | 1 | Yes | 547 | 11.1 |
| | | 2 | No | 4,453 | 88.9 |
| | | | Missing | 115 | |
| 167-167 | QN27 | | Percentage of students who have no close friends | | |
| | | 1 | Yes | 175 | 3.5 |
| | | 2 | No | 4,893 | 96.5 |
| | | | Missing | 47 | |
| 174-174 | QN34 | | Percentage of students who had at least one drink containing alcohol on one or more days during the past 30 days | | |
| | | 1 | Yes | 967 | 19.5 |
| | | 2 | No | 4,001 | 80.5 |
| | | | Missing | 147 | |
| 175-175 | QN35 | | Among students who had at least one drink containing alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol during the past 30 days | | |
| | | 1 | Yes | 367 | 38.8 |
| | | 2 | No | 588 | 61.2 |
| | | | Missing | 4,160 | |

2005 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Lebanon Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|--|----------------------|------------------|
| 176-176 | QN36 | | Among students who had at least one drink containing alcohol during the past 30 days, the percentage who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor | | |
| | | 1 | Yes | 199 | 23.5 |
| | | 2 | No | 655 | 76.5 |
| | | | Missing | 4,261 | |
| 177-177 | QN37 | | Percentage of students who drank so much alcohol that they were really drunk one or more times during their life | | |
| | | 1 | Yes | 683 | 13.8 |
| | | 2 | No | 4,327 | 86.2 |
| | | | Missing | 105 | |
| 178-178 | QN38 | | Percentage of students who had a hang-over, felt sick, got into trouble with their family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life | | |
| | | 1 | Yes | 841 | 17.0 |
| | | 2 | No | 4,165 | 83.0 |
| | | | Missing | 109 | |
| 179-179 | QN39 | | Percentage of students who used drugs, such as marijuana (hashish), cocaine, heroin, ecstasy, medical tranquilizers, or stimulants without prescription one or more times during their life | | |
| | | 1 | Yes | 173 | 3.5 |
| | | 2 | No | 4,917 | 96.5 |
| | | | Missing | 25 | |
| 190-190 | QN50 | | Percentage of students who missed classes or school without permission on one or more days during the past 30 days | | |
| | | 1 | Yes | 743 | 15.3 |
| | | 2 | No | 4,238 | 84.7 |
| | | | Missing | 134 | |

2005 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Lebanon Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|---|----------------------|------------------|
| 191-191 | QN51 | | Percentage of students who reported that most of the students in their school were never or rarely kind and helpful during the past 30 days | | |
| | | 1 | Yes | 945 | 19.1 |
| | | 2 | No | 4,087 | 80.9 |
| | | | Missing | 83 | |
| 192-192 | QN52 | | Percentage of students whose parents or guardians never or rarely checked to see if their homework was done during the past 30 days | | |
| | | 1 | Yes | 1,895 | 37.6 |
| | | 2 | No | 3,141 | 62.4 |
| | | | Missing | 79 | |
| 193-193 | QN53 | | Percentage of students whose parents or guardians never or rarely understood their problems and worries during the past 30 days | | |
| | | 1 | Yes | 1,919 | 38.6 |
| | | 2 | No | 3,095 | 61.4 |
| | | | Missing | 101 | |
| 194-194 | QN54 | | Percentage of students whose parents or guardians never or rarely really knew what they were doing with their free time during the past 30 days | | |
| | | 1 | Yes | 1,985 | 39.9 |
| | | 2 | No | 3,029 | 60.1 |
| | | | Missing | 101 | |
| 262-262 | QNROVWTG | | Percentage of students who are at risk for becoming overweight* | | |
| | | 1 | Yes | 515 | 15.8 |
| | | 2 | No | 2,781 | 84.2 |
| | | | Missing | 1,819 | |
| 263-263 | QNOVWTG | | Percentage of students who are overweight* | | |
| | | 1 | Yes | 95 | 3.0 |
| | | 2 | No | 3,201 | 97.0 |
| | | | Missing | 1,819 | |

2005 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Lebanon Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|---|----------------------|------------------|
| 264-264 | QNFRVGG | | Percentage of students who ate fruits and vegetables five or more times per day during the past 30 days | | |
| | | 1 | Yes | 1,238 | 24.6 |
| | | 2 | No | 3,817 | 75.4 |
| | | | Missing | 60 | |
| 358-369 | Weight | | Weight | | |
| 370-374 | PSU | | Primary Sampling Unit | | |
| 375-383 | Stratum | | Stratum | | |
| 384-388 | BMIPct | | Percentile for body mass index, by age and sex | | |