

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
1-3	SITE		Site Code		
4-13	SCHOOL		School Codes		
14-16	CLASS		Class Codes		
17-17	Q1	Q1	How old are you?		
		1	11 years old or younger	12	0.3
		2	12 years old	155	3.6
		3	13 years old	1,072	31.1
		4	14 years old	1,253	42.2
		5	15 years old	542	20.2
		6	16 years old or older	76	2.7
			Missing	6	
18-18	Q2	Q2	What is your sex?		
		1	Male	1,479	49.9
		2	Female	1,624	50.1
			Missing	13	
19-19	Q3	Q3	In what grade are you?		
		1	Kelas 7	11	0.3
		2	Kelas 8	1,725	51.3
		3	Kelas 9	1,358	48.4
			Missing	22	
20-23	Q4	Q4	How tall are you without your shoes on? (Note: Data are in meters.)		
24-29	Q5	Q5	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
30-30	Q6	Q6	During the past 30 days, how often did you go hungry because there was not enough food in your home?		
		1	Never	1,140	35.7
		2	Rarely	836	26.9
		3	Sometimes	939	31.5
		4	Most of the time	155	4.7
		5	Always	42	1.2
			Missing	4	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
31-31	Q7	Q7	During the past 30 days, how many times per day did you usually eat fruit, such as nanas, pepaya, pisang, or semangka?		
		1	I did not eat fruit during the past 30 days	235	6.6
		2	Less than one time per day	772	23.7
		3	1 time per day	924	31.2
		4	2 times per day	624	20.8
		5	3 times per day	308	10.4
		6	4 times per day	82	2.5
		7	5 or more times per day	158	4.8
			Missing	13	
32-32	Q8	Q8	During the past 30 days, how many times per day did you usually eat vegetables, such as wortel, kol, bayam, or kangkung?		
		1	I did not eat vegetables during the past 30 days	79	2.5
		2	Less than one time per day	431	14.2
		3	1 time per day	737	24.4
		4	2 times per day	910	29.1
		5	3 times per day	701	22.8
		6	4 times per day	85	2.9
		7	5 or more times per day	145	4.2
			Missing	28	
33-33	Q9	Q9	During the past 30 days, how many times per day did you usually clean or brush your teeth?		
		1	I did not clean or brush my teeth during the past 30 days	7	0.2
		2	Less than 1 time per day	93	2.5
		3	1 time per day	309	8.9
		4	2 times per day	1,518	48.9
		5	3 times per day	1,061	35.7
		6	4 or more times per day	122	3.9
			Missing	6	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
34-34	Q10	Q10	During the past 30 days, how often did you wash your hands before eating?		
		1	Never	20	0.5
		2	Rarely	116	3.9
		3	Sometimes	484	16.9
		4	Most of the time	806	25.8
		5	Always	1,676	53.0
			Missing	14	
35-35	Q11	Q11	During the past 30 days, how often did you wash your hands after using the toilet or latrine?		
		1	Never	32	0.8
		2	Rarely	65	1.8
		3	Sometimes	282	8.8
		4	Most of the time	730	22.9
		5	Always	1,998	65.7
			Missing	9	
36-36	Q12	Q12	During the past 30 days, how often did you use soap when washing your hands?		
		1	Never	57	1.6
		2	Rarely	252	7.3
		3	Sometimes	768	24.3
		4	Most of the time	941	30.4
		5	Always	1,096	36.4
			Missing	2	
37-37	Q13	Q13	During the past 12 months, how many times were you physically attacked?		
		1	0 times	1,831	59.8
		2	1 time	441	14.0
		3	2 or 3 times	469	15.2
		4	4 or 5 times	165	5.2
		5	6 or 7 times	45	1.3
		6	8 or 9 times	29	0.9
		7	10 or 11 times	20	0.6
		8	12 or more times	92	3.0
			Missing	24	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
38-38	Q14	Q14	During the past 12 months, how many times were you in a physical fight?		
		1	0 times	1,947	66.4
		2	1 time	517	15.5
		3	2 or 3 times	372	10.8
		4	4 or 5 times	128	3.8
		5	6 or 7 times	41	1.1
		6	8 or 9 times	13	0.4
		7	10 or 11 times	10	0.3
		8	12 or more times	62	1.8
			Missing	26	
39-39	Q15	Q15	During the past 12 months, how many times were you seriously injured?		
		1	0 times	1,457	54.1
		2	1 time	723	27.8
		3	2 or 3 times	357	12.2
		4	4 or 5 times	84	3.0
		5	6 or 7 times	25	1.0
		6	8 or 9 times	14	0.4
		7	10 or 11 times	9	0.3
		8	12 or more times	38	1.2
			Missing	409	

2007 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
40-40	Q16	Q16	During the past 12 months, what were you doing when the most serious injury happened to you?		
		1	I was not seriously injured during the past 12 months	1,761	60.1
		2	Playing or training for a sport	298	10.2
		3	Walking or running, but not as part of playing or training for a sport	172	6.0
		4	Riding a bicycle or scooter	80	2.7
		5	Riding or driving in a car or other motor vehicle	85	3.1
		6	Doing any paid or unpaid work, including housework, yard work, or cooking	93	3.1
		7	Nothing	293	9.9
		8	Something else	142	4.9
			Missing	192	
41-41	Q17	Q17	During the past 12 months, what was the major cause of the most serious injury that happened to you?		
		1	I was not seriously injured during the past 12 months	1,702	59.4
		2	I was in a motor vehicle accident or hit by a motor vehicle	204	7.3
		3	I fell	494	17.4
		4	Something fell on me or hit me	89	2.7
		5	I was fighting with someone	41	1.2
		6	I was attacked, assaulted, or abused by someone	37	1.0
		7	I was in a fire or too near a flame or something hot	19	0.6
		8	Something else caused my injury	278	10.2
			Missing	252	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
42-42	Q18	Q18	During the past 12 months, how did the most serious injury happen to you?		
		1	I was not seriously injured during the past 12 months	1,765	61.2
		2	I hurt myself by accident	623	22.1
		3	Someone else hurt me by accident	387	13.2
		4	I hurt myself on purpose	25	0.8
		5	Someone else hurt me on purpose	82	2.6
			Missing	234	
43-43	Q19	Q19	During the past 12 months, what was the most serious injury that happened to you?		
		1	I was not seriously injured during the past 12 months	1,766	61.0
		2	I had a broken bone or a dislocated joint	430	15.9
		3	I had a cut, puncture, or stab wound	118	3.5
		4	I had a concussion or other head or neck injury, was knocked out, or could not breathe	47	1.5
		5	I had a gunshot wound	10	0.3
		6	I had a bad burn	39	1.4
		7	I lost all or part of a foot, leg, hand, or arm	16	0.5
		8	Something else happened to me	447	16.1
			Missing	243	
44-44	Q20	Q20	During the past 30 days, on how many days were you bullied?		
		1	0 days	1,339	50.3
		2	1 or 2 days	797	29.6
		3	3 to 5 days	286	9.9
		4	6 to 9 days	122	4.4
		5	10 to 19 days	72	2.8
		6	20 to 29 days	10	0.4
		7	All 30 days	68	2.6
			Missing	422	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
45-45	Q21	Q21	During the past 30 days, how were you bullied most often?		
		1	I was not bullied during the past 30 days	1,342	50.3
		2	I was hit, kicked, pushed, shoved around, or locked indoors	131	4.3
		3	I was made fun of because of my race or color	156	6.0
		4	I was made fun of because of my religion	29	0.7
		5	I was made fun of with sexual jokes, comments, or gestures	125	4.9
		6	I was left out of activities on purpose or completely ignored	124	4.5
		7	I was made fun of because of how my body or face looks	238	8.7
		8	I was bullied in some other way	557	20.6
			Missing	414	
46-46	Q22	Q22	During the past 12 months, how often have you felt lonely?		
		1	Never	809	25.6
		2	Rarely	859	27.3
		3	Sometimes	1,153	38.4
		4	Most of the time	235	7.4
		5	Always	39	1.3
			Missing	21	
47-47	Q23	Q23	During the past 12 months, how often have you been so worried about something that you could not sleep at night?		
		1	Never	911	27.4
		2	Rarely	995	32.0
		3	Sometimes	951	32.9
		4	Most of the time	225	7.1
		5	Always	18	0.6
			Missing	16	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
48-48	Q24	Q24	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing your usual activities?		
		1	Yes	695	21.3
		2	No	2,408	78.7
			Missing	13	
49-49	Q25	Q25	During the past 12 months, did you ever seriously consider attempting suicide?		
		1	Yes	147	4.2
		2	No	2,956	95.8
			Missing	13	
50-50	Q26	Q26	During the past 12 months, did you make a plan about how you would attempt suicide?		
		1	Yes	113	3.3
		2	No	2,968	96.7
			Missing	35	
51-51	Q27	Q27	How many close friends do you have?		
		1	0	46	1.4
		2	1	180	5.0
		3	2	253	7.3
		4	3 or more	2,619	86.3
			Missing	18	
52-52	Q28	Q28	How old were you when you first tried a cigarette?		
		1	I have never smoked cigarettes	2,468	81.7
		2	7 years old or younger	41	1.2
		3	8 or 9 years old	57	2.0
		4	10 or 11 years old	95	3.2
		5	12 or 13 years old	194	7.2
		6	14 or 15 years old	121	4.6
		7	16 years old or older	1	0.0
			Missing	139	

2007 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
53-53	Q29	Q29	During the past 30 days, on how many days did you smoke cigarettes?		
		1	0 days	2,695	89.1
		2	1 or 2 days	167	6.2
		3	3 to 5 days	41	1.6
		4	6 to 9 days	29	1.1
		5	10 to 19 days	28	0.9
		6	20 to 29 days	7	0.3
		7	All 30 days	24	0.8
			Missing	125	
54-54	Q30	Q30	During the past 30 days, on how many days did you use any other form of tobacco, such as sirih or cerutu?		
		1	0 days	2,977	96.1
		2	1 or 2 days	96	2.7
		3	3 to 5 days	19	0.7
		4	6 to 9 days	5	0.1
		5	10 to 19 days	3	0.1
		7	All 30 days	7	0.2
			Missing	9	
55-55	Q31	Q31	During the past 12 months, have you ever tried to stop smoking cigarettes?		
		1	I have never smoked cigarettes	2,421	82.1
		2	I did not smoke cigarettes during the past 12 months	103	3.4
		3	Yes	328	12.3
		4	No	60	2.1
			Missing	204	
56-56	Q32	Q32	During the past 7 days, on how many days have people smoked in your presence?		
		1	0 days	486	14.5
		2	1 or 2 days	764	25.2
		3	3 or 4 days	451	15.0
		4	5 or 6 days	202	6.4
		5	All 7 days	1,192	38.9
			Missing	21	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
57-57	Q33	Q33	Which of your parents or guardians use any form of tobacco?		
		1	Neither	870	27.9
		2	My father or male guardian	1,928	62.4
		3	My mother or female guardian	39	1.4
		4	Both	94	2.6
		5	I do not know	178	5.8
			Missing	7	
58-58	Q34	Q34	During the past 30 days, on how many days did you have at least one drink containing alcohol?		
		1	0 days	2,931	97.4
		2	1 or 2 days	64	2.0
		3	3 to 5 days	12	0.3
		4	6 to 9 days	1	0.0
		5	10 to 19 days	2	0.1
		6	20 to 29 days	1	0.1
		7	All 30 days	3	0.1
			Missing	102	
59-59	Q35	Q35	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?		
		1	I did not drink alcohol during the past 30 days	2,909	97.2
		2	Less than one drink	53	1.5
		3	1 drink	21	0.7
		4	2 drinks	6	0.3
		5	3 drinks	4	0.1
		6	4 drinks	2	0.1
		7	5 or more drinks	5	0.1
			Missing	116	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
60-60	Q36	Q36	During the past 30 days, how did you usually get the alcohol you drank?		
		1	I did not drink alcohol during the past 30 days	2,916	97.4
		2	I bought it in a store, shop, or from a street vendor	15	0.5
		3	I gave someone else money to buy it for me	11	0.4
		4	I got it from my friends	34	1.0
		5	I got it from home	13	0.3
		6	I stole it	1	0.0
		8	I got it some other way	9	0.3
			Missing	117	
61-61	Q37	Q37	During your life, how many times did you drink so much alcohol that you were really drunk?		
		1	0 times	3,038	97.5
		2	1 or 2 times	51	1.8
		3	3 to 9 times	19	0.6
		4	10 or more times	4	0.1
			Missing	4	
62-62	Q38	Q38	During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?		
		1	0 times	3,042	98.1
		2	1 or 2 times	52	1.7
		3	3 to 9 times	3	0.1
		4	10 or more times	6	0.1
			Missing	13	
63-63	Q39	Q39	During your life, how many times have you used drugs such as putaw or sabu-sabu?		
		1	0 times	3,095	99.5
		2	1 or 2 times	12	0.4
		3	3 to 9 times	1	0.0
		4	10 or more times	3	0.1
			Missing	5	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
64-64	Q40	Q40	Have you ever had sexual intercourse?		
		1	Yes	18	0.4
		2	No	3,049	99.6
			Missing	49	
65-65	Q41	Q41	How old were you when you had sexual intercourse for the first time?		
		1	I have never had sexual intercourse	3,038	99.2
		2	11 years old or younger	10	0.3
		3	12 years old	4	0.1
		4	13 years old	6	0.1
		5	14 years old	7	0.2
		6	15 years old	2	0.1
		7	16 years old or older	1	0.0
			Missing	48	
66-66	Q42	Q42	During your life, with how many people have you had sexual intercourse?		
		1	I have never had sexual intercourse	3,012	98.3
		2	1 person	45	1.2
		3	2 people	6	0.2
		4	3 people	3	0.1
		5	4 people	3	0.1
		7	6 or more people	6	0.1
			Missing	41	
67-67	Q43	Q43	During the past 12 months, have you had sexual intercourse?		
		1	Yes	160	4.9
		2	No	2,948	95.1
			Missing	8	
68-68	Q44	Q44	The last time you had sexual intercourse, did you or your partner use a condom or kondom?		
		1	I have never had sexual intercourse	2,895	95.1
		2	Yes	26	0.7
		3	No	146	4.1
			Missing	49	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
69-69	Q45	Q45	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1	0 days	553	15.0
		2	1 day	877	30.2
		3	2 days	464	15.2
		4	3 days	345	11.1
		5	4 days	141	4.3
		6	5 days	103	3.7
		7	6 days	125	4.1
		8	7 days	493	16.5
			Missing	15	
70-70	Q46	Q46	During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?		
		1	0 days	550	14.8
		2	1 day	866	29.1
		3	2 days	481	16.0
		4	3 days	359	11.7
		5	4 days	167	5.5
		6	5 days	126	4.3
		7	6 days	123	4.2
		8	7 days	425	14.3
			Missing	19	
71-71	Q47	Q47	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as main play station?		
		1	Less than 1 hour per day	803	23.7
		2	1 to 2 hours per day	1,296	42.7
		3	3 to 4 hours per day	618	21.4
		4	5 to 6 hours per day	240	8.2
		5	7 to 8 hours per day	41	1.3
		6	More than 8 hours per day	84	2.8
			Missing	34	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
72-72	Q48	Q48	During the past 7 days, on how many days did you walk or ride a bicycle to and from school?		
		1	0 days	1,332	38.9
		2	1 day	204	6.3
		3	2 days	123	3.4
		4	3 days	82	2.7
		5	4 days	56	1.7
		6	5 days	61	2.1
		7	6 days	474	17.0
		8	7 days	772	27.8
			Missing	12	
73-73	Q49	Q49	During the past 7 days, how long did it usually take for you to get to and from school each day?		
		1	Less than 10 minutes per day	716	21.0
		2	10 to 19 minutes per day	916	29.2
		3	20 to 29 minutes per day	516	17.2
		4	30 to 39 minutes per day	437	15.3
		5	40 to 49 minutes per day	119	4.3
		6	50 to 59 minutes per day	121	4.1
		7	60 or more minutes per day	262	8.8
			Missing	29	
74-74	Q50	Q50	During the past 30 days, on how many days did you miss classes or school without permission?		
		1	0 days	2,057	67.7
		2	1 or 2 days	764	24.2
		3	3 to 5 days	154	5.2
		4	6 to 9 days	50	1.5
		5	10 or more days	46	1.5
			Missing	45	

2007 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
75-75	Q51	Q51	During the past 30 days, how often were most of the students in your school kind and helpful?		
		1	Never	140	4.1
		2	Rarely	572	18.2
		3	Sometimes	1,153	38.3
		4	Most of the time	887	28.6
		5	Always	352	10.9
			Missing	12	
76-76	Q52	Q52	During the past 30 days, how often did your parents or guardians check to see if your homework was done?		
		1	Never	540	17.0
		2	Rarely	626	20.5
		3	Sometimes	896	30.3
		4	Most of the time	644	20.2
		5	Always	401	12.0
			Missing	9	
77-77	Q53	Q53	During the past 30 days, how often did your parents or guardians understand your problems and worries?		
		1	Never	472	15.3
		2	Rarely	641	20.9
		3	Sometimes	875	28.8
		4	Most of the time	638	20.2
		5	Always	461	14.9
			Missing	29	
78-78	Q54	Q54	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?		
		1	Never	365	10.7
		2	Rarely	500	16.5
		3	Sometimes	828	28.1
		4	Most of the time	782	25.5
		5	Always	603	19.2
			Missing	38	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
146-146	QN6		Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home		
		1	Yes	197	5.9
		2	No	2,915	94.1
			Missing	4	
147-147	QN7		Percentage of students who usually ate fruit, such as nanas, pepaya, pisang, or semangka one or more times per day during the past 30 days		
		1	Yes	2,096	69.6
		2	No	1,007	30.4
			Missing	13	
148-148	QN8		Percentage of students who usually ate vegetables, such as wortel, kol, bayam, or kangkung one or more times per day during the past 30 days		
		1	Yes	2,578	83.3
		2	No	510	16.7
			Missing	28	
149-149	QN9		Percentage of students who cleaned or brushed their teeth less than 1 time per day during the past 30 days		
		1	Yes	100	2.6
		2	No	3,010	97.4
			Missing	6	
150-150	QN10		Percentage of students who never or rarely washed their hands before eating during the past 30 days		
		1	Yes	136	4.3
		2	No	2,966	95.7
			Missing	14	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
151-151	QN11		Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days		
		1	Yes	97	2.6
		2	No	3,010	97.4
			Missing	9	
152-152	QN12		Percentage of students who never or rarely used soap when washing their hands during the past 30 days		
		1	Yes	309	8.9
		2	No	2,805	91.1
			Missing	2	
153-153	QN13		Percentage of students who were physically attacked one or more times during the past 12 months		
		1	Yes	1,261	40.2
		2	No	1,831	59.8
			Missing	24	
154-154	QN14		Percentage of students who were in a physical fight one or more times during the past 12 months		
		1	Yes	1,143	33.6
		2	No	1,947	66.4
			Missing	26	
155-155	QN15		Percentage of students who were seriously injured one or more times during the past 12 months		
		1	Yes	1,250	45.9
		2	No	1,457	54.1
			Missing	409	
156-156	QN16		Among students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport		
		1	Yes	298	24.1
		2	No	945	75.9
			Missing	1,873	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
157-157	QN17		Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall		
		1	Yes	492	40.2
		2	No	750	59.8
			Missing	1,874	
158-158	QN18		Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident		
		1	Yes	620	51.6
		2	No	616	48.4
			Missing	1,880	
159-159	QN19		Among students who were seriously injured during the past 12 months, the percentage who had a broken bone or a dislocated joint as their most serious injury		
		1	Yes	428	36.6
		2	No	814	63.4
			Missing	1,874	
160-160	QN20		Percentage of students who were bullied on one or more days during the past 30 days		
		1	Yes	1,355	49.7
		2	No	1,339	50.3
			Missing	422	
161-161	QN21		Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors		
		1	Yes	122	8.2
		2	No	1,220	91.8
			Missing	1,774	
162-162	QN22		Percentage of students who felt lonely most of the time or always during the past 12 months		
		1	Yes	274	8.6
		2	No	2,821	91.4
			Missing	21	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
163-163	QN23		Percentage of students who most of the time or always felt so worried about something that they could not sleep at night during the past 12 months		
		1	Yes	243	7.7
		2	No	2,857	92.3
			Missing	16	
164-164	QN24		Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing their usual activities during the past 12 months		
		1	Yes	695	21.3
		2	No	2,408	78.7
			Missing	13	
165-165	QN25		Percentage of students who seriously considered attempting suicide during the past 12 months		
		1	Yes	147	4.2
		2	No	2,956	95.8
			Missing	13	
166-166	QN26		Percentage of students who made a plan about how they would attempt suicide during the past 12 months		
		1	Yes	113	3.3
		2	No	2,968	96.7
			Missing	35	
167-167	QN27		Percentage of students who have no close friends		
		1	Yes	46	1.4
		2	No	3,052	98.6
			Missing	18	
168-168	QN28		Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age 13 or younger		
		1	Yes	205	71.1
		2	No	85	28.9
			Missing	2,826	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
169-169	QN29		Percentage of students who smoked cigarettes on one or more days during the past 30 days		
		1	Yes	296	10.9
		2	No	2,695	89.1
			Missing	125	
170-170	QN30		Percentage of students who used any other form of tobacco, such as sirih or cerutu on one or more days during the past 30 days		
		1	Yes	130	3.9
		2	No	2,977	96.1
			Missing	9	
171-171	QN31		Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes		
		1	Yes	328	85.5
		2	No	60	14.5
			Missing	2,728	
172-172	QN32		Percentage of students who reported people smoking in their presence on one or more days during the past 7 days		
		1	Yes	2,609	85.5
		2	No	486	14.5
			Missing	21	
173-173	QN33		Percentage of students who have a parent or guardian who uses any form of tobacco		
		1	Yes	2,061	66.4
		2	No	1,048	33.6
			Missing	7	
174-174	QN34		Percentage of students who had at least one drink containing alcohol on one or more days during the past 30 days		
		1	Yes	83	2.6
		2	No	2,931	97.4
			Missing	102	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
175-175	QN35		Among students who had at least one drink containing alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol during the past 30 days		
		1	Yes	17	24.7
		2	No	66	75.3
			Missing	3,033	
176-176	QN36		Among students who had at least one drink containing alcohol during the past 30 days, the percentage who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor		
		1	Yes	15	19.3
		2	No	68	80.7
			Missing	3,033	
177-177	QN37		Percentage of students who drank so much alcohol that they were really drunk one or more times during their life		
		1	Yes	74	2.5
		2	No	3,038	97.5
			Missing	4	
178-178	QN38		Percentage of students who had a hang-over, felt sick, got into trouble with their family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life		
		1	Yes	61	1.9
		2	No	3,042	98.1
			Missing	13	
179-179	QN39		Percentage of students who used drugs, such as putaw or sabu-sabu one or more times during their life		
		1	Yes	16	0.5
		2	No	3,095	99.5
			Missing	5	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
180-180	QN40		Percentage of students who have ever had sexual intercourse		
		1	Yes	18	0.4
		2	No	3,049	99.6
			Missing	49	
181-181	QN41		Percentage of students who had sexual intercourse for the first time before age 13		
		1	Yes	14	0.4
		2	No	3,054	99.6
			Missing	48	
182-182	QN42		Percentage of students who have had sexual intercourse with two or more people during their life		
		1	Yes	18	0.5
		2	No	3,057	99.5
			Missing	41	
183-183	QN43		Percentage of students who had sexual intercourse during the past 12 months		
		1	Yes	160	4.9
		2	No	2,948	95.1
			Missing	8	
184-184	QN44		Among students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse		
		1	Yes	6	25.1
		2	No	16	74.9
			Missing	3,094	
185-185	QN45		Percentage of students who were physically active for a total of at least 60 minutes per day on all 7 days during the past 7 days		
		1	Yes	493	16.5
		2	No	2,608	83.5
			Missing	15	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
186-186	QN46		Percentage of students who were physically active for a total of at least 60 minutes per day on all 7 days during a typical or usual week		
		1	Yes	425	14.3
		2	No	2,672	85.7
			Missing	19	
187-187	QN47		Percentage of students who spent three or more hours per day during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as main play station		
		1	Yes	983	33.6
		2	No	2,099	66.4
			Missing	34	
188-188	QN48		Percentage of students who did not walk or ride a bicycle to and from school during the past seven days		
		1	Yes	1,332	38.9
		2	No	1,772	61.1
			Missing	12	
189-189	QN49		Percentage of students who usually took 29 minutes or less each day to get to and from school during the past 7 days		
		1	Yes	2,148	67.5
		2	No	939	32.5
			Missing	29	
190-190	QN50		Percentage of students who missed classes or school without permission on one or more days during the past 30 days		
		1	Yes	1,014	32.3
		2	No	2,057	67.7
			Missing	45	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
191-191	QN51		Percentage of students who reported that most of the students in their school were never or rarely kind and helpful during the past 30 days		
		1	Yes	712	22.2
		2	No	2,392	77.8
			Missing	12	
192-192	QN52		Percentage of students whose parents or guardians never or rarely checked to see if their homework was done during the past 30 days		
		1	Yes	1,166	37.5
		2	No	1,941	62.5
			Missing	9	
193-193	QN53		Percentage of students whose parents or guardians never or rarely understood their problems and worries during the past 30 days		
		1	Yes	1,113	36.2
		2	No	1,974	63.8
			Missing	29	
194-194	QN54		Percentage of students whose parents or guardians never or rarely really knew what they were doing with their free time during the past 30 days		
		1	Yes	865	27.3
		2	No	2,213	72.7
			Missing	38	
262-262	QNROVWTG		Percentage of students who are at risk for becoming overweight*		
		1	Yes	168	5.8
		2	No	2,175	94.2
			Missing	773	
263-263	QNOVWTG		Percentage of students who are overweight*		
		1	Yes	41	1.3
		2	No	2,302	98.7
			Missing	773	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
264-264	QNFRVGG		Percentage of students who ate fruits and vegetables five or more times per day during the past 30 days		
		1	Yes	765	24.9
		2	No	2,317	75.1
			Missing	34	
265-265	QNANYTBG		Percentage of students who used any tobacco on one or more of the past 30 days		
		1	Yes	339	12.0
		2	No	2,647	88.0
			Missing	130	
266-266	QNMIMPAG		Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average		
		1	Yes	2,471	78.8
		2	No	621	21.2
			Missing	24	
267-267	QNWKRDP		Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days		
		1	Yes	2,372	73.9
		2	No	707	26.1
			Missing	37	
358-369	Weight		Weight		
370-374	PSU		Primary Sampling Unit		
375-383	Stratum		Stratum		
384-388	BMIPct		Percentile for body mass index, by age and sex		