

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Ecuador (Zamora) Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|--|----------------------|------------------|
| 1-3 | SITE | | Site Code | | |
| 4-13 | SCHOOL | | School Codes | | |
| 14-16 | CLASS | | Class Codes | | |
| 17-17 | Q1 | Q1 | How old are you? | | |
| | | 1 | 11 years old or younger | 82 | 13.2 |
| | | 2 | 12 years old | 186 | 28.7 |
| | | 3 | 13 years old | 180 | 28.1 |
| | | 4 | 14 years old | 94 | 14.7 |
| | | 5 | 15 years old | 56 | 9.4 |
| | | 6 | 16 years old or older | 34 | 5.8 |
| | | | Missing | 8 | |
| 18-18 | Q2 | Q2 | What is your sex? | | |
| | | 1 | Male | 283 | 44.7 |
| | | 2 | Female | 348 | 55.3 |
| | | | Missing | 9 | |
| 19-19 | Q3 | Q3 | In what grade are you? | | |
| | | 1 | 8th grade | 259 | 41.5 |
| | | 2 | 9th grade | 195 | 29.0 |
| | | 3 | 10th grade | 139 | 22.2 |
| | | 4 | Freshman | 45 | 7.3 |
| | | | Missing | 2 | |
| 20-23 | Q4 | Q4 | How tall are you without your shoes on? (Note: Data are in meters.) | | |
| 24-29 | Q5 | Q5 | How much do you weigh without your shoes on? (Note: Data are in kilograms.) | | |
| 30-30 | Q6 | Q6 | During the past 30 days, how often did you go hungry because there was not enough food in your home? | | |
| | | 1 | Never | 425 | 65.9 |
| | | 2 | Rarely | 138 | 21.7 |
| | | 3 | Sometimes | 56 | 9.2 |
| | | 4 | Most of the time | 10 | 1.7 |
| | | 5 | Always | 9 | 1.5 |
| | | | Missing | 2 | |

2007 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Ecuador (Zamora) Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|---|----------------------|------------------|
| 31-31 | Q7 | Q7 | During the past 30 days, how many times per day did you usually eat fruit, such as bananas, oranges, pineapple, or apples? | | |
| | | 1 | I did not eat fruit during the past 30 days | 51 | 8.5 |
| | | 2 | Less than one time per day | 137 | 21.6 |
| | | 3 | 1 time per day | 203 | 32.2 |
| | | 4 | 2 times per day | 97 | 15.0 |
| | | 5 | 3 times per day | 81 | 12.5 |
| | | 6 | 4 times per day | 21 | 3.2 |
| | | 7 | 5 or more times per day | 47 | 7.0 |
| | | | Missing | 3 | |
| 32-32 | Q8 | Q8 | During the past 30 days, how many times per day did you usually eat vegetables, such as lettuce, carrots, tomatoes, or spinach? | | |
| | | 1 | I did not eat vegetables during the past 30 days | 56 | 9.2 |
| | | 2 | Less than one time per day | 121 | 18.9 |
| | | 3 | 1 time per day | 249 | 39.7 |
| | | 4 | 2 times per day | 109 | 16.7 |
| | | 5 | 3 times per day | 52 | 8.2 |
| | | 6 | 4 times per day | 11 | 1.8 |
| | | 7 | 5 or more times per day | 35 | 5.5 |
| | | | Missing | 7 | |
| 33-33 | Q9 | Q12 | During the past 30 days, how many times per day did you usually clean or brush your teeth? | | |
| | | 1 | I did not clean or brush my teeth during the past 30 days | 12 | 2.0 |
| | | 2 | Less than 1 time per day | 53 | 8.7 |
| | | 3 | 1 time per day | 144 | 22.7 |
| | | 4 | 2 times per day | 349 | 54.3 |
| | | 5 | 3 times per day | 77 | 12.3 |
| | | | Missing | 5 | |

2007 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Ecuador (Zamora) Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|---|----------------------|------------------|
| 34-34 | Q10 | Q13 | During the past 30 days, how often did you wash your hands before eating? | | |
| | | 1 | Never | 12 | 1.9 |
| | | 2 | Rarely | 64 | 10.2 |
| | | 3 | Sometimes | 117 | 19.0 |
| | | 4 | Most of the time | 173 | 27.0 |
| | | 5 | Always | 264 | 41.9 |
| | | | Missing | 10 | |
| 35-35 | Q11 | Q14 | During the past 30 days, how often did you wash your hands after using the toilet or latrine? | | |
| | | 1 | Never | 13 | 2.1 |
| | | 2 | Rarely | 46 | 7.7 |
| | | 3 | Sometimes | 66 | 10.9 |
| | | 4 | Most of the time | 112 | 18.0 |
| | | 5 | Always | 386 | 61.2 |
| | | | Missing | 17 | |
| 36-36 | Q12 | Q15 | During the past 30 days, how often did you use soap when washing your hands? | | |
| | | 1 | Never | 20 | 3.2 |
| | | 2 | Rarely | 55 | 8.9 |
| | | 3 | Sometimes | 147 | 23.2 |
| | | 4 | Most of the time | 188 | 29.1 |
| | | 5 | Always | 227 | 35.6 |
| | | | Missing | 3 | |
| 37-37 | Q13 | Q16 | During the past 12 months, how many times were you physically attacked? | | |
| | | 1 | 0 times | 411 | 64.4 |
| | | 2 | 1 time | 115 | 18.2 |
| | | 3 | 2 or 3 times | 64 | 10.1 |
| | | 4 | 4 or 5 times | 20 | 3.1 |
| | | 5 | 6 or 7 times | 6 | 1.0 |
| | | 6 | 8 or 9 times | 3 | 0.5 |
| | | 7 | 10 or 11 times | 2 | 0.3 |
| | | 8 | 12 or more times | 14 | 2.2 |
| | | | Missing | 5 | |

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Ecuador (Zamora) Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|---|----------------------|------------------|
| 38-38 | Q14 | Q18 | During the past 12 months, how many times were you in a physical fight? | | |
| | | 1 | 0 times | 463 | 72.9 |
| | | 2 | 1 time | 104 | 16.0 |
| | | 3 | 2 or 3 times | 42 | 6.5 |
| | | 4 | 4 or 5 times | 13 | 1.9 |
| | | 5 | 6 or 7 times | 4 | 0.7 |
| | | 6 | 8 or 9 times | 5 | 0.7 |
| | | 7 | 10 or 11 times | 2 | 0.4 |
| | | 8 | 12 or more times | 6 | 1.0 |
| | | | Missing | 1 | |
| 39-39 | Q15 | Q19 | During the past 12 months, how many times were you seriously injured? | | |
| | | 1 | 0 times | 307 | 52.6 |
| | | 2 | 1 time | 173 | 30.1 |
| | | 3 | 2 or 3 times | 65 | 10.8 |
| | | 4 | 4 or 5 times | 17 | 2.8 |
| | | 5 | 6 or 7 times | 8 | 1.3 |
| | | 6 | 8 or 9 times | 4 | 0.7 |
| | | 7 | 10 or 11 times | 3 | 0.5 |
| | | 8 | 12 or more times | 6 | 1.1 |
| | | | Missing | 57 | |

2007 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Ecuador (Zamora) Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|--|----------------------|------------------|
| 40-40 | Q16 | Q20 | During the past 12 months, what were you doing when the most serious injury happened to you? | | |
| | | 1 | I was not seriously injured during the past 12 months | 358 | 59.8 |
| | | 2 | Playing or training for a sport | 102 | 16.8 |
| | | 3 | Walking or running, but not as part of playing or training for a sport | 35 | 6.1 |
| | | 4 | Riding a bicycle or scooter | 36 | 6.0 |
| | | 5 | Riding or driving in a car or other motor vehicle | 4 | 0.6 |
| | | 6 | Doing any paid or unpaid work, including housework, yard work, or cooking | 17 | 2.9 |
| | | 7 | Nothing | 20 | 3.1 |
| | | 8 | Something else | 28 | 4.7 |
| | | | Missing | 40 | |
| 41-41 | Q17 | Q21 | During the past 12 months, what was the major cause of the most serious injury that happened to you? | | |
| | | 1 | I was not seriously injured during the past 12 months | 388 | 64.0 |
| | | 2 | I was in a motor vehicle accident or hit by a motor vehicle | 11 | 1.9 |
| | | 3 | I fell | 128 | 20.7 |
| | | 4 | Something fell on me or hit me | 20 | 3.3 |
| | | 5 | I was fighting with someone | 7 | 1.2 |
| | | 6 | I was attacked, assaulted, or abused by someone | 1 | 0.1 |
| | | 7 | I was in a fire or too near a flame or something hot | 2 | 0.4 |
| | | 8 | Something else caused my injury | 52 | 8.4 |
| | | | Missing | 31 | |

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Ecuador (Zamora) Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|--|----------------------|------------------|
| 42-42 | Q18 | Q22 | During the past 12 months, how did the most serious injury happen to you? | | |
| | | 1 | I was not seriously injured during the past 12 months | 391 | 64.3 |
| | | 2 | I hurt myself by accident | 135 | 22.1 |
| | | 3 | Someone else hurt me by accident | 50 | 8.2 |
| | | 4 | I hurt myself on purpose | 10 | 1.7 |
| | | 5 | Someone else hurt me on purpose | 23 | 3.8 |
| | | | Missing | 31 | |
| 43-43 | Q19 | Q23 | During the past 12 months, what was the most serious injury that happened to you? | | |
| | | 1 | I was not seriously injured during the past 12 months | 395 | 65.7 |
| | | 2 | I had a broken bone or a dislocated joint | 63 | 10.4 |
| | | 3 | I had a cut, puncture, or stab wound | 20 | 3.4 |
| | | 4 | I had a concussion or other head or neck injury, was knocked out, or could not breathe | 27 | 4.6 |
| | | 5 | I had a gunshot wound | 1 | 0.2 |
| | | 6 | I had a bad burn | 3 | 0.5 |
| | | 7 | I lost all or part of a foot, leg, hand, or arm | 2 | 0.3 |
| | | 8 | Something else happened to me | 90 | 14.9 |
| | | | Missing | 39 | |
| 44-44 | Q20 | Q24 | During the past 30 days, on how many days were you bullied? | | |
| | | 1 | 0 days | 405 | 71.1 |
| | | 2 | 1 or 2 days | 114 | 20.5 |
| | | 3 | 3 to 5 days | 18 | 3.3 |
| | | 4 | 6 to 9 days | 18 | 3.3 |
| | | 5 | 10 to 19 days | 5 | 0.9 |
| | | 7 | All 30 days | 5 | 0.9 |
| | | | Missing | 75 | |

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Ecuador (Zamora) Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|--|----------------------|------------------|
| 45-45 | Q21 | Q25 | During the past 30 days, how were you bullied most often? | | |
| | | 1 | I was not bullied during the past 30 days | 404 | 71.1 |
| | | 2 | I was hit, kicked, pushed, shoved around, or locked indoors | 29 | 5.2 |
| | | 3 | I was made fun of because of my race or color | 24 | 4.4 |
| | | 4 | I was made fun of because of my religion | 6 | 1.1 |
| | | 5 | I was made fun of with sexual jokes, comments, or gestures | 14 | 2.5 |
| | | 6 | I was left out of activities on purpose or completely ignored | 11 | 2.0 |
| | | 7 | I was made fun of because of how my body or face looks | 19 | 3.4 |
| | | 8 | I was bullied in some other way | 57 | 10.2 |
| | | | Missing | 76 | |
| 46-46 | Q22 | Q30 | During the past 12 months, how often have you felt lonely? | | |
| | | 1 | Never | 197 | 30.5 |
| | | 2 | Rarely | 231 | 35.7 |
| | | 3 | Sometimes | 143 | 23.0 |
| | | 4 | Most of the time | 37 | 5.6 |
| | | 5 | Always | 32 | 5.2 |
| 47-47 | Q23 | Q31 | During the past 12 months, how often have you been so worried about something that you could not sleep at night? | | |
| | | 1 | Never | 191 | 29.8 |
| | | 2 | Rarely | 240 | 37.2 |
| | | 3 | Sometimes | 154 | 24.7 |
| | | 4 | Most of the time | 27 | 4.3 |
| | | 5 | Always | 25 | 4.0 |
| | | | Missing | 3 | |

2007 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Ecuador (Zamora) Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|---|----------------------|------------------|
| 48-48 | Q24 | Q32 | During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing your usual activities? | | |
| | | 1 | Yes | 200 | 32.4 |
| | | 2 | No | 429 | 67.6 |
| | | | Missing | 11 | |
| 49-49 | Q25 | Q33 | During the past 12 months, did you ever seriously consider attempting suicide? | | |
| | | 1 | Yes | 116 | 18.1 |
| | | 2 | No | 516 | 81.9 |
| | | | Missing | 8 | |
| 50-50 | Q26 | Q34 | During the past 12 months, did you make a plan about how you would attempt suicide? | | |
| | | 1 | Yes | 98 | 15.3 |
| | | 2 | No | 534 | 84.7 |
| | | | Missing | 8 | |
| 51-51 | Q27 | Q35 | How many close friends do you have? | | |
| | | 1 | 0 | 29 | 4.7 |
| | | 2 | 1 | 68 | 10.8 |
| | | 3 | 2 | 87 | 14.1 |
| | | 4 | 3 or more | 448 | 70.4 |
| | | | Missing | 8 | |
| 52-52 | Q28 | Q37 | How old were you when you first tried a cigarette? | | |
| | | 1 | I have never smoked cigarettes | 304 | 54.4 |
| | | 2 | 7 years old or younger | 27 | 4.9 |
| | | 3 | 8 or 9 years old | 47 | 8.4 |
| | | 4 | 10 or 11 years old | 85 | 14.8 |
| | | 5 | 12 or 13 years old | 59 | 11.0 |
| | | 6 | 14 or 15 years old | 29 | 5.5 |
| | | 7 | 16 years old or older | 6 | 1.1 |
| | | | Missing | 83 | |

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Ecuador (Zamora) Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|--|----------------------|------------------|
| 53-53 | Q29 | Q38 | During the past 30 days, on how many days did you smoke cigarettes? | | |
| | | 1 | 0 days | 472 | 82.3 |
| | | 2 | 1 or 2 days | 65 | 11.8 |
| | | 3 | 3 to 5 days | 15 | 2.6 |
| | | 4 | 6 to 9 days | 13 | 2.2 |
| | | 5 | 10 to 19 days | 3 | 0.6 |
| | | 7 | All 30 days | 3 | 0.6 |
| | | | Missing | 69 | |
| 54-54 | Q30 | Q39 | During the past 30 days, on how many days did you use any other form of tobacco, such as Havana or pipe? | | |
| | | 1 | 0 days | 600 | 94.1 |
| | | 2 | 1 or 2 days | 27 | 4.1 |
| | | 3 | 3 to 5 days | 5 | 0.9 |
| | | 4 | 6 to 9 days | 2 | 0.3 |
| | | 5 | 10 to 19 days | 1 | 0.2 |
| | | 6 | 20 to 29 days | 1 | 0.2 |
| | | 7 | All 30 days | 1 | 0.2 |
| | | | Missing | 3 | |
| 55-55 | Q31 | Q40 | During the past 12 months, have you ever tried to stop smoking cigarettes? | | |
| | | 1 | I have never smoked cigarettes | 290 | 56.2 |
| | | 2 | I did not smoke cigarettes during the past 12 months | 89 | 17.2 |
| | | 3 | Yes | 94 | 18.7 |
| | | 4 | No | 40 | 7.9 |
| | | | Missing | 127 | |
| 56-56 | Q32 | Q45 | During the past 7 days, on how many days have people smoked in your presence? | | |
| | | 1 | 0 days | 192 | 29.7 |
| | | 2 | 1 or 2 days | 247 | 38.5 |
| | | 3 | 3 or 4 days | 78 | 12.1 |
| | | 4 | 5 or 6 days | 37 | 5.9 |
| | | 5 | All 7 days | 84 | 13.8 |
| | | | Missing | 2 | |

2007 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Ecuador (Zamora) Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|--|----------------------|------------------|
| 57-57 | Q33 | Q46 | Which of your parents or guardians use any form of tobacco? | | |
| | | 1 | Neither | 392 | 61.7 |
| | | 2 | My father or male guardian | 153 | 24.0 |
| | | 3 | My mother or female guardian | 16 | 2.5 |
| | | 4 | Both | 11 | 1.6 |
| | | 5 | I do not know | 64 | 10.2 |
| | | | Missing | 4 | |
| 58-58 | Q34 | Q50 | During the past 30 days, on how many days did you have at least one drink containing alcohol? | | |
| | | 1 | 0 days | 350 | 65.5 |
| | | 2 | 1 or 2 days | 143 | 26.3 |
| | | 3 | 3 to 5 days | 19 | 3.4 |
| | | 4 | 6 to 9 days | 13 | 2.5 |
| | | 5 | 10 to 19 days | 6 | 1.2 |
| | | 6 | 20 to 29 days | 3 | 0.6 |
| | | 7 | All 30 days | 3 | 0.5 |
| | | | Missing | 103 | |
| 59-59 | Q35 | Q51 | During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day? | | |
| | | 1 | I did not drink alcohol during the past 30 days | 335 | 62.2 |
| | | 2 | Less than one drink | 85 | 15.7 |
| | | 3 | 1 drink | 41 | 7.7 |
| | | 4 | 2 drinks | 27 | 4.8 |
| | | 5 | 3 drinks | 16 | 2.9 |
| | | 6 | 4 drinks | 12 | 2.2 |
| | | 7 | 5 or more drinks | 25 | 4.5 |
| | | | Missing | 99 | |

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Ecuador (Zamora) Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|--|----------------------|------------------|
| 60-60 | Q36 | Q52 | During the past 30 days, how did you usually get the alcohol you drank? | | |
| | | 1 | I did not drink alcohol during the past 30 days | 334 | 64.4 |
| | | 2 | I bought it in a store, shop, or from a street vendor | 54 | 10.5 |
| | | 3 | I gave someone else money to buy it for me | 16 | 3.1 |
| | | 4 | I got it from my friends | 72 | 13.8 |
| | | 5 | I got it from home | 13 | 2.3 |
| | | 8 | I got it some other way | 31 | 5.9 |
| | | | Missing | 120 | |
| 61-61 | Q37 | Q54 | During your life, how many times did you drink so much alcohol that you were really drunk? | | |
| | | 1 | 0 times | 497 | 77.6 |
| | | 2 | 1 or 2 times | 115 | 18.2 |
| | | 3 | 3 to 9 times | 19 | 3.0 |
| | | 4 | 10 or more times | 7 | 1.1 |
| | | | Missing | 2 | |
| 62-62 | Q38 | Q55 | During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol? | | |
| | | 1 | 0 times | 530 | 83.3 |
| | | 2 | 1 or 2 times | 86 | 13.5 |
| | | 3 | 3 to 9 times | 13 | 2.1 |
| | | 4 | 10 or more times | 7 | 1.2 |
| | | | Missing | 4 | |
| 63-63 | Q39 | Q60 | During your life, how many times have you used drugs such as marijuana, cocaine, or extasis? | | |
| | | 1 | 0 times | 616 | 96.5 |
| | | 2 | 1 or 2 times | 17 | 2.7 |
| | | 3 | 3 to 9 times | 4 | 0.7 |
| | | 4 | 10 or more times | 1 | 0.1 |
| | | | Missing | 2 | |

2007 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Ecuador (Zamora) Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|---|----------------------|------------------|
| 64-64 | Q40 | Q61 | Have you ever had sexual intercourse? | | |
| | | 1 | Yes | 90 | 15.5 |
| | | 2 | No | 500 | 84.5 |
| | | | Missing | 50 | |
| 65-65 | Q41 | Q62 | How old were you when you had sexual intercourse for the first time? | | |
| | | 1 | I have never had sexual intercourse | 488 | 81.4 |
| | | 2 | 11 years old or younger | 39 | 6.6 |
| | | 3 | 12 years old | 17 | 2.9 |
| | | 4 | 13 years old | 15 | 2.6 |
| | | 5 | 14 years old | 15 | 2.6 |
| | | 6 | 15 years old | 16 | 2.7 |
| | | 7 | 16 years old or older | 6 | 1.1 |
| | | | Missing | 44 | |
| 66-66 | Q42 | Q63 | During your life, with how many people have you had sexual intercourse? | | |
| | | 1 | I have never had sexual intercourse | 488 | 80.3 |
| | | 2 | 1 person | 53 | 8.9 |
| | | 3 | 2 people | 28 | 4.9 |
| | | 4 | 3 people | 10 | 1.7 |
| | | 5 | 4 people | 8 | 1.4 |
| | | 6 | 5 people | 5 | 0.8 |
| | | 7 | 6 or more people | 12 | 2.0 |
| | | | Missing | 36 | |
| 67-67 | Q43 | Q64 | During the past 12 months, have you had sexual intercourse? | | |
| | | 1 | Yes | 101 | 16.5 |
| | | 2 | No | 520 | 83.5 |
| | | | Missing | 19 | |

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Ecuador (Zamora) Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|--|----------------------|------------------|
| 68-68 | Q44 | Q65 | The last time you had sexual intercourse, did you or your partner use a condom or preservative? | | |
| | | 1 | I have never had sexual intercourse | 469 | 77.3 |
| | | 2 | Yes | 60 | 10.2 |
| | | 3 | No | 73 | 12.5 |
| | | | Missing | 38 | |
| 69-69 | Q45 | Q68 | During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? | | |
| | | 1 | 0 days | 196 | 31.8 |
| | | 2 | 1 day | 134 | 21.1 |
| | | 3 | 2 days | 85 | 13.4 |
| | | 4 | 3 days | 36 | 5.7 |
| | | 5 | 4 days | 33 | 5.3 |
| | | 6 | 5 days | 50 | 7.7 |
| | | 7 | 6 days | 12 | 1.9 |
| | | 8 | 7 days | 86 | 13.0 |
| | | | Missing | 8 | |
| 70-70 | Q46 | Q69 | During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day? | | |
| | | 1 | 0 days | 192 | 30.8 |
| | | 2 | 1 day | 178 | 27.6 |
| | | 3 | 2 days | 71 | 11.2 |
| | | 4 | 3 days | 44 | 6.9 |
| | | 5 | 4 days | 24 | 3.6 |
| | | 6 | 5 days | 45 | 6.9 |
| | | 7 | 6 days | 18 | 2.8 |
| | | 8 | 7 days | 67 | 10.1 |
| | | | Missing | 1 | |

2007 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Ecuador (Zamora) Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|--|----------------------|------------------|
| 71-71 | Q47 | Q70 | How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as watching football matches? | | |
| | | 1 | Less than 1 hour per day | 269 | 42.8 |
| | | 2 | 1 to 2 hours per day | 216 | 34.0 |
| | | 3 | 3 to 4 hours per day | 95 | 14.9 |
| | | 4 | 5 to 6 hours per day | 29 | 4.5 |
| | | 5 | 7 to 8 hours per day | 14 | 2.2 |
| | | 6 | More than 8 hours per day | 11 | 1.7 |
| | | | Missing | 6 | |
| 72-72 | Q48 | Q71 | During the past 7 days, on how many days did you walk or ride a bicycle to and from school? | | |
| | | 1 | 0 days | 302 | 47.7 |
| | | 2 | 1 day | 65 | 10.2 |
| | | 3 | 2 days | 23 | 3.6 |
| | | 4 | 3 days | 27 | 4.1 |
| | | 5 | 4 days | 14 | 2.1 |
| | | 6 | 5 days | 57 | 8.9 |
| | | 7 | 6 days | 5 | 0.7 |
| | | 8 | 7 days | 144 | 22.7 |
| | | | Missing | 3 | |
| 73-73 | Q49 | Q72 | During the past 7 days, how long did it usually take for you to get to and from school each day? | | |
| | | 1 | Less than 10 minutes per day | 262 | 41.5 |
| | | 2 | 10 to 19 minutes per day | 155 | 24.2 |
| | | 3 | 20 to 29 minutes per day | 81 | 12.8 |
| | | 4 | 30 to 39 minutes per day | 59 | 8.9 |
| | | 5 | 40 to 49 minutes per day | 17 | 2.7 |
| | | 6 | 50 to 59 minutes per day | 11 | 1.7 |
| | | 7 | 60 or more minutes per day | 51 | 8.2 |
| | | | Missing | 4 | |

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Ecuador (Zamora) Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|--|----------------------|------------------|
| 74-74 | Q50 | Q76 | During the past 30 days, on how many days did you miss classes or school without permission? | | |
| | | 1 | 0 days | 458 | 71.5 |
| | | 2 | 1 or 2 days | 132 | 20.8 |
| | | 3 | 3 to 5 days | 28 | 4.6 |
| | | 4 | 6 to 9 days | 5 | 0.8 |
| | | 5 | 10 or more days | 14 | 2.3 |
| | | | Missing | 3 | |
| 75-75 | Q51 | Q77 | During the past 30 days, how often were most of the students in your school kind and helpful? | | |
| | | 1 | Never | 60 | 10.0 |
| | | 2 | Rarely | 149 | 23.5 |
| | | 3 | Sometimes | 134 | 21.0 |
| | | 4 | Most of the time | 138 | 22.0 |
| | | 5 | Always | 144 | 23.4 |
| | | | Missing | 15 | |
| 76-76 | Q52 | Q78 | During the past 30 days, how often did your parents or guardians check to see if your homework was done? | | |
| | | 1 | Never | 82 | 14.0 |
| | | 2 | Rarely | 82 | 12.9 |
| | | 3 | Sometimes | 119 | 18.6 |
| | | 4 | Most of the time | 122 | 19.0 |
| | | 5 | Always | 227 | 35.4 |
| | | | Missing | 8 | |
| 77-77 | Q53 | Q79 | During the past 30 days, how often did your parents or guardians understand your problems and worries? | | |
| | | 1 | Never | 108 | 17.6 |
| | | 2 | Rarely | 114 | 17.9 |
| | | 3 | Sometimes | 117 | 18.3 |
| | | 4 | Most of the time | 112 | 17.3 |
| | | 5 | Always | 183 | 28.9 |
| | | | Missing | 6 | |

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Ecuador (Zamora) Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|---|----------------------|------------------|
| 78-78 | Q54 | Q80 | During the past 30 days, how often did your parents or guardians really know what you were doing with your free time? | | |
| | | 1 | Never | 117 | 19.0 |
| | | 2 | Rarely | 108 | 17.4 |
| | | 3 | Sometimes | 138 | 22.1 |
| | | 4 | Most of the time | 95 | 15.1 |
| | | 5 | Always | 168 | 26.4 |
| | | | Missing | 14 | |
| 146-146 | QN6 | | Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home | | |
| | | 1 | Yes | 19 | 3.2 |
| | | 2 | No | 619 | 96.8 |
| | | | Missing | 2 | |
| 147-147 | QN7 | | Percentage of students who usually ate fruit, such as bananas, oranges, pineapple, or apples one or more times per day during the past 30 days | | |
| | | 1 | Yes | 449 | 69.9 |
| | | 2 | No | 188 | 30.1 |
| | | | Missing | 3 | |
| 148-148 | QN8 | | Percentage of students who usually ate vegetables, such as lettuce, carrots, tomatoes, or spinach one or more times per day during the past 30 days | | |
| | | 1 | Yes | 456 | 71.9 |
| | | 2 | No | 177 | 28.1 |
| | | | Missing | 7 | |
| 149-149 | QN9 | | Percentage of students who cleaned or brushed their teeth less than 1 time per day during the past 30 days | | |
| | | 1 | Yes | 65 | 10.7 |
| | | 2 | No | 570 | 89.3 |
| | | | Missing | 5 | |

2007 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Ecuador (Zamora) Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|---|----------------------|------------------|
| 150-150 | QN10 | | Percentage of students who never or rarely washed their hands before eating during the past 30 days | | |
| | | 1 | Yes | 76 | 12.1 |
| | | 2 | No | 554 | 87.9 |
| | | | Missing | 10 | |
| 151-151 | QN11 | | Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days | | |
| | | 1 | Yes | 59 | 9.8 |
| | | 2 | No | 564 | 90.2 |
| | | | Missing | 17 | |
| 152-152 | QN12 | | Percentage of students who never or rarely used soap when washing their hands during the past 30 days | | |
| | | 1 | Yes | 75 | 12.2 |
| | | 2 | No | 562 | 87.8 |
| | | | Missing | 3 | |
| 153-153 | QN13 | | Percentage of students who were physically attacked one or more times during the past 12 months | | |
| | | 1 | Yes | 224 | 35.6 |
| | | 2 | No | 411 | 64.4 |
| | | | Missing | 5 | |
| 154-154 | QN14 | | Percentage of students who were in a physical fight one or more times during the past 12 months | | |
| | | 1 | Yes | 176 | 27.1 |
| | | 2 | No | 463 | 72.9 |
| | | | Missing | 1 | |
| 155-155 | QN15 | | Percentage of students who were seriously injured one or more times during the past 12 months | | |
| | | 1 | Yes | 276 | 47.4 |
| | | 2 | No | 307 | 52.6 |
| | | | Missing | 57 | |

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Ecuador (Zamora) Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|--|----------------------|------------------|
| 156-156 | QN16 | | Among students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport | | |
| | | 1 | Yes | 102 | 36.6 |
| | | 2 | No | 173 | 63.4 |
| | | | Missing | 365 | |
| 157-157 | QN17 | | Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall | | |
| | | 1 | Yes | 128 | 45.9 |
| | | 2 | No | 147 | 54.1 |
| | | | Missing | 365 | |
| 158-158 | QN18 | | Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident | | |
| | | 1 | Yes | 135 | 49.2 |
| | | 2 | No | 138 | 50.8 |
| | | | Missing | 367 | |
| 159-159 | QN19 | | Among students who were seriously injured during the past 12 months, the percentage who had a broken bone or a dislocated joint as their most serious injury | | |
| | | 1 | Yes | 63 | 22.7 |
| | | 2 | No | 211 | 77.3 |
| | | | Missing | 366 | |
| 160-160 | QN20 | | Percentage of students who were bullied on one or more days during the past 30 days | | |
| | | 1 | Yes | 160 | 28.9 |
| | | 2 | No | 405 | 71.1 |
| | | | Missing | 75 | |

2007 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Ecuador (Zamora) Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|---|----------------------|------------------|
| 161-161 | QN21 | | Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors | | |
| | | 1 | Yes | 29 | 18.3 |
| | | 2 | No | 129 | 81.7 |
| | | | Missing | 482 | |
| 162-162 | QN22 | | Percentage of students who felt lonely most of the time or always during the past 12 months | | |
| | | 1 | Yes | 69 | 10.8 |
| | | 2 | No | 571 | 89.2 |
| 163-163 | QN23 | | Percentage of students who most of the time or always felt so worried about something that they could not sleep at night during the past 12 months | | |
| | | 1 | Yes | 52 | 8.3 |
| | | 2 | No | 585 | 91.7 |
| | | | Missing | 3 | |
| 164-164 | QN24 | | Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing their usual activities during the past 12 months | | |
| | | 1 | Yes | 200 | 32.4 |
| | | 2 | No | 429 | 67.6 |
| | | | Missing | 11 | |
| 165-165 | QN25 | | Percentage of students who seriously considered attempting suicide during the past 12 months | | |
| | | 1 | Yes | 116 | 18.1 |
| | | 2 | No | 516 | 81.9 |
| | | | Missing | 8 | |
| 166-166 | QN26 | | Percentage of students who made a plan about how they would attempt suicide during the past 12 months | | |
| | | 1 | Yes | 98 | 15.3 |
| | | 2 | No | 534 | 84.7 |
| | | | Missing | 8 | |

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Ecuador (Zamora) Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|---|----------------------|------------------|
| 167-167 | QN27 | | Percentage of students who have no close friends | | |
| | | 1 | Yes | 29 | 4.7 |
| | | 2 | No | 603 | 95.3 |
| | | | Missing | 8 | |
| 168-168 | QN28 | | Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age 13 or younger | | |
| | | 1 | Yes | 80 | 81.0 |
| | | 2 | No | 18 | 19.0 |
| | | | Missing | 542 | |
| 169-169 | QN29 | | Percentage of students who smoked cigarettes on one or more days during the past 30 days | | |
| | | 1 | Yes | 99 | 17.7 |
| | | 2 | No | 472 | 82.3 |
| | | | Missing | 69 | |
| 170-170 | QN30 | | Percentage of students who used any other form of tobacco, such as Havana or pipe on one or more days during the past 30 days | | |
| | | 1 | Yes | 37 | 5.9 |
| | | 2 | No | 600 | 94.1 |
| | | | Missing | 3 | |
| 171-171 | QN31 | | Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes | | |
| | | 1 | Yes | 94 | 70.5 |
| | | 2 | No | 40 | 29.5 |
| | | | Missing | 506 | |
| 172-172 | QN32 | | Percentage of students who reported people smoking in their presence on one or more days during the past 7 days | | |
| | | 1 | Yes | 446 | 70.3 |
| | | 2 | No | 192 | 29.7 |
| | | | Missing | 2 | |

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Ecuador (Zamora) Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|--|----------------------|------------------|
| 173-173 | QN33 | | Percentage of students who have a parent or guardian who uses any form of tobacco | | |
| | | 1 | Yes | 180 | 28.1 |
| | | 2 | No | 456 | 71.9 |
| | | | Missing | 4 | |
| 174-174 | QN34 | | Percentage of students who had at least one drink containing alcohol on one or more days during the past 30 days | | |
| | | 1 | Yes | 187 | 34.5 |
| | | 2 | No | 350 | 65.5 |
| | | | Missing | 103 | |
| 175-175 | QN35 | | Among students who had at least one drink containing alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol during the past 30 days | | |
| | | 1 | Yes | 79 | 41.7 |
| | | 2 | No | 107 | 58.3 |
| | | | Missing | 454 | |
| 176-176 | QN36 | | Among students who had at least one drink containing alcohol during the past 30 days, the percentage who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor | | |
| | | 1 | Yes | 52 | 28.7 |
| | | 2 | No | 132 | 71.3 |
| | | | Missing | 456 | |
| 177-177 | QN37 | | Percentage of students who drank so much alcohol that they were really drunk one or more times during their life | | |
| | | 1 | Yes | 141 | 22.4 |
| | | 2 | No | 497 | 77.6 |
| | | | Missing | 2 | |

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Ecuador (Zamora) Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|--|----------------------|------------------|
| 178-178 | QN38 | | Percentage of students who had a hang-over, felt sick, got into trouble with their family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life | | |
| | | 1 | Yes | 106 | 16.7 |
| | | 2 | No | 530 | 83.3 |
| | | | Missing | 4 | |
| 179-179 | QN39 | | Percentage of students who used drugs, such as marijuana, cocaine, or extasis one or more times during their life | | |
| | | 1 | Yes | 22 | 3.5 |
| | | 2 | No | 616 | 96.5 |
| | | | Missing | 2 | |
| 180-180 | QN40 | | Percentage of students who have ever had sexual intercourse | | |
| | | 1 | Yes | 90 | 15.5 |
| | | 2 | No | 500 | 84.5 |
| | | | Missing | 50 | |
| 181-181 | QN41 | | Percentage of students who had sexual intercourse for the first time before age 13 | | |
| | | 1 | Yes | 56 | 9.5 |
| | | 2 | No | 540 | 90.5 |
| | | | Missing | 44 | |
| 182-182 | QN42 | | Percentage of students who have had sexual intercourse with two or more people during their life | | |
| | | 1 | Yes | 63 | 10.7 |
| | | 2 | No | 541 | 89.3 |
| | | | Missing | 36 | |
| 183-183 | QN43 | | Percentage of students who had sexual intercourse during the past 12 months | | |
| | | 1 | Yes | 101 | 16.5 |
| | | 2 | No | 520 | 83.5 |
| | | | Missing | 19 | |

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Ecuador (Zamora) Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|--|----------------------|------------------|
| 184-184 | QN44 | | Among students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse | | |
| | | 1 | Yes | 33 | 57.2 |
| | | 2 | No | 25 | 42.8 |
| | | | Missing | 582 | |
| 185-185 | QN45 | | Percentage of students who were physically active for a total of at least 60 minutes per day on all 7 days during the past 7 days | | |
| | | 1 | Yes | 86 | 13.0 |
| | | 2 | No | 546 | 87.0 |
| | | | Missing | 8 | |
| 186-186 | QN46 | | Percentage of students who were physically active for a total of at least 60 minutes per day on all 7 days during a typical or usual week | | |
| | | 1 | Yes | 67 | 10.1 |
| | | 2 | No | 572 | 89.9 |
| | | | Missing | 1 | |
| 187-187 | QN47 | | Percentage of students who spent three or more hours per day during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as watching football matches | | |
| | | 1 | Yes | 149 | 23.2 |
| | | 2 | No | 485 | 76.8 |
| | | | Missing | 6 | |
| 188-188 | QN48 | | Percentage of students who did not walk or ride a bicycle to and from school during the past seven days | | |
| | | 1 | Yes | 302 | 47.7 |
| | | 2 | No | 335 | 52.3 |
| | | | Missing | 3 | |

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Ecuador (Zamora) Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|---|----------------------|------------------|
| 189-189 | QN49 | | Percentage of students who usually took 29 minutes or less each day to get to and from school during the past 7 days | | |
| | | 1 | Yes | 498 | 78.5 |
| | | 2 | No | 138 | 21.5 |
| | | | Missing | 4 | |
| 190-190 | QN50 | | Percentage of students who missed classes or school without permission on one or more days during the past 30 days | | |
| | | 1 | Yes | 179 | 28.5 |
| | | 2 | No | 458 | 71.5 |
| | | | Missing | 3 | |
| 191-191 | QN51 | | Percentage of students who reported that most of the students in their school were never or rarely kind and helpful during the past 30 days | | |
| | | 1 | Yes | 209 | 33.5 |
| | | 2 | No | 416 | 66.5 |
| | | | Missing | 15 | |
| 192-192 | QN52 | | Percentage of students whose parents or guardians never or rarely checked to see if their homework was done during the past 30 days | | |
| | | 1 | Yes | 164 | 26.9 |
| | | 2 | No | 468 | 73.1 |
| | | | Missing | 8 | |
| 193-193 | QN53 | | Percentage of students whose parents or guardians never or rarely understood their problems and worries during the past 30 days | | |
| | | 1 | Yes | 222 | 35.5 |
| | | 2 | No | 412 | 64.5 |
| | | | Missing | 6 | |
| 194-194 | QN54 | | Percentage of students whose parents or guardians never or rarely really knew what they were doing with their free time during the past 30 days | | |
| | | 1 | Yes | 225 | 36.4 |
| | | 2 | No | 401 | 63.6 |
| | | | Missing | 14 | |

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Ecuador (Zamora) Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Question Number | Question Code and Label | Unweighted Frequency | Weighted Percent |
|---------------|------------------------|-------------------------|--|----------------------|------------------|
| 264-264 | QNFRVGG | | Percentage of students who ate fruits and vegetables five or more times per day during the past 30 days | | |
| | | 1 | Yes | 137 | 21.1 |
| | | 2 | No | 495 | 78.9 |
| | | | Missing | 8 | |
| 265-265 | QNANYTBG | | Percentage of students who used any tobacco on one or more of the past 30 days | | |
| | | 1 | Yes | 105 | 18.9 |
| | | 2 | No | 463 | 81.1 |
| | | | Missing | 72 | |
| 266-266 | QNMINPAG | | Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average | | |
| | | 1 | Yes | 510 | 81.4 |
| | | 2 | No | 121 | 18.6 |
| | | | Missing | 9 | |
| 267-267 | QNWKRDG | | Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days | | |
| | | 1 | Yes | 574 | 90.8 |
| | | 2 | No | 59 | 9.2 |
| | | | Missing | 7 | |
| 358-369 | Weight | | Weight | | |
| 370-374 | PSU | | Primary Sampling Unit | | |
| 375-383 | Stratum | | Stratum | | |
| 384-388 | BMIPct | | Percentile for body mass index, by age and sex | | |