

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
17-17	Q1	Q1	How old are you?		
			1 11 years old or younger	4	0.2
			2 12 years old	207	6.6
			3 13 years old	462	15.6
			4 14 years old	412	17.7
			5 15 years old	272	16.9
			6 16 years old	280	15.6
			7 17 years old	265	16.3
			8 18 years old or older	146	11.2
			Missing	1	
18-18	Q2	Q2	What is your sex?		
			1 Male	1,018	49.7
			2 Female	1,015	50.3
			Missing	16	
19-19	Q3	Q3	In what grade are you?		
			1 7° basico	551	18.4
			2 8° basico	530	17.5
			3 1° medio	234	18.1
			4 2° medio	230	16.9
			5 3° medio	373	15.1
			6 4° medio	121	14.0
			Missing	10	
20-23	Q4	Q4	How tall are you without your shoes on? (Note: Data are in meters.)		
24-29	Q5	Q5	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
30-30	Q6	Q6	During the past 30 days, how often did you go hungry because there was not enough food in your home?		
			1 Never	1,472	72.4
			2 Rarely	401	19.4
			3 Sometimes	132	6.4
			4 Most of the time	23	1.2
			5 Always	11	0.6
			Missing	10	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
31-31	Q7	Q7	During the past 30 days, how many times per day did you usually eat fruit, such as apples, oranges, or bananas?		
			1 I did not eat fruit during the past 30 days	108	4.9
			2 Less than one time per day	424	23.0
			3 1 time per day	595	29.2
			4 2 times per day	478	22.9
			5 3 times per day	234	10.9
			6 4 times per day	82	3.7
			7 5 or more times per day	118	5.3
			Missing	10	
32-32	Q8	Q8	During the past 30 days, how many times per day did you usually eat vegetables, such as tomatoes, lettuce, cucumber, celery, carrots, or broccoli?		
			1 I did not eat vegetables during the past 30 days	83	3.7
			2 Less than one time per day	219	11.4
			3 1 time per day	672	33.7
			4 2 times per day	541	26.1
			5 3 times per day	215	11.0
			6 4 times per day	90	4.5
			7 5 or more times per day	205	9.7
			Missing	24	
33-33	Q9	Q9	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as Coke, Blizp Pap, or Fanta?		
			1 I did not drink carbonated soft drinks during the past 30 days	204	9.3
			2 Less than one time per day	499	25.3
			3 1 time per day	369	18.6
			4 2 times per day	369	18.1
			5 3 times per day	263	12.8
			6 4 times per day	112	5.6
			7 5 or more times per day	224	10.2
			Missing	9	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
34-34	Q10	Q10	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as McDonalds, Shop Dog, or Telepizza?		
			1 0 days	1,323	64.5
			2 1 day	425	21.4
			3 2 days	178	8.6
			4 3 days	60	3.2
			5 4 days	24	1.3
			6 5 days	5	0.2
			7 6 days	6	0.2
			8 7 days	12	0.5
			Missing	16	
39-39	Q15	Q11	During the past 12 months, how many times were you physically attacked?		
			1 0 times	1,639	82.2
			2 1 time	182	8.5
			3 2 or 3 times	118	5.2
			4 4 or 5 times	34	1.4
			5 6 or 7 times	12	0.4
			6 8 or 9 times	7	0.2
			7 10 or 11 times	13	0.6
			8 12 or more times	29	1.3
			Missing	15	
40-40	Q16	Q12	During the past 12 months, how many times were you in a physical fight?		
			1 0 times	1,494	73.8
			2 1 time	274	13.1
			3 2 or 3 times	184	8.3
			4 4 or 5 times	43	2.0
			5 6 or 7 times	13	0.6
			6 8 or 9 times	13	0.7
			7 10 or 11 times	3	0.1
			8 12 or more times	24	1.3
			Missing	1	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
41-41	Q17	Q13	During the past 12 months, how many times were you seriously injured?		
			1 0 times	1,179	63.6
			2 1 time	407	21.4
			3 2 or 3 times	200	11.0
			4 4 or 5 times	39	1.9
			5 6 or 7 times	14	0.7
			6 8 or 9 times	4	0.3
			7 10 or 11 times	4	0.2
			8 12 or more times	10	0.8
			Missing	192	
42-42	Q18	Q14	During the past 12 months, what was the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	1,325	70.6
			2 I had a broken bone or a dislocated joint	153	7.9
			3 I had a cut or stab wound	27	1.3
			4 I had a concussion or other head or neck injury, was knocked out, or could not breathe	33	1.7
			5 I had a gunshot wound	11	0.6
			6 I had a bad burn	7	0.3
			7 I was poisoned or took too much of a drug	3	0.2
			8 Something else happened to me	324	17.5
			Missing	166	
43-43	Q19	Q15	During the past 12 months, what was the major cause of the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	1,301	69.5
			2 I was in a motor vehicle accident or hit by a motor vehicle	24	1.7
			3 I fell	203	10.5
			4 Something fell on me or hit me	44	2.0
			5 I was attacked or abused or was fighting with someone	19	1.1
			6 I was in a fire or too near a flame or something hot	5	0.2
			7 I inhaled or swallowed something bad for me	12	0.7
			8 Something else caused my injury	269	14.3
			Missing	172	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
44-44	Q20	Q16	During the past 30 days, on how many days were you bullied?		
			1 0 days	1,724	87.1
			2 1 or 2 days	191	8.8
			3 3 to 5 days	42	1.9
			4 6 to 9 days	19	1.0
			5 10 to 19 days	12	0.6
			6 20 to 29 days	4	0.1
			7 All 30 days	9	0.4
			Missing	48	
45-45	Q21	Q17	During the past 30 days, how were you bullied most often?		
			1 I was not bullied during the past 30 days	1,751	88.9
			2 I was hit, kicked, pushed, shoved around, or locked indoors	18	0.9
			3 I was made fun of because of my race, nationality, or color	20	0.9
			4 I was made fun of because of my religion	8	0.4
			5 I was made fun of with sexual jokes, comments, or gestures	45	2.3
			6 I was left out of activities on purpose or completely ignored	14	0.6
			7 I was made fun of because of how my body or face looks	65	2.9
			8 I was bullied in some other way	67	3.1
			Missing	61	
52-52	Q28	Q18	How old were you when you first tried a cigarette?		
			1 I have never smoked cigarettes	1,027	46.7
			2 7 years old or younger	60	2.9
			3 8 or 9 years old	71	4.0
			4 10 or 11 years old	181	9.1
			5 12 or 13 years old	371	18.9
			6 14 or 15 years old	212	12.6
			7 16 or 17 years old	77	4.9
			8 18 years old or older	8	0.8
			Missing	42	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
53-53	Q29	Q19	During the past 30 days, on how many days did you smoke cigarettes?		
			1 0 days	1,513	71.8
			2 1 or 2 days	195	10.1
			3 3 to 5 days	92	4.9
			4 6 to 9 days	64	3.7
			5 10 to 19 days	55	3.3
			6 20 to 29 days	43	2.3
			7 All 30 days	59	3.8
			Missing	28	
54-54	Q30	Q20	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as chewing snuff, cigars, pipe, pipe Arabic or Argiles?		
			1 0 days	1,848	90.0
			2 1 or 2 days	91	5.2
			3 3 to 5 days	34	2.2
			4 6 to 9 days	22	1.1
			5 10 to 19 days	10	0.6
			6 20 to 29 days	4	0.2
			7 All 30 days	15	0.7
			Missing	25	
55-55	Q31	Q21	During the past 12 months, have you ever tried to stop smoking cigarettes?		
			1 I have never smoked cigarettes	1,200	55.6
			2 I did not smoke cigarettes during the past 12 months	268	14.5
			3 Yes	354	19.3
			4 No	195	10.6
			Missing	32	
56-56	Q32	Q22	During the past 7 days, on how many days have people smoked in your presence?		
			1 0 days	713	33.5
			2 1 or 2 days	556	27.0
			3 3 or 4 days	293	15.4
			4 5 or 6 days	130	7.1
			5 All 7 days	331	17.0
			Missing	26	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
57-57	Q33	Q23	Which of your parents or guardians use any form of tobacco?		
			1 Neither	1,161	58.4
			2 My father or male guardian	247	12.5
			3 My mother or female guardian	229	11.2
			4 Both	254	12.6
			5 I do not know	119	5.4
			Missing	39	
58-58	Q34	Q24	How old were you when you had your first drink of alcohol other than a few sips?		
			1 I have never had a drink of alcohol other than a few sips	831	39.5
			2 7 years old or younger	84	4.2
			3 8 or 9 years old	83	3.8
			4 10 or 11 years old	149	7.8
			5 12 or 13 years old	363	18.7
			6 14 or 15 years old	283	18.0
			7 16 or 17 years old	105	7.6
			8 18 years old or older	5	0.4
			Missing	146	
59-59	Q35	Q25	During the past 30 days, on how many days did you have at least one drink containing alcohol?		
			1 0 days	1,344	63.9
			2 1 or 2 days	332	17.7
			3 3 to 5 days	137	8.5
			4 6 to 9 days	79	4.9
			5 10 to 19 days	51	3.0
			6 20 to 29 days	14	0.8
			7 All 30 days	19	1.2
			Missing	73	
60-60	Q36	Q26	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?		
			1 I did not drink alcohol during the past 30 days	1,309	61.7
			2 Less than one drink	215	11.5
			3 1 drink	115	6.5
			4 2 drinks	109	6.0
			5 3 drinks	89	4.8
			6 4 drinks	51	3.1
			7 5 or more drinks	101	6.3
			Missing	60	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
61-61	Q37	Q27	During the past 30 days, how did you usually get the alcohol you drank?		
			1 I did not drink alcohol during the past 30 days	1,348	63.3
			2 I bought it in a store, shop, or from a street vendor	176	11.3
			3 I gave someone else money to buy it for me	41	2.2
			4 I got it from my friends	206	12.0
			5 I got it from my family	120	6.5
			6 I stole it or got it without permission	11	0.6
			7 I got it some other way	83	4.1
			Missing	64	
62-62	Q38	Q28	During your life, how many times did you drink so much alcohol that you were really drunk?		
			1 0 times	1,537	72.4
			2 1 or 2 times	280	16.5
			3 3 to 9 times	113	7.0
			4 10 or more times	68	4.1
			Missing	51	
63-63	Q39	Q29	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?		
			1 0 times	1,808	91.0
			2 1 or 2 times	102	5.5
			3 3 to 9 times	27	1.6
			4 10 or more times	33	1.9
			Missing	79	
64-64	Q40	Q30	How old were you when you first used drugs?		
			1 I have never used drugs	1,486	72.2
			2 7 years old or younger	21	1.2
			3 8 or 9 years old	19	1.1
			4 10 or 11 years old	35	1.9
			5 12 or 13 years old	136	6.7
			6 14 or 15 years old	166	10.1
			7 16 or 17 years old	86	5.9
			8 18 years old or older	10	1.0
			Missing	90	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
65-65	Q41	Q31	During your life, how many times have you used marijuana ?		
			1 0 times	1,544	74.5
			2 1 or 2 times	136	7.4
			3 3 to 9 times	105	5.8
			4 10 to 19 times	55	3.6
			5 20 or more times	139	8.7
			Missing	70	
66-66	Q42	Q32	During the past 30 days, how many times have you used marijuana ?		
			1 0 times	1,709	83.8
			2 1 or 2 times	113	6.4
			3 3 to 9 times	81	4.6
			4 10 to 19 times	39	2.3
			5 20 or more times	45	2.9
			Missing	62	
67-67	Q43	Q33	During your life, how many times have you used amphetamines or methamphetamines (also called anfetas, Ritalin, or cidrin)?		
			1 0 times	1,916	95.2
			2 1 or 2 times	49	2.8
			3 3 to 9 times	16	0.9
			4 10 to 19 times	3	0.2
			5 20 or more times	17	0.9
			Missing	48	
68-68	Q44	Q34	Have you ever had sexual intercourse?		
			1 Yes	636	37.8
			2 No	1,331	62.2
			Missing	82	
69-69	Q45	Q35	How old were you when you had sexual intercourse for the first time?		
			1 I have never had sexual intercourse	1,464	67.4
			2 11 years old or younger	55	2.6
			3 12 years old	48	2.4
			4 13 years old	83	4.1
			5 14 years old	127	8.0
			6 15 years old	104	6.6
			7 16 or 17 years old	118	8.4
			8 18 years old or older	8	0.7
			Missing	42	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
70-70	Q46	Q36	During your life, with how many people have you had sexual intercourse?		
			1 I have never had sexual intercourse	1,494	68.3
			2 1 person	250	14.7
			3 2 people	103	6.1
			4 3 people	62	3.7
			5 4 people	39	2.7
			6 5 people	20	1.2
			7 6 or more people	55	3.3
			Missing	26	
71-71	Q47	Q37	The last time you had sexual intercourse, did you or your partner use a condom or preservative?		
			1 I have never had sexual intercourse	1,465	67.8
			2 Yes	278	16.9
			3 No	248	15.3
			Missing	58	
72-72	Q48	Q38	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?		
			1 I have never had sexual intercourse	1,444	67.6
			2 Yes	258	16.6
			3 No	218	13.1
			4 I do not know	54	2.8
			Missing	75	
73-73	Q49	Q39	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
			1 0 days	347	17.6
			2 1 day	339	17.5
			3 2 days	309	15.8
			4 3 days	288	13.4
			5 4 days	204	9.7
			6 5 days	163	7.8
			7 6 days	85	4.4
			8 7 days	303	13.8
			Missing	11	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
74-74	Q50	Q40	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?		
			1 0 days	713	36.9
			2 1 day	172	8.5
			3 2 days	128	6.0
			4 3 days	99	4.8
			5 4 days	81	3.8
			6 5 days	276	12.6
			7 6 days	30	1.6
			8 7 days	519	25.8
			Missing	31	
75-75	Q51	Q41	During this school year, on how many days did you go to physical education (PE) class each week?		
			1 0 days	161	8.7
			2 1 day	812	42.8
			3 2 days	360	15.3
			4 3 days	59	2.8
			5 4 days	37	1.8
			6 5 or more days	527	28.6
			Missing	93	
76-76	Q52	Q42	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as surf the internet?		
			1 Less than 1 hour per day	322	16.3
			2 1 to 2 hours per day	598	30.0
			3 3 to 4 hours per day	557	28.6
			4 5 to 6 hours per day	262	13.7
			5 7 to 8 hours per day	93	4.2
			6 More than 8 hours per day	144	7.1
			Missing	73	
185-185	QN6		Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days		
			1 Yes	34	1.8
			2 No	2,005	98.2
			Missing	10	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
186-186	QN7		Percentage of students who usually ate fruit two or more times per day during the past 30 days		
			1 Yes	912	42.9
			2 No	1,127	57.1
			Missing	10	
187-187	QN8		Percentage of students who usually ate vegetables three or more times per day during the past 30 days		
			1 Yes	510	25.2
			2 No	1,515	74.8
			Missing	24	
188-188	QN9		Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days		
			1 Yes	1,337	65.4
			2 No	703	34.6
			Missing	9	
189-189	QN10		Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days		
			1 Yes	107	5.5
			2 No	1,926	94.5
			Missing	16	
194-194	QN15		Percentage of students who were physically attacked one or more times during the past 12 months		
			1 Yes	395	17.8
			2 No	1,639	82.2
			Missing	15	
195-195	QN16		Percentage of students who were in a physical fight one or more times during the past 12 months		
			1 Yes	554	26.2
			2 No	1,494	73.8
			Missing	1	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
196-196	QN17		Percentage of students who were seriously injured one or more times during the past 12 months		
		1	Yes	678	36.4
		2	No	1,179	63.6
			Missing	192	
197-197	QN18		Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint		
		1	Yes	153	26.8
		2	No	405	73.2
			Missing	1,491	
198-198	QN19		Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle		
		1	Yes	24	5.6
		2	No	552	94.4
			Missing	1,473	
199-199	QN20		Percentage of students who were bullied on one or more days during the past 30 days		
		1	Yes	277	12.9
		2	No	1,724	87.1
			Missing	48	
200-200	QN21		Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors		
		1	Yes	18	8.3
		2	No	219	91.7
			Missing	1,812	
207-207	QN28		Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years		
		1	Yes	683	65.6
		2	No	297	34.4
			Missing	1,069	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
208-208	QN29		Percentage of students who smoked cigarettes on one or more days during the past 30 days		
		1	Yes	508	28.2
		2	No	1,513	71.8
			Missing	28	
209-209	QN30		Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days		
		1	Yes	176	10.0
		2	No	1,848	90.0
			Missing	25	
210-210	QN31		Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months		
		1	Yes	354	64.7
		2	No	195	35.3
			Missing	1,500	
211-211	QN32		Percentage of students who reported people smoked in their presence on one or more days during the past seven days		
		1	Yes	1,310	66.5
		2	No	713	33.5
			Missing	26	
212-212	QN33		Percentage of students who had parents or guardians who used any form of tobacco		
		1	Yes	730	36.2
		2	No	1,280	63.8
			Missing	39	
213-213	QN34		Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years		
		1	Yes	679	57.0
		2	No	393	43.0
			Missing	977	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
214-214	QN35		Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days		
		1	Yes	632	36.1
		2	No	1,344	63.9
			Missing	73	
215-215	QN36		Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol		
		1	Yes	350	53.0
		2	No	330	47.0
			Missing	1,369	
216-216	QN37		Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends		
		1	Yes	206	32.7
		2	No	431	67.3
			Missing	1,412	
217-217	QN38		Percentage of students who drank so much alcohol that they were really drunk one or more times during their life		
		1	Yes	461	27.6
		2	No	1,537	72.4
			Missing	51	
218-218	QN39		Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol		
		1	Yes	162	9.0
		2	No	1,808	91.0
			Missing	79	
219-219	QN40		Among students who ever used drugs, the percentage who first used drugs before age 14 years		
		1	Yes	211	38.9
		2	No	262	61.1
			Missing	1,576	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
220-220	QN41		Percentage of students who used marijuana one or more times during their life		
		1	Yes	435	25.5
		2	No	1,544	74.5
			Missing	70	
221-221	QN42		Percentage of students who used marijuana one or more times during the past 30 days		
		1	Yes	278	16.2
		2	No	1,709	83.8
			Missing	62	
222-222	QN43		Percentage of students who used amphetamines or methamphetamines one or more times during their life		
		1	Yes	85	4.8
		2	No	1,916	95.2
			Missing	48	
223-223	QN44		Percentage of students who ever had sexual intercourse		
		1	Yes	636	37.8
		2	No	1,331	62.2
			Missing	82	
224-224	QN45		Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years		
		1	Yes	186	27.7
		2	No	357	72.3
			Missing	1,506	
225-225	QN46		Percentage of students who had sexual intercourse with two or more people during their life		
		1	Yes	279	17.1
		2	No	1,744	82.9
			Missing	26	
226-226	QN47		Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse		
		1	Yes	278	52.6
		2	No	248	47.4
			Missing	1,523	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
227-227	QN48		Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse		
		1	Yes	258	51.1
		2	No	272	48.9
			Missing	1,519	
228-228	QN49		Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days		
		1	Yes	551	26.0
		2	No	1,487	74.0
			Missing	11	
229-229	QN50		Percentage of students who did not walk or ride a bicycle to or from school during the past seven days		
		1	Yes	713	36.9
		2	No	1,305	63.1
			Missing	31	
230-230	QN51		Percentage of students who went to physical education (PE) class on three or more days each week during this school year		
		1	Yes	623	33.2
		2	No	1,333	66.8
			Missing	93	
231-231	QN52		Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities		
		1	Yes	1,056	53.7
		2	No	920	46.3
			Missing	73	
350-350	QNOWTG		Percentage of students who were overweight (>+1SD from median for BMI by age and sex)		
		1	Yes	825	42.7
		2	No	1,107	57.3
			Missing	117	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
351-351	QNOBESEG		Percentage of students who were obese (>+2SD from median for BMI by age and sex)		
		1	Yes	280	14.5
		2	No	1,652	85.5
			Missing	117	
352-352	QNUNWTG		Percentage of students who were underweight (<-2SD from median for BMI by age and sex)		
		1	Yes	10	0.5
		2	No	1,922	99.5
			Missing	117	
353-353	QNFRVGG		Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days		
		1	Yes	555	26.5
		2	No	1,465	73.5
			Missing	29	
354-354	QNANYTBG		Percentage of students who used any tobacco on one or more days during the past 30 days		
		1	Yes	523	29.3
		2	No	1,479	70.7
			Missing	47	
355-355	QNPA7G		Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days		
		1	Yes	303	13.8
		2	No	1,735	86.2
			Missing	11	
356-356	QNPE5G		Percentage of students who went to physical education (PE) class on five or more days each week during this school year		
		1	Yes	527	28.6
		2	No	1,429	71.4
			Missing	93	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
357-357	QNC1G		Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse		
		1	Yes	283	69.6
		2	No	152	30.4
			Missing	1,614	
362-371	WEIGHT				
372-380	STRATUM				
381-385	PSU				