

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Namibia Survey
Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
17-17	Q1	Q1	How old are you?			
			1	11 years old or younger	32	0.8
			2	12 years old	64	1.3
			3	13 years old	519	10.3
			4	14 years old	602	12.8
			5	15 years old	751	16.3
			6	16 years old	719	16.0
			7	17 years old	692	15.6
			8	18 years old or older	1,107	27.0
	Missing	45				
18-18	Q2	Q2	What is your sex?			
			1	Male	2,114	46.9
			2	Female	2,356	53.1
				Missing	61	
19-19	Q3	Q3	In what grade are you?			
			1	Grade 6	17	0.4
			2	Grade 7	1,067	21.5
			3	Grade 8	1,145	26.1
			4	Grade 9	850	19.0
			5	Grade 10	685	15.8
			6	Grade 11	414	8.7
			7	Grade 12	249	8.5
	Missing	104				
20-23	Q4	Q5	How tall are you without your shoes on? (Note: Data are in meters.)			
24-29	Q5	Q6	How much do you weigh without your shoes on? (Note: Data are in kilograms.)			
30-30	Q6	Q8	During the past 30 days, how often did you go hungry because there was not enough food in your home?			
			1	Never	2,054	46.6
			2	Rarely	233	5.7
			3	Sometimes	1,714	37.8
			4	Most of the time	307	6.8
			5	Always	141	3.1
	Missing	82				

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Namibia Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
31-31	Q7	Q9	During the past 30 days, how many times per day did you usually eat fruit, such as arulu, eenyandi, palm fruits, dates, apples, or bananas?		
			1 I did not eat fruit during the past 30 days	916	20.1
			2 Less than one time per day	1,055	24.2
			3 1 time per day	1,165	26.1
			4 2 times per day	498	11.2
			5 3 times per day	284	6.4
			6 4 times per day	113	2.5
			7 5 or more times per day	452	9.5
			Missing	48	
32-32	Q8	Q10	During the past 30 days, how many times per day did you usually eat vegetables, such as spinach, cabbage, pumpkin, or carrots?		
			1 I did not eat vegetables during the past 30 days	949	21.1
			2 Less than one time per day	890	20.2
			3 1 time per day	1,277	28.9
			4 2 times per day	556	12.5
			5 3 times per day	266	5.8
			6 4 times per day	110	2.4
			7 5 or more times per day	430	9.1
			Missing	53	
33-33	Q9	Q11	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as Coke, Fanta, Twiza, or Vigo?		
			1 I did not drink carbonated soft drinks during the past 30 days	1,228	27.7
			2 Less than one time per day	1,139	25.7
			3 1 time per day	988	21.7
			4 2 times per day	427	9.7
			5 3 times per day	228	5.0
			6 4 times per day	140	3.2
			7 5 or more times per day	330	7.1
			Missing	51	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Namibia Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
34-34	Q10	Q12	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as Kentucky Fried Chicken, Wimpy, and Hungry Lion?		
			1 0 days	2,252	50.7
			2 1 day	976	21.5
			3 2 days	475	10.3
			4 3 days	260	5.6
			5 4 days	187	4.1
			6 5 days	102	2.2
			7 6 days	76	1.6
			8 7 days	194	4.0
			Missing	9	
35-35	Q11	Q18	During the past 30 days, how many times per day did you usually clean or brush your teeth?		
			1 I did not clean or brush my teeth during the past 30 days	165	3.6
			2 Less than 1 time per day	311	6.9
			3 1 time per day	1,048	23.0
			4 2 times per day	1,286	29.3
			5 3 times per day	912	20.4
			6 4 or more times per day	789	16.8
			Missing	20	
36-36	Q12	Q15	During the past 30 days, how often did you wash your hands before eating?		
			1 Never	120	2.6
			2 Rarely	81	1.9
			3 Sometimes	644	14.9
			4 Most of the time	1,006	22.9
			5 Always	2,649	57.6
			Missing	31	
37-37	Q13	Q16	During the past 30 days, how often did you wash your hands after using the toilet or latrine?		
			1 Never	164	3.5
			2 Rarely	102	2.4
			3 Sometimes	1,008	22.2
			4 Most of the time	1,011	23.0
			5 Always	2,204	48.9
			Missing	42	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Namibia Survey
Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
38-38	Q14	Q17	During the past 30 days, how often did you use soap when washing your hands?			
			1	Never	308	6.8
			2	Rarely	165	3.9
			3	Sometimes	1,683	37.9
			4	Most of the time	898	20.2
			5	Always	1,400	31.2
				Missing	77	
39-39	Q15	Q26	During the past 12 months, how many times were you physically attacked?			
			1	0 times	2,694	61.6
			2	1 time	676	14.7
			3	2 or 3 times	441	9.8
			4	4 or 5 times	159	3.5
			5	6 or 7 times	93	2.0
			6	8 or 9 times	56	1.2
			7	10 or 11 times	59	1.3
			8	12 or more times	269	5.8
	Missing	84				
40-40	Q16	Q27	During the past 12 months, how many times were you in a physical fight?			
			1	0 times	3,017	67.5
			2	1 time	708	15.6
			3	2 or 3 times	366	7.9
			4	4 or 5 times	131	2.8
			5	6 or 7 times	60	1.3
			6	8 or 9 times	48	1.1
			7	10 or 11 times	40	0.9
			8	12 or more times	140	2.9
	Missing	21				
41-41	Q17	Q28	During the past 12 months, how many times were you seriously injured?			
			1	0 times	1,776	46.2
			2	1 time	1,067	26.4
			3	2 or 3 times	600	14.9
			4	4 or 5 times	181	4.3
			5	6 or 7 times	98	2.3
			6	8 or 9 times	48	1.2
			7	10 or 11 times	45	1.0
			8	12 or more times	155	3.7
	Missing	561				

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Namibia Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
42-42	Q18	Q29	During the past 12 months, what was the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	2,292	57.2
			2 I had a broken bone or a dislocated joint	313	7.6
			3 I had a cut or stab wound	492	11.8
			4 I had a concussion or other head or neck injury, was knocked out, or could not breathe	136	3.3
			5 I had a gunshot wound	30	0.7
			6 I had a bad burn	104	2.4
			7 I was poisoned or took too much of a drug	42	1.0
			8 Something else happened to me	671	16.1
			Missing	451	
43-43	Q19	Q30	During the past 12 months, what was the major cause of the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	2,301	57.7
			2 I was in a motor vehicle accident or hit by a motor vehicle	154	3.7
			3 I fell	425	10.1
			4 Something fell on me or hit me	320	7.7
			5 I was attacked or abused or was fighting with someone	165	4.0
			6 I was in a fire or too near a flame or something hot	86	2.1
			7 I inhaled or swallowed something bad for me	50	1.2
			8 Something else caused my injury	563	13.6
			Missing	467	
44-44	Q20	Q31	During the past 30 days, on how many days were you bullied?		
			1 0 days	2,244	55.4
			2 1 or 2 days	995	23.6
			3 3 to 5 days	381	9.0
			4 6 to 9 days	182	4.3
			5 10 to 19 days	100	2.3
			6 20 to 29 days	59	1.4
			7 All 30 days	175	4.0
			Missing	395	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Namibia Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
45-45	Q21	Q32	During the past 30 days, how were you bullied most often?		
			1 I was not bullied during the past 30 days	2,494	61.5
			2 I was hit, kicked, pushed, shoved around, or locked indoors	321	7.6
			3 I was made fun of because of my race, nationality, or color	203	4.8
			4 I was made fun of because of my religion	105	2.5
			5 I was made fun of with sexual jokes, comments, or gestures	148	3.6
			6 I was left out of activities on purpose or completely ignored	84	2.0
			7 I was made fun of because of how my body or face looks	294	7.1
			8 I was bullied in some other way	475	11.0
			Missing	407	
46-46	Q22	Q33	During the past 12 months, how often have you felt lonely?		
			1 Never	1,429	31.3
			2 Rarely	277	6.6
			3 Sometimes	2,088	46.7
			4 Most of the time	449	10.1
			5 Always	239	5.2
			Missing	49	
47-47	Q23	Q34	During the past 12 months, how often have you been so worried about something that you could not sleep at night?		
			1 Never	1,624	35.3
			2 Rarely	369	8.7
			3 Sometimes	1,804	40.6
			4 Most of the time	476	10.6
			5 Always	213	4.8
			Missing	45	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Namibia Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
48-48	Q24	Q35	During the past 12 months, did you ever seriously consider attempting suicide?			
			1	Yes	868	19.4
			2	No	3,519	80.6
				Missing	144	
49-49	Q25	Q36	During the past 12 months, did you make a plan about how you would attempt suicide?			
			1	Yes	1,181	25.5
			2	No	3,270	74.5
				Missing	80	
50-50	Q26	Q37	During the past 12 months, how many times did you actually attempt suicide?			
			1	0 times	3,257	74.0
			2	1 time	696	15.0
			3	2 or 3 times	300	6.5
			4	4 or 5 times	89	1.9
			5	6 or more times	118	2.5
				Missing	71	
51-51	Q27	Q38	How many close friends do you have?			
			1	0	569	12.8
			2	1	1,169	26.2
			3	2	970	22.1
			4	3 or more	1,728	38.9
		Missing	95			
52-52	Q28	Q41	How old were you when you first tried a cigarette?			
			1	I have never smoked cigarettes	3,110	75.2
			2	7 years old or younger	160	3.8
			3	8 or 9 years old	115	2.8
			4	10 or 11 years old	122	3.0
			5	12 or 13 years old	182	4.7
			6	14 or 15 years old	209	5.2
			7	16 or 17 years old	161	4.1
			8	18 years old or older	48	1.1
		Missing	424			

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Namibia Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
53-53	Q29	Q42	During the past 30 days, on how many days did you smoke cigarettes?			
			1	0 days	4,052	90.4
			2	1 or 2 days	198	4.3
			3	3 to 5 days	62	1.4
			4	6 to 9 days	32	0.7
			5	10 to 19 days	27	0.6
			6	20 to 29 days	24	0.6
			7	All 30 days	81	2.0
		Missing	55			
54-54	Q30	Q43	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as flavoured tobacco, tobacco leaves or Snuff?			
			1	0 days	4,180	92.8
			2	1 or 2 days	163	3.7
			3	3 to 5 days	36	0.8
			4	6 to 9 days	33	0.7
			5	10 to 19 days	36	0.8
			6	20 to 29 days	20	0.5
			7	All 30 days	35	0.7
		Missing	28			
55-55	Q31	Q44	During the past 12 months, have you ever tried to stop smoking cigarettes?			
			1	I have never smoked cigarettes	3,401	81.7
			2	I did not smoke cigarettes during the past 12 months	300	7.8
			3	Yes	314	7.7
			4	No	121	2.9
		Missing	395			
56-56	Q32	Q45	During the past 7 days, on how many days have people smoked in your presence?			
			1	0 days	2,016	44.5
			2	1 or 2 days	973	21.8
			3	3 or 4 days	364	8.4
			4	5 or 6 days	199	4.5
			5	All 7 days	944	20.8
		Missing	35			

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Namibia Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
57-57	Q33	Q46	Which of your parents or guardians use any form of tobacco?			
			1	Neither	2,226	50.4
			2	My father or male guardian	469	10.6
			3	My mother or female guardian	157	3.7
			4	Both	104	2.3
			5	I do not know	1,521	33.0
				Missing	54	
58-58	Q34	Q47	How old were you when you had your first drink of alcohol other than a few sips?			
			1	I have never had a drink of alcohol other than a few sips	1,610	41.8
			2	7 years old or younger	354	9.4
			3	8 or 9 years old	157	4.2
			4	10 or 11 years old	239	6.2
			5	12 or 13 years old	415	11.1
			6	14 or 15 years old	499	13.8
			7	16 or 17 years old	324	9.3
			8	18 years old or older	152	4.2
	Missing	781				
59-59	Q35	Q48	During the past 30 days, on how many days did you have at least one drink containing alcohol?			
			1	0 days	2,880	66.4
			2	1 or 2 days	864	20.5
			3	3 to 5 days	256	6.3
			4	6 to 9 days	109	2.6
			5	10 to 19 days	84	2.0
			6	20 to 29 days	33	0.8
			7	All 30 days	58	1.3
	Missing	247				
60-60	Q36	Q49	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?			
			1	I did not drink alcohol during the past 30 days	2,792	63.1
			2	Less than one drink	614	14.2
			3	1 drink	453	10.6
			4	2 drinks	200	4.6
			5	3 drinks	98	2.3
			6	4 drinks	62	1.6
			7	5 or more drinks	148	3.6
	Missing	164				

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Namibia Survey
Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
61-61	Q37	Q50	During the past 30 days, how did you usually get the alcohol you drank?		
			1 I did not drink alcohol during the past 30 days	2,780	64.9
			2 I bought it in a store, shop, or from a street vendor	342	8.5
			3 I gave someone else money to buy it for me	116	2.8
			4 I got it from my friends	476	11.5
			5 I got it from my family	289	6.8
			6 I stole it or got it without permission	63	1.4
			7 I got it some other way	167	4.1
			Missing	298	
62-62	Q38	Q51	During your life, how many times did you drink so much alcohol that you were really drunk?		
			1 0 times	3,022	69.4
			2 1 or 2 times	907	22.0
			3 3 to 9 times	198	4.7
			4 10 or more times	159	3.9
			Missing	245	
63-63	Q39	Q52	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?		
			1 0 times	3,632	85.7
			2 1 or 2 times	379	9.3
			3 3 to 9 times	111	2.7
			4 10 or more times	94	2.3
			Missing	315	
64-64	Q40	Q55	How old were you when you first used drugs?		
			1 I have never used drugs	3,321	81.3
			2 7 years old or younger	145	3.5
			3 8 or 9 years old	59	1.5
			4 10 or 11 years old	62	1.6
			5 12 or 13 years old	97	2.4
			6 14 or 15 years old	180	4.5
			7 16 or 17 years old	129	3.2
			8 18 years old or older	75	2.0
			Missing	463	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Namibia Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
65-65	Q41	Q56	During your life, how many times have you used marijuana (also called Dagga, weed, boom, cannibus, stop, grass, pipt, stop, and joint)?			
			1	0 times	4,032	92.9
			2	1 or 2 times	130	3.1
			3	3 to 9 times	63	1.5
			4	10 to 19 times	29	0.7
			5	20 or more times	71	1.7
				Missing	206	
66-66	Q42	Q57	During the past 30 days, how many times have you used marijuana (also called dagga, weed, boom, cannibus, stop, grass, pipt, stop, and joint)?			
			1	0 times	4,142	94.7
			2	1 or 2 times	112	2.6
			3	3 to 9 times	41	1.1
			4	10 to 19 times	31	0.7
			5	20 or more times	40	0.9
				Missing	165	
67-67	Q43	Q58	During your life, how many times have you used amphetamines or methamphetamines (also calledtik, speed, bennies, uppers, black beauties, mollies, or splash)?			
			1	0 times	3,973	94.4
			2	1 or 2 times	123	3.0
			3	3 to 9 times	45	1.1
			4	10 to 19 times	33	0.7
			5	20 or more times	34	0.8
				Missing	323	
68-68	Q44	Q61	Have you ever had sexual intercourse?			
			1	Yes	2,021	53.7
			2	No	1,814	46.3
				Missing	696	
69-69	Q45	Q62	How old were you when you had sexual intercourse for the first time?			
			1	I have never had sexual intercourse	2,396	56.8
			2	11 years old or younger	430	10.0
			3	12 years old	163	3.8
			4	13 years old	133	3.2
			5	14 years old	163	4.1
			6	15 years old	291	7.3
			7	16 or 17 years old	417	11.1
			8	18 years old or older	142	3.8
				Missing	396	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Namibia Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
70-70	Q46	Q63	During your life, with how many people have you had sexual intercourse?		
			1 I have never had sexual intercourse	2,430	57.5
			2 1 person	691	17.1
			3 2 people	297	7.6
			4 3 people	185	4.7
			5 4 people	106	2.7
			6 5 people	71	1.8
			7 6 or more people	354	8.7
			Missing	397	
71-71	Q47	Q64	The last time you had sexual intercourse, did you or your partner use a condom NULL		
			1 I have never had sexual intercourse	2,424	57.7
			2 Yes	1,272	32.1
			3 No	410	10.2
			Missing	425	
72-72	Q48	Q65	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?		
			1 I have never had sexual intercourse	2,252	55.0
			2 Yes	733	19.3
			3 No	638	16.4
			4 I do not know	382	9.3
			Missing	526	
73-73	Q49	Q70	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
			1 0 days	1,714	37.2
			2 1 day	753	16.9
			3 2 days	477	10.8
			4 3 days	362	8.4
			5 4 days	207	4.7
			6 5 days	240	5.7
			7 6 days	86	2.1
			8 7 days	643	14.3
			Missing	49	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Namibia Survey
Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
74-74	Q50	Q71	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?		
			1 0 days	2,280	50.6
			2 1 day	342	7.5
			3 2 days	190	4.3
			4 3 days	143	3.1
			5 4 days	102	2.3
			6 5 days	412	9.2
			7 6 days	55	1.2
			8 7 days	956	21.7
			Missing	51	
75-75	Q51	Q72	During this school year, on how many days did you go to physical education (PE) class each week?		
			1 0 days	1,024	23.6
			2 1 day	1,678	36.8
			3 2 days	375	8.5
			4 3 days	157	3.7
			5 4 days	158	3.4
			6 5 or more days	1,095	24.0
			Missing	44	
76-76	Q52	Q73	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as playing cards, dominos, chess, and scrabble.		
			1 Less than 1 hour per day	1,624	36.0
			2 1 to 2 hours per day	1,237	28.0
			3 3 to 4 hours per day	706	16.2
			4 5 to 6 hours per day	245	5.6
			5 7 to 8 hours per day	126	2.9
			6 More than 8 hours per day	527	11.3
			Missing	66	
77-77	Q53	Q74	During the past 30 days, on how many days did you miss classes or school without permission?		
			1 0 days	3,276	73.2
			2 1 or 2 days	732	16.7
			3 3 to 5 days	240	5.5
			4 6 to 9 days	72	1.6
			5 10 or more days	131	2.9
			Missing	80	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Namibia Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
78-78	Q54	Q75	During the past 30 days, how often were most of the students in your school kind and helpful?			
			1	Never	988	21.4
			2	Rarely	419	9.6
			3	Sometimes	1,808	40.6
			4	Most of the time	650	15.0
			5	Always	622	13.5
				Missing	44	
79-79	Q55	Q76	During the past 30 days, how often did your parents or guardians check to see if your homework was done?			
			1	Never	1,185	27.2
			2	Rarely	267	6.5
			3	Sometimes	1,182	26.4
			4	Most of the time	644	14.1
			5	Always	1,197	25.9
				Missing	56	
80-80	Q56	Q77	During the past 30 days, how often did your parents or guardians understand your problems and worries?			
			1	Never	974	22.4
			2	Rarely	283	6.6
			3	Sometimes	1,350	30.6
			4	Most of the time	744	17.0
			5	Always	1,072	23.4
				Missing	108	
81-81	Q57	Q78	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?			
			1	Never	1,149	25.8
			2	Rarely	334	7.8
			3	Sometimes	1,545	34.5
			4	Most of the time	672	14.9
			5	Always	783	17.0
				Missing	48	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Namibia Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
82-82	Q58	Q79	During the past 30 days, how often did your parents or guardians go through your things without your approval?		
			1 Never	2,160	48.3
			2 Rarely	386	9.0
			3 Sometimes	1,142	25.2
			4 Most of the time	427	9.5
			5 Always	369	8.0
			Missing	47	
185-185	QN6		Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days		
			1 Yes	448	9.9
			2 No	4,001	90.1
			Missing	82	
186-186	QN7		Percentage of students who usually ate fruit two or more times per day during the past 30 days		
			1 Yes	1,347	29.7
			2 No	3,136	70.3
			Missing	48	
187-187	QN8		Percentage of students who usually ate vegetables three or more times per day during the past 30 days		
			1 Yes	806	17.3
			2 No	3,672	82.7
			Missing	53	
188-188	QN9		Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days		
			1 Yes	2,113	46.6
			2 No	2,367	53.4
			Missing	51	
189-189	QN10		Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days		
			1 Yes	819	17.4
			2 No	3,703	82.6
			Missing	9	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Namibia Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
190-190	QN11		Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days		
			1 Yes	476	10.5
			2 No	4,035	89.5
			Missing	20	
191-191	QN12		Percentage of students who never or rarely washed their hands before eating during the past 30 days		
			1 Yes	201	4.5
			2 No	4,299	95.5
			Missing	31	
192-192	QN13		Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days		
			1 Yes	266	5.9
			2 No	4,223	94.1
			Missing	42	
193-193	QN14		Percentage of students who never or rarely used soap when washing their hands during the past 30 days		
			1 Yes	473	10.8
			2 No	3,981	89.2
			Missing	77	
194-194	QN15		Percentage of students who were physically attacked one or more times during the past 12 months		
			1 Yes	1,753	38.4
			2 No	2,694	61.6
			Missing	84	
195-195	QN16		Percentage of students who were in a physical fight one or more times during the past 12 months		
			1 Yes	1,493	32.5
			2 No	3,017	67.5
			Missing	21	
196-196	QN17		Percentage of students who were seriously injured one or more times during the past 12 months		
			1 Yes	2,194	53.8
			2 No	1,776	46.2
			Missing	561	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Namibia Survey
Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
197-197	QN18		Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint		
		1	Yes	313	17.8
		2	No	1,475	82.2
			Missing	2,743	
198-198	QN19		Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle		
		1	Yes	154	8.7
		2	No	1,609	91.3
			Missing	2,768	
199-199	QN20		Percentage of students who were bullied on one or more days during the past 30 days		
		1	Yes	1,892	44.6
		2	No	2,244	55.4
			Missing	395	
200-200	QN21		Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors		
		1	Yes	321	19.6
		2	No	1,309	80.4
			Missing	2,901	
201-201	QN22		Percentage of students who most of the time or always felt lonely during the past 12 months		
		1	Yes	688	15.4
		2	No	3,794	84.6
			Missing	49	
202-202	QN23		Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months		
		1	Yes	689	15.4
		2	No	3,797	84.6
			Missing	45	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Namibia Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
203-203	QN24		Percentage of students who ever seriously considered attempting suicide during the past 12 months		
			1 Yes	868	19.4
			2 No	3,519	80.6
			Missing	144	
204-204	QN25		Percentage of students who made a plan about how they would attempt suicide during the past 12 months		
			1 Yes	1,181	25.5
			2 No	3,270	74.5
			Missing	80	
205-205	QN26		Percentage of students who actually attempted suicide one or more times during the past 12 months		
			1 Yes	1,203	26.0
			2 No	3,257	74.0
			Missing	71	
206-206	QN27		Percentage of students who had no close friends		
			1 Yes	569	12.8
			2 No	3,867	87.2
			Missing	95	
207-207	QN28		Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years		
			1 Yes	579	57.9
			2 No	418	42.1
			Missing	3,534	
208-208	QN29		Percentage of students who smoked cigarettes on one or more days during the past 30 days		
			1 Yes	424	9.6
			2 No	4,052	90.4
			Missing	55	
209-209	QN30		Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days		
			1 Yes	323	7.2
			2 No	4,180	92.8
			Missing	28	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Namibia Survey
Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
210-210	QN31		Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months		
			1 Yes	314	72.8
			2 No	121	27.2
			Missing	4,096	
211-211	QN32		Percentage of students who reported people smoked in their presence on one or more days during the past seven days		
			1 Yes	2,480	55.5
			2 No	2,016	44.5
			Missing	35	
212-212	QN33		Percentage of students who had parents or guardians who used any form of tobacco		
			1 Yes	730	16.6
			2 No	3,747	83.4
			Missing	54	
213-213	QN34		Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years		
			1 Yes	1,165	53.0
			2 No	975	47.0
			Missing	2,391	
214-214	QN35		Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days		
			1 Yes	1,404	33.6
			2 No	2,880	66.4
			Missing	247	
215-215	QN36		Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol		
			1 Yes	508	32.7
			2 No	1,067	67.3
			Missing	2,956	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Namibia Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
216-216	QN37		Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends		
			1 Yes	476	32.6
			2 No	977	67.4
			Missing	3,078	
217-217	QN38		Percentage of students who drank so much alcohol that they were really drunk one or more times during their life		
			1 Yes	1,264	30.6
			2 No	3,022	69.4
			Missing	245	
218-218	QN39		Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol		
			1 Yes	584	14.3
			2 No	3,632	85.7
			Missing	315	
219-219	QN40		Among students who ever used drugs, the percentage who first used drugs before age 14 years		
			1 Yes	363	48.1
			2 No	384	51.9
			Missing	3,784	
220-220	QN41		Percentage of students who used marijuana one or more times during their life		
			1 Yes	293	7.1
			2 No	4,032	92.9
			Missing	206	
221-221	QN42		Percentage of students who used marijuana one or more times during the past 30 days		
			1 Yes	224	5.3
			2 No	4,142	94.7
			Missing	165	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Namibia Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
222-222	QN43		Percentage of students who used amphetamines or methamphetamines one or more times during their life		
		1	Yes	235	5.6
		2	No	3,973	94.4
			Missing	323	
223-223	QN44		Percentage of students who ever had sexual intercourse		
		1	Yes	2,021	53.7
		2	No	1,814	46.3
			Missing	696	
224-224	QN45		Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years		
		1	Yes	726	39.3
		2	No	1,013	60.7
			Missing	2,792	
225-225	QN46		Percentage of students who had sexual intercourse with two or more people during their life		
		1	Yes	1,013	25.4
		2	No	3,121	74.6
			Missing	397	
226-226	QN47		Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse		
		1	Yes	1,272	75.8
		2	No	410	24.2
			Missing	2,849	
227-227	QN48		Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse		
		1	Yes	733	42.9
		2	No	1,020	57.1
			Missing	2,778	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Namibia Survey
Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
228-228	QN49		Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days		
			1 Yes	969	22.1
			2 No	3,513	77.9
			Missing	49	
229-229	QN50		Percentage of students who did not walk or ride a bicycle to or from school during the past seven days		
			1 Yes	2,280	50.6
			2 No	2,200	49.4
			Missing	51	
230-230	QN51		Percentage of students who went to physical education (PE) class on three or more days each week during this school year		
			1 Yes	1,410	31.1
			2 No	3,077	68.9
			Missing	44	
231-231	QN52		Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities		
			1 Yes	1,604	36.0
			2 No	2,861	64.0
			Missing	66	
232-232	QN53		Percentage of students who missed classes or school without permission on one or more of the past 30 days		
			1 Yes	1,175	26.8
			2 No	3,276	73.2
			Missing	80	
233-233	QN54		Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days		
			1 Yes	1,272	28.5
			2 No	3,215	71.5
			Missing	44	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Namibia Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
234-234	QN55		Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days		
			1 Yes	1,841	40.0
			2 No	2,634	60.0
			Missing	56	
235-235	QN56		Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days		
			1 Yes	1,816	40.4
			2 No	2,607	59.6
			Missing	108	
236-236	QN57		Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days		
			1 Yes	1,455	31.9
			2 No	3,028	68.1
			Missing	48	
237-237	QN58		Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days		
			1 Yes	2,546	57.3
			2 No	1,938	42.7
			Missing	47	
350-350	QNOWTG		Percentage of students who were overweight (>+1SD from median for BMI by age and sex)		
			1 Yes	264	6.6
			2 No	3,982	93.4
			Missing	285	
351-351	QNOBESEG		Percentage of students who were obese (>+2SD from median for BMI by age and sex)		
			1 Yes	67	1.7
			2 No	4,179	98.3
			Missing	285	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Namibia Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
352-352	QNUNWTG		Percentage of students who were underweight (<-2SD from median for BMI by age and sex)			
			1	Yes	496	11.7
			2	No	3,750	88.3
			Missing	285		
353-353	QNFRVGG		Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days			
			1	Yes	1,002	21.8
			2	No	3,443	78.2
			Missing	86		
354-354	QNANYTBG		Percentage of students who used any tobacco on one or more days during the past 30 days			
			1	Yes	537	12.3
			2	No	3,922	87.7
			Missing	72		
355-355	QNPA7G		Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days			
			1	Yes	643	14.3
			2	No	3,839	85.7
			Missing	49		
356-356	QNPE5G		Percentage of students who went to physical education (PE) class on five or more days each week during this school year			
			1	Yes	1,095	24.0
			2	No	3,392	76.0
			Missing	44		
357-357	QNC1G		Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse			
			1	Yes	790	71.3
			2	No	320	28.7
			Missing	3,421		

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Namibia Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
358-358	QNC2G		Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days		
			1 Yes	374	59.7
			2 No	242	40.3
			Missing	3,915	
362-371	WEIGHT				
372-380	STRATUM				
381-385	PSU				