

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bangladesh Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
17-17	Q1	Q1	How old are you?			
			1	11 years old or younger	8	0.2
			2	12 years old	96	2.4
			3	13 years old	612	25.1
			4	14 years old	1,093	38.0
			5	15 years old	952	25.9
			6	16 years old	196	7.8
			7	17 years old	25	0.7
			8	18 years old or older	0	0.0
Missing				7		
18-18	Q2	Q2	What is your sex?			
			1	Male	1,192	65.2
			2	Female	1,788	34.8
			Missing		9	
19-19	Q3	Q3	In what grade are you?			
			1	Class 7	859	31.2
			2	Class 8	328	25.8
			3	Class 9	1,478	21.8
			4	Class 10	305	21.2
Missing				19		
20-23	Q4	Q4	How tall are you without your shoes on? (Note: Data are in meters.)			
24-29	Q5	Q5	How much do you weigh without your shoes on? (Note: Data are in kilograms.)			
30-30	Q6	Q6	During the past 30 days, how often did you go hungry because there was not enough food in your home?			
			1	Never	1,057	38.6
			2	Rarely	216	7.8
			3	Sometimes	1,215	40.5
			4	Most of the time	235	6.4
			5	Always	191	6.7
Missing				75		

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bangladesh Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
31-31	Q7	Q7	During the past 30 days, how many times per day did you usually eat fruit, such as bananas, guava, mango, pineapple, apples, oranges, jack-fruit, boroi, or amra?		
			1 I did not eat fruit during the past 30 days	117	4.8
			2 Less than one time per day	1,274	45.3
			3 1 time per day	786	27.7
			4 2 times per day	321	11.2
			5 3 times per day	405	8.7
			6 4 times per day	23	0.9
			7 5 or more times per day	25	1.4
			Missing	38	
32-32	Q8	Q8	During the past 30 days, how many times per day did you usually eat vegetables, such as potatoes, potol, cauliflower, cabbage, beans, brinjal, ladies finger, or chichinga?		
			1 I did not eat vegetables during the past 30 days	38	1.1
			2 Less than one time per day	609	24.2
			3 1 time per day	656	22.8
			4 2 times per day	618	20.3
			5 3 times per day	944	27.4
			6 4 times per day	30	1.0
			7 5 or more times per day	55	3.2
			Missing	39	
33-33	Q9	Q9	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as Coke, Fanta Orange, or 7-Up?		
			1 I did not drink carbonated soft drinks during the past 30 days	449	15.7
			2 Less than one time per day	1,071	37.1
			3 1 time per day	475	18.6
			4 2 times per day	542	12.1
			5 3 times per day	124	4.2
			6 4 times per day	54	2.3
			7 5 or more times per day	214	10.0
			Missing	60	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bangladesh Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
34-34	Q10	Q10	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as KFC, BFC, or Pizza Hut?		
			1 0 days	1,328	46.9
			2 1 day	445	16.0
			3 2 days	302	11.7
			4 3 days	596	15.1
			5 4 days	82	2.7
			6 5 days	70	2.3
			7 6 days	53	2.1
			8 7 days	73	3.2
			Missing	40	
35-35	Q11	Q15	During the past 30 days, how many times per day did you usually clean or brush your teeth?		
			1 I did not clean or brush my teeth during the past 30 days	27	1.2
			2 Less than 1 time per day	292	11.6
			3 1 time per day	677	23.6
			4 2 times per day	1,729	52.5
			5 3 times per day	238	10.3
			6 4 or more times per day	20	0.9
			Missing	6	
36-36	Q12	Q21	During the past 30 days, how often did you wash your hands before eating?		
			1 Never	87	2.5
			2 Rarely	13	0.4
			3 Sometimes	228	8.4
			4 Most of the time	369	14.4
			5 Always	2,273	74.4
			Missing	19	
37-37	Q13	Q22	During the past 30 days, how often did you wash your hands after using the toilet or latrine?		
			1 Never	54	1.4
			2 Rarely	16	0.6
			3 Sometimes	167	7.1
			4 Most of the time	279	12.2
			5 Always	2,456	78.7
			Missing	17	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Bangladesh Survey
Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
38-38	Q14	Q23	During the past 30 days, how often did you use soap when washing your hands?			
			1	Never	52	2.1
			2	Rarely	77	3.4
			3	Sometimes	341	14.3
			4	Most of the time	558	21.2
			5	Always	1,934	59.0
				Missing	27	
39-39	Q15	Q26	During the past 12 months, how many times were you physically attacked?			
			1	0 times	1,298	36.4
			2	1 time	479	16.5
			3	2 or 3 times	614	22.0
			4	4 or 5 times	220	10.1
			5	6 or 7 times	109	4.8
			6	8 or 9 times	49	2.1
			7	10 or 11 times	55	2.3
			8	12 or more times	128	5.8
	Missing	37				
40-40	Q16	Q27	During the past 12 months, how many times were you in a physical fight?			
			1	0 times	2,507	77.6
			2	1 time	200	9.3
			3	2 or 3 times	157	7.5
			4	4 or 5 times	46	2.2
			5	6 or 7 times	13	0.4
			6	8 or 9 times	13	0.6
			7	10 or 11 times	7	0.3
			8	12 or more times	38	2.1
	Missing	8				
41-41	Q17	Q28	During the past 12 months, how many times were you seriously injured?			
			1	0 times	1,652	56.4
			2	1 time	536	23.8
			3	2 or 3 times	221	11.9
			4	4 or 5 times	60	3.3
			5	6 or 7 times	24	1.7
			6	8 or 9 times	14	0.9
			7	10 or 11 times	6	0.5
			8	12 or more times	25	1.4
	Missing	451				

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bangladesh Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
42-42	Q18	Q29	During the past 12 months, what was the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	1,739	61.2
			2 I had a broken bone or a dislocated joint	79	4.2
			3 I had a cut or stab wound	407	20.6
			4 I had a concussion or other head or neck injury, was knocked out, or could not breathe	87	5.2
			5 I had a gunshot wound	4	0.3
			6 I had a bad burn	30	1.3
			7 I was poisoned or took too much of a drug	5	0.3
			8 Something else happened to me	179	6.8
			Missing	459	
44-44	Q20	Q30	During the past 30 days, on how many days were you bullied?		
			1 0 days	2,367	75.5
			2 1 or 2 days	414	14.7
			3 3 to 5 days	132	6.6
			4 6 to 9 days	25	1.8
			5 10 to 19 days	20	0.6
			6 20 to 29 days	11	0.6
			7 All 30 days	6	0.2
			Missing	14	
46-46	Q22	Q31	During the past 12 months, how often have you felt lonely?		
			1 Never	1,181	45.4
			2 Rarely	545	11.9
			3 Sometimes	969	31.7
			4 Most of the time	201	6.5
			5 Always	80	4.5
			Missing	13	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bangladesh Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
47-47	Q23	Q32	During the past 12 months, how often have you been so worried about something that you could not sleep at night?			
			1	Never	1,206	44.3
			2	Rarely	597	14.7
			3	Sometimes	1,037	36.3
			4	Most of the time	116	3.4
			5	Always	22	1.3
				Missing	11	
48-48	Q24	Q33	During the past 12 months, did you ever seriously consider attempting suicide?			
			1	Yes	127	4.9
			2	No	2,820	95.1
				Missing	42	
49-49	Q25	Q34	During the past 12 months, did you make a plan about how you would attempt suicide?			
			1	Yes	171	7.4
			2	No	2,794	92.6
				Missing	24	
50-50	Q26	Q35	During the past 12 months, how many times did you actually attempt suicide?			
			1	0 times	2,818	93.3
			2	1 time	104	4.5
			3	2 or 3 times	31	1.4
			4	4 or 5 times	12	0.6
			5	6 or more times	5	0.2
				Missing	19	
51-51	Q27	Q36	How many close friends do you have?			
			1	0	256	8.5
			2	1	933	25.6
			3	2	737	25.6
			4	3 or more	1,031	40.3
				Missing	32	
52-52	Q28	Q37	How old were you when you first tried a cigarette?			
			1	I have never smoked cigarettes	2,411	89.7
			2	7 years old or younger	36	2.0
			3	8 or 9 years old	14	0.8
			4	10 or 11 years old	19	0.9
			5	12 or 13 years old	132	4.6
			6	14 or 15 years old	34	1.4
			7	16 or 17 years old	6	0.5
			8	18 years old or older	0	0.0
				Missing	337	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bangladesh Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
53-53	Q29	Q38	During the past 30 days, on how many days did you smoke cigarettes?			
			1	0 days	2,765	92.3
			2	1 or 2 days	39	3.0
			3	3 to 5 days	12	0.7
			4	6 to 9 days	8	0.3
			5	10 to 19 days	131	3.0
			6	20 to 29 days	5	0.4
			7	All 30 days	3	0.2
		Missing	26			
54-54	Q30	Q39	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as biri, jarda, tobacco leaf, gul, or shisha?			
			1	0 days	2,784	94.0
			2	1 or 2 days	36	2.1
			3	3 to 5 days	14	0.8
			4	6 to 9 days	23	0.4
			5	10 to 19 days	109	2.5
			6	20 to 29 days	3	0.1
			7	All 30 days	2	0.2
		Missing	18			
55-55	Q31	Q40	During the past 12 months, have you ever tried to stop smoking cigarettes?			
			1	I have never smoked cigarettes	2,460	90.1
			2	I did not smoke cigarettes during the past 12 months	36	2.7
			3	Yes	116	4.4
			4	No	65	2.8
		Missing	312			
56-56	Q32	Q41	During the past 7 days, on how many days have people smoked in your presence?			
			1	0 days	2,013	65.6
			2	1 or 2 days	424	15.3
			3	3 or 4 days	97	3.9
			4	5 or 6 days	110	4.7
			5	All 7 days	328	10.5
		Missing	17			

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bangladesh Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
57-57	Q33	Q42	Which of your parents or guardians use any form of tobacco?			
			1	Neither	2,063	66.4
			2	My father or male guardian	618	23.0
			3	My mother or female guardian	61	2.0
			4	Both	105	4.7
			5	I do not know	114	3.9
			Missing	28		
58-58	Q34	Q43	How old were you when you had your first drink of alcohol other than a few sips?			
			1	I have never had a drink of alcohol other than a few sips	2,877	97.0
			2	7 years old or younger	14	0.6
			3	8 or 9 years old	8	0.3
			4	10 or 11 years old	11	0.6
			5	12 or 13 years old	11	0.8
			6	14 or 15 years old	10	0.7
			7	16 or 17 years old	1	0.0
			8	18 years old or older	0	0.0
			Missing	57		
59-59	Q35	Q44	During the past 30 days, on how many days did you have at least one drink containing alcohol?			
			1	0 days	2,941	98.3
			2	1 or 2 days	10	0.5
			3	3 to 5 days	6	0.4
			4	6 to 9 days	5	0.2
			5	10 to 19 days	3	0.3
			6	20 to 29 days	2	0.2
			7	All 30 days	0	0.0
			Missing	22		
60-60	Q36	Q45	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?			
			1	I did not drink alcohol during the past 30 days	2,921	98.0
			2	Less than one drink	16	0.8
			3	1 drink	5	0.3
			4	2 drinks	8	0.5
			5	3 drinks	0	0.0
			6	4 drinks	5	0.3
			7	5 or more drinks	2	0.1
			Missing	32		

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bangladesh Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
61-61	Q37	Q46	During the past 30 days, how did you usually get the alcohol you drank?		
			1 I did not drink alcohol during the past 30 days	2,927	98.8
			2 I bought it in a store, shop, or from a street vendor	6	0.5
			3 I gave someone else money to buy it for me	5	0.2
			4 I got it from my friends	4	0.2
			5 I got it from my family	4	0.3
			6 I stole it or got it without permission	0	0.0
			7 I got it some other way	1	0.0
			Missing	42	
62-62	Q38	Q47	During your life, how many times did you drink so much alcohol that you were really drunk?		
			1 0 times	2,933	98.6
			2 1 or 2 times	5	0.4
			3 3 to 9 times	9	0.6
			4 10 or more times	5	0.4
			Missing	37	
63-63	Q39	Q48	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?		
			1 0 times	2,931	98.8
			2 1 or 2 times	3	0.3
			3 3 to 9 times	8	0.5
			4 10 or more times	4	0.4
			Missing	43	
64-64	Q40	Q49	How old were you when you first used drugs?		
			1 I have never used drugs	2,886	97.1
			2 7 years old or younger	10	0.7
			3 8 or 9 years old	9	0.5
			4 10 or 11 years old	6	0.4
			5 12 or 13 years old	10	0.7
			6 14 or 15 years old	8	0.5
			7 16 or 17 years old	0	0.0
			8 18 years old or older	0	0.0
			Missing	60	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bangladesh Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
65-65	Q41	Q50	During your life, how many times have you used marijuana (also called ganja or weed)?		
			1 0 times	2,931	98.5
			2 1 or 2 times	7	0.4
			3 3 to 9 times	6	0.5
			4 10 to 19 times	3	0.3
			5 20 or more times	3	0.3
			Missing	39	
66-66	Q42	Q51	During the past 30 days, how many times have you used marijuana (also called ganja or weed)?		
			1 0 times	2,920	98.3
			2 1 or 2 times	10	0.7
			3 3 to 9 times	4	0.4
			4 10 to 19 times	4	0.3
			5 20 or more times	3	0.3
			Missing	48	
67-67	Q43	Q52	During your life, how many times have you used amphetamines or methamphetamines ?		
			1 0 times	2,911	98.1
			2 1 or 2 times	13	1.0
			3 3 to 9 times	4	0.5
			4 10 to 19 times	1	0.1
			5 20 or more times	4	0.4
			Missing	56	
68-68	Q44	Q53	Have you ever had sexual intercourse?		
			1 Yes	218	9.3
			2 No	2,425	90.7
			Missing	346	
69-69	Q45	Q54	How old were you when you had sexual intercourse for the first time?		
			1 I have never had sexual intercourse	2,745	93.2
			2 11 years old or younger	1	0.1
			3 12 years old	12	0.4
			4 13 years old	46	2.5
			5 14 years old	25	1.3
			6 15 years old	102	2.4
			7 16 or 17 years old	1	0.0
			8 18 years old or older	0	0.0
Missing	57				

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Bangladesh Survey
Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
71-71	Q47	Q55	The last time you had sexual intercourse, did you or your partner use a condom ?		
			1 I have never had sexual intercourse	2,589	93.3
			2 Yes	131	3.9
			3 No	44	2.8
			Missing	225	
72-72	Q48	Q56	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?		
			1 I have never had sexual intercourse	2,481	93.0
			2 Yes	137	4.7
			3 No	28	1.4
			4 I do not know	19	0.9
			Missing	324	
73-73	Q49	Q57	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
			1 0 days	672	24.7
			2 1 day	180	7.6
			3 2 days	108	4.8
			4 3 days	90	3.0
			5 4 days	122	5.6
			6 5 days	146	5.2
			7 6 days	190	7.7
			8 7 days	1,407	41.4
			Missing	74	
74-74	Q50	Q58	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?		
			1 0 days	835	31.6
			2 1 day	100	4.0
			3 2 days	124	5.4
			4 3 days	98	3.9
			5 4 days	70	2.5
			6 5 days	96	3.3
			7 6 days	255	8.3
			8 7 days	1,350	41.1
			Missing	61	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Bangladesh Survey
Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
75-75	Q51	Q59	During this school year, on how many days did you go to physical education (PE) class each week?		
			1 0 days	224	10.5
			2 1 day	321	10.8
			3 2 days	1,093	29.6
			4 3 days	418	15.6
			5 4 days	153	5.8
			6 5 or more days	659	27.6
			Missing	121	
76-76	Q52	Q62	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as sewing?		
			1 Less than 1 hour per day	1,141	46.0
			2 1 to 2 hours per day	1,342	38.8
			3 3 to 4 hours per day	242	8.6
			4 5 to 6 hours per day	92	3.5
			5 7 to 8 hours per day	48	2.1
			6 More than 8 hours per day	18	1.0
			Missing	106	
77-77	Q53	Q64	During the past 30 days, on how many days did you miss classes or school without permission?		
			1 0 days	1,856	69.1
			2 1 or 2 days	844	22.7
			3 3 to 5 days	80	3.7
			4 6 to 9 days	55	2.3
			5 10 or more days	47	2.2
			Missing	107	
78-78	Q54	Q65	During the past 30 days, how often were most of the students in your school kind and helpful?		
			1 Never	374	17.6
			2 Rarely	96	4.6
			3 Sometimes	592	21.8
			4 Most of the time	1,227	38.4
			5 Always	557	17.6
			Missing	143	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bangladesh Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
79-79	Q55	Q66	During the past 30 days, how often did your parents or guardians check to see if your homework was done?		
			1 Never	395	17.7
			2 Rarely	80	3.7
			3 Sometimes	635	24.5
			4 Most of the time	1,111	31.3
			5 Always	659	22.8
			Missing	109	
80-80	Q56	Q67	During the past 30 days, how often did your parents or guardians understand your problems and worries?		
			1 Never	307	14.5
			2 Rarely	150	8.1
			3 Sometimes	984	29.8
			4 Most of the time	800	26.0
			5 Always	630	21.6
			Missing	118	
81-81	Q57	Q68	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?		
			1 Never	493	23.2
			2 Rarely	68	3.9
			3 Sometimes	960	29.7
			4 Most of the time	713	23.7
			5 Always	629	19.6
			Missing	126	
82-82	Q58	Q69	During the past 30 days, how often did your parents or guardians go through your things without your approval?		
			1 Never	2,006	74.6
			2 Rarely	479	10.1
			3 Sometimes	271	10.9
			4 Most of the time	77	2.7
			5 Always	38	1.7
			Missing	118	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bangladesh Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
185-185	QN6		Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)		
			1 Yes	426	13.1
			2 No Missing	2,488 75	86.9
186-186	QN7		Percentage of students who did not eat fruit (during the 30 days before the survey)		
			1 Yes	117	4.8
			2 No Missing	2,834 38	95.2
187-187	QN8		Percentage of students who did not eat vegetables (during the 30 days before the survey)		
			1 Yes	38	1.1
			2 No Missing	2,912 39	98.9
188-188	QN9		Percentage of students who did not drink carbonated soft drinks (during the 30 days before the survey)		
			1 Yes	449	15.7
			2 No Missing	2,480 60	84.3
189-189	QN10		Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)		
			1 Yes	1,328	46.9
			2 No Missing	1,621 40	53.1
190-190	QN11		Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)		
			1 Yes	2,664	87.2
			2 No Missing	319 6	12.8

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bangladesh Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
191-191	QN12		Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)		
			1 Yes	100	2.9
			2 No	2,870	97.1
			Missing	19	
192-192	QN13		Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)		
			1 Yes	70	2.1
			2 No	2,902	97.9
			Missing	17	
193-193	QN14		Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)		
			1 Yes	129	5.5
			2 No	2,833	94.5
			Missing	27	
194-194	QN15		Percentage of students who were physically attacked (one or more times during the 12 months before the survey)		
			1 Yes	1,654	63.6
			2 No	1,298	36.4
			Missing	37	
195-195	QN16		Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
			1 Yes	474	22.4
			2 No	2,507	77.6
			Missing	8	
196-196	QN17		Percentage of students who were seriously injured (one or more times during the 12 months before the survey)		
			1 Yes	886	43.6
			2 No	1,652	56.4
			Missing	451	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bangladesh Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
197-197	QN18		Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)		
			1 Yes	79	10.9
			2 No	712	89.1
			Missing	2,198	
199-199	QN20		Percentage of students who were bullied (on one or more days during the 30 days before the survey)		
			1 Yes	608	24.5
			2 No	2,367	75.5
			Missing	14	
201-201	QN22		Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)		
			1 Yes	281	11.0
			2 No	2,695	89.0
			Missing	13	
202-202	QN23		Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)		
			1 Yes	138	4.7
			2 No	2,840	95.3
			Missing	11	
203-203	QN24		Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)		
			1 Yes	127	4.9
			2 No	2,820	95.1
			Missing	42	
204-204	QN25		Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)		
			1 Yes	171	7.4
			2 No	2,794	92.6
			Missing	24	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Bangladesh Survey
Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
205-205	QN26		Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
			1 Yes	152	6.7
			2 No	2,818	93.3
			Missing	19	
206-206	QN27		Percentage of students who did not have any close friends		
			1 Yes	256	8.5
			2 No	2,701	91.5
			Missing	32	
207-207	QN28		Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)		
			1 Yes	201	81.2
			2 No	40	18.8
			Missing	2,748	
208-208	QN29		Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
			1 Yes	198	7.7
			2 No	2,765	92.3
			Missing	26	
209-209	QN30		Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)		
			1 Yes	187	6.0
			2 No	2,784	94.0
			Missing	18	
210-210	QN31		Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)		
			1 Yes	116	61.3
			2 No	65	38.7
			Missing	2,808	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bangladesh Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
211-211	QN32		Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)		
			1 Yes	959	34.4
			2 No	2,013	65.6
			Missing	17	
212-212	QN33		Percentage of students who had parents or guardians who used any form of tobacco		
			1 Yes	784	29.7
			2 No	2,177	70.3
			Missing	28	
213-213	QN34		Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)		
			1 Yes	44	77.7
			2 No	11	22.3
			Missing	2,934	
214-214	QN35		Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)		
			1 Yes	26	1.7
			2 No	2,941	98.3
			Missing	22	
215-215	QN36		Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)		
			1 Yes	15	46.1
			2 No	21	53.9
			Missing	2,953	
216-216	QN37		Percentage of students who usually obtained the alcohol they drank from friends (during the 30 days before the survey among students who drank alcohol during the 30 days before the survey)		
			1 Yes	4	16.6
			2 No	16	83.4
			Missing	2,969	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bangladesh Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
217-217	QN38		Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)		
			1 Yes	19	1.4
			2 No	2,933	98.6
			Missing	37	
218-218	QN39		Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)		
			1 Yes	15	1.2
			2 No	2,931	98.8
			Missing	43	
219-219	QN40		Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)		
			1 Yes	35	81.6
			2 No	8	18.4
			Missing	2,946	
220-220	QN41		Percentage of students who ever used marijuana (one or more times during their life)		
			1 Yes	19	1.5
			2 No	2,931	98.5
			Missing	39	
221-221	QN42		Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
			1 Yes	21	1.7
			2 No	2,920	98.3
			Missing	48	
222-222	QN43		Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)		
			1 Yes	22	1.9
			2 No	2,911	98.1
			Missing	56	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bangladesh Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
223-223	QN44		Percentage of students who ever had sexual intercourse			
			1	Yes	218	9.3
			2	No	2,425	90.7
				Missing	346	
224-224	QN45		Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)			
			1	Yes	59	45.2
			2	No	128	54.8
				Missing	2,802	
226-226	QN47		Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)			
			1	Yes	131	58.6
			2	No	44	41.4
				Missing	2,814	
227-227	QN48		Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)			
			1	Yes	137	67.1
			2	No	47	32.9
				Missing	2,805	
228-228	QN49		Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)			
			1	Yes	672	24.7
			2	No	2,243	75.3
				Missing	74	
229-229	QN50		Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)			
			1	Yes	835	31.6
			2	No	2,093	68.4
				Missing	61	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bangladesh Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
230-230	QN51		Percentage of students who did not attend physical education classes (each week during this school year)			
			1	Yes	224	10.5
			2	No	2,644	89.5
				Missing	121	
231-231	QN52		Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)			
			1	Yes	400	15.2
			2	No	2,483	84.8
				Missing	106	
232-232	QN53		Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)			
			1	Yes	1,026	30.9
			2	No	1,856	69.1
				Missing	107	
233-233	QN54		Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)			
			1	Yes	1,784	56.0
			2	No	1,062	44.0
				Missing	143	
234-234	QN55		Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)			
			1	Yes	1,770	54.1
			2	No	1,110	45.9
				Missing	109	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bangladesh Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
235-235	QN56		Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)		
			1 Yes	1,430	47.6
			2 No	1,441	52.4
			Missing	118	
236-236	QN57		Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)		
			1 Yes	1,342	43.3
			2 No	1,521	56.7
			Missing	126	
237-237	QN58		Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)		
			1 Yes	2,485	84.6
			2 No	386	15.4
			Missing	118	
350-350	QNUNWTG		Percentage of students who were underweight (<-2SD from median for BMI by age and sex)		
			1 Yes	300	13.7
			2 No	2,403	86.3
			Missing	286	
351-351	QNOWTG		Percentage of students who were overweight (>+1SD from median for BMI by age and sex)		
			1 Yes	200	9.0
			2 No	2,503	91.0
			Missing	286	
352-352	QNOBESEG		Percentage of students who were obese (>+2SD from median for BMI by age and sex)		
			1 Yes	36	1.2
			2 No	2,667	98.8
			Missing	286	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bangladesh Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
353-353	QNFR1G		Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)		
			1 Yes	1,274	45.3
			2 No	1,677	54.7
			Missing	38	
354-354	QNFR1G		Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)		
			1 Yes	1,560	49.9
			2 No	1,391	50.1
			Missing	38	
355-355	QNFR2G		Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)		
			1 Yes	774	22.2
			2 No	2,177	77.8
			Missing	38	
356-356	QNFR3G		Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)		
			1 Yes	453	11.0
			2 No	2,498	89.0
			Missing	38	
357-357	QNVEGLG		Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)		
			1 Yes	609	24.2
			2 No	2,341	75.8
			Missing	39	
358-358	QNVEG1G		Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)		
			1 Yes	2,303	74.7
			2 No	647	25.3
			Missing	39	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bangladesh Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
359-359	QNVEG2G		Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)		
			1 Yes	1,647	51.8
			2 No	1,303	48.2
			Missing	39	
360-360	QNVEG3G		Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)		
			1 Yes	1,029	31.6
			2 No	1,921	68.4
			Missing	39	
361-361	QNSODALG		Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)		
			1 Yes	1,071	37.1
			2 No	1,858	62.9
			Missing	60	
362-362	QNSODA1G		Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)		
			1 Yes	1,409	47.2
			2 No	1,520	52.8
			Missing	60	
363-363	QNSODA2G		Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)		
			1 Yes	934	28.6
			2 No	1,995	71.4
			Missing	60	
364-364	QNSODA3G		Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)		
			1 Yes	392	16.5
			2 No	2,537	83.5
			Missing	60	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bangladesh Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
365-365	QNFF1G		Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)		
			1 Yes	1,621	53.1
			2 No	1,328	46.9
			Missing	40	
366-366	QNFF2G		Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)		
			1 Yes	1,176	37.1
			2 No	1,773	62.9
			Missing	40	
367-367	QNFF3G		Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)		
			1 Yes	874	25.4
			2 No	2,075	74.6
			Missing	40	
368-368	QNC2G		Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)		
			1 Yes	63	51.7
			2 No	75	48.3
			Missing	2,851	
369-369	QNTOB2G		Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)		
			1 Yes	237	9.7
			2 No	2,724	90.3
			Missing	28	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bangladesh Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
370-370	QNNOTB2G		Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)		
			1 Yes	2,724	90.6
			2 No	231	9.4
			Missing	34	
371-371	QNBCANYG		Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)		
			1 Yes	144	86.1
			2 No	19	13.9
			Missing	2,826	
372-372	QNC1G		Percentage of students who ever had sexual intercourse among students who had drunk so much alcohol that they were really drunk (one or more times during their life)		
			1 Yes	10	61.8
			2 No	8	38.2
			Missing	2,971	
373-373	QNPA5G		Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)		
			1 Yes	1,743	54.3
			2 No	1,172	45.7
			Missing	74	
374-374	QNPA7G		Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)		
			1 Yes	1,407	41.4
			2 No	1,508	58.6
			Missing	74	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bangladesh Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
375-375	QNPE3G		Percentage of students who attended physical education classes on three or more days (each week during this school year)		
			1 Yes	1,230	49.1
			2 No	1,638	50.9
			Missing	121	
376-376	QNPE5G		Percentage of students who attended physical education classes on five or more days (each week during this school year)		
			1 Yes	659	27.6
			2 No	2,209	72.4
			Missing	121	
377-386	WEIGHT				
387-395	STRATUM				
396-400	PSU				