

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
17-17	Q1	Q1	How old are you?		
			1 11 years old or younger	251	2.2
			2 12 years old	1,796	17.3
			3 13 years old	2,502	24.2
			4 14 years old	2,565	24.1
			5 15 years old	1,943	14.7
			6 16 years old	1,113	8.5
			7 17 years old	776	7.5
			8 18 years old or older	178	1.6
			Missing	18	
18-18	Q2	Q2	What is your sex?		
			1 Male	5,090	48.9
			2 Female	6,020	51.1
			Missing	32	
19-19	Q3	Q3	In what grade are you?		
			1 Kelas 7	2,740	25.9
			2 Kelas 8	2,653	25.9
			3 Kelas 9	2,656	25.0
			4 Kelas 10	1,192	6.9
			5 Kelas 11	1,068	7.9
			6 Kelas 12	772	8.4
			Missing	61	
20-23	Q4	Q4	How tall are you without your shoes on? (Note: Data are in meters.)		
24-29	Q5	Q5	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
30-30	Q6	Q7	During the past 30 days, how often did you go hungry because there was not enough food in your home?		
			1 Never	4,944	44.7
			2 Rarely	1,260	12.0
			3 Sometimes	4,405	39.1
			4 Most of the time	313	2.8
			5 Always	169	1.4
			Missing	51	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
31-31	Q7	Q8	During the past 30 days, how many times per day did you usually eat fruit, such as pineapples, bananas, oranges, or watermelons?		
			1 I did not eat fruit during the past 30 days	1,065	9.1
			2 Less than one time per day	3,097	27.0
			3 1 time per day	3,129	28.2
			4 2 times per day	2,077	19.9
			5 3 times per day	1,006	9.8
			6 4 times per day	199	1.8
			7 5 or more times per day	447	4.2
			Missing	122	
32-32	Q8	Q9	During the past 30 days, how many times per day did you usually eat vegetables, such as carrots, cabbage, spinach, or kangkong/kangkung?		
			1 I did not eat vegetables during the past 30 days	342	3.0
			2 Less than one time per day	1,724	14.8
			3 1 time per day	2,849	24.8
			4 2 times per day	3,153	28.8
			5 3 times per day	2,309	22.1
			6 4 times per day	246	2.3
			7 5 or more times per day	464	4.2
			Missing	55	
33-33	Q9	Q10	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as Coca-Cola, Sprite, Fanta, or Big Cola?		
			1 I did not drink carbonated soft drinks during the past 30 days	4,209	37.6
			2 Less than one time per day	3,776	34.4
			3 1 time per day	2,052	18.5
			4 2 times per day	601	5.4
			5 3 times per day	227	2.0
			6 4 times per day	68	0.6
			7 5 or more times per day	147	1.4
			Missing	62	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
34-34	Q10	Q11	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as KFC, McDonald, Texas Fried Chicken, California Fried Chicken, Burger King, or A and W?		
			1 0 days	5,196	45.6
			2 1 day	3,172	29.0
			3 2 days	1,352	12.9
			4 3 days	742	7.0
			5 4 days	256	2.3
			6 5 days	112	1.0
			7 6 days	75	0.7
			8 7 days	172	1.5
			Missing	65	
35-35	Q11	Q17	During the past 30 days, how many times per day did you usually clean or brush your teeth?		
			1 I did not clean or brush my teeth during the past 30 days	56	0.5
			2 Less than 1 time per day	194	1.8
			3 1 time per day	941	8.5
			4 2 times per day	6,073	55.4
			5 3 times per day	3,422	30.5
			6 4 or more times per day	378	3.3
			Missing	78	
36-36	Q12	Q18	During the past 30 days, how often did you wash your hands before eating?		
			1 Never	124	1.1
			2 Rarely	149	1.4
			3 Sometimes	2,198	21.7
			4 Most of the time	2,564	23.6
			5 Always	6,086	52.2
			Missing	21	
37-37	Q13	Q19	During the past 30 days, how often did you wash your hands after using the toilet or latrine?		
			1 Never	160	1.3
			2 Rarely	133	1.1
			3 Sometimes	1,723	14.7
			4 Most of the time	2,369	21.1
			5 Always	6,721	61.7
			Missing	36	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
38-38	Q14	Q20	During the past 30 days, how often did you use soap when washing your hands?		
			1 Never	221	2.0
			2 Rarely	211	1.9
			3 Sometimes	3,701	32.4
			4 Most of the time	2,649	24.4
			5 Always	4,277	39.3
			Missing	83	
39-39	Q15	Q22	During the past 12 months, how many times were you physically attacked?		
			1 0 times	7,491	67.3
			2 1 time	1,544	13.7
			3 2 or 3 times	1,462	13.6
			4 4 or 5 times	275	2.6
			5 6 or 7 times	91	0.9
			6 8 or 9 times	105	1.0
			7 10 or 11 times	13	0.1
			8 12 or more times	89	0.8
			Missing	72	
40-40	Q16	Q23	During the past 12 months, how many times were you in a physical fight?		
			1 0 times	8,427	76.6
			2 1 time	1,404	12.3
			3 2 or 3 times	804	7.3
			4 4 or 5 times	177	1.7
			5 6 or 7 times	72	0.7
			6 8 or 9 times	31	0.2
			7 10 or 11 times	18	0.2
			8 12 or more times	109	0.9
			Missing	100	
41-41	Q17	Q25	During the past 12 months, how many times were you seriously injured?		
			1 0 times	7,038	70.4
			2 1 time	1,876	18.6
			3 2 or 3 times	797	7.9
			4 4 or 5 times	158	1.7
			5 6 or 7 times	61	0.6
			6 8 or 9 times	30	0.3
			7 10 or 11 times	12	0.1
			8 12 or more times	57	0.5
			Missing	1,113	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
42-42	Q18	Q26	During the past 12 months, what was the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	8,136	77.6
			2 I had a broken bone or a dislocated joint	878	8.7
			3 I had a cut or stab wound	257	2.2
			4 I had a concussion or other head or neck injury, was knocked out, or could not breathe	99	0.9
			5 I had a gunshot wound	31	0.3
			6 I had a bad burn	64	0.6
			7 I was poisoned or took too much of a drug	16	0.1
			8 Something else happened to me	998	9.4
			Missing	663	
43-43	Q19	Q27	During the past 12 months, what was the major cause of the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	7,651	75.8
			2 I was in a motor vehicle accident or hit by a motor vehicle	538	5.2
			3 I fell	1,263	12.3
			4 Something fell on me or hit me	161	1.6
			5 I was attacked or abused or was fighting with someone	109	1.2
			6 I was in a fire or too near a flame or something hot	33	0.3
			7 I inhaled or swallowed something bad for me	62	0.6
			8 Something else caused my injury	310	3.1
			Missing	1,015	
44-44	Q20	Q29	During the past 30 days, on how many days were you bullied?		
			1 0 days	8,229	79.4
			2 1 or 2 days	1,465	13.9
			3 3 to 5 days	350	3.4
			4 6 to 9 days	126	1.4
			5 10 to 19 days	64	0.7
			6 20 to 29 days	21	0.2
			7 All 30 days	108	1.0
			Missing	779	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
45-45	Q21	Q30	During the past 30 days, how were you bullied most often?		
			1 I was not bullied during the past 30 days	8,534	82.3
			2 I was hit, kicked, pushed, shoved around, or locked indoors	210	2.0
			3 I was made fun of because of my race, nationality, or color	141	1.3
			4 I was made fun of because of my religion	65	0.6
			5 I was made fun of with sexual jokes, comments, or gestures	359	3.7
			6 I was left out of activities on purpose or completely ignored	123	1.1
			7 I was made fun of because of how my body or face looks	340	3.3
			8 I was bullied in some other way	587	5.6
			Missing	783	
46-46	Q22	Q38	During the past 12 months, how often have you felt lonely?		
			1 Never	4,663	42.7
			2 Rarely	1,170	11.3
			3 Sometimes	4,508	39.8
			4 Most of the time	530	4.7
			5 Always	159	1.4
			Missing	112	
47-47	Q23	Q39	During the past 12 months, how often have you been so worried about something that you could not sleep at night?		
			1 Never	5,184	46.8
			2 Rarely	1,195	11.0
			3 Sometimes	4,208	37.6
			4 Most of the time	396	3.5
			5 Always	119	1.0
			Missing	40	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
48-48	Q24	Q40	During the past 12 months, did you ever seriously consider attempting suicide?		
			1 Yes	604	5.2
			2 No	10,373	94.8
			Missing	165	
49-49	Q25	Q41	During the past 12 months, did you make a plan about how you would attempt suicide?		
			1 Yes	628	5.5
			2 No	10,367	94.5
			Missing	147	
50-50	Q26	Q42	During the past 12 months, how many times did you actually attempt suicide?		
			1 0 times	10,684	96.1
			2 1 time	262	2.4
			3 2 or 3 times	64	0.6
			4 4 or 5 times	75	0.7
			5 6 or more times	20	0.2
			Missing	37	
51-51	Q27	Q43	How many close friends do you have?		
			1 0	322	3.0
			2 1	669	5.6
			3 2	837	7.1
			4 3 or more	9,243	84.2
			Missing	71	
52-52	Q28	Q45	How old were you when you first tried a cigarette?		
			1 I have never smoked cigarettes	8,457	77.8
			2 7 years old or younger	314	2.9
			3 8 or 9 years old	314	3.1
			4 10 or 11 years old	489	5.0
			5 12 or 13 years old	633	6.3
			6 14 or 15 years old	393	3.9
			7 16 or 17 years old	87	0.9
			8 18 years old or older	4	0.0
			Missing	451	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
53-53	Q29	Q46	During the past 30 days, on how many days did you smoke cigarettes?		
			1 0 days	9,813	88.4
			2 1 or 2 days	628	5.9
			3 3 to 5 days	164	1.6
			4 6 to 9 days	83	0.9
			5 10 to 19 days	87	0.8
			6 20 to 29 days	36	0.4
			7 All 30 days	174	1.9
			Missing	157	
54-54	Q30	Q47	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as sirih, piper betel cerutu, or cigars?		
			1 0 days	10,647	96.5
			2 1 or 2 days	210	1.8
			3 3 to 5 days	85	0.8
			4 6 to 9 days	33	0.3
			5 10 to 19 days	30	0.3
			6 20 to 29 days	12	0.2
			7 All 30 days	11	0.1
			Missing	114	
55-55	Q31	Q48	During the past 12 months, have you ever tried to stop smoking cigarettes?		
			1 I have never smoked cigarettes	8,887	81.5
			2 I did not smoke cigarettes during the past 12 months	497	4.6
			3 Yes	1,238	12.5
			4 No	135	1.3
			Missing	385	
56-56	Q32	Q49	During the past 7 days, on how many days have people smoked in your presence?		
			1 0 days	2,520	22.4
			2 1 or 2 days	2,739	24.2
			3 3 or 4 days	1,122	10.6
			4 5 or 6 days	513	4.8
			5 All 7 days	4,131	38.1
			Missing	117	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
57-57	Q33	Q50	Which of your parents or guardians use any form of tobacco?		
			1 Neither	4,348	39.4
			2 My father or male guardian	5,678	51.4
			3 My mother or female guardian	102	0.9
			4 Both	166	1.4
			5 I do not know	736	6.8
			Missing	112	
58-58	Q34	Q51	How old were you when you had your first drink of alcohol other than a few sips?		
			1 I have never had a drink of alcohol other than a few sips	9,427	91.2
			2 7 years old or younger	144	1.4
			3 8 or 9 years old	127	1.2
			4 10 or 11 years old	132	1.2
			5 12 or 13 years old	193	1.8
			6 14 or 15 years old	227	2.2
			7 16 or 17 years old	87	0.9
			8 18 years old or older	2	0.0
			Missing	803	
59-59	Q35	Q52	During the past 30 days, on how many days did you have at least one drink containing alcohol?		
			1 0 days	10,448	95.6
			2 1 or 2 days	319	2.9
			3 3 to 5 days	74	0.7
			4 6 to 9 days	41	0.4
			5 10 to 19 days	18	0.2
			6 20 to 29 days	8	0.1
			7 All 30 days	13	0.1
			Missing	221	
60-60	Q36	Q53	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?		
			1 I did not drink alcohol during the past 30 days	10,309	94.4
			2 Less than one drink	300	2.5
			3 1 drink	145	1.4
			4 2 drinks	66	0.6
			5 3 drinks	43	0.4
			6 4 drinks	22	0.2
			7 5 or more drinks	40	0.4
			Missing	217	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
61-61	Q37	Q54	During the past 30 days, how did you usually get the alcohol you drank?		
			1 I did not drink alcohol during the past 30 days	10,351	95.5
			2 I bought it in a store, shop, or from a street vendor	175	1.7
			3 I gave someone else money to buy it for me	48	0.4
			4 I got it from my friends	179	1.6
			5 I got it from my family	60	0.5
			6 I stole it or got it without permission	9	0.1
			7 I got it some other way	20	0.2
			Missing	300	
62-62	Q38	Q56	During your life, how many times did you drink so much alcohol that you were really drunk?		
			1 0 times	10,460	96.3
			2 1 or 2 times	259	2.4
			3 3 to 9 times	77	0.7
			4 10 or more times	52	0.5
			Missing	294	
63-63	Q39	Q57	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?		
			1 0 times	10,334	97.4
			2 1 or 2 times	162	1.7
			3 3 to 9 times	47	0.4
			4 10 or more times	53	0.5
			Missing	546	
64-64	Q40	Q58	How old were you when you first used drugs?		
			1 I have never used drugs	10,494	97.3
			2 7 years old or younger	112	1.1
			3 8 or 9 years old	57	0.6
			4 10 or 11 years old	39	0.4
			5 12 or 13 years old	31	0.3
			6 14 or 15 years old	20	0.2
			7 16 or 17 years old	10	0.1
			8 18 years old or older	2	0.0
			Missing	377	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
65-65	Q41	Q59	During your life, how many times have you used marijuana (also called ganja)?		
			1 0 times	10,771	98.3
			2 1 or 2 times	68	0.6
			3 3 to 9 times	54	0.5
			4 10 to 19 times	27	0.3
			5 20 or more times	23	0.2
			Missing	199	
66-66	Q42	Q60	During the past 30 days, how many times have you used marijuana (also called ganja)?		
			1 0 times	10,855	98.8
			2 1 or 2 times	59	0.6
			3 3 to 9 times	38	0.4
			4 10 to 19 times	14	0.1
			5 20 or more times	19	0.2
			Missing	157	
67-67	Q43	Q61	During your life, how many times have you used amphetamines or methamphetamines (also called ekstasi)?		
			1 0 times	10,598	98.4
			2 1 or 2 times	73	0.7
			3 3 to 9 times	46	0.4
			4 10 to 19 times	25	0.2
			5 20 or more times	16	0.2
			Missing	384	
68-68	Q44	Q62	Have you ever had sexual intercourse?		
			1 Yes	503	5.3
			2 No	9,026	94.7
			Missing	1,613	
69-69	Q45	Q63	How old were you when you had sexual intercourse for the first time?		
			1 I have never had sexual intercourse	10,723	98.3
			2 11 years old or younger	86	0.8
			3 12 years old	31	0.3
			4 13 years old	17	0.2
			5 14 years old	21	0.2
			6 15 years old	11	0.1
			7 16 or 17 years old	12	0.1
			8 18 years old or older	2	0.0
			Missing	239	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
70-70	Q46	Q64	During your life, with how many people have you had sexual intercourse?		
			1 I have never had sexual intercourse	10,713	98.0
			2 1 person	70	0.7
			3 2 people	58	0.6
			4 3 people	26	0.2
			5 4 people	19	0.2
			6 5 people	8	0.1
			7 6 or more people	15	0.2
			Missing	233	
71-71	Q47	Q66	The last time you had sexual intercourse, did you or your partner use a condom or kondom?		
			1 I have never had sexual intercourse	9,683	98.0
			2 Yes	64	0.7
			3 No	127	1.3
			Missing	1,268	
72-72	Q48	Q67	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?		
			1 I have never had sexual intercourse	9,957	97.9
			2 Yes	71	0.7
			3 No	94	1.0
			4 I do not know	41	0.4
			Missing	979	
73-73	Q49	Q71	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
			1 0 days	3,541	32.1
			2 1 day	3,024	27.4
			3 2 days	1,344	12.6
			4 3 days	885	8.1
			5 4 days	386	3.6
			6 5 days	244	2.3
			7 6 days	170	1.6
			8 7 days	1,316	12.2
			Missing	232	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
74-74	Q50	Q72	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?		
			1 0 days	6,617	57.6
			2 1 day	724	6.3
			3 2 days	417	3.7
			4 3 days	255	2.2
			5 4 days	125	1.2
			6 5 days	153	1.5
			7 6 days	730	7.4
			8 7 days	1,970	20.1
			Missing	151	
75-75	Q51	Q73	During this school year, on how many days did you go to physical education (PE) class each week?		
			1 0 days	1,407	12.4
			2 1 day	6,847	63.7
			3 2 days	1,262	11.3
			4 3 days	343	2.9
			5 4 days	109	0.9
			6 5 or more days	992	8.8
			Missing	182	
76-76	Q52	Q74	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as main play station?		
			1 Less than 1 hour per day	4,203	37.1
			2 1 to 2 hours per day	3,813	35.6
			3 3 to 4 hours per day	1,781	16.8
			4 5 to 6 hours per day	561	5.4
			5 7 to 8 hours per day	171	1.6
			6 More than 8 hours per day	393	3.6
			Missing	220	
77-77	Q53	Q75	During the past 30 days, on how many days did you miss classes or school without permission?		
			1 0 days	8,660	79.9
			2 1 or 2 days	1,939	16.6
			3 3 to 5 days	261	2.4
			4 6 to 9 days	73	0.6
			5 10 or more days	76	0.6
			Missing	133	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
78-78	Q54	Q76	During the past 30 days, how often were most of the students in your school kind and helpful?		
			1 Never	680	6.0
			2 Rarely	390	3.8
			3 Sometimes	5,625	51.1
			4 Most of the time	2,368	21.4
			5 Always	1,914	17.8
			Missing	165	
79-79	Q55	Q77	During the past 30 days, how often did your parents or guardians check to see if your homework was done?		
			1 Never	2,301	19.9
			2 Rarely	660	6.1
			3 Sometimes	4,154	38.1
			4 Most of the time	1,494	13.8
			5 Always	2,320	22.1
			Missing	213	
80-80	Q56	Q78	During the past 30 days, how often did your parents or guardians understand your problems and worries?		
			1 Never	2,544	23.1
			2 Rarely	692	6.6
			3 Sometimes	3,921	35.7
			4 Most of the time	1,607	14.5
			5 Always	2,201	20.2
			Missing	177	
81-81	Q57	Q79	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?		
			1 Never	2,226	19.8
			2 Rarely	601	5.6
			3 Sometimes	3,781	34.9
			4 Most of the time	1,958	17.7
			5 Always	2,359	22.1
			Missing	217	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
82-82	Q58	Q80	During the past 30 days, how often did your parents or guardians go through your things without your approval?		
			1 Never	5,335	47.2
			2 Rarely	1,007	9.5
			3 Sometimes	3,226	30.6
			4 Most of the time	636	6.0
			5 Always	706	6.6
			Missing	232	
185-185	QN6		Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)		
			1 Yes	482	4.1
			2 No	10,609	95.9
			Missing	51	
186-186	QN7		Percentage of students who did not eat fruit (during the 30 days before the survey)		
			1 Yes	1,065	9.1
			2 No	9,955	90.9
			Missing	122	
187-187	QN8		Percentage of students who did not eat vegetables (during the 30 days before the survey)		
			1 Yes	342	3.0
			2 No	10,745	97.0
			Missing	55	
188-188	QN9		Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)		
			1 Yes	4,209	37.6
			2 No	6,871	62.4
			Missing	62	
189-189	QN10		Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)		
			1 Yes	5,196	45.6
			2 No	5,881	54.4
			Missing	65	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
190-190	QN11		Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)		
		1	Yes	10,814	97.7
		2	No	250	2.3
			Missing	78	
191-191	QN12		Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)		
		1	Yes	273	2.6
		2	No	10,848	97.4
			Missing	21	
192-192	QN13		Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)		
		1	Yes	293	2.4
		2	No	10,813	97.6
			Missing	36	
193-193	QN14		Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)		
		1	Yes	432	3.9
		2	No	10,627	96.1
			Missing	83	
194-194	QN15		Percentage of students who were physically attacked (one or more times during the 12 months before the survey)		
		1	Yes	3,579	32.7
		2	No	7,491	67.3
			Missing	72	
195-195	QN16		Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
		1	Yes	2,615	23.4
		2	No	8,427	76.6
			Missing	100	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
196-196	QN17		Percentage of students who were seriously injured (one or more times during the 12 months before the survey)		
		1	Yes	2,991	29.6
		2	No	7,038	70.4
			Missing	1,113	
197-197	QN18		Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)		
		1	Yes	878	39.0
		2	No	1,465	61.0
			Missing	8,799	
198-198	QN19		Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)		
		1	Yes	538	21.4
		2	No	1,938	78.6
			Missing	8,666	
199-199	QN20		Percentage of students who were bullied (on one or more days during the 30 days before the survey)		
		1	Yes	2,134	20.6
		2	No	8,229	79.4
			Missing	779	
200-200	QN21		Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)		
		1	Yes	210	11.4
		2	No	1,615	88.6
			Missing	9,317	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
201-201	QN22		Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)		
		1	Yes	689	6.2
		2	No	10,341	93.8
			Missing	112	
202-202	QN23		Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)		
		1	Yes	515	4.6
		2	No	10,587	95.4
			Missing	40	
203-203	QN24		Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)		
		1	Yes	604	5.2
		2	No	10,373	94.8
			Missing	165	
204-204	QN25		Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)		
		1	Yes	628	5.5
		2	No	10,367	94.5
			Missing	147	
205-205	QN26		Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
		1	Yes	421	3.9
		2	No	10,684	96.1
			Missing	37	
206-206	QN27		Percentage of students who did not have any close friends		
		1	Yes	322	3.0
		2	No	10,749	97.0
			Missing	71	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
207-207	QN28		Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)		
		1	Yes	1,750	78.2
		2	No	484	21.8
			Missing	8,908	
208-208	QN29		Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
		1	Yes	1,172	11.6
		2	No	9,813	88.4
			Missing	157	
209-209	QN30		Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)		
		1	Yes	381	3.5
		2	No	10,647	96.5
			Missing	114	
210-210	QN31		Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)		
		1	Yes	1,238	90.5
		2	No	135	9.5
			Missing	9,769	
211-211	QN32		Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)		
		1	Yes	8,505	77.6
		2	No	2,520	22.4
			Missing	117	
212-212	QN33		Percentage of students who had parents or guardians who used any form of tobacco		
		1	Yes	5,946	53.8
		2	No	5,084	46.2
			Missing	112	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
213-213	QN34		Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)		
		1	Yes	596	64.3
		2	No	316	35.7
			Missing	10,230	
214-214	QN35		Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)		
		1	Yes	473	4.4
		2	No	10,448	95.6
			Missing	221	
215-215	QN36		Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)		
		1	Yes	171	30.3
		2	No	445	69.7
			Missing	10,526	
216-216	QN37		Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)		
		1	Yes	179	36.1
		2	No	312	63.9
			Missing	10,651	
217-217	QN38		Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)		
		1	Yes	388	3.7
		2	No	10,460	96.3
			Missing	294	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
218-218	QN39		Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)		
		1	Yes	262	2.6
		2	No	10,334	97.4
			Missing	546	
219-219	QN40		Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)		
		1	Yes	239	88.2
		2	No	32	11.8
			Missing	10,871	
220-220	QN41		Percentage of students who ever used marijuana (one or more times during their life)		
		1	Yes	172	1.7
		2	No	10,771	98.3
			Missing	199	
221-221	QN42		Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
		1	Yes	130	1.2
		2	No	10,855	98.8
			Missing	157	
222-222	QN43		Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)		
		1	Yes	160	1.6
		2	No	10,598	98.4
			Missing	384	
223-223	QN44		Percentage of students who ever had sexual intercourse		
		1	Yes	503	5.3
		2	No	9,026	94.7
			Missing	1,613	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
224-224	QN45		Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)		
		1	Yes	134	73.9
		2	No	46	26.1
			Missing	10,962	
225-225	QN46		Percentage of students who had sexual intercourse with two or more persons (during their life)		
		1	Yes	126	1.2
		2	No	10,783	98.8
			Missing	233	
226-226	QN47		Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)		
		1	Yes	64	34.7
		2	No	127	65.3
			Missing	10,951	
227-227	QN48		Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)		
		1	Yes	71	34.9
		2	No	135	65.1
			Missing	10,936	
228-228	QN49		Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)		
		1	Yes	3,541	32.1
		2	No	7,369	67.9
			Missing	232	
229-229	QN50		Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)		
		1	Yes	6,617	57.6
		2	No	4,374	42.4
			Missing	151	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
230-230	QN51		Percentage of students who did not attend physical education classes (each week during this school year)		
		1	Yes	1,407	12.4
		2	No	9,553	87.6
			Missing	182	
231-231	QN52		Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)		
		1	Yes	2,906	27.3
		2	No	8,016	72.7
			Missing	220	
232-232	QN53		Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)		
		1	Yes	2,349	20.1
		2	No	8,660	79.9
			Missing	133	
233-233	QN54		Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)		
		1	Yes	4,282	39.1
		2	No	6,695	60.9
			Missing	165	
234-234	QN55		Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)		
		1	Yes	3,814	35.9
		2	No	7,115	64.1
			Missing	213	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
235-235	QN56		Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)		
		1	Yes	3,808	34.7
		2	No	7,157	65.3
			Missing	177	
236-236	QN57		Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)		
		1	Yes	4,317	39.7
		2	No	6,608	60.3
			Missing	217	
237-237	QN58		Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)		
		1	Yes	6,342	56.8
		2	No	4,568	43.2
			Missing	232	
350-350	QNUNWTG		Percentage of students who were underweight (<-2SD from median for BMI by age and sex)		
		1	Yes	863	7.9
		2	No	9,691	92.1
			Missing	588	
351-351	QNOWTG		Percentage of students who were overweight (>+1SD from median for BMI by age and sex)		
		1	Yes	1,552	15.8
		2	No	9,002	84.2
			Missing	588	
352-352	QNOBESEG		Percentage of students who were obese (>+2SD from median for BMI by age and sex)		
		1	Yes	492	5.2
		2	No	10,062	94.8
			Missing	588	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
353-353	QNFR1G		Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)		
		1	Yes	3,097	27.0
		2	No	7,923	73.0
			Missing	122	
354-354	QNFR1G		Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)		
		1	Yes	6,858	63.9
		2	No	4,162	36.1
			Missing	122	
355-355	QNFR2G		Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)		
		1	Yes	3,729	35.7
		2	No	7,291	64.3
			Missing	122	
356-356	QNFR3G		Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)		
		1	Yes	1,652	15.8
		2	No	9,368	84.2
			Missing	122	
357-357	QNVEGLG		Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)		
		1	Yes	1,724	14.8
		2	No	9,363	85.2
			Missing	55	
358-358	QNVEG1G		Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)		
		1	Yes	9,021	82.2
		2	No	2,066	17.8
			Missing	55	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
359-359	QNVEG2G		Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)		
			1 Yes	6,172	57.4
			2 No	4,915	42.6
			Missing	55	
360-360	QNVEG3G		Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)		
			1 Yes	3,019	28.6
			2 No	8,068	71.4
			Missing	55	
361-361	QNSODALG		Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)		
			1 Yes	3,776	34.4
			2 No	7,304	65.6
			Missing	62	
362-362	QNSODA1G		Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)		
			1 Yes	3,095	27.9
			2 No	7,985	72.1
			Missing	62	
363-363	QNSODA2G		Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)		
			1 Yes	1,043	9.4
			2 No	10,037	90.6
			Missing	62	
364-364	QNSODA3G		Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)		
			1 Yes	442	4.0
			2 No	10,638	96.0
			Missing	62	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
365-365	QNFF1G		Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)		
		1	Yes	5,881	54.4
		2	No	5,196	45.6
			Missing	65	
366-366	QNFF2G		Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)		
		1	Yes	2,709	25.5
		2	No	8,368	74.5
			Missing	65	
367-367	QNFF3G		Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)		
		1	Yes	1,357	12.6
		2	No	9,720	87.4
			Missing	65	
368-368	QNC2G		Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)		
		1	Yes	202	44.1
		2	No	262	55.9
			Missing	10,678	
369-369	QNTOB2G		Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)		
		1	Yes	1,316	12.8
		2	No	9,679	87.2
			Missing	147	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
370-370	QNNOTB2G		Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)		
		1	Yes	9,679	87.7
		2	No	1,254	12.3
			Missing	209	
371-371	QNBCANYG		Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)		
		1	Yes	73	56.0
		2	No	57	44.0
			Missing	11,012	
372-372	QNC1G		Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)		
		1	Yes	62	23.6
		2	No	213	76.4
			Missing	10,867	
373-373	QNPA5G		Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)		
		1	Yes	1,730	16.1
		2	No	9,180	83.9
			Missing	232	
374-374	QNPA7G		Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)		
		1	Yes	1,316	12.2
		2	No	9,594	87.8
			Missing	232	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Indonesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
375-375	QNPE3G		Percentage of students who attended physical education classes on three or more days (each week during this school year)		
		1	Yes	1,444	12.6
		2	No	9,516	87.4
			Missing	182	
376-376	QNPE5G		Percentage of students who attended physical education classes on five or more days (each week during this school year)		
		1	Yes	992	8.8
		2	No	9,968	91.2
			Missing	182	
377-386	WEIGHT				
387-395	STRATUM				
396-400	PSU				