

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
1-3	SITE		Site Code		
4-13	SCHOOL		School Codes		
14-16	CLASS		Class Codes		
17-17	Q1	Q1	How old are you?		
		1	11 years old or younger	11	0.5
		2	12 years old	244	12.9
		3	13 years old	585	27.2
		4	14 years old	628	25.2
		5	15 years old	770	21.0
		6	16 years old or older	551	13.2
			Missing	17	
18-18	Q2	Q2	What is your sex?		
		1	Male	1,396	50.8
		2	Female	1,408	49.2
			Missing	2	
19-19	Q3	Q3	In what grade are you?		
		2	Grade 7	4	0.1
		3	Grade 8	608	32.5
		4	Grade 9	610	25.0
		5	Grade 10	578	21.5
		6	Grade 11	999	20.9
			Missing	7	
20-23	Q4	Q4	How tall are you without your shoes on? (Note: Data are in meters.)		
24-29	Q5	Q5	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
30-30	Q6	Q6	During the past 30 days, how often did you go hungry because there was not enough food in your home?		
		1	Never	1,770	63.6
		2	Rarely	202	6.8
		3	Sometimes	729	26.2
		4	Most of the time	42	1.5
		5	Always	50	1.8
			Missing	13	
31-31	Q7	Q9	During the past 30 days, how many times per day did you usually eat fruit, such as bananas, mangoes, papayas, apples, or oranges?		
		1	I did not eat fruit during the past 30 days	227	7.9
		2	Less than one time per day	522	18.1
		3	1 time per day	1,333	48.4
		4	2 times per day	423	15.3
		5	3 times per day	209	7.4
		6	4 times per day	28	1.1
		7	5 or more times per day	54	1.9
			Missing	10	
32-32	Q8	Q10	During the past 30 days, how many times per day did you usually eat vegetables, such as tomatoes, cabbage, radishes, or beans?		
		1	I did not eat vegetables during the past 30 days	49	1.9
		2	Less than one time per day	257	9.1
		3	1 time per day	1,067	37.7
		4	2 times per day	846	30.1
		5	3 times per day	394	14.6
		6	4 times per day	63	2.4
		7	5 or more times per day	121	4.1
			Missing	9	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
33-33	Q9	Q12	During the past 30 days, how many times per day did you usually clean or brush your teeth?		
		1	I did not clean or brush my teeth during the past 30 days	16	0.7
		2	Less than 1 time per day	106	3.8
		3	1 time per day	666	23.6
		4	2 times per day	1,549	55.7
		5	3 times per day	409	14.2
		6	4 or more times per day	56	2.1
			Missing	4	
34-34	Q10	Q13	During the past 30 days, how often did you wash your hands before eating?		
		1	Never	17	0.6
		2	Rarely	65	2.5
		3	Sometimes	168	6.2
		4	Most of the time	300	10.8
		5	Always	2,239	79.9
			Missing	17	
35-35	Q11	Q14	During the past 30 days, how often did you wash your hands after using the toilet or latrine?		
		1	Never	19	0.8
		2	Rarely	66	2.7
		3	Sometimes	228	8.5
		4	Most of the time	265	9.1
		5	Always	2,210	78.8
			Missing	18	
36-36	Q12	Q17	During the past 30 days, how often did you use soap when washing your hands?		
		1	Never	21	0.9
		2	Rarely	66	2.6
		3	Sometimes	480	17.9
		4	Most of the time	520	18.1
		5	Always	1,703	60.5
			Missing	16	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
37-37	Q13	Q19	During the past 12 months, how many times were you physically attacked?		
		1	0 times	2,210	76.9
		2	1 time	333	12.6
		3	2 or 3 times	164	6.6
		4	4 or 5 times	38	1.7
		5	6 or 7 times	14	0.6
		6	8 or 9 times	4	0.2
		7	10 or 11 times	10	0.3
		8	12 or more times	23	1.0
			Missing	10	
38-38	Q14	Q20	During the past 12 months, how many times were you in a physical fight?		
		1	0 times	2,392	84.2
		2	1 time	232	9.2
		3	2 or 3 times	123	4.7
		4	4 or 5 times	20	0.7
		5	6 or 7 times	10	0.5
		6	8 or 9 times	3	0.1
		7	10 or 11 times	3	0.1
		8	12 or more times	11	0.5
			Missing	12	
39-39	Q15	Q21	During the past 12 months, how many times were you seriously injured?		
		1	0 times	1,597	70.6
		2	1 time	466	21.3
		3	2 or 3 times	132	6.1
		4	4 or 5 times	30	1.3
		5	6 or 7 times	1	0.0
		6	8 or 9 times	3	0.2
		7	10 or 11 times	2	0.1
		8	12 or more times	8	0.5
			Missing	567	

2007 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
40-40	Q16	Q22	During the past 12 months, what were you doing when the most serious injury happened to you?		
		1	I was not seriously injured during the past 12 months	2,026	78.9
		2	Playing or training for a sport	180	7.2
		3	Walking or running, but not as part of playing or training for a sport	70	3.0
		4	Riding a bicycle or scooter	101	4.1
		5	Riding or driving in a car or other motor vehicle	12	0.4
		6	Doing any paid or unpaid work, including housework, yard work, or cooking	82	3.3
		7	Nothing	29	1.0
		8	Something else	60	2.0
			Missing	246	
41-41	Q17	Q23	During the past 12 months, what was the major cause of the most serious injury that happened to you?		
		1	I was not seriously injured during the past 12 months	2,047	79.8
		2	I was in a motor vehicle accident or hit by a motor vehicle	55	2.2
		3	I fell	215	8.9
		4	Something fell on me or hit me	78	3.3
		5	I was fighting with someone	28	1.2
		6	I was attacked, assaulted, or abused by someone	11	0.5
		7	I was in a fire or too near a flame or something hot	19	0.9
		8	Something else caused my injury	100	3.3
			Missing	253	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
42-42	Q18	Q24	During the past 12 months, how did the most serious injury happen to you?		
		1	I was not seriously injured during the past 12 months	1,858	76.7
		2	I hurt myself by accident	370	15.7
		3	Someone else hurt me by accident	108	4.8
		4	I hurt myself on purpose	39	1.8
		5	Someone else hurt me on purpose	25	1.0
			Missing	406	
43-43	Q19	Q25	During the past 12 months, what was the most serious injury that happened to you?		
		1	I was not seriously injured during the past 12 months	2,018	80.2
		2	I had a broken bone or a dislocated joint	122	5.3
		3	I had a cut, puncture, or stab wound	186	7.9
		4	I had a concussion or other head or neck injury, was knocked out, or could not breathe	33	1.2
		5	I had a gunshot wound	3	0.1
		6	I had a bad burn	11	0.5
		7	I lost all or part of a foot, leg, hand, or arm	3	0.1
		8	Something else happened to me	124	4.6
			Missing	306	
44-44	Q20	Q26	During the past 30 days, on how many days were you bullied?		
		1	0 days	1,934	79.3
		2	1 or 2 days	384	15.7
		3	3 to 5 days	71	2.8
		4	6 to 9 days	25	1.3
		5	10 to 19 days	11	0.5
		6	20 to 29 days	3	0.1
		7	All 30 days	10	0.4
			Missing	368	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
45-45	Q21	Q27	During the past 30 days, how were you bullied most often?		
		1	I was not bullied during the past 30 days	1,941	79.4
		2	I was hit, kicked, pushed, shoved around, or locked indoors	116	5.3
		3	I was made fun of because of my race or color	93	3.9
		4	I was made fun of because of my religion	52	2.2
		5	I was made fun of with sexual jokes, comments, or gestures	11	0.5
		6	I was left out of activities on purpose or completely ignored	43	1.7
		7	I was made fun of because of how my body or face looks	57	2.2
		8	I was bullied in some other way	132	4.9
			Missing	361	
46-46	Q22	Q28	During the past 12 months, how often have you felt lonely?		
		1	Never	1,574	58.3
		2	Rarely	352	11.9
		3	Sometimes	748	25.6
		4	Most of the time	78	2.6
		5	Always	45	1.6
			Missing	9	
47-47	Q23	Q29	During the past 12 months, how often have you been so worried about something that you could not sleep at night?		
		1	Never	1,769	65.8
		2	Rarely	392	13.2
		3	Sometimes	564	18.8
		4	Most of the time	46	1.5
		5	Always	22	0.7
			Missing	13	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
48-48	Q24	Q30	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing your usual activities?		
		1	Yes	472	15.9
		2	No	2,329	84.1
			Missing	5	
49-49	Q25	Q31	During the past 12 months, did you ever seriously consider attempting suicide?		
		1	Yes	30	1.1
		2	No	2,775	98.9
			Missing	1	
50-50	Q26	Q32	During the past 12 months, did you make a plan about how you would attempt suicide?		
		1	Yes	5	0.1
		2	No	2,799	99.9
			Missing	2	
51-51	Q27	Q33	How many close friends do you have?		
		1	0	98	3.7
		2	1	273	9.9
		3	2	433	15.6
		4	3 or more	1,991	70.7
			Missing	11	
52-52	Q28	Q34	How old were you when you first tried a cigarette?		
		1	I have never smoked cigarettes	2,565	95.3
		2	7 years old or younger	14	0.6
		3	8 or 9 years old	9	0.4
		4	10 or 11 years old	12	0.4
		5	12 or 13 years old	20	0.7
		6	14 or 15 years old	73	1.9
		7	16 years old or older	28	0.7
			Missing	85	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
53-53	Q29	Q35	During the past 30 days, on how many days did you smoke cigarettes?		
		1	0 days	2,637	97.1
		2	1 or 2 days	48	1.4
		3	3 to 5 days	16	0.4
		4	6 to 9 days	9	0.2
		5	10 to 19 days	15	0.4
		6	20 to 29 days	2	0.1
		7	All 30 days	16	0.4
			Missing	63	
54-54	Q30	Q40	During the past 30 days, on how many days did you use any other form of tobacco, such as chewing tobacco leaves, pipe smoking, cigar smoking, chewing betel with tobacco, or cheroot smoking?		
		1	0 days	2,659	95.3
		2	1 or 2 days	106	3.5
		3	3 to 5 days	17	0.5
		4	6 to 9 days	8	0.3
		5	10 to 19 days	7	0.2
		6	20 to 29 days	2	0.1
		7	All 30 days	6	0.2
			Missing	1	
55-55	Q31	Q37	During the past 12 months, have you ever tried to stop smoking cigarettes?		
		1	I have never smoked cigarettes	2,547	95.4
		2	I did not smoke cigarettes during the past 12 months	25	1.0
		3	Yes	105	3.1
		4	No	20	0.6
			Missing	109	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
56-56	Q32	Q41	During the past 7 days, on how many days have people smoked in your presence?		
			1 0 days	915	33.0
			2 1 or 2 days	883	30.3
			3 3 or 4 days	275	9.9
			4 5 or 6 days	107	3.8
			5 All 7 days	609	23.1
			Missing	17	
57-57	Q33	Q42	Which of your parents or guardians use any form of tobacco?		
			1 Neither	1,697	59.7
			2 My father or male guardian	876	31.8
			3 My mother or female guardian	89	3.3
			4 Both	85	2.9
			5 I do not know	57	2.3
			Missing	2	
58-58	Q34	Q50	During the past 30 days, on how many days did you have at least one drink containing alcohol?		
			1 0 days	2,679	98.6
			2 1 or 2 days	29	0.8
			3 3 to 5 days	8	0.2
			4 6 to 9 days	5	0.2
			5 10 to 19 days	2	0.1
			6 20 to 29 days	1	0.0
			7 All 30 days	3	0.1
			Missing	79	
59-59	Q35	Q51	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?		
			1 I did not drink alcohol during the past 30 days	2,647	98.5
			2 Less than one drink	32	0.9
			3 1 drink	17	0.5
			5 3 drinks	2	0.1
			6 4 drinks	2	0.1
			7 5 or more drinks	1	0.0
			Missing	105	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
60-60	Q36	Q52	During the past 30 days, how did you usually get the alcohol you drank?		
		1	I did not drink alcohol during the past 30 days	2,648	98.6
		2	I bought it in a store, shop, or from a street vendor	21	0.5
		3	I gave someone else money to buy it for me	5	0.2
		4	I got it from my friends	11	0.3
		5	I got it from home	2	0.1
		6	I stole it	1	0.0
		8	I got it some other way	8	0.3
			Missing	110	
61-61	Q37	Q54	During your life, how many times did you drink so much alcohol that you were really drunk?		
		1	0 times	2,708	97.4
		2	1 or 2 times	85	2.2
		3	3 to 9 times	7	0.2
		4	10 or more times	5	0.2
			Missing	1	
62-62	Q38	Q55	During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?		
		1	0 times	2,642	94.5
		2	1 or 2 times	139	4.7
		3	3 to 9 times	13	0.5
		4	10 or more times	9	0.3
			Missing	3	
63-63	Q39	Q56	During your life, how many times have you used drugs such as marijuana, ecstasy, heroine, methamphetamines, tranquilizers, or sedatives?		
		1	0 times	2,794	99.6
		2	1 or 2 times	10	0.3
		4	10 or more times	1	0.0
			Missing	1	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
69-69	Q45	Q63	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1	0 days	878	31.0
		2	1 day	588	21.4
		3	2 days	283	9.8
		4	3 days	250	8.4
		5	4 days	100	3.5
		6	5 days	220	7.8
		7	6 days	40	1.4
		8	7 days	444	16.7
			Missing	3	
70-70	Q46	Q64	During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?		
		1	0 days	942	33.4
		2	1 day	597	21.9
		3	2 days	337	11.8
		4	3 days	278	9.6
		5	4 days	91	3.2
		6	5 days	155	5.4
		7	6 days	32	1.1
		8	7 days	370	13.7
			Missing	4	
71-71	Q47	Q65	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as playing cards?		
		1	Less than 1 hour per day	1,497	54.5
		2	1 to 2 hours per day	984	35.0
		3	3 to 4 hours per day	167	5.8
		4	5 to 6 hours per day	55	1.7
		5	7 to 8 hours per day	22	0.7
		6	More than 8 hours per day	71	2.3
			Missing	10	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
72-72	Q48	Q66	During the past 7 days, on how many days did you walk or ride a bicycle to and from school?		
		1	0 days	540	19.4
		2	1 day	221	7.8
		3	2 days	100	3.7
		4	3 days	77	2.8
		5	4 days	60	1.9
		6	5 days	466	16.8
		7	6 days	87	3.0
		8	7 days	1,251	44.6
			Missing	4	
73-73	Q49	Q67	During the past 7 days, how long did it usually take for you to get to and from school each day?		
		1	Less than 10 minutes per day	576	21.5
		2	10 to 19 minutes per day	710	25.7
		3	20 to 29 minutes per day	480	16.5
		4	30 to 39 minutes per day	398	14.1
		5	40 to 49 minutes per day	152	5.3
		6	50 to 59 minutes per day	100	3.5
		7	60 or more minutes per day	362	13.5
			Missing	28	
74-74	Q50	Q68	During the past 30 days, on how many days did you miss classes or school without permission?		
		1	0 days	2,179	78.2
		2	1 or 2 days	517	18.5
		3	3 to 5 days	67	2.4
		4	6 to 9 days	13	0.5
		5	10 or more days	12	0.4
			Missing	18	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
75-75	Q51	Q69	During the past 30 days, how often were most of the students in your school kind and helpful?		
		1	Never	257	9.7
		2	Rarely	380	14.6
		3	Sometimes	930	33.1
		4	Most of the time	317	10.1
		5	Always	901	32.5
			Missing	21	
76-76	Q52	Q70	During the past 30 days, how often did your parents or guardians check to see if your homework was done?		
		1	Never	278	9.5
		2	Rarely	173	6.8
		3	Sometimes	717	25.3
		4	Most of the time	421	15.0
		5	Always	1,199	43.3
			Missing	18	
77-77	Q53	Q71	During the past 30 days, how often did your parents or guardians understand your problems and worries?		
		1	Never	253	9.6
		2	Rarely	153	6.1
		3	Sometimes	659	23.3
		4	Most of the time	420	14.1
		5	Always	1,296	46.9
			Missing	25	
78-78	Q54	Q72	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?		
		1	Never	196	7.2
		2	Rarely	112	4.4
		3	Sometimes	519	19.4
		4	Most of the time	538	17.8
		5	Always	1,427	51.2
			Missing	14	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
146-146	QN6		Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home		
		1	Yes	92	3.3
		2	No	2,701	96.7
			Missing	13	
147-147	QN7		Percentage of students who usually ate fruit, such as bananas, mangoes, papayas, apples, or oranges one or more times per day during the past 30 days		
		1	Yes	2,047	74.1
		2	No	749	25.9
			Missing	10	
148-148	QN8		Percentage of students who usually ate vegetables, such as tomatoes, cabbage, radishes, or beans one or more times per day during the past 30 days		
		1	Yes	2,491	89.0
		2	No	306	11.0
			Missing	9	
149-149	QN9		Percentage of students who cleaned or brushed their teeth less than 1 time per day during the past 30 days		
		1	Yes	122	4.5
		2	No	2,680	95.5
			Missing	4	
150-150	QN10		Percentage of students who never or rarely washed their hands before eating during the past 30 days		
		1	Yes	82	3.1
		2	No	2,707	96.9
			Missing	17	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
151-151	QN11		Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days		
		1	Yes	85	3.5
		2	No	2,703	96.5
			Missing	18	
152-152	QN12		Percentage of students who never or rarely used soap when washing their hands during the past 30 days		
		1	Yes	87	3.5
		2	No	2,703	96.5
			Missing	16	
153-153	QN13		Percentage of students who were physically attacked one or more times during the past 12 months		
		1	Yes	586	23.1
		2	No	2,210	76.9
			Missing	10	
154-154	QN14		Percentage of students who were in a physical fight one or more times during the past 12 months		
		1	Yes	402	15.8
		2	No	2,392	84.2
			Missing	12	
155-155	QN15		Percentage of students who were seriously injured one or more times during the past 12 months		
		1	Yes	642	29.4
		2	No	1,597	70.6
			Missing	567	
156-156	QN16		Among students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport		
		1	Yes	180	27.9
		2	No	462	72.1
			Missing	2,164	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
157-157	QN17		Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall		
		1	Yes	213	34.3
		2	No	426	65.7
			Missing	2,167	
158-158	QN18		Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident		
		1	Yes	368	57.3
		2	No	270	42.7
			Missing	2,168	
159-159	QN19		Among students who were seriously injured during the past 12 months, the percentage who had a broken bone or a dislocated joint as their most serious injury		
		1	Yes	122	20.2
		2	No	517	79.8
			Missing	2,167	
160-160	QN20		Percentage of students who were bullied on one or more days during the past 30 days		
		1	Yes	504	20.7
		2	No	1,934	79.3
			Missing	368	
161-161	QN21		Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors		
		1	Yes	116	25.7
		2	No	385	74.3
			Missing	2,305	
162-162	QN22		Percentage of students who felt lonely most of the time or always during the past 12 months		
		1	Yes	123	4.2
		2	No	2,674	95.8
			Missing	9	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
163-163	QN23		Percentage of students who most of the time or always felt so worried about something that they could not sleep at night during the past 12 months		
		1	Yes	68	2.2
		2	No	2,725	97.8
			Missing	13	
164-164	QN24		Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing their usual activities during the past 12 months		
		1	Yes	472	15.9
		2	No	2,329	84.1
			Missing	5	
165-165	QN25		Percentage of students who seriously considered attempting suicide during the past 12 months		
		1	Yes	30	1.1
		2	No	2,775	98.9
			Missing	1	
166-166	QN26		Percentage of students who made a plan about how they would attempt suicide during the past 12 months		
		1	Yes	5	0.1
		2	No	2,799	99.9
			Missing	2	
167-167	QN27		Percentage of students who have no close friends		
		1	Yes	98	3.7
		2	No	2,697	96.3
			Missing	11	
168-168	QN28		Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age 13 or younger		
		1	Yes	27	34.0
		2	No	75	66.0
			Missing	2,704	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
169-169	QN29		Percentage of students who smoked cigarettes on one or more days during the past 30 days		
		1	Yes	106	2.9
		2	No	2,637	97.1
			Missing	63	
170-170	QN30		Percentage of students who used any other form of tobacco, such as chewing tobacco leaves, pipe smoking, cigar smoking, chewing betel with tobacco, or cheroot smoking on one or more days during the past 30 days		
		1	Yes	146	4.7
		2	No	2,659	95.3
			Missing	1	
171-171	QN31		Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes		
		1	Yes	105	84.4
		2	No	20	15.6
			Missing	2,681	
172-172	QN32		Percentage of students who reported people smoking in their presence on one or more days during the past 7 days		
		1	Yes	1,874	67.0
		2	No	915	33.0
			Missing	17	
173-173	QN33		Percentage of students who have a parent or guardian who uses any form of tobacco		
		1	Yes	1,050	38.0
		2	No	1,754	62.0
			Missing	2	
174-174	QN34		Percentage of students who had at least one drink containing alcohol on one or more days during the past 30 days		
		1	Yes	48	1.4
		2	No	2,679	98.6
			Missing	79	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
175-175	QN35		Among students who had at least one drink containing alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol during the past 30 days		
		1	Yes	5	14.2
		2	No	43	85.8
			Missing	2,758	
176-176	QN36		Among students who had at least one drink containing alcohol during the past 30 days, the percentage who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor		
		1	Yes	21	39.0
		2	No	27	61.0
			Missing	2,758	
177-177	QN37		Percentage of students who drank so much alcohol that they were really drunk one or more times during their life		
		1	Yes	97	2.6
		2	No	2,708	97.4
			Missing	1	
178-178	QN38		Percentage of students who had a hang-over, felt sick, got into trouble with their family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life		
		1	Yes	161	5.5
		2	No	2,642	94.5
			Missing	3	
179-179	QN39		Percentage of students who used drugs, such as marijuana, ecstasy, heroine, methamphetamines, tranquilizers, or sedatives one or more times during their life		
		1	Yes	11	0.4
		2	No	2,794	99.6
			Missing	1	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
185-185	QN45		Percentage of students who were physically active for a total of at least 60 minutes per day on all 7 days during the past 7 days		
		1	Yes	444	16.7
		2	No	2,359	83.3
			Missing	3	
186-186	QN46		Percentage of students who were physically active for a total of at least 60 minutes per day on all 7 days during a typical or usual week		
		1	Yes	370	13.7
		2	No	2,432	86.3
			Missing	4	
187-187	QN47		Percentage of students who spent three or more hours per day during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as playing cards		
		1	Yes	315	10.5
		2	No	2,481	89.5
			Missing	10	
188-188	QN48		Percentage of students who did not walk or ride a bicycle to and from school during the past seven days		
		1	Yes	540	19.4
		2	No	2,262	80.6
			Missing	4	
189-189	QN49		Percentage of students who usually took 29 minutes or less each day to get to and from school during the past 7 days		
		1	Yes	1,766	63.7
		2	No	1,012	36.3
			Missing	28	
190-190	QN50		Percentage of students who missed classes or school without permission on one or more days during the past 30 days		
		1	Yes	609	21.8
		2	No	2,179	78.2
			Missing	18	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
191-191	QN51		Percentage of students who reported that most of the students in their school were never or rarely kind and helpful during the past 30 days		
		1	Yes	637	24.3
		2	No	2,148	75.7
			Missing	21	
192-192	QN52		Percentage of students whose parents or guardians never or rarely checked to see if their homework was done during the past 30 days		
		1	Yes	451	16.3
		2	No	2,337	83.7
			Missing	18	
193-193	QN53		Percentage of students whose parents or guardians never or rarely understood their problems and worries during the past 30 days		
		1	Yes	406	15.8
		2	No	2,375	84.2
			Missing	25	
194-194	QN54		Percentage of students whose parents or guardians never or rarely really knew what they were doing with their free time during the past 30 days		
		1	Yes	308	11.6
		2	No	2,484	88.4
			Missing	14	
262-262	QNROVWTG		Percentage of students who are at risk for becoming overweight*		
		1	Yes	87	3.0
		2	No	2,450	97.0
			Missing	269	
263-263	QNOVWTG		Percentage of students who are overweight*		
		1	Yes	11	0.4
		2	No	2,526	99.6
			Missing	269	

2007 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Myanmar Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
264-264	QNFRVGG		Percentage of students who ate fruits and vegetables five or more times per day during the past 30 days		
		1	Yes	443	16.1
		2	No	2,347	83.9
			Missing	16	
265-265	QNANYTBG		Percentage of students who used any tobacco on one or more of the past 30 days		
		1	Yes	176	5.5
		2	No	2,566	94.5
			Missing	64	
266-266	QNMINPAG		Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average		
		1	Yes	2,268	80.6
		2	No	532	19.4
			Missing	6	
267-267	QNWKRDG		Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days		
		1	Yes	1,763	63.9
		2	No	1,013	36.1
			Missing	30	
358-369	Weight		Weight		
370-374	PSU		Primary Sampling Unit		
375-383	Stratum		Stratum		
384-388	BMIPct		Percentile for body mass index, by age and sex		