

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Mozambique Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
17-17	Q1	Q1	How old are you?			
			1	11 years old or younger	72	4.4
			2	12 years old	33	2.8
			3	13 years old	107	9.7
			4	14 years old	162	12.8
			5	15 years old	366	20.8
			6	16 years old	343	17.0
			7	17 years old	309	12.7
			8	18 years old or older	497	19.8
	Missing	29				
18-18	Q2	Q2	What is your sex?			
			1	Male	994	52.9
			2	Female	870	47.1
				Missing	54	
19-19	Q3	Q3	In what grade are you?			
			1	8th classe	295	30.1
			2	9th classe	197	25.0
			3	10th classe	901	25.8
			4	11th classe	271	10.5
			5	12th classe	226	8.6
	Missing	28				
20-23	Q4	Q4	How tall are you without your shoes on? (Note: Data are in meters.)			
24-29	Q5	Q5	How much do you weigh without your shoes on? (Note: Data are in kilograms.)			
30-30	Q6	Q8	During the past 30 days, how often did you go hungry because there was not enough food in your home?			
			1	Never	985	51.4
			2	Rarely	206	12.2
			3	Sometimes	477	25.1
			4	Most of the time	83	4.7
			5	Always	117	6.6
	Missing	50				

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Mozambique Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
31-31	Q7	Q10	During the past 30 days, how many times per day did you usually eat fruit, such as Manga, Laranja, Maca, Goiba, Banana, Pera, Tangerina, and Uva?		
			1 I did not eat fruit during the past 30 days	224	11.9
			2 Less than one time per day	421	20.5
			3 1 time per day	555	30.3
			4 2 times per day	295	15.0
			5 3 times per day	156	9.1
			6 4 times per day	57	3.5
			7 5 or more times per day	163	9.6
			Missing	47	
32-32	Q8	Q11	During the past 30 days, how many times per day did you usually eat vegetables, such as Couve, verdure de folhas de abobora (Mboa), folhas de feijao Nhemba (Nhangane), verdura de folhas de mandioca (mathapa), and alface?		
			1 I did not eat vegetables during the past 30 days	172	9.0
			2 Less than one time per day	449	23.3
			3 1 time per day	682	36.7
			4 2 times per day	315	17.0
			5 3 times per day	88	5.1
			6 4 times per day	38	1.8
			7 5 or more times per day	140	7.1
			Missing	34	
33-33	Q9	Q12	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as coca-cola, fanta, sumo, feeze?		
			1 I did not drink carbonated soft drinks during the past 30 days	322	16.2
			2 Less than one time per day	490	27.0
			3 1 time per day	550	31.1
			4 2 times per day	268	12.3
			5 3 times per day	108	5.7
			6 4 times per day	45	2.3
			7 5 or more times per day	110	5.5
			Missing	25	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Mozambique Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
34-34	Q10	Q13	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as Hamburgues, KFC, batata frita?		
			1 0 days	794	39.3
			2 1 day	451	25.7
			3 2 days	244	14.0
			4 3 days	130	7.5
			5 4 days	72	4.1
			6 5 days	42	2.3
			7 6 days	28	1.5
			8 7 days	124	5.5
			Missing	33	
35-35	Q11	Q15	During the past 30 days, how many times per day did you usually clean or brush your teeth?		
			1 I did not clean or brush my teeth during the past 30 days	36	2.2
			2 Less than 1 time per day	62	3.7
			3 1 time per day	261	14.0
			4 2 times per day	617	31.1
			5 3 times per day	610	31.5
			6 4 or more times per day	293	17.4
			Missing	39	
36-36	Q12	Q16	During the past 30 days, how often did you wash your hands before eating?		
			1 Never	58	3.2
			2 Rarely	89	4.8
			3 Sometimes	122	5.9
			4 Most of the time	238	12.3
			5 Always	1,334	73.8
			Missing	77	
37-37	Q13	Q17	During the past 30 days, how often did you wash your hands after using the toilet or latrine?		
			1 Never	40	2.2
			2 Rarely	68	4.2
			3 Sometimes	96	6.6
			4 Most of the time	194	10.6
			5 Always	1,471	76.4
			Missing	49	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Mozambique Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
38-38	Q14	Q18	During the past 30 days, how often did you use soap when washing your hands?			
			1	Never	79	4.3
			2	Rarely	108	6.1
			3	Sometimes	346	17.5
			4	Most of the time	410	20.6
			5	Always	935	51.5
				Missing	40	
39-39	Q15	Q19	During the past 12 months, how many times were you physically attacked?			
			1	0 times	1,262	64.7
			2	1 time	301	18.0
			3	2 or 3 times	160	8.4
			4	4 or 5 times	64	3.4
			5	6 or 7 times	31	1.7
			6	8 or 9 times	12	0.8
			7	10 or 11 times	9	0.7
			8	12 or more times	36	2.2
	Missing	43				
40-40	Q16	Q20	During the past 12 months, how many times were you in a physical fight?			
			1	0 times	1,329	65.9
			2	1 time	286	17.4
			3	2 or 3 times	140	8.5
			4	4 or 5 times	38	2.5
			5	6 or 7 times	37	2.2
			6	8 or 9 times	10	0.7
			7	10 or 11 times	11	1.2
			8	12 or more times	30	1.8
	Missing	37				
41-41	Q17	Q21	During the past 12 months, how many times were you seriously injured?			
			1	0 times	759	44.3
			2	1 time	477	30.0
			3	2 or 3 times	223	13.8
			4	4 or 5 times	80	5.3
			5	6 or 7 times	17	1.1
			6	8 or 9 times	17	1.9
			7	10 or 11 times	17	1.4
			8	12 or more times	45	2.3
	Missing	283				

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Mozambique Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
42-42	Q18	Q22	During the past 12 months, what was the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	1,182	69.3
			2 I had a broken bone or a dislocated joint	139	8.8
			3 I had a cut or stab wound	128	7.5
			4 I had a concussion or other head or neck injury, was knocked out, or could not breathe	39	2.1
			5 I had a gunshot wound	34	2.6
			6 I had a bad burn	40	2.7
			7 I was poisoned or took too much of a drug	7	0.5
			8 Something else happened to me	123	6.5
			Missing	226	
43-43	Q19	Q23	During the past 12 months, what was the major cause of the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	1,198	71.0
			2 I was in a motor vehicle accident or hit by a motor vehicle	123	7.6
			3 I fell	115	7.0
			4 Something fell on me or hit me	44	2.6
			5 I was attacked or abused or was fighting with someone	58	3.6
			6 I was in a fire or too near a flame or something hot	29	2.1
			7 I inhaled or swallowed something bad for me	117	5.0
			8 Something else caused my injury	14	1.1
			Missing	220	
44-44	Q20	Q24	During the past 30 days, on how many days were you bullied?		
			1 0 days	961	54.5
			2 1 or 2 days	540	32.1
			3 3 to 5 days	134	7.6
			4 6 to 9 days	35	2.3
			5 10 to 19 days	27	1.4
			6 20 to 29 days	8	0.5
			7 All 30 days	32	1.7
			Missing	181	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Mozambique Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
45-45	Q21	Q25	During the past 30 days, how were you bullied most often?		
			1 I was not bullied during the past 30 days	1,193	70.2
			2 I was hit, kicked, pushed, shoved around, or locked indoors	151	11.6
			3 I was made fun of because of my race, nationality, or color	70	3.6
			4 I was made fun of because of my religion	46	2.3
			5 I was made fun of with sexual jokes, comments, or gestures	64	3.1
			6 I was left out of activities on purpose or completely ignored	37	1.8
			7 I was made fun of because of how my body or face looks	37	1.6
			8 I was bullied in some other way	129	5.8
			Missing	191	
46-46	Q22	Q27	During the past 12 months, how often have you felt lonely?		
			1 Never	742	43.9
			2 Rarely	359	19.1
			3 Sometimes	575	27.2
			4 Most of the time	117	5.6
			5 Always	88	4.2
			Missing	37	
47-47	Q23	Q28	During the past 12 months, how often have you been so worried about something that you could not sleep at night?		
			1 Never	655	38.4
			2 Rarely	393	22.1
			3 Sometimes	614	29.1
			4 Most of the time	142	6.9
			5 Always	67	3.4
			Missing	47	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Mozambique Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
48-48	Q24	Q29	During the past 12 months, did you ever seriously consider attempting suicide?			
			1	Yes	339	18.6
			2	No	1,487	81.4
				Missing	92	
49-49	Q25	Q30	During the past 12 months, did you make a plan about how you would attempt suicide?			
			1	Yes	376	20.1
			2	No	1,448	79.9
				Missing	94	
50-50	Q26	Q31	During the past 12 months, how many times did you actually attempt suicide?			
			1	0 times	1,506	81.1
			2	1 time	222	11.7
			3	2 or 3 times	77	4.2
			4	4 or 5 times	26	1.5
			5	6 or more times	30	1.5
	Missing	57				
51-51	Q27	Q32	How many close friends do you have?			
			1	0	162	10.5
			2	1	348	20.3
			3	2	347	19.2
			4	3 or more	976	50.0
	Missing	85				
52-52	Q28	Q33	How old were you when you first tried a cigarette?			
			1	I have never smoked cigarettes	1,699	94.5
			2	7 years old or younger	38	2.1
			3	8 or 9 years old	14	0.9
			4	10 or 11 years old	18	1.1
			5	12 or 13 years old	8	0.4
			6	14 or 15 years old	8	0.5
			7	16 or 17 years old	6	0.2
			8	18 years old or older	9	0.5
	Missing	118				

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Mozambique Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
53-53	Q29	Q34	During the past 30 days, on how many days did you smoke cigarettes?		
			1 0 days	1,809	97.3
			2 1 or 2 days	21	1.3
			3 3 to 5 days	6	0.3
			4 6 to 9 days	9	0.6
			5 10 to 19 days	5	0.3
			6 20 to 29 days	1	0.1
			7 All 30 days	3	0.1
	Missing	64			
54-54	Q30	Q35	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as suruma?		
			1 0 days	1,800	95.3
			2 1 or 2 days	36	2.5
			3 3 to 5 days	8	0.6
			4 6 to 9 days	12	0.6
			5 10 to 19 days	6	0.4
			6 20 to 29 days	4	0.2
			7 All 30 days	7	0.4
	Missing	45			
55-55	Q31	Q36	During the past 12 months, have you ever tried to stop smoking cigarettes?		
			1 I have never smoked cigarettes	1,769	97.5
			2 I did not smoke cigarettes during the past 12 months	19	1.1
			3 Yes	18	0.8
			4 No	12	0.6
	Missing	100			
56-56	Q32	Q37	During the past 7 days, on how many days have people smoked in your presence?		
			1 0 days	910	47.6
			2 1 or 2 days	520	29.0
			3 3 or 4 days	157	8.0
			4 5 or 6 days	92	4.6
			5 All 7 days	202	10.7
	Missing	37			

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Mozambique Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
57-57	Q33	Q38	Which of your parents or guardians use any form of tobacco?			
			1	Neither	1,510	80.3
			2	My father or male guardian	175	9.2
			3	My mother or female guardian	27	1.9
			4	Both	29	1.5
			5	I do not know	128	7.1
				Missing	49	
58-58	Q34	Q39	How old were you when you had your first drink of alcohol other than a few sips?			
			1	I have never had a drink of alcohol other than a few sips	1,079	72.3
			2	7 years old or younger	89	4.8
			3	8 or 9 years old	41	2.8
			4	10 or 11 years old	50	2.6
			5	12 or 13 years old	100	6.0
			6	14 or 15 years old	132	6.4
			7	16 or 17 years old	83	3.5
			8	18 years old or older	40	1.6
	Missing	304				
59-59	Q35	Q40	During the past 30 days, on how many days did you have at least one drink containing alcohol?			
			1	0 days	1,538	88.4
			2	1 or 2 days	171	8.3
			3	3 to 5 days	34	1.7
			4	6 to 9 days	13	0.7
			5	10 to 19 days	12	0.5
			6	20 to 29 days	3	0.1
			7	All 30 days	4	0.2
	Missing	143				
60-60	Q36	Q41	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?			
			1	I did not drink alcohol during the past 30 days	1,563	86.2
			2	Less than one drink	105	6.6
			3	1 drink	113	5.1
			4	2 drinks	28	1.0
			5	3 drinks	10	0.5
			6	4 drinks	8	0.3
			7	5 or more drinks	6	0.3
	Missing	85				

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Mozambique Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
61-61	Q37	Q42	During the past 30 days, how did you usually get the alcohol you drank?		
			1 I did not drink alcohol during the past 30 days	1,612	90.9
			2 I bought it in a store, shop, or from a street vendor	53	2.6
			3 I gave someone else money to buy it for me	17	0.8
			4 I got it from my friends	61	2.9
			5 I got it from my family	47	2.0
			6 I stole it or got it without permission	8	0.3
			7 I got it some other way	15	0.6
			Missing	105	
62-62	Q38	Q43	During your life, how many times did you drink so much alcohol that you were really drunk?		
			1 0 times	1,663	92.7
			2 1 or 2 times	146	6.1
			3 3 to 9 times	18	0.9
			4 10 or more times	6	0.3
			Missing	85	
63-63	Q39	Q44	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?		
			1 0 times	1,708	97.1
			2 1 or 2 times	49	2.3
			3 3 to 9 times	5	0.2
			4 10 or more times	7	0.3
			Missing	149	
64-64	Q40	Q45	How old were you when you first used drugs?		
			1 I have never used drugs	1,704	95.7
			2 7 years old or younger	22	1.5
			3 8 or 9 years old	12	0.8
			4 10 or 11 years old	5	0.3
			5 12 or 13 years old	14	0.7
			6 14 or 15 years old	10	0.3
			7 16 or 17 years old	11	0.4
			8 18 years old or older	5	0.2
			Missing	135	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Mozambique Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
65-65	Q41	Q46	During your life, how many times have you used marijuana (also called Passa)?		
			1 0 times	1,815	98.8
			2 1 or 2 times	11	0.4
			3 3 to 9 times	5	0.4
			4 10 to 19 times	6	0.3
			5 20 or more times	4	0.1
			Missing	77	
66-66	Q42	Q47	During the past 30 days, how many times have you used marijuana (also called passa)?		
			1 0 times	1,779	98.6
			2 1 or 2 times	15	0.8
			3 3 to 9 times	4	0.3
			4 10 to 19 times	2	0.2
			5 20 or more times	4	0.2
			Missing	114	
67-67	Q43	Q48	During your life, how many times have you used amphetamines or methamphetamines (also called drogas injectaveis)?		
			1 0 times	1,809	98.7
			2 1 or 2 times	16	0.8
			3 3 to 9 times	3	0.2
			4 10 to 19 times	3	0.3
			5 20 or more times	1	0.0
			Missing	86	
68-68	Q44	Q49	Have you ever had sexual intercourse?		
			1 Yes	993	57.4
			2 No	641	42.6
			Missing	284	
69-69	Q45	Q50	How old were you when you had sexual intercourse for the first time?		
			1 I have never had sexual intercourse	934	60.4
			2 11 years old or younger	143	8.3
			3 12 years old	59	3.1
			4 13 years old	82	5.0
			5 14 years old	95	5.1
			6 15 years old	149	7.6
			7 16 or 17 years old	168	7.3
			8 18 years old or older	86	3.2
Missing	202				

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Mozambique Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
70-70	Q46	Q51	During your life, with how many people have you had sexual intercourse?		
			1 I have never had sexual intercourse	962	60.5
			2 1 person	317	16.6
			3 2 people	162	8.7
			4 3 people	82	3.7
			5 4 people	62	2.6
			6 5 people	42	1.9
			7 6 or more people	138	6.0
			Missing	153	
71-71	Q47	Q54	The last time you had sexual intercourse, did you or your partner use a condom or camisinha?		
			1 I have never had sexual intercourse	949	60.2
			2 Yes	596	29.9
			3 No	197	10.0
			Missing	176	
72-72	Q48	Q55	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?		
			1 I have never had sexual intercourse	966	62.0
			2 Yes	374	18.4
			3 No	282	13.4
			4 I do not know	113	6.2
			Missing	183	
73-73	Q49	Q56	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
			1 0 days	391	21.2
			2 1 day	479	24.3
			3 2 days	368	21.9
			4 3 days	167	8.2
			5 4 days	77	4.2
			6 5 days	65	3.4
			7 6 days	43	2.3
			8 7 days	269	14.4
			Missing	59	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Mozambique Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
74-74	Q50	Q57	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?		
			1 0 days	997	49.4
			2 1 day	234	13.7
			3 2 days	145	8.7
			4 3 days	75	3.8
			5 4 days	63	4.6
			6 5 days	91	4.9
			7 6 days	181	10.1
			8 7 days	97	4.9
			Missing	35	
75-75	Q51	Q58	During this school year, on how many days did you go to physical education (PE) class each week?		
			1 0 days	197	8.9
			2 1 day	713	33.3
			3 2 days	616	36.9
			4 3 days	98	6.3
			5 4 days	90	5.3
			6 5 or more days	155	9.3
			Missing	49	
76-76	Q52	Q63	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as bater papo, or vender na banca?		
			1 Less than 1 hour per day	579	30.4
			2 1 to 2 hours per day	630	32.1
			3 3 to 4 hours per day	349	19.8
			4 5 to 6 hours per day	126	7.2
			5 7 to 8 hours per day	80	5.0
			6 More than 8 hours per day	106	5.5
			Missing	48	
77-77	Q53	Q64	During the past 30 days, on how many days did you miss classes or school without permission?		
			1 0 days	1,384	75.4
			2 1 or 2 days	358	18.2
			3 3 to 5 days	95	4.5
			4 6 to 9 days	18	0.9
			5 10 or more days	20	1.0
			Missing	43	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Mozambique Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
78-78	Q54	Q65	During the past 30 days, how often were most of the students in your school kind and helpful?			
			1	Never	379	23.5
			2	Rarely	360	19.8
			3	Sometimes	477	23.6
			4	Most of the time	264	13.0
			5	Always	367	20.1
				Missing	71	
79-79	Q55	Q66	During the past 30 days, how often did your parents or guardians check to see if your homework was done?			
			1	Never	434	21.6
			2	Rarely	284	14.5
			3	Sometimes	332	16.7
			4	Most of the time	206	11.1
			5	Always	618	36.1
				Missing	44	
80-80	Q56	Q67	During the past 30 days, how often did your parents or guardians understand your problems and worries?			
			1	Never	347	18.3
			2	Rarely	313	15.9
			3	Sometimes	373	19.2
			4	Most of the time	241	13.2
			5	Always	590	33.4
				Missing	54	
81-81	Q57	Q68	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?			
			1	Never	441	22.7
			2	Rarely	305	14.3
			3	Sometimes	425	22.7
			4	Most of the time	201	11.5
			5	Always	468	28.7
				Missing	78	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Mozambique Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
82-82	Q58	Q69	During the past 30 days, how often did your parents or guardians go through your things without your approval?		
			1 Never	1,299	69.6
			2 Rarely	222	11.3
			3 Sometimes	190	9.4
			4 Most of the time	60	3.9
			5 Always	96	5.9
			Missing	51	
185-185	QN6		Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)		
			1 Yes	200	11.3
			2 No	1,668	88.7
			Missing	50	
186-186	QN7		Percentage of students who did not eat fruit (during the 30 days before the survey)		
			1 Yes	224	11.9
			2 No	1,647	88.1
			Missing	47	
187-187	QN8		Percentage of students who did not eat vegetables (during the 30 days before the survey)		
			1 Yes	172	9.0
			2 No	1,712	91.0
			Missing	34	
188-188	QN9		Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)		
			1 Yes	322	16.2
			2 No	1,571	83.8
			Missing	25	
189-189	QN10		Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)		
			1 Yes	794	39.3
			2 No	1,091	60.7
			Missing	33	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Mozambique Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
190-190	QN11		Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)		
			1 Yes	1,781	94.1
			2 No	98	5.9
			Missing	39	
191-191	QN12		Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)		
			1 Yes	147	8.0
			2 No	1,694	92.0
			Missing	77	
192-192	QN13		Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)		
			1 Yes	108	6.4
			2 No	1,761	93.6
			Missing	49	
193-193	QN14		Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)		
			1 Yes	187	10.4
			2 No	1,691	89.6
			Missing	40	
194-194	QN15		Percentage of students who were physically attacked (one or more times during the 12 months before the survey)		
			1 Yes	613	35.3
			2 No	1,262	64.7
			Missing	43	
195-195	QN16		Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
			1 Yes	552	34.1
			2 No	1,329	65.9
			Missing	37	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Mozambique Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
196-196	QN17		Percentage of students who were seriously injured (one or more times during the 12 months before the survey)		
			1 Yes	876	55.7
			2 No	759	44.3
			Missing	283	
197-197	QN18		Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)		
			1 Yes	139	28.6
			2 No	371	71.4
			Missing	1,408	
198-198	QN19		Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)		
			1 Yes	123	26.2
			2 No	377	73.8
			Missing	1,418	
199-199	QN20		Percentage of students who were bullied (on one or more days during the 30 days before the survey)		
			1 Yes	776	45.5
			2 No	961	54.5
			Missing	181	
200-200	QN21		Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)		
			1 Yes	151	39.0
			2 No	383	61.0
			Missing	1,384	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Mozambique Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
201-201	QN22		Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)		
			1 Yes	205	9.8
			2 No	1,676	90.2
			Missing	37	
202-202	QN23		Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)		
			1 Yes	209	10.3
			2 No	1,662	89.7
			Missing	47	
203-203	QN24		Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)		
			1 Yes	339	18.6
			2 No	1,487	81.4
			Missing	92	
204-204	QN25		Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)		
			1 Yes	376	20.1
			2 No	1,448	79.9
			Missing	94	
205-205	QN26		Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
			1 Yes	355	18.9
			2 No	1,506	81.1
			Missing	57	
206-206	QN27		Percentage of students who did not have any close friends		
			1 Yes	162	10.5
			2 No	1,671	89.5
			Missing	85	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Mozambique Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
207-207	QN28		Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)		
			1 Yes	78	79.5
			2 No	23	20.5
			Missing	1,817	
208-208	QN29		Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
			1 Yes	45	2.7
			2 No	1,809	97.3
			Missing	64	
209-209	QN30		Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)		
			1 Yes	73	4.7
			2 No	1,800	95.3
			Missing	45	
210-210	QN31		Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)		
			1 Yes	18	59.8
			2 No	12	40.2
			Missing	1,888	
211-211	QN32		Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)		
			1 Yes	971	52.4
			2 No	910	47.6
			Missing	37	
212-212	QN33		Percentage of students who had parents or guardians who used any form of tobacco		
			1 Yes	231	12.6
			2 No	1,638	87.4
			Missing	49	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Mozambique Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
213-213	QN34		Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)		
			1 Yes	280	58.7
			2 No	255	41.3
			Missing	1,383	
214-214	QN35		Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)		
			1 Yes	237	11.6
			2 No	1,538	88.4
			Missing	143	
215-215	QN36		Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)		
			1 Yes	52	14.9
			2 No	218	85.1
			Missing	1,648	
216-216	QN37		Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)		
			1 Yes	61	31.7
			2 No	140	68.3
			Missing	1,717	
217-217	QN38		Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)		
			1 Yes	170	7.3
			2 No	1,663	92.7
			Missing	85	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Mozambique Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
218-218	QN39		Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)		
			1 Yes	61	2.9
			2 No	1,708	97.1
			Missing	149	
219-219	QN40		Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)		
			1 Yes	53	79.9
			2 No	26	20.1
			Missing	1,839	
220-220	QN41		Percentage of students who ever used marijuana (one or more times during their life)		
			1 Yes	26	1.2
			2 No	1,815	98.8
			Missing	77	
221-221	QN42		Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
			1 Yes	25	1.4
			2 No	1,779	98.6
			Missing	114	
222-222	QN43		Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)		
			1 Yes	23	1.3
			2 No	1,809	98.7
			Missing	86	
223-223	QN44		Percentage of students who ever had sexual intercourse		
			1 Yes	993	57.4
			2 No	641	42.6
			Missing	284	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Mozambique Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
224-224	QN45		Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)		
			1 Yes	284	41.5
			2 No	498	58.5
			Missing	1,136	
225-225	QN46		Percentage of students who had sexual intercourse with two or more persons (during their life)		
			1 Yes	486	22.8
			2 No	1,279	77.2
			Missing	153	
226-226	QN47		Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)		
			1 Yes	596	75.0
			2 No	197	25.0
			Missing	1,125	
227-227	QN48		Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)		
			1 Yes	374	48.5
			2 No	395	51.5
			Missing	1,149	
228-228	QN49		Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)		
			1 Yes	391	21.2
			2 No	1,468	78.8
			Missing	59	
229-229	QN50		Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)		
			1 Yes	997	49.4
			2 No	886	50.6
			Missing	35	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Mozambique Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
230-230	QN51		Percentage of students who did not attend physical education classes (each week during this school year)		
			1 Yes	197	8.9
			2 No	1,672	91.1
			Missing	49	
231-231	QN52		Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)		
			1 Yes	661	37.5
			2 No	1,209	62.5
			Missing	48	
232-232	QN53		Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)		
			1 Yes	491	24.6
			2 No	1,384	75.4
			Missing	43	
233-233	QN54		Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)		
			1 Yes	631	33.1
			2 No	1,216	66.9
			Missing	71	
234-234	QN55		Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)		
			1 Yes	824	47.2
			2 No	1,050	52.8
			Missing	44	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Mozambique Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
235-235	QN56		Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)		
			1 Yes	831	46.7
			2 No	1,033	53.3
			Missing	54	
236-236	QN57		Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)		
			1 Yes	669	40.2
			2 No	1,171	59.8
			Missing	78	
237-237	QN58		Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)		
			1 Yes	1,521	80.9
			2 No	346	19.1
			Missing	51	
353-353	QNFRLG		Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)		
			1 Yes	421	20.5
			2 No	1,450	79.5
			Missing	47	
354-354	QNFR1G		Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)		
			1 Yes	1,226	67.6
			2 No	645	32.4
			Missing	47	
355-355	QNFR2G		Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)		
			1 Yes	671	37.2
			2 No	1,200	62.8
			Missing	47	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Mozambique Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
356-356	QNFR3G		Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)		
			1 Yes	376	22.2
			2 No	1,495	77.8
			Missing	47	
357-357	QNVEGLG		Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)		
			1 Yes	449	23.3
			2 No	1,435	76.7
			Missing	34	
358-358	QNVEG1G		Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)		
			1 Yes	1,263	67.8
			2 No	621	32.2
			Missing	34	
359-359	QNVEG2G		Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)		
			1 Yes	581	31.0
			2 No	1,303	69.0
			Missing	34	
360-360	QNVEG3G		Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)		
			1 Yes	266	14.0
			2 No	1,618	86.0
			Missing	34	
361-361	QNSODALG		Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)		
			1 Yes	490	27.0
			2 No	1,403	73.0
			Missing	25	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Mozambique Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
362-362	QNSODA1G		Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)		
			1 Yes	1,081	56.8
			2 No	812	43.2
			Missing	25	
363-363	QNSODA2G		Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)		
			1 Yes	531	25.7
			2 No	1,362	74.3
			Missing	25	
364-364	QNSODA3G		Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)		
			1 Yes	263	13.5
			2 No	1,630	86.5
			Missing	25	
365-365	QNFF1G		Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)		
			1 Yes	1,091	60.7
			2 No	794	39.3
			Missing	33	
366-366	QNFF2G		Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)		
			1 Yes	640	35.0
			2 No	1,245	65.0
			Missing	33	
367-367	QNFF3G		Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)		
			1 Yes	396	21.0
			2 No	1,489	79.0
			Missing	33	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Mozambique Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
368-368	QNC2G		Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)		
			1 Yes	119	70.3
			2 No	64	29.7
			Missing	1,735	
369-369	QNTOB2G		Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)		
			1 Yes	87	5.7
			2 No	1,754	94.3
			Missing	77	
370-370	QNNOTB2G		Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)		
			1 Yes	1,754	95.7
			2 No	70	4.3
			Missing	94	
371-371	QNBCANYG		Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)		
			1 Yes	562	85.0
			2 No	107	15.0
			Missing	1,249	
372-372	QNC1G		Percentage of students who ever had sexual intercourse among students who had drunk so much alcohol that they were really drunk (one or more times during their life)		
			1 Yes	122	82.7
			2 No	28	17.3
			Missing	1,768	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Mozambique Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
373-373	QNPA5G		Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)		
			1 Yes	377	20.1
			2 No	1,482	79.9
			Missing	59	
374-374	QNPA7G		Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)		
			1 Yes	269	14.4
			2 No	1,590	85.6
			Missing	59	
375-375	QNPE3G		Percentage of students who attended physical education classes on three or more days (each week during this school year)		
			1 Yes	343	20.9
			2 No	1,526	79.1
			Missing	49	
376-376	QNPE5G		Percentage of students who attended physical education classes on five or more days (each week during this school year)		
			1 Yes	155	9.3
			2 No	1,714	90.7
			Missing	49	
377-386	WEIGHT				
387-395	STRATUM				
396-400	PSU				