

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
17-17	Q1	Q1	How old are you?		
			1 11 years old or younger	206	6.6
			2 12 years old	461	13.8
			3 13 years old	699	20.2
			4 14 years old	705	20.4
			5 15 years old	750	20.2
			6 16 years old	478	10.3
			7 17 years old	341	6.2
			8 18 years old or older	125	2.4
			Missing	28	
18-18	Q2	Q2	What is your sex?		
			1 Male	1,782	49.1
			2 Female	1,935	50.9
			Missing	76	
19-19	Q3	Q3	In what grade are you?		
			1 Grade 6 - Primary School	910	30.1
			2 Grade 7 - Primary School	1,152	27.8
			3 Form 1 - Secondary School	362	15.7
			4 Form 2 - Secondary School	590	17.3
			5 Form 3 - Secondary School	729	8.9
			6 Some other grade or form	5	0.1
			Missing	45	
20-23	Q4	Q4	How tall are you without your shoes on? (Note: Data are in meters.)		
24-29	Q5	Q5	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
30-30	Q6	Q8	During the past 30 days, how often did you go hungry because there was not enough food in your home?		
			1 Never	2,769	74.1
			2 Rarely	388	10.3
			3 Sometimes	335	8.9
			4 Most of the time	150	3.9
			5 Always	98	2.7
			Missing	53	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
31-31	Q7	Q9	During the past 30 days, how many times per day did you usually eat fruit, such as bananas, oranges, pawpaw, mangoes, or pineapples?		
			1 I did not eat fruit during the past 30 days	625	17.3
			2 Less than one time per day	549	14.2
			3 1 time per day	1,136	29.4
			4 2 times per day	493	13.0
			5 3 times per day	276	7.6
			6 4 times per day	154	4.2
			7 5 or more times per day	527	14.3
			Missing	33	
32-32	Q8	Q10	During the past 30 days, how many times per day did you usually eat vegetables, such as amaranth, cassava leaves, pumpkin leaves, cabbage, spinach, okra, or carrots?		
			1 I did not eat vegetables during the past 30 days	331	8.9
			2 Less than one time per day	571	15.4
			3 1 time per day	963	25.7
			4 2 times per day	810	21.1
			5 3 times per day	307	8.1
			6 4 times per day	126	3.3
			7 5 or more times per day	660	17.5
			Missing	25	
33-33	Q9	Q11	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as Coca-Cola, Pepsi, Fanta, Mirinda, or Azam-Cola?		
			1 I did not drink carbonated soft drinks during the past 30 days	1,414	38.3
			2 Less than one time per day	644	16.4
			3 1 time per day	955	24.7
			4 2 times per day	252	7.0
			5 3 times per day	136	3.5
			6 4 times per day	96	2.6
			7 5 or more times per day	275	7.5
			Missing	21	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
34-34	Q10	Q12	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as a hotel, bar, kiosk, or food vendor?		
			1 0 days	2,493	64.7
			2 1 day	459	12.5
			3 2 days	240	6.7
			4 3 days	184	5.0
			5 4 days	113	3.1
			6 5 days	87	2.6
			7 6 days	45	1.3
			8 7 days	151	4.1
			Missing	21	
35-35	Q11	Q13	During the past 30 days, how many times per day did you usually clean or brush your teeth?		
			1 I did not clean or brush my teeth during the past 30 days	219	6.4
			2 Less than 1 time per day	323	9.4
			3 1 time per day	985	25.8
			4 2 times per day	782	20.4
			5 3 times per day	486	12.7
			6 4 or more times per day	932	25.3
			Missing	66	
36-36	Q12	Q14	During the past 30 days, how often did you wash your hands before eating?		
			1 Never	158	4.7
			2 Rarely	124	3.4
			3 Sometimes	179	5.1
			4 Most of the time	1,310	36.1
			5 Always	1,929	50.7
			Missing	93	
37-37	Q13	Q17	During the past 30 days, how often did you wash your hands after using the toilet or latrine?		
			1 Never	346	10.0
			2 Rarely	331	9.1
			3 Sometimes	412	10.8
			4 Most of the time	1,195	32.3
			5 Always	1,419	37.8
			Missing	90	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
38-38	Q14	Q18	During the past 30 days, how often did you use soap when washing your hands?		
			1 Never	315	8.6
			2 Rarely	504	13.5
			3 Sometimes	735	19.2
			4 Most of the time	1,247	33.2
			5 Always	962	25.5
			Missing	30	
39-39	Q15	Q22	During the past 12 months, how many times were you physically attacked?		
			1 0 times	1,754	46.9
			2 1 time	750	20.3
			3 2 or 3 times	547	14.6
			4 4 or 5 times	239	6.3
			5 6 or 7 times	75	2.2
			6 8 or 9 times	49	1.2
			7 10 or 11 times	45	1.3
			8 12 or more times	290	7.2
			Missing	44	
40-40	Q16	Q23	During the past 12 months, how many times were you in a physical fight?		
			1 0 times	2,663	69.9
			2 1 time	566	16.0
			3 2 or 3 times	290	8.1
			4 4 or 5 times	74	2.1
			5 6 or 7 times	32	1.0
			6 8 or 9 times	19	0.6
			7 10 or 11 times	15	0.4
			8 12 or more times	71	1.9
			Missing	63	
41-41	Q17	Q24	During the past 12 months, how many times were you seriously injured?		
			1 0 times	1,977	61.2
			2 1 time	716	23.1
			3 2 or 3 times	290	9.1
			4 4 or 5 times	83	3.0
			5 6 or 7 times	33	1.1
			6 8 or 9 times	13	0.5
			7 10 or 11 times	15	0.5
			8 12 or more times	46	1.4
			Missing	620	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
42-42	Q18	Q25	During the past 12 months, what was the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	2,530	75.6
			2 I had a broken bone or a dislocated joint	141	4.6
			3 I had a cut or stab wound	319	9.4
			4 I had a concussion or other head or neck injury, was knocked out, or could not breathe	58	1.9
			5 I had a gunshot wound	14	0.4
			6 I had a bad burn	93	2.4
			7 I was poisoned or took too much of a drug	10	0.4
			8 Something else happened to me	178	5.4
			Missing	450	
43-43	Q19	Q26	During the past 12 months, what was the major cause of the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	2,497	76.2
			2 I was in a motor vehicle accident or hit by a motor vehicle	54	1.8
			3 I fell	314	9.9
			4 Something fell on me or hit me	114	3.3
			5 I was attacked or abused or was fighting with someone	36	1.2
			6 I was in a fire or too near a flame or something hot	68	1.8
			7 I inhaled or swallowed something bad for me	24	0.9
			8 Something else caused my injury	172	5.0
			Missing	514	
44-44	Q20	Q27	During the past 30 days, on how many days were you bullied?		
			1 0 days	2,633	73.2
			2 1 or 2 days	545	15.3
			3 3 to 5 days	170	5.1
			4 6 to 9 days	97	2.7
			5 10 to 19 days	45	1.4
			6 20 to 29 days	20	0.6
			7 All 30 days	66	1.7
			Missing	217	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
45-45	Q21	Q28	During the past 30 days, how were you bullied most often?		
		1	I was not bullied during the past 30 days	2,854	80.0
		2	I was hit, kicked, pushed, shoved around, or locked indoors	169	5.1
		3	I was made fun of because of my race, nationality, or color	118	3.3
		4	I was made fun of because of my religion	64	1.8
		5	I was made fun of with sexual jokes, comments, or gestures	47	1.3
		6	I was left out of activities on purpose or completely ignored	57	1.5
		7	I was made fun of because of how my body or face looks	74	2.1
		8	I was bullied in some other way	189	4.9
			Missing	221	
46-46	Q22	Q31	During the past 12 months, how often have you felt lonely?		
		1	Never	2,145	58.5
		2	Rarely	883	23.0
		3	Sometimes	440	11.6
		4	Most of the time	215	5.3
		5	Always	61	1.6
			Missing	49	
47-47	Q23	Q32	During the past 12 months, how often have you been so worried about something that you could not sleep at night?		
		1	Never	2,250	61.0
		2	Rarely	807	21.4
		3	Sometimes	440	11.2
		4	Most of the time	179	4.9
		5	Always	51	1.5
			Missing	66	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
48-48	Q24	Q33	During the past 12 months, did you ever seriously consider attempting suicide?		
			1 Yes	500	13.9
			2 No	3,177	86.1
			Missing	116	
49-49	Q25	Q34	During the past 12 months, did you make a plan about how you would attempt suicide?		
			1 Yes	351	9.5
			2 No	3,329	90.5
			Missing	113	
50-50	Q26	Q35	During the past 12 months, how many times did you actually attempt suicide?		
			1 0 times	3,308	88.5
			2 1 time	225	6.3
			3 2 or 3 times	82	2.3
			4 4 or 5 times	57	1.7
			5 6 or more times	43	1.2
			Missing	78	
51-51	Q27	Q36	How many close friends do you have?		
			1 0	372	9.8
			2 1	617	16.5
			3 2	804	21.6
			4 3 or more	1,952	52.2
			Missing	48	
52-52	Q28	Q37	How old were you when you first tried a cigarette?		
			1 I have never smoked cigarettes	3,000	90.2
			2 7 years old or younger	131	4.1
			3 8 or 9 years old	68	2.1
			4 10 or 11 years old	57	1.9
			5 12 or 13 years old	36	1.1
			6 14 or 15 years old	20	0.5
			7 16 or 17 years old	5	0.1
			8 18 years old or older	1	0.0
			Missing	475	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
53-53	Q29	Q38	During the past 30 days, on how many days did you smoke cigarettes?		
			1 0 days	3,505	95.5
			2 1 or 2 days	77	2.1
			3 3 to 5 days	27	0.8
			4 6 to 9 days	20	0.6
			5 10 to 19 days	12	0.4
			6 20 to 29 days	10	0.3
			7 All 30 days	8	0.2
			Missing	134	
54-54	Q30	Q39	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as tobacco roll, snuff, or chew tobacco?		
			1 0 days	3,584	94.9
			2 1 or 2 days	100	2.8
			3 3 to 5 days	35	1.0
			4 6 to 9 days	19	0.5
			5 10 to 19 days	10	0.3
			6 20 to 29 days	4	0.1
			7 All 30 days	10	0.3
			Missing	31	
55-55	Q31	Q40	During the past 12 months, have you ever tried to stop smoking cigarettes?		
			1 I have never smoked cigarettes	3,199	95.0
			2 I did not smoke cigarettes during the past 12 months	54	1.5
			3 Yes	88	2.7
			4 No	25	0.8
			Missing	427	
56-56	Q32	Q41	During the past 7 days, on how many days have people smoked in your presence?		
			1 0 days	2,007	54.8
			2 1 or 2 days	668	17.5
			3 3 or 4 days	256	6.6
			4 5 or 6 days	122	3.3
			5 All 7 days	695	17.8
			Missing	45	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
57-57	Q33	Q42	Which of your parents or guardians use any form of tobacco?		
			1 Neither	3,176	84.2
			2 My father or male guardian	337	9.0
			3 My mother or female guardian	50	1.5
			4 Both	31	0.9
			5 I do not know	164	4.5
			Missing	35	
58-58	Q34	Q44	How old were you when you had your first drink of alcohol other than a few sips?		
			1 I have never had a drink of alcohol other than a few sips	2,882	87.0
			2 7 years old or younger	184	5.8
			3 8 or 9 years old	61	2.1
			4 10 or 11 years old	70	2.1
			5 12 or 13 years old	60	1.8
			6 14 or 15 years old	31	0.9
			7 16 or 17 years old	7	0.2
			8 18 years old or older	2	0.0
			Missing	496	
59-59	Q35	Q45	During the past 30 days, on how many days did you have at least one drink containing alcohol?		
			1 0 days	3,482	95.5
			2 1 or 2 days	92	2.4
			3 3 to 5 days	36	1.2
			4 6 to 9 days	11	0.3
			5 10 to 19 days	10	0.4
			6 20 to 29 days	4	0.1
			7 All 30 days	4	0.1
			Missing	154	
60-60	Q36	Q46	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?		
			1 I did not drink alcohol during the past 30 days	3,407	92.3
			2 Less than one drink	181	5.1
			3 1 drink	50	1.5
			4 2 drinks	25	0.7
			5 3 drinks	9	0.3
			6 4 drinks	3	0.1
			7 5 or more drinks	4	0.1
			Missing	114	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
61-61	Q37	Q47	During the past 30 days, how did you usually get the alcohol you drank?		
			1 I did not drink alcohol during the past 30 days	3,400	95.3
			2 I bought it in a store, shop, or from a street vendor	34	1.1
			3 I gave someone else money to buy it for me	34	1.1
			4 I got it from my friends	36	1.0
			5 I got it from my family	31	0.8
			6 I stole it or got it without permission	12	0.3
			7 I got it some other way	18	0.5
			Missing	228	
62-62	Q38	Q49	During your life, how many times did you drink so much alcohol that you were really drunk?		
			1 0 times	3,548	97.1
			2 1 or 2 times	60	1.6
			3 3 to 9 times	30	0.8
			4 10 or more times	18	0.5
			Missing	137	
63-63	Q39	Q50	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?		
			1 0 times	3,393	96.8
			2 1 or 2 times	49	1.5
			3 3 to 9 times	32	1.1
			4 10 or more times	20	0.6
			Missing	299	
64-64	Q40	Q52	How old were you when you first used drugs?		
			1 I have never used drugs	3,281	94.1
			2 7 years old or younger	97	2.8
			3 8 or 9 years old	61	1.9
			4 10 or 11 years old	18	0.5
			5 12 or 13 years old	12	0.4
			6 14 or 15 years old	6	0.2
			7 16 or 17 years old	1	0.0
			8 18 years old or older	0	0.0
			Missing	317	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
65-65	Q41	Q53	During your life, how many times have you used marijuana (also called bangi)?		
			1 0 times	3,530	96.9
			2 1 or 2 times	34	0.9
			3 3 to 9 times	40	1.2
			4 10 to 19 times	20	0.6
			5 20 or more times	14	0.4
			Missing	155	
66-66	Q42	Q54	During the past 30 days, how many times have you used marijuana (also called bangi)?		
			1 0 times	3,594	97.5
			2 1 or 2 times	33	1.0
			3 3 to 9 times	27	0.8
			4 10 to 19 times	18	0.4
			5 20 or more times	11	0.3
			Missing	110	
67-67	Q43	Q55	During your life, how many times have you used amphetamines or methamphetamines (also called dawa za usingizi/kulevya)?		
			1 0 times	3,460	96.9
			2 1 or 2 times	55	1.6
			3 3 to 9 times	33	1.0
			4 10 to 19 times	8	0.3
			5 20 or more times	7	0.2
			Missing	230	
68-68	Q44	Q57	Have you ever had sexual intercourse?		
			1 Yes	668	20.0
			2 No	2,671	80.0
			Missing	454	
69-69	Q45	Q58	How old were you when you had sexual intercourse for the first time?		
			1 I have never had sexual intercourse	3,277	90.4
			2 11 years old or younger	195	5.5
			3 12 years old	47	1.3
			4 13 years old	22	0.6
			5 14 years old	34	0.9
			6 15 years old	25	0.6
			7 16 or 17 years old	34	0.6
			8 18 years old or older	6	0.2
			Missing	153	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
70-70	Q46	Q59	During your life, with how many people have you had sexual intercourse?		
			1 I have never had sexual intercourse	3,257	90.1
			2 1 person	178	4.6
			3 2 people	87	2.4
			4 3 people	46	1.3
			5 4 people	19	0.5
			6 5 people	14	0.4
			7 6 or more people	32	0.8
			Missing	160	
71-71	Q47	Q60	The last time you had sexual intercourse, did you or your partner use a condom or (mpira wa kiume/kike)?		
			1 I have never had sexual intercourse	3,207	90.6
			2 Yes	128	3.4
			3 No	221	6.0
			Missing	237	
72-72	Q48	Q61	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?		
			1 I have never had sexual intercourse	3,094	90.1
			2 Yes	120	3.3
			3 No	136	3.7
			4 I do not know	108	3.0
			Missing	335	
73-73	Q49	Q63	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
			1 0 days	1,024	27.7
			2 1 day	681	18.1
			3 2 days	466	12.5
			4 3 days	311	8.2
			5 4 days	208	5.6
			6 5 days	219	5.5
			7 6 days	91	2.5
			8 7 days	763	20.0
			Missing	30	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
74-74	Q50	Q64	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?		
			1 0 days	1,854	50.3
			2 1 day	435	12.3
			3 2 days	266	7.2
			4 3 days	158	4.1
			5 4 days	109	3.0
			6 5 days	198	4.8
			7 6 days	69	1.8
			8 7 days	651	16.7
			Missing	53	
75-75	Q51	Q65	During this school year, on how many days did you go to physical education (PE) class each week?		
			1 0 days	1,320	35.6
			2 1 day	605	16.8
			3 2 days	400	11.1
			4 3 days	262	7.1
			5 4 days	202	5.5
			6 5 or more days	896	23.9
			Missing	108	
76-76	Q52	Q68	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as playing cards, plaiting hair, or embroidery?		
			1 Less than 1 hour per day	1,914	52.5
			2 1 to 2 hours per day	1,025	27.5
			3 3 to 4 hours per day	404	10.8
			4 5 to 6 hours per day	145	4.0
			5 7 to 8 hours per day	69	1.8
			6 More than 8 hours per day	121	3.4
			Missing	115	
77-77	Q53	Q69	During the past 30 days, on how many days did you miss classes or school without permission?		
			1 0 days	2,716	72.2
			2 1 or 2 days	703	18.5
			3 3 to 5 days	190	5.3
			4 6 to 9 days	63	1.7
			5 10 or more days	85	2.3
			Missing	36	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
78-78	Q54	Q70	During the past 30 days, how often were most of the students in your school kind and helpful?		
			1 Never	1,112	31.1
			2 Rarely	786	21.0
			3 Sometimes	475	12.4
			4 Most of the time	1,041	27.1
			5 Always	312	8.4
			Missing	67	
79-79	Q55	Q71	During the past 30 days, how often did your parents or guardians check to see if your homework was done?		
			1 Never	697	19.6
			2 Rarely	475	12.9
			3 Sometimes	411	10.6
			4 Most of the time	1,620	43.1
			5 Always	531	13.8
			Missing	59	
80-80	Q56	Q72	During the past 30 days, how often did your parents or guardians understand your problems and worries?		
			1 Never	1,261	34.4
			2 Rarely	572	15.2
			3 Sometimes	494	12.7
			4 Most of the time	1,083	28.3
			5 Always	366	9.5
			Missing	17	
81-81	Q57	Q73	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?		
			1 Never	1,219	33.6
			2 Rarely	495	13.4
			3 Sometimes	585	14.6
			4 Most of the time	1,130	29.5
			5 Always	341	8.9
			Missing	23	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
82-82	Q58	Q74	During the past 30 days, how often did your parents or guardians go through your things without your approval?		
			1 Never	2,418	65.1
			2 Rarely	438	11.4
			3 Sometimes	338	8.5
			4 Most of the time	415	11.2
			5 Always	146	3.8
			Missing	38	
185-185	QN6		Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)		
			1 Yes	248	6.7
			2 No	3,492	93.3
			Missing	53	
186-186	QN7		Percentage of students who did not eat fruit (during the 30 days before the survey)		
			1 Yes	625	17.3
			2 No	3,135	82.7
			Missing	33	
187-187	QN8		Percentage of students who did not eat vegetables (during the 30 days before the survey)		
			1 Yes	331	8.9
			2 No	3,437	91.1
			Missing	25	
188-188	QN9		Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)		
			1 Yes	1,414	38.3
			2 No	2,358	61.7
			Missing	21	
189-189	QN10		Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)		
			1 Yes	2,493	64.7
			2 No	1,279	35.3
			Missing	21	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
190-190	QN11		Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)		
		1	Yes	3,185	84.2
		2	No	542	15.8
			Missing	66	
191-191	QN12		Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)		
		1	Yes	282	8.1
		2	No	3,418	91.9
			Missing	93	
192-192	QN13		Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)		
		1	Yes	677	19.1
		2	No	3,026	80.9
			Missing	90	
193-193	QN14		Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)		
		1	Yes	819	22.1
		2	No	2,944	77.9
			Missing	30	
194-194	QN15		Percentage of students who were physically attacked (one or more times during the 12 months before the survey)		
		1	Yes	1,995	53.1
		2	No	1,754	46.9
			Missing	44	
195-195	QN16		Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
		1	Yes	1,067	30.1
		2	No	2,663	69.9
			Missing	63	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
196-196	QN17		Percentage of students who were seriously injured (one or more times during the 12 months before the survey)		
		1	Yes	1,196	38.8
		2	No	1,977	61.2
			Missing	620	
197-197	QN18		Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)		
		1	Yes	141	18.8
		2	No	672	81.2
			Missing	2,980	
198-198	QN19		Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)		
		1	Yes	54	7.5
		2	No	728	92.5
			Missing	3,011	
199-199	QN20		Percentage of students who were bullied (on one or more days during the 30 days before the survey)		
		1	Yes	943	26.8
		2	No	2,633	73.2
			Missing	217	
200-200	QN21		Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)		
		1	Yes	169	25.4
		2	No	549	74.6
			Missing	3,075	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
201-201	QN22		Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)		
		1	Yes	276	7.0
		2	No	3,468	93.0
			Missing	49	
202-202	QN23		Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)		
		1	Yes	230	6.4
		2	No	3,497	93.6
			Missing	66	
203-203	QN24		Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)		
		1	Yes	500	13.9
		2	No	3,177	86.1
			Missing	116	
204-204	QN25		Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)		
		1	Yes	351	9.5
		2	No	3,329	90.5
			Missing	113	
205-205	QN26		Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
		1	Yes	407	11.5
		2	No	3,308	88.5
			Missing	78	
206-206	QN27		Percentage of students who did not have any close friends		
		1	Yes	372	9.8
		2	No	3,373	90.2
			Missing	48	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
207-207	QN28		Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)		
		1	Yes	292	93.2
		2	No	26	6.8
			Missing	3,475	
208-208	QN29		Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
		1	Yes	154	4.5
		2	No	3,505	95.5
			Missing	134	
209-209	QN30		Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)		
		1	Yes	178	5.1
		2	No	3,584	94.9
			Missing	31	
210-210	QN31		Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)		
		1	Yes	88	77.4
		2	No	25	22.6
			Missing	3,680	
211-211	QN32		Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)		
		1	Yes	1,741	45.2
		2	No	2,007	54.8
			Missing	45	
212-212	QN33		Percentage of students who had parents or guardians who used any form of tobacco		
		1	Yes	418	11.3
		2	No	3,340	88.7
			Missing	35	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
213-213	QN34		Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)		
		1	Yes	375	91.2
		2	No	40	8.8
			Missing	3,378	
214-214	QN35		Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)		
		1	Yes	157	4.5
		2	No	3,482	95.5
			Missing	154	
215-215	QN36		Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)		
		1	Yes	41	14.8
		2	No	231	85.2
			Missing	3,521	
216-216	QN37		Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)		
		1	Yes	36	20.5
		2	No	129	79.5
			Missing	3,628	
217-217	QN38		Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)		
		1	Yes	108	2.9
		2	No	3,548	97.1
			Missing	137	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
218-218	QN39		Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)		
		1	Yes	101	3.2
		2	No	3,393	96.8
			Missing	299	
219-219	QN40		Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)		
		1	Yes	188	95.7
		2	No	7	4.3
			Missing	3,598	
220-220	QN41		Percentage of students who ever used marijuana (one or more times during their life)		
		1	Yes	108	3.1
		2	No	3,530	96.9
			Missing	155	
221-221	QN42		Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
		1	Yes	89	2.5
		2	No	3,594	97.5
			Missing	110	
222-222	QN43		Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)		
		1	Yes	103	3.1
		2	No	3,460	96.9
			Missing	230	
223-223	QN44		Percentage of students who ever had sexual intercourse		
		1	Yes	668	20.0
		2	No	2,671	80.0
			Missing	454	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
224-224	QN45		Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)		
		1	Yes	264	76.5
		2	No	99	23.5
			Missing	3,430	
225-225	QN46		Percentage of students who had sexual intercourse with two or more persons (during their life)		
		1	Yes	198	5.3
		2	No	3,435	94.7
			Missing	160	
226-226	QN47		Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)		
		1	Yes	128	36.5
		2	No	221	63.5
			Missing	3,444	
227-227	QN48		Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)		
		1	Yes	120	33.1
		2	No	244	66.9
			Missing	3,429	
228-228	QN49		Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)		
		1	Yes	1,024	27.7
		2	No	2,739	72.3
			Missing	30	
229-229	QN50		Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)		
		1	Yes	1,854	50.3
		2	No	1,886	49.7
			Missing	53	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
230-230	QN51		Percentage of students who did not attend physical education classes (each week during this school year)		
		1	Yes	1,320	35.6
		2	No	2,365	64.4
			Missing	108	
231-231	QN52		Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)		
		1	Yes	739	20.0
		2	No	2,939	80.0
			Missing	115	
232-232	QN53		Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)		
		1	Yes	1,041	27.8
		2	No	2,716	72.2
			Missing	36	
233-233	QN54		Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)		
		1	Yes	1,353	35.6
		2	No	2,373	64.4
			Missing	67	
234-234	QN55		Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)		
		1	Yes	2,151	57.0
		2	No	1,583	43.0
			Missing	59	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
235-235	QN56		Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)		
		1	Yes	1,449	37.8
		2	No	2,327	62.2
			Missing	17	
236-236	QN57		Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)		
		1	Yes	1,471	38.4
		2	No	2,299	61.6
			Missing	23	
237-237	QN58		Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)		
		1	Yes	2,856	76.5
		2	No	899	23.5
			Missing	38	
353-353	QNFR1G		Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)		
		1	Yes	549	14.2
		2	No	3,211	85.8
			Missing	33	
354-354	QNFR1G		Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)		
		1	Yes	2,586	68.5
		2	No	1,174	31.5
			Missing	33	
355-355	QNFR2G		Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)		
		1	Yes	1,450	39.1
		2	No	2,310	60.9
			Missing	33	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
356-356	QNFR3G		Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)		
		1	Yes	957	26.1
		2	No	2,803	73.9
			Missing	33	
357-357	QNVEGLG		Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)		
		1	Yes	571	15.4
		2	No	3,197	84.6
			Missing	25	
358-358	QNVEG1G		Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)		
		1	Yes	2,866	75.7
		2	No	902	24.3
			Missing	25	
359-359	QNVEG2G		Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)		
		1	Yes	1,903	50.0
		2	No	1,865	50.0
			Missing	25	
360-360	QNVEG3G		Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)		
		1	Yes	1,093	28.9
		2	No	2,675	71.1
			Missing	25	
361-361	QNSODALG		Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)		
		1	Yes	644	16.4
		2	No	3,128	83.6
			Missing	21	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
362-362	QNSODA1G		Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)		
		1	Yes	1,714	45.3
		2	No	2,058	54.7
			Missing	21	
363-363	QNSODA2G		Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)		
		1	Yes	759	20.6
		2	No	3,013	79.4
			Missing	21	
364-364	QNSODA3G		Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)		
		1	Yes	507	13.6
		2	No	3,265	86.4
			Missing	21	
365-365	QNFF1G		Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)		
		1	Yes	1,279	35.3
		2	No	2,493	64.7
			Missing	21	
366-366	QNFF2G		Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)		
		1	Yes	820	22.7
		2	No	2,952	77.3
			Missing	21	
367-367	QNFF3G		Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)		
		1	Yes	580	16.0
		2	No	3,192	84.0
			Missing	21	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
368-368	QNC2G		Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)		
		1	Yes	117	56.2
		2	No	92	43.8
			Missing	3,584	
369-369	QNTOB2G		Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)		
		1	Yes	261	7.5
		2	No	3,415	92.5
			Missing	117	
370-370	QNNOTB2G		Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)		
		1	Yes	3,415	93.5
		2	No	224	6.5
			Missing	154	
371-371	QNBCANYG		Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)		
		1	Yes	148	62.1
		2	No	90	37.9
			Missing	3,555	
372-372	QNC1G		Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)		
		1	Yes	43	74.1
		2	No	15	25.9
			Missing	3,735	

2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tanzania Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
373-373	QNPA5G		Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)		
		1	Yes	1,073	27.9
		2	No	2,690	72.1
			Missing	30	
374-374	QNPA7G		Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)		
		1	Yes	763	20.0
		2	No	3,000	80.0
			Missing	30	
375-375	QNPE3G		Percentage of students who attended physical education classes on three or more days (each week during this school year)		
		1	Yes	1,360	36.5
		2	No	2,325	63.5
			Missing	108	
376-376	QNPE5G		Percentage of students who attended physical education classes on five or more days (each week during this school year)		
		1	Yes	896	23.9
		2	No	2,789	76.1
			Missing	108	
377-386	WEIGHT				
387-395	STRATUM				
396-400	PSU				