

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Tokelau Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
17-17	Q1	Q1	How old are you?		
			1 11 years old or younger	15	10.6
			2 12 years old	22	14.6
			3 13 years old	22	20.7
			4 14 years old	18	13.3
			5 15 years old	23	15.1
			6 16 years old	16	13.9
			7 17 years old	10	5.8
			8 18 years old or older	9	6.0
			Missing	5	
18-18	Q2	Q2	What is your sex?		
			1 Male	65	53.4
			2 Female	70	46.6
			Missing	5	
19-19	Q3	Q3	In what grade are you?		
			1 Option 1 Year 6	0	0.0
			2 Option 2 Year 7	15	10.1
			3 Option 3 Year 8	18	11.9
			4 Option 4 Year 9	18	18.1
			5 Option 5 Year 10	20	14.7
			6 Option 6 Year 11	29	18.6
			7 Option 7 Year 12	18	14.3
			8 Option 8 Year 13+	17	12.4
			Missing	5	
20-23	Q4	Q4	How tall are you without your shoes on? (Note: Data are in meters.)		
24-29	Q5	Q5	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Tokelau Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
30-30	Q6	Q6	During the past 30 days, how often did you go hungry because there was not enough food in your home?		
			1 Never	48	37.6
			2 Rarely	23	16.4
			3 Sometimes	61	41.7
			4 Most of the time	5	4.4
			5 Always	0	0.0
			Missing	3	
31-31	Q7	Q7	During the past 30 days, how many times per day did you usually eat fruit, such as apu, moli, pea, fala, or grapes?		
			1 I did not eat fruit during the past 30 days	13	10.5
			2 Less than one time per day	32	24.8
			3 1 time per day	21	16.3
			4 2 times per day	24	16.9
			5 3 times per day	16	12.5
			6 4 times per day	5	3.3
			7 5 or more times per day	25	15.7
			Missing	4	
32-32	Q8	Q8	During the past 30 days, how many times per day did you usually eat vegetables, such as kapihi, luau, lau pele, kukama, kaloti, or tomato?		
			1 I did not eat vegetables during the past 30 days	10	7.8
			2 Less than one time per day	32	22.7
			3 1 time per day	39	26.8
			4 2 times per day	24	19.5
			5 3 times per day	12	9.7
			6 4 times per day	1	0.9
			7 5 or more times per day	22	12.6
35-35	Q11	Q17	During the past 30 days, how many times per day did you usually clean or brush your teeth?		
			1 I did not clean or brush my teeth during the past 30 days	6	3.6
			2 Less than 1 time per day	17	12.9
			3 1 time per day	22	17.8
			4 2 times per day	47	34.9
			5 3 times per day	24	16.5
			6 4 or more times per day	21	14.3
			Missing	3	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Tokelau Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
36-36	Q12	Q23	During the past 30 days, how often did you wash your hands before eating?		
			1 Never	5	3.9
			2 Rarely	18	11.8
			3 Sometimes	50	36.1
			4 Most of the time	33	24.9
			5 Always	32	23.3
			Missing	2	
37-37	Q13	Q24	During the past 30 days, how often did you wash your hands after using the toilet or latrine?		
			1 Never	1	1.6
			2 Rarely	8	4.6
			3 Sometimes	27	18.5
			4 Most of the time	31	21.4
			5 Always	72	53.9
			Missing	1	
38-38	Q14	Q25	During the past 30 days, how often did you use soap when washing your hands?		
			1 Never	3	2.0
			2 Rarely	9	6.5
			3 Sometimes	30	21.8
			4 Most of the time	28	20.4
			5 Always	68	49.3
			Missing	2	
39-39	Q15	Q29	During the past 12 months, how many times were you physically attacked?		
			1 0 times	61	47.7
			2 1 time	16	11.3
			3 2 or 3 times	26	17.7
			4 4 or 5 times	7	6.0
			5 6 or 7 times	4	2.3
			6 8 or 9 times	7	5.1
			7 10 or 11 times	5	3.2
			8 12 or more times	8	6.8
			Missing	6	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Tokelau Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
40-40	Q16	Q31	During the past 12 months, how many times were you in a physical fight?		
			1 0 times	64	44.3
			2 1 time	32	24.9
			3 2 or 3 times	23	17.3
			4 4 or 5 times	4	2.9
			5 6 or 7 times	2	1.6
			6 8 or 9 times	4	2.9
			7 10 or 11 times	1	0.6
			8 12 or more times	7	5.6
			Missing	3	
41-41	Q17	Q32	During the past 12 months, how many times were you seriously injured?		
			1 0 times	51	45.9
			2 1 time	23	20.2
			3 2 or 3 times	24	19.7
			4 4 or 5 times	8	7.7
			5 6 or 7 times	3	1.5
			6 8 or 9 times	1	0.8
			7 10 or 11 times	1	1.2
			8 12 or more times	3	2.8
			Missing	26	
42-42	Q18	Q33	During the past 12 months, what was the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	69	58.3
			2 I had a broken bone or a dislocated joint	13	12.3
			3 I had a cut or stab wound	8	7.6
			4 I had a concussion or other head or neck injury, was knocked out, or could not breathe	3	1.5
			5 I had a gunshot wound	0	0.0
			6 I had a bad burn	2	1.9
			7 I was poisoned or took too much of a drug	0	0.0
			8 Something else happened to me	24	18.5
			Missing	21	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Tokelau Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
43-43	Q19	Q34	During the past 12 months, what was the major cause of the most serious injury that happened to you?		
		1	I was not seriously injured during the past 12 months	72	60.0
		2	I was in a motor vehicle accident or hit by a motor vehicle	3	2.4
		3	I fell	12	10.3
		4	Something fell on me or hit me	4	2.9
		5	I was attacked or abused or was fighting with someone	8	5.5
		6	I was in a fire or too near a flame or something hot	1	0.8
		7	I inhaled or swallowed something bad for me	0	0.0
		8	Something else caused my injury	20	18.1
			Missing	20	
44-44	Q20	Q35	During the past 30 days, on how many days were you bullied?		
		1	0 days	84	64.5
		2	1 or 2 days	28	21.5
		3	3 to 5 days	7	5.1
		4	6 to 9 days	3	2.8
		5	10 to 19 days	1	0.4
		6	20 to 29 days	1	0.5
		7	All 30 days	8	5.2
			Missing	8	
45-45	Q21	Q36	During the past 30 days, how were you bullied most often?		
		1	I was not bullied during the past 30 days	91	73.3
		2	I was hit, kicked, pushed, shoved around, or locked indoors	12	8.5
		3	I was made fun of because of my race, nationality, or color	3	1.9
		4	I was made fun of because of my religion	3	3.0
		5	I was made fun of with sexual jokes, comments, or gestures	2	1.5
		6	I was left out of activities on purpose or completely ignored	1	1.0
		7	I was made fun of because of how my body or face looks	5	3.2
		8	I was bullied in some other way	11	7.7
			Missing	12	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Tokelau Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
46-46	Q22	Q41	During the past 12 months, how often have you felt lonely?		
			1 Never	49	36.3
			2 Rarely	20	16.3
			3 Sometimes	52	37.0
			4 Most of the time	9	6.1
			5 Always	6	4.3
			Missing	4	
47-47	Q23	Q42	During the past 12 months, how often have you been so worried about something that you could not sleep at night?		
			1 Never	54	42.0
			2 Rarely	19	12.8
			3 Sometimes	51	34.0
			4 Most of the time	11	7.8
			5 Always	5	3.5
48-48	Q24	Q43	During the past 12 months, did you ever seriously consider attempting suicide?		
			1 Yes	34	24.1
			2 No	99	75.9
			Missing	7	
49-49	Q25	Q44	During the past 12 months, did you make a plan about how you would attempt suicide?		
			1 Yes	33	23.1
			2 No	104	76.9
			Missing	3	
50-50	Q26	Q45	During the past 12 months, how many times did you actually attempt suicide?		
			1 0 times	98	72.2
			2 1 time	27	17.3
			3 2 or 3 times	10	7.3
			4 4 or 5 times	3	2.4
			5 6 or more times	1	0.8
			Missing	1	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Tokelau Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
51-51	Q27	Q46	How many close friends do you have?		
			1 0	10	7.9
			2 1	12	9.3
			3 2	19	13.5
			4 3 or more	95	69.3
			Missing	4	
52-52	Q28	Q47	How old were you when you first tried a cigarette?		
			1 I have never smoked cigarettes	22	16.1
			2 7 years old or younger	21	14.3
			3 8 or 9 years old	15	11.3
			4 10 or 11 years old	34	26.4
			5 12 or 13 years old	21	18.4
			6 14 or 15 years old	7	7.3
			7 16 or 17 years old	8	6.2
			8 18 years old or older	0	0.0
			Missing	12	
53-53	Q29	Q48	During the past 30 days, on how many days did you smoke cigarettes?		
			1 0 days	62	46.3
			2 1 or 2 days	33	24.4
			3 3 to 5 days	14	11.1
			4 6 to 9 days	7	4.6
			5 10 to 19 days	6	3.8
			6 20 to 29 days	3	2.8
			7 All 30 days	11	7.0
			Missing	4	
54-54	Q30	Q49	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as snuff or chewing tobacco?		
			1 0 days	114	84.1
			2 1 or 2 days	9	6.0
			3 3 to 5 days	2	1.2
			4 6 to 9 days	2	2.1
			5 10 to 19 days	7	4.5
			6 20 to 29 days	0	0.0
			7 All 30 days	3	2.1
			Missing	3	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Tokelau Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
55-55	Q31	Q50	During the past 12 months, have you ever tried to stop smoking cigarettes?		
			1 I have never smoked cigarettes	30	21.1
			2 I did not smoke cigarettes during the past 12 months	34	25.9
			3 Yes	61	46.5
			4 No	9	6.5
			Missing	6	
56-56	Q32	Q51	During the past 7 days, on how many days have people smoked in your presence?		
			1 0 days	25	20.8
			2 1 or 2 days	31	22.6
			3 3 or 4 days	18	12.7
			4 5 or 6 days	5	3.6
			5 All 7 days	59	40.3
			Missing	2	
57-57	Q33	Q52	Which of your parents or guardians use any form of tobacco?		
			1 Neither	23	15.8
			2 My father or male guardian	19	14.5
			3 My mother or female guardian	14	9.4
			4 Both	34	24.7
			5 I do not know	50	35.7
58-58	Q34	Q53	How old were you when you had your first drink of alcohol other than a few sips?		
			1 I have never had a drink of alcohol other than a few sips	39	27.2
			2 7 years old or younger	10	9.9
			3 8 or 9 years old	6	4.7
			4 10 or 11 years old	17	14.0
			5 12 or 13 years old	19	17.8
			6 14 or 15 years old	16	13.8
			7 16 or 17 years old	13	10.2
			8 18 years old or older	4	2.5
			Missing	16	



# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Tokelau Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
59-59	Q35	Q54	During the past 30 days, on how many days did you have at least one drink containing alcohol?		
			1 0 days	76	54.6
			2 1 or 2 days	38	30.2
			3 3 to 5 days	12	9.1
			4 6 to 9 days	2	1.6
			5 10 to 19 days	4	2.4
			6 20 to 29 days	2	1.4
			7 All 30 days	1	0.7
			Missing	5	
60-60	Q36	Q55	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?		
			1 I did not drink alcohol during the past 30 days	72	50.9
			2 Less than one drink	18	12.8
			3 1 drink	20	16.2
			4 2 drinks	8	5.7
			5 3 drinks	6	3.8
			6 4 drinks	3	2.8
			7 5 or more drinks	12	7.7
			Missing	1	
61-61	Q37	Q56	During the past 30 days, how did you usually get the alcohol you drank?		
			1 I did not drink alcohol during the past 30 days	75	55.6
			2 I bought it in a store, shop, or from a street vendor	1	0.6
			3 I gave someone else money to buy it for me	7	5.1
			4 I got it from my friends	41	29.4
			5 I got it from my family	1	0.4
			6 I stole it or got it without permission	5	4.5
			7 I got it some other way	5	4.4
			Missing	5	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Tokelau Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
62-62	Q38	Q59	During your life, how many times did you drink so much alcohol that you were really drunk?		
			1 0 times	87	67.6
			2 1 or 2 times	30	21.7
			3 3 to 9 times	9	6.6
			4 10 or more times	6	4.1
			Missing	8	
63-63	Q39	Q60	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?		
			1 0 times	108	78.8
			2 1 or 2 times	15	14.1
			3 3 to 9 times	4	3.8
			4 10 or more times	5	3.3
			Missing	8	
64-64	Q40	Q63	How old were you when you first used drugs?		
			1 I have never used drugs	113	89.4
			2 7 years old or younger	2	1.4
			3 8 or 9 years old	2	1.8
			4 10 or 11 years old	2	1.7
			5 12 or 13 years old	3	2.1
			6 14 or 15 years old	3	1.9
			7 16 or 17 years old	3	1.7
			8 18 years old or older	0	0.0
			Missing	12	
65-65	Q41	Q64	During your life, how many times have you used marijuana ?		
			1 0 times	118	92.2
			2 1 or 2 times	7	5.1
			3 3 to 9 times	1	0.9
			4 10 to 19 times	1	0.6
			5 20 or more times	2	1.2
			Missing	11	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Tokelau Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
66-66	Q42	Q65	During the past 30 days, how many times have you used marijuana ?		
			1 0 times	133	97.2
			2 1 or 2 times	2	0.7
			3 3 to 9 times	2	1.4
			4 10 to 19 times	0	0.0
			5 20 or more times	1	0.7
			Missing	2	
67-67	Q43	Q66	During your life, how many times have you used amphetamines or methamphetamines ?		
			1 0 times	131	96.4
			2 1 or 2 times	2	1.4
			3 3 to 9 times	2	1.4
			4 10 to 19 times	0	0.0
			5 20 or more times	1	0.8
			Missing	4	
68-68	Q44	Q67	Have you ever had sexual intercourse?		
			1 Yes	39	33.9
			2 No	85	66.1
			Missing	16	
69-69	Q45	Q68	How old were you when you had sexual intercourse for the first time?		
			1 I have never had sexual intercourse	94	69.5
			2 11 years old or younger	7	5.8
			3 12 years old	7	5.3
			4 13 years old	4	3.1
			5 14 years old	5	4.7
			6 15 years old	6	6.2
			7 16 or 17 years old	3	3.5
			8 18 years old or older	3	2.0
			Missing	11	
70-70	Q46	Q69	During your life, with how many people have you had sexual intercourse?		
			1 I have never had sexual intercourse	94	70.0
			2 1 person	14	12.6
			3 2 people	4	2.9
			4 3 people	6	4.6
			5 4 people	2	1.2
			6 5 people	2	1.4
			7 6 or more people	9	7.3
			Missing	9	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Tokelau Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
71-71	Q47	Q70	The last time you had sexual intercourse, did you or your partner use a condom ?		
			1 I have never had sexual intercourse	92	70.5
			2 Yes	11	9.5
			3 No	24	20.0
			Missing	13	
72-72	Q48	Q71	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?		
			1 I have never had sexual intercourse	89	69.4
			2 Yes	8	8.5
			3 No	20	16.9
			4 I do not know	8	5.2
			Missing	15	
73-73	Q49	Q72	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
			1 0 days	42	28.9
			2 1 day	17	13.0
			3 2 days	8	6.0
			4 3 days	7	4.7
			5 4 days	9	6.5
			6 5 days	7	5.0
			7 6 days	12	8.3
			8 7 days	36	27.6
			Missing	2	
74-74	Q50	Q73	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?		
			1 0 days	52	38.5
			2 1 day	6	3.9
			3 2 days	5	3.2
			4 3 days	9	6.5
			5 4 days	2	1.1
			6 5 days	17	13.1
			7 6 days	3	1.8
			8 7 days	45	31.8
			Missing	1	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Tokelau Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
75-75	Q51	Q74	During this school year, on how many days did you go to physical education (PE) class each week?		
			1 0 days	25	17.9
			2 1 day	21	16.8
			3 2 days	26	16.6
			4 3 days	10	6.9
			5 4 days	8	6.2
			6 5 or more days	47	35.5
			Missing	3	
76-76	Q52	Q75	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as bingo or weaving?		
			1 Less than 1 hour per day	49	36.3
			2 1 to 2 hours per day	23	15.2
			3 3 to 4 hours per day	26	21.5
			4 5 to 6 hours per day	15	11.9
			5 7 to 8 hours per day	5	3.6
			6 More than 8 hours per day	21	11.5
			Missing	1	
77-77	Q53	Q76	During the past 30 days, on how many days did you miss classes or school without permission?		
			1 0 days	68	51.8
			2 1 or 2 days	37	26.1
			3 3 to 5 days	14	8.9
			4 6 to 9 days	10	7.7
			5 10 or more days	9	5.5
			Missing	2	
78-78	Q54	Q77	During the past 30 days, how often were most of the students in your school kind and helpful?		
			1 Never	11	9.1
			2 Rarely	19	14.8
			3 Sometimes	63	44.2
			4 Most of the time	19	15.4
			5 Always	24	16.6
			Missing	4	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Tokelau Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
79-79	Q55	Q78	During the past 30 days, how often did your parents or guardians check to see if your homework was done?		
			1 Never	22	15.4
			2 Rarely	15	10.7
			3 Sometimes	47	35.6
			4 Most of the time	17	12.4
			5 Always	38	25.9
			Missing	1	
80-80	Q56	Q79	During the past 30 days, how often did your parents or guardians understand your problems and worries?		
			1 Never	32	22.3
			2 Rarely	10	8.2
			3 Sometimes	61	43.9
			4 Most of the time	11	9.2
			5 Always	26	16.5
			Missing		
81-81	Q57	Q80	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?		
			1 Never	35	21.1
			2 Rarely	21	16.3
			3 Sometimes	45	33.9
			4 Most of the time	18	15.3
			5 Always	19	13.4
			Missing	2	
82-82	Q58	Q81	During the past 30 days, how often did your parents or guardians go through your things without your approval?		
			1 Never	66	49.4
			2 Rarely	19	13.9
			3 Sometimes	38	25.3
			4 Most of the time	8	6.0
			5 Always	8	5.4
			Missing	1	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Tokelau Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
185-185	QN6		Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)		
		1	Yes	5	4.4
		2	No	132	95.6
			Missing	3	
186-186	QN7		Percentage of students who did not eat fruit (during the 30 days before the survey)		
		1	Yes	13	10.5
		2	No	123	89.5
			Missing	4	
187-187	QN8		Percentage of students who did not eat vegetables (during the 30 days before the survey)		
		1	Yes	10	7.8
		2	No	130	92.2
190-190	QN11		Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)		
		1	Yes	114	83.5
		2	No	23	16.5
			Missing	3	
191-191	QN12		Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)		
		1	Yes	23	15.7
		2	No	115	84.3
			Missing	2	
192-192	QN13		Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)		
		1	Yes	9	6.2
		2	No	130	93.8
			Missing	1	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Tokelau Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
193-193	QN14		Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)		
		1	Yes	12	8.5
		2	No	126	91.5
			Missing	2	
194-194	QN15		Percentage of students who were physically attacked (one or more times during the 12 months before the survey)		
		1	Yes	73	52.3
		2	No	61	47.7
			Missing	6	
195-195	QN16		Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
		1	Yes	73	55.7
		2	No	64	44.3
			Missing	3	
196-196	QN17		Percentage of students who were seriously injured (one or more times during the 12 months before the survey)		
		1	Yes	63	54.1
		2	No	51	45.9
			Missing	26	
197-197	QN18		Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)		
		1	Yes	13	29.4
		2	No	37	70.6
			Missing	90	



# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Tokelau Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
198-198	QN19		Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)		
		1	Yes	3	6.0
		2	No	45	94.0
			Missing	92	
199-199	QN20		Percentage of students who were bullied (on one or more days during the 30 days before the survey)		
		1	Yes	48	35.5
		2	No	84	64.5
			Missing	8	
200-200	QN21		Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey )		
		1	Yes	12	31.7
		2	No	25	68.3
			Missing	103	
201-201	QN22		Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)		
		1	Yes	15	10.4
		2	No	121	89.6
			Missing	4	
202-202	QN23		Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)		
		1	Yes	16	11.2
		2	No	124	88.8
203-203	QN24		Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)		
		1	Yes	34	24.1
		2	No	99	75.9
			Missing	7	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Tokelau Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
204-204	QN25		Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)		
		1	Yes	33	23.1
		2	No	104	76.9
			Missing	3	
205-205	QN26		Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
		1	Yes	41	27.8
		2	No	98	72.2
			Missing	1	
206-206	QN27		Percentage of students who did not have any close friends		
		1	Yes	10	7.9
		2	No	126	92.1
			Missing	4	
207-207	QN28		Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)		
		1	Yes	91	83.8
		2	No	15	16.2
			Missing	34	
208-208	QN29		Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
		1	Yes	74	53.7
		2	No	62	46.3
			Missing	4	
209-209	QN30		Percentage of students who used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)		
		1	Yes	23	15.9
		2	No	114	84.1
			Missing	3	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Tokelau Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
210-210	QN31		Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)		
		1	Yes	61	87.8
		2	No	9	12.2
			Missing	70	
211-211	QN32		Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)		
		1	Yes	113	79.2
		2	No	25	20.8
			Missing	2	
212-212	QN33		Percentage of students who had parents or guardians who used any form of tobacco		
		1	Yes	67	48.6
		2	No	73	51.4
213-213	QN34		Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)		
		1	Yes	52	63.7
		2	No	33	36.3
			Missing	55	
214-214	QN35		Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)		
		1	Yes	59	45.4
		2	No	76	54.6
			Missing	5	
215-215	QN36		Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)		
		1	Yes	29	40.9
		2	No	38	59.1
			Missing	73	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Tokelau Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
216-216	QN37		Percentage of students who usually obtained the alcohol they drank from friends (during the 30 days before the survey among students who drank alcohol during the 30 days before the survey)		
		1	Yes	41	66.2
		2	No	19	33.8
			Missing	80	
217-217	QN38		Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)		
		1	Yes	45	32.4
		2	No	87	67.6
			Missing	8	
218-218	QN39		Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)		
		1	Yes	24	21.2
		2	No	108	78.8
			Missing	8	
219-219	QN40		Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)		
		1	Yes	9	66.3
		2	No	6	33.7
			Missing	125	
220-220	QN41		Percentage of students who ever used marijuana (one or more times during their life)		
		1	Yes	11	7.8
		2	No	118	92.2
			Missing	11	
221-221	QN42		Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
		1	Yes	5	2.8
		2	No	133	97.2
			Missing	2	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Tokelau Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
222-222	QN43		Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)		
		1	Yes	5	3.6
		2	No	131	96.4
			Missing	4	
223-223	QN44		Percentage of students who ever had sexual intercourse		
		1	Yes	39	33.9
		2	No	85	66.1
			Missing	16	
224-224	QN45		Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)		
		1	Yes	18	46.6
		2	No	17	53.4
			Missing	105	
225-225	QN46		Percentage of students who had sexual intercourse with two or more persons (during their life)		
		1	Yes	23	17.4
		2	No	108	82.6
			Missing	9	
226-226	QN47		Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)		
		1	Yes	11	32.2
		2	No	24	67.8
			Missing	105	
227-227	QN48		Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)		
		1	Yes	8	27.7
		2	No	28	72.3
			Missing	104	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Tokelau Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
228-228	QN49		Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)		
		1	Yes	42	28.9
		2	No	96	71.1
			Missing	2	
229-229	QN50		Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)		
		1	Yes	52	38.5
		2	No	87	61.5
			Missing	1	
230-230	QN51		Percentage of students who did not attend physical education classes (each week during this school year)		
		1	Yes	25	17.9
		2	No	112	82.1
			Missing	3	
231-231	QN52		Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities (during a typical or usual day)		
		1	Yes	67	48.6
		2	No	72	51.4
			Missing	1	
232-232	QN53		Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)		
		1	Yes	70	48.2
		2	No	68	51.8
			Missing	2	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Tokelau Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
233-233	QN54		Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)		
		1	Yes	43	32.0
		2	No	93	68.0
			Missing	4	
234-234	QN55		Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)		
		1	Yes	55	38.3
		2	No	84	61.7
			Missing	1	
235-235	QN56		Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)		
		1	Yes	37	25.6
		2	No	103	74.4
236-236	QN57		Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)		
		1	Yes	37	28.8
		2	No	101	71.2
			Missing	2	
237-237	QN58		Percentage of students who reported that their parents or guardians never or rarely go through their things without their approval (during the 30 days before the survey)		
		1	Yes	85	63.3
		2	No	54	36.7
			Missing	1	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Tokelau Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
353-353	QNFR1G		Percentage of students who ate fruit but less than one time per day (during the 30 days before the survey)		
		1	Yes	32	24.8
		2	No	104	75.2
			Missing	4	
354-354	QNFR1G		Percentage of students who ate fruit one or more times per day (during the 30 days before the survey)		
		1	Yes	91	64.7
		2	No	45	35.3
			Missing	4	
355-355	QNFR2G		Percentage of students who ate fruit two or more times per day (during the 30 days before the survey)		
		1	Yes	70	48.4
		2	No	66	51.6
			Missing	4	
356-356	QNFR3G		Percentage of students who ate fruit three or more times per day (during the 30 days before the survey)		
		1	Yes	46	31.5
		2	No	90	68.5
			Missing	4	
357-357	QNVEGLG		Percentage of students who ate vegetables but less than one time per day (during the 30 days before the survey)		
		1	Yes	32	22.7
		2	No	108	77.3
358-358	QNVEG1G		Percentage of students who ate vegetables one or more times per day (during the 30 days before the survey)		
		1	Yes	98	69.5
		2	No	42	30.5



# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Tokelau Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
359-359	QNVEG2G		Percentage of students who ate vegetables two or more times per day (during the 30 days before the survey)		
		1	Yes	59	42.7
		2	No	81	57.3
360-360	QNVEG3G		Percentage of students who ate vegetables three or more times per day (during the 30 days before the survey)		
		1	Yes	35	23.1
		2	No	105	76.9
368-368	QNC2G		Percentage of students who were bullied (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey )		
		1	Yes	8	51.7
		2	No	8	48.3
			Missing	124	
369-369	QNTOB2G		Percentage of students who currently used tobacco (any tobacco product on at least 1 day during the 30 days before the survey)		
		1	Yes	75	54.7
		2	No	61	45.3
			Missing	4	
370-370	QNNOTB2G		Percentage of students who did not currently use tobacco (any tobacco product on at least 1 day during the 30 days before the survey)		
		1	Yes	61	45.8
		2	No	73	54.2
			Missing	6	

# 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Tokelau Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
371-371	QNBCANYG		Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)		
		1	Yes	16	61.8
		2	No	12	38.2
			Missing	112	
372-372	QNC1G		Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk one or more times during their life		
		1	Yes	22	55.6
		2	No	19	44.4
			Missing	99	
373-373	QNPA5G		Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)		
		1	Yes	55	40.9
		2	No	83	59.1
			Missing	2	
374-374	QNPA7G		Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey )		
		1	Yes	36	27.6
		2	No	102	72.4
			Missing	2	
375-375	QNPE3G		Percentage of students who attended physical education classes on three or more days each week (during this school year)		
		1	Yes	65	48.6
		2	No	72	51.4
			Missing	3	
376-376	QNPE5G		Percentage of students who attended physical education classes on five or more days each week (during this school year)		
		1	Yes	47	35.5
		2	No	90	64.5
			Missing	3	

## 2014 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

### Tokelau Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
377-386	WEIGHT				
387-395	STRATUM				
396-400	PSU				