

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Anguilla Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
17-17	Q1	Q1	How old are you?			
			1	11 years old or younger	0	0.0
			2	12 years old	18	2.0
			3	13 years old	164	20.0
			4	14 years old	190	24.7
			5	15 years old	192	25.5
			6	16 years old	161	17.7
			7	17 years old	82	9.5
			8	18 years old or older	5	0.6
		Missing	1			
18-18	Q2	Q2	What is your sex?			
			1	Male	386	49.3
			2	Female	424	50.7
				Missing	3	
19-19	Q3	Q3	In what grade are you?			
			1	1st Form	1	0.1
			2	2nd Form	189	22.5
			3	3rd Form	184	24.6
			4	4th Form	179	24.6
			5	5th Form	189	20.5
			6	6th Form	66	7.8
		Missing	5			
20-23	Q4	Q4	How tall are you without your shoes on? (Note: Data are in meters.)			
24-29	Q5	Q5	How much do you weigh without your shoes on? (Note: Data are in kilograms.)			
30-30	Q6	Q6	During the past 30 days, how often did you go hungry because there was not enough food in your home?			
			1	Never	455	56.9
			2	Rarely	167	19.7
			3	Sometimes	144	17.9
			4	Most of the time	31	4.0
			5	Always	12	1.5
		Missing	4			

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Anguilla Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
31-31	Q7	Q7	During the past 30 days, how many times per day did you usually eat fruit, such as mangoes, grapes, apples, bananas, or oranges?		
			1 I did not eat fruit during the past 30 days	124	15.3
			2 Less than one time per day	186	22.7
			3 1 time per day	208	25.4
			4 2 times per day	155	19.2
			5 3 times per day	80	10.2
			6 4 times per day	15	1.9
			7 5 or more times per day	41	5.3
			Missing	4	
32-32	Q8	Q8	During the past 30 days, how many times per day did you usually eat vegetables, such as carrots or tomatoes?		
			1 I did not eat vegetables during the past 30 days	100	12.6
			2 Less than one time per day	152	19.1
			3 1 time per day	276	33.9
			4 2 times per day	156	19.2
			5 3 times per day	51	6.4
			6 4 times per day	19	2.5
			7 5 or more times per day	46	6.4
			Missing	13	
33-33	Q9	Q9	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as Coke, Sprite, or Busta?		
			1 I did not drink carbonated soft drinks during the past 30 days	140	17.6
			2 Less than one time per day	251	30.1
			3 1 time per day	205	25.2
			4 2 times per day	93	11.5
			5 3 times per day	55	7.0
			6 4 times per day	20	2.5
			7 5 or more times per day	46	6.2
			Missing	3	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Anguilla Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
34-34	Q10	Q10	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as McDonalds, any burger or pizza place, Chinese restaurants, or food vans?		
			1 0 days	196	24.2
			2 1 day	147	17.9
			3 2 days	125	15.3
			4 3 days	112	14.0
			5 4 days	58	7.0
			6 5 days	85	10.6
			7 6 days	17	2.3
			8 7 days	68	8.7
			Missing	5	
39-39	Q15	Q14	During the past 12 months, how many times were you physically attacked?		
			1 0 times	586	73.0
			2 1 time	77	9.6
			3 2 or 3 times	61	7.8
			4 4 or 5 times	21	2.7
			5 6 or 7 times	13	1.8
			6 8 or 9 times	6	0.8
			7 10 or 11 times	5	0.6
			8 12 or more times	27	3.7
			Missing	17	
40-40	Q16	Q21	During the past 12 months, how many times were you in a physical fight?		
			1 0 times	600	73.8
			2 1 time	93	11.7
			3 2 or 3 times	72	8.8
			4 4 or 5 times	17	2.0
			5 6 or 7 times	9	1.2
			6 8 or 9 times	6	0.7
			7 10 or 11 times	2	0.2
			8 12 or more times	12	1.6
			Missing	2	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Anguilla Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
41-41	Q17	Q23	During the past 12 months, how many times were you seriously injured?		
			1 0 times	409	58.5
			2 1 time	161	23.5
			3 2 or 3 times	69	9.9
			4 4 or 5 times	35	5.2
			5 6 or 7 times	7	1.0
			6 8 or 9 times	3	0.5
			7 10 or 11 times	2	0.3
			8 12 or more times	8	1.2
			Missing	119	
42-42	Q18	Q24	During the past 12 months, what was the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	468	64.6
			2 I had a broken bone or a dislocated joint	81	11.1
			3 I had a cut or stab wound	33	4.9
			4 I had a concussion or other head or neck injury, was knocked out, or could not breathe	16	2.2
			5 I had a gunshot wound	2	0.3
			6 I had a bad burn	10	1.4
			7 I was poisoned or took too much of a drug	6	0.9
			8 Something else happened to me	103	14.6
			Missing	94	
43-43	Q19	Q25	During the past 12 months, what was the major cause of the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	480	66.2
			2 I was in a motor vehicle accident or hit by a motor vehicle	16	2.3
			3 I fell	61	8.3
			4 Something fell on me or hit me	31	4.1
			5 I was attacked or abused or was fighting with someone	15	2.1
			6 I was in a fire or too near a flame or something hot	6	0.9
			7 I inhaled or swallowed something bad for me	7	1.0
			8 Something else caused my injury	107	14.9
			Missing	90	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Anguilla Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
44-44	Q20	Q29	During the past 30 days, on how many days were you bullied?		
			1 0 days	590	76.3
			2 1 or 2 days	86	11.4
			3 3 to 5 days	35	4.8
			4 6 to 9 days	23	3.0
			5 10 to 19 days	17	2.2
			6 20 to 29 days	5	0.7
			7 All 30 days	13	1.6
			Missing	44	
45-45	Q21	Q30	During the past 30 days, how were you bullied most often?		
			1 I was not bullied during the past 30 days	620	79.2
			2 I was hit, kicked, pushed, shoved around, or locked indoors	25	3.5
			3 I was made fun of because of my race, nationality, or color	23	3.0
			4 I was made fun of because of my religion	4	0.5
			5 I was made fun of with sexual jokes, comments, or gestures	21	2.7
			6 I was left out of activities on purpose or completely ignored	12	1.5
			7 I was made fun of because of how my body or face looks	28	3.7
			8 I was bullied in some other way	46	5.9
			Missing	34	
46-46	Q22	Q33	During the past 12 months, how often have you felt lonely?		
			1 Never	299	37.4
			2 Rarely	182	22.9
			3 Sometimes	205	25.1
			4 Most of the time	77	9.7
			5 Always	41	5.0
			Missing	9	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Anguilla Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
47-47	Q23	Q34	During the past 12 months, how often have you been so worried about something that you could not sleep at night?		
			1 Never	307	38.9
			2 Rarely	216	27.1
			3 Sometimes	195	24.1
			4 Most of the time	54	6.6
			5 Always	25	3.3
			Missing	16	
48-48	Q24	Q35	During the past 12 months, did you ever seriously consider attempting suicide?		
			1 Yes	176	23.4
			2 No	596	76.6
			Missing	41	
49-49	Q25	Q36	During the past 12 months, did you make a plan about how you would attempt suicide?		
			1 Yes	176	22.7
			2 No	613	77.3
			Missing	24	
50-50	Q26	Q37	During the past 12 months, how many times did you actually attempt suicide?		
			1 0 times	664	82.5
			2 1 time	64	8.3
			3 2 or 3 times	39	4.7
			4 4 or 5 times	20	2.4
			5 6 or more times	16	2.1
			Missing	10	
51-51	Q27	Q38	How many close friends do you have?		
			1 0	65	8.2
			2 1	66	8.4
			3 2	148	18.4
			4 3 or more	509	65.0
			Missing	25	
52-52	Q28	Q39	How old were you when you first tried a cigarette?		
			1 I have never smoked cigarettes	635	82.0
			2 7 years old or younger	23	3.1
			3 8 or 9 years old	29	3.9
			4 10 or 11 years old	25	3.5
			5 12 or 13 years old	35	4.6
			6 14 or 15 years old	19	2.6
			7 16 or 17 years old	3	0.4
			8 18 years old or older	0	0.0
			Missing	44	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Anguilla Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
53-53	Q29	Q40	During the past 30 days, on how many days did you smoke cigarettes?			
			1	0 days	751	94.2
			2	1 or 2 days	25	3.2
			3	3 to 5 days	10	1.3
			4	6 to 9 days	2	0.3
			5	10 to 19 days	2	0.3
			6	20 to 29 days	3	0.4
			7	All 30 days	3	0.4
	Missing	17				
54-54	Q30	Q41	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as Blend?			
			1	0 days	719	88.9
			2	1 or 2 days	43	5.2
			3	3 to 5 days	17	2.3
			4	6 to 9 days	11	1.4
			5	10 to 19 days	3	0.4
			6	20 to 29 days	5	0.6
			7	All 30 days	9	1.2
	Missing	6				
55-55	Q31	Q42	During the past 12 months, have you ever tried to stop smoking cigarettes?			
			1	I have never smoked cigarettes	679	87.2
			2	I did not smoke cigarettes during the past 12 months	53	7.1
			3	Yes	25	3.4
			4	No	17	2.4
	Missing	39				
56-56	Q32	Q43	During the past 7 days, on how many days have people smoked in your presence?			
			1	0 days	475	59.0
			2	1 or 2 days	168	20.9
			3	3 or 4 days	64	8.1
			4	5 or 6 days	27	3.5
			5	All 7 days	65	8.5
	Missing	14				

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Anguilla Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
57-57	Q33	Q44	Which of your parents or guardians use any form of tobacco?		
			1 Neither	648	81.0
			2 My father or male guardian	66	8.5
			3 My mother or female guardian	14	1.8
			4 Both	12	1.5
			5 I do not know	57	7.2
			Missing	16	
58-58	Q34	Q45	How old were you when you had your first drink of alcohol other than a few sips?		
			1 I have never had a drink of alcohol other than a few sips	269	34.5
			2 7 years old or younger	99	13.2
			3 8 or 9 years old	67	8.7
			4 10 or 11 years old	105	14.1
			5 12 or 13 years old	119	15.4
			6 14 or 15 years old	91	11.4
			7 16 or 17 years old	23	2.7
			8 18 years old or older	0	0.0
			Missing	40	
59-59	Q35	Q46	During the past 30 days, on how many days did you have at least one drink containing alcohol?		
			1 0 days	522	66.6
			2 1 or 2 days	151	19.1
			3 3 to 5 days	54	7.1
			4 6 to 9 days	27	3.6
			5 10 to 19 days	14	1.7
			6 20 to 29 days	1	0.1
			7 All 30 days	12	1.7
			Missing	32	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Anguilla Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
60-60	Q36	Q47	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?		
			1 I did not drink alcohol during the past 30 days	513	65.8
			2 Less than one drink	98	12.4
			3 1 drink	83	10.8
			4 2 drinks	43	5.8
			5 3 drinks	21	2.6
			6 4 drinks	7	0.9
			7 5 or more drinks	13	1.7
			Missing	35	
61-61	Q37	Q48	During the past 30 days, how did you usually get the alcohol you drank?		
			1 I did not drink alcohol during the past 30 days	511	65.2
			2 I bought it in a store, shop, or from a street vendor	36	4.7
			3 I gave someone else money to buy it for me	40	5.1
			4 I got it from my friends	64	8.4
			5 I got it from my family	79	10.0
			6 I stole it or got it without permission	12	1.7
			7 I got it some other way	39	4.9
			Missing	32	
62-62	Q38	Q49	During your life, how many times did you drink so much alcohol that you were really drunk?		
			1 0 times	586	74.0
			2 1 or 2 times	133	17.2
			3 3 to 9 times	46	6.2
			4 10 or more times	19	2.5
			Missing	29	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Anguilla Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
63-63	Q39	Q50	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?			
			1	0 times	697	88.7
			2	1 or 2 times	55	7.2
			3	3 to 9 times	14	1.6
			4	10 or more times	17	2.5
				Missing	30	
64-64	Q40	Q51	How old were you when you first used drugs?			
			1	I have never used drugs	550	74.0
			2	7 years old or younger	26	3.9
			3	8 or 9 years old	15	2.2
			4	10 or 11 years old	37	4.9
			5	12 or 13 years old	60	8.5
			6	14 or 15 years old	38	5.2
			7	16 or 17 years old	10	1.3
			8	18 years old or older	0	0.0
	Missing	77				
65-65	Q41	Q52	During your life, how many times have you used marijuana (also called weed)?			
			1	0 times	586	78.1
			2	1 or 2 times	61	8.1
			3	3 to 9 times	46	6.5
			4	10 to 19 times	11	1.4
			5	20 or more times	41	5.9
	Missing	68				
66-66	Q42	Q53	During the past 30 days, how many times have you used marijuana (also called weed)?			
			1	0 times	678	88.9
			2	1 or 2 times	34	4.4
			3	3 to 9 times	23	3.2
			4	10 to 19 times	9	1.3
			5	20 or more times	17	2.3
	Missing	52				

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Anguilla Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
67-67	Q43	Q54	During your life, how many times have you used amphetamines or methamphetamines (also called speed, ecstasy, or meth)?			
			1	0 times	755	96.4
			2	1 or 2 times	15	2.2
			3	3 to 9 times	9	1.2
			4	10 to 19 times	2	0.2
			5	20 or more times	0	0.0
		Missing		32		
68-68	Q44	Q55	Have you ever had sexual intercourse?			
			1	Yes	236	32.8
			2	No	489	67.2
		Missing		88		
69-69	Q45	Q56	How old were you when you had sexual intercourse for the first time?			
			1	I have never had sexual intercourse	556	72.7
			2	11 years old or younger	58	8.2
			3	12 years old	18	2.2
			4	13 years old	37	4.9
			5	14 years old	33	4.5
			6	15 years old	34	4.3
			7	16 or 17 years old	27	3.3
			8	18 years old or older	0	0.0
		Missing		50		
70-70	Q46	Q57	During your life, with how many people have you had sexual intercourse?			
			1	I have never had sexual intercourse	563	73.0
			2	1 person	86	10.7
			3	2 people	35	4.4
			4	3 people	32	4.3
			5	4 people	12	1.6
			6	5 people	13	1.7
			7	6 or more people	29	4.2
		Missing		43		

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Anguilla Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
71-71	Q47	Q59	The last time you had sexual intercourse, did you or your partner use a condom or rubber?		
			1 I have never had sexual intercourse	556	74.5
			2 Yes	114	15.5
			3 No	76	10.0
			Missing	67	
72-72	Q48	Q62	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?		
			1 I have never had sexual intercourse	541	73.3
			2 Yes	64	8.8
			3 No	104	14.0
			4 I do not know	27	3.9
			Missing	77	
73-73	Q49	Q64	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
			1 0 days	212	27.5
			2 1 day	126	15.9
			3 2 days	87	10.8
			4 3 days	85	10.7
			5 4 days	50	6.4
			6 5 days	51	6.4
			7 6 days	23	3.1
			8 7 days	149	19.2
			Missing	30	
74-74	Q50	Q65	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?		
			1 0 days	522	67.4
			2 1 day	54	7.1
			3 2 days	40	5.2
			4 3 days	28	3.5
			5 4 days	11	1.5
			6 5 days	41	5.1
			7 6 days	10	1.3
			8 7 days	68	8.9
			Missing	39	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Anguilla Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
75-75	Q51	Q66	During this school year, on how many days did you go to physical education (PE) class each week?		
			1 0 days	127	16.2
			2 1 day	317	40.6
			3 2 days	16	2.3
			4 3 days	24	3.3
			5 4 days	13	1.6
			6 5 or more days	283	35.9
			Missing	33	
76-76	Q52	Q67	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as playing video games or surfing on the internet?		
			1 Less than 1 hour per day	139	18.1
			2 1 to 2 hours per day	176	22.6
			3 3 to 4 hours per day	202	25.9
			4 5 to 6 hours per day	102	13.1
			5 7 to 8 hours per day	51	6.5
			6 More than 8 hours per day	108	13.9
			Missing	35	
77-77	Q53	Q68	During the past 30 days, on how many days did you miss classes or school without permission?		
			1 0 days	537	70.5
			2 1 or 2 days	142	19.0
			3 3 to 5 days	47	6.3
			4 6 to 9 days	11	1.5
			5 10 or more days	20	2.8
			Missing	56	
78-78	Q54	Q69	During the past 30 days, how often were most of the students in your school kind and helpful?		
			1 Never	143	18.1
			2 Rarely	229	29.2
			3 Sometimes	260	33.2
			4 Most of the time	110	14.2
			5 Always	40	5.4
			Missing	31	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Anguilla Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
79-79	Q55	Q70	During the past 30 days, how often did your parents or guardians check to see if your homework was done?			
			1	Never	222	28.2
			2	Rarely	129	16.2
			3	Sometimes	177	22.8
			4	Most of the time	110	13.9
			5	Always	145	18.9
				Missing	30	
80-80	Q56	Q71	During the past 30 days, how often did your parents or guardians understand your problems and worries?			
			1	Never	211	27.0
			2	Rarely	134	16.8
			3	Sometimes	179	22.6
			4	Most of the time	108	13.8
			5	Always	150	19.7
				Missing	31	
81-81	Q57	Q72	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?			
			1	Never	168	21.4
			2	Rarely	105	13.2
			3	Sometimes	138	18.2
			4	Most of the time	168	20.9
			5	Always	209	26.3
				Missing	25	
82-82	Q58	Q73	During the past 30 days, how often did your parents or guardians go through your things without your approval?			
			1	Never	378	47.9
			2	Rarely	151	19.2
			3	Sometimes	135	17.3
			4	Most of the time	52	6.9
			5	Always	69	8.7
				Missing	28	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Anguilla Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
185-185	QN6		Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)		
			1 Yes	43	5.5
			2 No	766	94.5
			Missing	4	
186-186	QN7		Percentage of students who did not eat fruit (during the 30 days before the survey)		
			1 Yes	124	15.3
			2 No	685	84.7
			Missing	4	
187-187	QN8		Percentage of students who did not eat vegetables (during the 30 days before the survey)		
			1 Yes	100	12.6
			2 No	700	87.4
			Missing	13	
188-188	QN9		Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)		
			1 Yes	140	17.6
			2 No	670	82.4
			Missing	3	
189-189	QN10		Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)		
			1 Yes	196	24.2
			2 No	612	75.8
			Missing	5	
194-194	QN15		Percentage of students who were physically attacked (one or more times during the 12 months before the survey)		
			1 Yes	210	27.0
			2 No	586	73.0
			Missing	17	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Anguilla Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
195-195	QN16		Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
			1 Yes	211	26.2
			2 No	600	73.8
			Missing	2	
196-196	QN17		Percentage of students who were seriously injured (one or more times during the 12 months before the survey)		
			1 Yes	285	41.5
			2 No	409	58.5
			Missing	119	
197-197	QN18		Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)		
			1 Yes	81	31.3
			2 No	170	68.7
			Missing	562	
198-198	QN19		Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)		
			1 Yes	16	6.9
			2 No	227	93.1
			Missing	570	
199-199	QN20		Percentage of students who were bullied (on one or more days during the 30 days before the survey)		
			1 Yes	179	23.7
			2 No	590	76.3
			Missing	44	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Anguilla Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
200-200	QN21		Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)		
			1 Yes	25	16.9
			2 No	134	83.1
			Missing	654	
201-201	QN22		Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)		
			1 Yes	118	14.6
			2 No	686	85.4
			Missing	9	
202-202	QN23		Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)		
			1 Yes	79	9.9
			2 No	718	90.1
			Missing	16	
203-203	QN24		Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)		
			1 Yes	176	23.4
			2 No	596	76.6
			Missing	41	
204-204	QN25		Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)		
			1 Yes	176	22.7
			2 No	613	77.3
			Missing	24	
205-205	QN26		Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
			1 Yes	139	17.5
			2 No	664	82.5
			Missing	10	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Anguilla Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
206-206	QN27		Percentage of students who did not have any close friends		
			1 Yes	65	8.2
			2 No	723	91.8
			Missing	25	
207-207	QN28		Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)		
			1 Yes	112	83.8
			2 No	22	16.2
			Missing	679	
208-208	QN29		Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
			1 Yes	45	5.8
			2 No	751	94.2
			Missing	17	
209-209	QN30		Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)		
			1 Yes	88	11.1
			2 No	719	88.9
			Missing	6	
210-210	QN31		Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)		
			1 Yes	25	58.5
			2 No	17	41.5
			Missing	771	
211-211	QN32		Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)		
			1 Yes	324	41.0
			2 No	475	59.0
			Missing	14	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Anguilla Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
212-212	QN33		Percentage of students who had parents or guardians who used any form of tobacco		
			1 Yes	92	11.8
			2 No	705	88.2
			Missing	16	
213-213	QN34		Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)		
			1 Yes	390	78.4
			2 No	114	21.6
			Missing	309	
214-214	QN35		Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)		
			1 Yes	259	33.4
			2 No	522	66.6
			Missing	32	
215-215	QN36		Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)		
			1 Yes	84	32.2
			2 No	181	67.8
			Missing	548	
216-216	QN37		Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)		
			1 Yes	64	24.3
			2 No	206	75.7
			Missing	543	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Anguilla Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
217-217	QN38		Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)		
			1 Yes	198	26.0
			2 No	586	74.0
			Missing	29	
218-218	QN39		Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)		
			1 Yes	86	11.3
			2 No	697	88.7
			Missing	30	
219-219	QN40		Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)		
			1 Yes	138	75.2
			2 No	48	24.8
			Missing	627	
220-220	QN41		Percentage of students who ever used marijuana (one or more times during their life)		
			1 Yes	159	21.9
			2 No	586	78.1
			Missing	68	
221-221	QN42		Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
			1 Yes	83	11.1
			2 No	678	88.9
			Missing	52	
222-222	QN43		Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)		
			1 Yes	26	3.6
			2 No	755	96.4
			Missing	32	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Anguilla Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
223-223	QN44		Percentage of students who ever had sexual intercourse		
			1 Yes	236	32.8
			2 No	489	67.2
			Missing	88	
224-224	QN45		Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)		
			1 Yes	113	55.9
			2 No	94	44.1
			Missing	606	
225-225	QN46		Percentage of students who had sexual intercourse with two or more persons (during their life)		
			1 Yes	121	16.3
			2 No	649	83.7
			Missing	43	
226-226	QN47		Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)		
			1 Yes	114	60.7
			2 No	76	39.3
			Missing	623	
227-227	QN48		Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)		
			1 Yes	64	32.9
			2 No	131	67.1
			Missing	618	
228-228	QN49		Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)		
			1 Yes	212	27.5
			2 No	571	72.5
			Missing	30	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Anguilla Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
229-229	QN50		Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)		
			1 Yes	522	67.4
			2 No	252	32.6
			Missing	39	
230-230	QN51		Percentage of students who did not attend physical education classes (each week during this school year)		
			1 Yes	127	16.2
			2 No	653	83.8
			Missing	33	
231-231	QN52		Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)		
			1 Yes	463	59.3
			2 No	315	40.7
			Missing	35	
232-232	QN53		Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)		
			1 Yes	220	29.5
			2 No	537	70.5
			Missing	56	
233-233	QN54		Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)		
			1 Yes	150	19.5
			2 No	632	80.5
			Missing	31	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Anguilla Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
234-234	QN55		Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)		
			1 Yes	255	32.8
			2 No	528	67.2
			Missing	30	
235-235	QN56		Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)		
			1 Yes	258	33.5
			2 No	524	66.5
			Missing	31	
236-236	QN57		Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)		
			1 Yes	377	47.3
			2 No	411	52.7
			Missing	25	
237-237	QN58		Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)		
			1 Yes	529	67.1
			2 No	256	32.9
			Missing	28	
353-353	QNFRLG		Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)		
			1 Yes	186	22.7
			2 No	623	77.3
			Missing	4	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Anguilla Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
354-354	QNFR1G		Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)		
			1 Yes	499	61.9
			2 No	310	38.1
			Missing	4	
355-355	QNFR2G		Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)		
			1 Yes	291	36.5
			2 No	518	63.5
			Missing	4	
356-356	QNFR3G		Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)		
			1 Yes	136	17.3
			2 No	673	82.7
			Missing	4	
357-357	QNVEGLG		Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)		
			1 Yes	152	19.1
			2 No	648	80.9
			Missing	13	
358-358	QNVEG1G		Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)		
			1 Yes	548	68.4
			2 No	252	31.6
			Missing	13	
359-359	QNVEG2G		Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)		
			1 Yes	272	34.4
			2 No	528	65.6
			Missing	13	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Anguilla Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
360-360	QNVEG3G		Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)		
			1 Yes	116	15.2
			2 No	684	84.8
			Missing	13	
361-361	QNSODALG		Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)		
			1 Yes	251	30.1
			2 No	559	69.9
			Missing	3	
362-362	QNSODA1G		Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)		
			1 Yes	419	52.3
			2 No	391	47.7
			Missing	3	
363-363	QNSODA2G		Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)		
			1 Yes	214	27.1
			2 No	596	72.9
			Missing	3	
364-364	QNSODA3G		Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)		
			1 Yes	121	15.6
			2 No	689	84.4
			Missing	3	
365-365	QNFF1G		Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)		
			1 Yes	612	75.8
			2 No	196	24.2
			Missing	5	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Anguilla Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
366-366	QNFF2G		Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)		
			1 Yes	465	58.0
			2 No	343	42.0
			Missing	5	
367-367	QNFF3G		Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)		
			1 Yes	340	42.6
			2 No	468	57.4
			Missing	5	
368-368	QNC2G		Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)		
			1 Yes	33	45.2
			2 No	41	54.8
			Missing	739	
369-369	QNTOB2G		Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)		
			1 Yes	103	13.1
			2 No	701	86.9
			Missing	9	
370-370	QNNOTB2G		Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)		
			1 Yes	701	88.0
			2 No	94	12.0
			Missing	18	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Anguilla Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
371-371	QNBCANYG		Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)		
			1 Yes	137	79.4
			2 No	36	20.6
			Missing	640	
372-372	QNC1G		Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)		
			1 Yes	93	51.2
			2 No	85	48.8
			Missing	635	
373-373	QNPA5G		Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)		
			1 Yes	223	28.7
			2 No	560	71.3
			Missing	30	
374-374	QNPA7G		Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)		
			1 Yes	149	19.2
			2 No	634	80.8
			Missing	30	
375-375	QNPE3G		Percentage of students who attended physical education classes on three or more days (each week during this school year)		
			1 Yes	320	40.9
			2 No	460	59.1
			Missing	33	
376-376	QNPE5G		Percentage of students who attended physical education classes on five or more days (each week during this school year)		
			1 Yes	283	35.9
			2 No	497	64.1
			Missing	33	

2016 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Anguilla Survey
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
377-386	WEIGHT				
387-395	STRATUM				
396-400	PSU				
