

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Liberia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
17-17	Q1	Q1	How old are you?		
			1 11 years old or younger	63	2.5
			2 12 years old	52	2.0
			3 13 years old	100	4.0
			4 14 years old	177	7.5
			5 15 years old	212	8.6
			6 16 years old	301	11.6
			7 17 years old	419	16.1
			8 18 years old or older	1,337	47.6
			Missing	83	
18-18	Q2	Q2	What is your sex?		
			1 Male	1,382	51.8
			2 Female	1,253	48.2
			Missing	109	
19-19	Q3	Q3	In what grade are you?		
			1 Grade 7	621	24.3
			2 Grade 8	376	21.8
			3 Grade 9	526	19.9
			4 Grade 10	491	14.9
			5 Grade 11	507	13.3
			6 Grade 12	179	5.7
20-23	Q4	Q4	Missing	44	
			How tall are you without your shoes on? (Note: Data are in meters.)		
24-29	Q5	Q5	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
30-30	Q6	Q6	During the past 30 days, how often did you go hungry because there was not enough food in your home?		
			1 Never	827	32.1
			2 Rarely	83	3.3
			3 Sometimes	1,292	48.0
			4 Most of the time	328	12.4
			5 Always	111	4.2
			Missing	103	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Liberia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
31-31	Q7	Q7	During the past 30 days, how many times per day did you usually eat fruit, such as pawpaw, oranges, plum, lemon, grapefruit, or apples?		
			1 I did not eat fruit during the past 30 days	369	13.7
			2 Less than one time per day	668	24.9
			3 1 time per day	719	27.1
			4 2 times per day	354	13.3
			5 3 times per day	168	6.2
			6 4 times per day	94	3.4
			7 5 or more times per day	294	11.5
			Missing	78	
32-32	Q8	Q8	During the past 30 days, how many times per day did you usually eat vegetables, such as water greens, potato greens, pumpkin, bitter boye, kittily, or watermelon?		
			1 I did not eat vegetables during the past 30 days	261	9.9
			2 Less than one time per day	559	21.6
			3 1 time per day	791	30.2
			4 2 times per day	291	10.9
			5 3 times per day	191	7.1
			6 4 times per day	103	3.9
			7 5 or more times per day	426	16.4
			Missing	122	
33-33	Q9	Q9	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as Coca Cola, Fanta, Sprite, or Grape?		
			1 I did not drink carbonated soft drinks during the past 30 days	857	31.7
			2 Less than one time per day	623	23.3
			3 1 time per day	661	25.7
			4 2 times per day	178	6.5
			5 3 times per day	120	4.5
			6 4 times per day	63	2.4
			7 5 or more times per day	151	5.9
			Missing	91	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Liberia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
34-34	Q10	Q10	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as Musu Spot, Diana Restaurant, Sam Barbey Cube, PA Rib House, Gold Beach Restaurant, Sajj House, or Paulma Fast Food Center?		
			1 0 days	1,571	58.0
			2 1 day	479	18.5
			3 2 days	215	8.2
			4 3 days	120	4.5
			5 4 days	64	2.6
			6 5 days	47	1.8
			7 6 days	38	1.6
			8 7 days	123	4.9
			Missing	87	
35-35	Q11	Q12	During the past 30 days, how many times per day did you usually clean or brush your teeth?		
			1 I did not clean or brush my teeth during the past 30 days	112	4.6
			2 Less than 1 time per day	213	7.9
			3 1 time per day	465	16.9
			4 2 times per day	1,258	46.2
			5 3 times per day	388	14.3
			6 4 or more times per day	252	10.1
			Missing	56	
36-36	Q12	Q14	During the past 30 days, how often did you wash your hands before eating?		
			1 Never	140	5.4
			2 Rarely	89	3.4
			3 Sometimes	647	23.7
			4 Most of the time	631	23.7
			5 Always	1,151	43.8
			Missing	86	
37-37	Q13	Q15	During the past 30 days, how often did you wash your hands after using the toilet or latrine?		
			1 Never	91	3.5
			2 Rarely	85	3.5
			3 Sometimes	390	14.7
			4 Most of the time	601	22.5
			5 Always	1,496	55.8
			Missing	81	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Liberia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
38-38	Q14	Q16	During the past 30 days, how often did you use soap when washing your hands?		
			1 Never	125	4.6
			2 Rarely	105	4.1
			3 Sometimes	759	27.3
			4 Most of the time	650	24.7
			5 Always	1,018	39.4
			Missing	87	
39-39	Q15	Q18	During the past 12 months, how many times were you physically attacked?		
			1 0 times	1,136	42.0
			2 1 time	515	19.9
			3 2 or 3 times	485	18.1
			4 4 or 5 times	171	6.6
			5 6 or 7 times	78	3.0
			6 8 or 9 times	32	1.1
			7 10 or 11 times	43	1.6
			8 12 or more times	201	7.7
			Missing	83	
40-40	Q16	Q20	During the past 12 months, how many times were you in a physical fight?		
			1 0 times	1,585	58.4
			2 1 time	458	17.7
			3 2 or 3 times	254	9.3
			4 4 or 5 times	99	3.8
			5 6 or 7 times	47	2.0
			6 8 or 9 times	46	1.7
			7 10 or 11 times	35	1.3
			8 12 or more times	148	5.8
			Missing	72	
41-41	Q17	Q22	During the past 12 months, how many times were you seriously injured?		
			1 0 times	655	28.4
			2 1 time	735	31.8
			3 2 or 3 times	504	22.2
			4 4 or 5 times	137	5.7
			5 6 or 7 times	64	2.7
			6 8 or 9 times	26	1.2
			7 10 or 11 times	25	1.0
			8 12 or more times	145	6.9
			Missing	453	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Liberia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
42-42	Q18	Q23	During the past 12 months, what was the most serious injury that happened to you?		
		1	I was not seriously injured during the past 12 months	1,206	50.9
		2	I had a broken bone or a dislocated joint	191	8.2
		3	I had a cut or stab wound	321	13.6
		4	I had a concussion or other head or neck injury, was knocked out, or could not breathe	118	5.0
		5	I had a gunshot wound	33	1.4
		6	I had a bad burn	65	2.8
		7	I was poisoned or took too much of a drug	30	1.3
		8	Something else happened to me	411	17.0
			Missing	369	
43-43	Q19	Q24	During the past 12 months, what was the major cause of the most serious injury that happened to you?		
		1	I was not seriously injured during the past 12 months	1,208	51.0
		2	I was in a motor vehicle accident or hit by a motor vehicle	217	8.6
		3	I fell	201	9.0
		4	Something fell on me or hit me	238	10.6
		5	I was attacked or abused or was fighting with someone	135	5.5
		6	I was in a fire or too near a flame or something hot	54	2.3
		7	I inhaled or swallowed something bad for me	34	1.4
		8	Something else caused my injury	286	11.5
			Missing	371	
44-44	Q20	Q25	During the past 30 days, on how many days were you bullied?		
		1	0 days	1,176	48.6
		2	1 or 2 days	649	28.9
		3	3 to 5 days	208	8.9
		4	6 to 9 days	89	3.8
		5	10 to 19 days	49	2.3
		6	20 to 29 days	30	1.3
		7	All 30 days	152	6.2
			Missing	391	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Liberia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
45-45	Q21	Q26	During the past 30 days, how were you bullied most often?		
		1	I was not bullied during the past 30 days	1,387	58.6
		2	I was hit, kicked, pushed, shoved around, or locked indoors	197	8.9
		3	I was made fun of because of my race, nationality, or color	144	6.6
		4	I was made fun of because of my religion	102	4.6
		5	I was made fun of with sexual jokes, comments, or gestures	59	2.9
		6	I was left out of activities on purpose or completely ignored	63	2.6
		7	I was made fun of because of how my body or face looks	94	4.0
		8	I was bullied in some other way	277	11.7
			Missing	421	
46-46	Q22	Q27	During the past 12 months, how often have you felt lonely?		
		1	Never	794	31.3
		2	Rarely	128	4.8
		3	Sometimes	1,345	50.0
		4	Most of the time	244	9.4
		5	Always	123	4.5
			Missing	110	
47-47	Q23	Q28	During the past 12 months, how often have you been so worried about something that you could not sleep at night?		
		1	Never	638	25.5
		2	Rarely	137	5.2
		3	Sometimes	1,323	49.4
		4	Most of the time	381	14.1
		5	Always	159	5.9
			Missing	106	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Liberia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
48-48	Q24	Q30	During the past 12 months, did you ever seriously consider attempting suicide?		
			1 Yes	682	26.3
			2 No	1,866	73.7
			Missing	196	
49-49	Q25	Q31	During the past 12 months, did you make a plan about how you would attempt suicide?		
			1 Yes	928	36.7
			2 No	1,615	63.3
			Missing	201	
50-50	Q26	Q32	During the past 12 months, how many times did you actually attempt suicide?		
			1 0 times	1,691	66.3
			2 1 time	422	16.5
			3 2 or 3 times	221	8.6
			4 4 or 5 times	112	4.4
			5 6 or more times	106	4.2
			Missing	192	
51-51	Q27	Q33	How many close friends do you have?		
			1 0	330	12.6
			2 1	678	26.0
			3 2	542	20.0
			4 3 or more	1,077	41.4
			Missing	117	
52-52	Q28	Q34	How old were you when you first tried a cigarette?		
			1 I have never smoked cigarettes	1,756	77.5
			2 7 years old or younger	143	6.6
			3 8 or 9 years old	71	3.4
			4 10 or 11 years old	52	2.4
			5 12 or 13 years old	44	2.3
			6 14 or 15 years old	31	1.2
			7 16 or 17 years old	63	2.7
			8 18 years old or older	93	4.0
			Missing	491	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Liberia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
53-53	Q29	Q35	During the past 30 days, on how many days did you smoke cigarettes?		
			1 0 days	2,297	89.7
			2 1 or 2 days	96	3.9
			3 3 to 5 days	55	2.2
			4 6 to 9 days	28	1.2
			5 10 to 19 days	24	1.0
			6 20 to 29 days	18	0.6
			7 All 30 days	31	1.4
			Missing	195	
54-54	Q30	Q36	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as snuff?		
			1 0 days	2,324	87.2
			2 1 or 2 days	160	5.9
			3 3 to 5 days	75	3.1
			4 6 to 9 days	35	1.4
			5 10 to 19 days	22	0.8
			6 20 to 29 days	17	0.6
			7 All 30 days	22	0.8
			Missing	89	
55-55	Q31	Q37	During the past 12 months, have you ever tried to stop smoking cigarettes?		
			1 I have never smoked cigarettes	1,922	83.8
			2 I did not smoke cigarettes during the past 12 months	101	4.3
			3 Yes	132	6.1
			4 No	125	5.8
			Missing	464	
56-56	Q32	Q39	During the past 7 days, on how many days have people smoked in your presence?		
			1 0 days	985	37.2
			2 1 or 2 days	626	23.9
			3 3 or 4 days	267	10.0
			4 5 or 6 days	140	5.3
			5 All 7 days	609	23.7
			Missing	117	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Liberia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
57-57	Q33	Q40	Which of your parents or guardians use any form of tobacco?		
			1 Neither	1,185	45.9
			2 My father or male guardian	179	6.8
			3 My mother or female guardian	95	3.9
			4 Both	84	3.1
			5 I do not know	1,036	40.3
			Missing	165	
58-58	Q34	Q41	How old were you when you had your first drink of alcohol other than a few sips?		
			1 I have never had a drink of alcohol other than a few sips	1,163	54.9
			2 7 years old or younger	152	7.6
			3 8 or 9 years old	83	3.9
			4 10 or 11 years old	83	3.8
			5 12 or 13 years old	116	5.7
			6 14 or 15 years old	136	6.4
			7 16 or 17 years old	186	8.2
			8 18 years old or older	233	9.6
			Missing	592	
59-59	Q35	Q42	During the past 30 days, on how many days did you have at least one drink containing alcohol?		
			1 0 days	1,866	75.3
			2 1 or 2 days	424	16.9
			3 3 to 5 days	80	3.4
			4 6 to 9 days	38	1.5
			5 10 to 19 days	29	1.1
			6 20 to 29 days	20	0.8
			7 All 30 days	27	1.0
			Missing	260	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Liberia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
60-60	Q36	Q43	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?		
		1	I did not drink alcohol during the past 30 days	1,811	71.9
		2	Less than one drink	320	12.3
		3	1 drink	257	9.9
		4	2 drinks	69	2.6
		5	3 drinks	32	1.3
		6	4 drinks	16	0.6
		7	5 or more drinks	37	1.5
			Missing	202	
61-61	Q37	Q44	During the past 30 days, how did you usually get the alcohol you drank?		
		1	I did not drink alcohol during the past 30 days	1,815	74.8
		2	I bought it in a store, shop, or from a street vendor	212	8.0
		3	I gave someone else money to buy it for me	72	3.1
		4	I got it from my friends	235	9.2
		5	I got it from my family	40	1.7
		6	I stole it or got it without permission	9	0.4
		7	I got it some other way	71	2.8
			Missing	290	
62-62	Q38	Q45	During your life, how many times did you drink so much alcohol that you were really drunk?		
		1	0 times	1,967	80.2
		2	1 or 2 times	369	14.7
		3	3 to 9 times	55	2.2
		4	10 or more times	71	2.9
			Missing	282	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Liberia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
63-63	Q39	Q46	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?		
			1 0 times	2,010	84.4
			2 1 or 2 times	228	9.9
			3 3 to 9 times	82	3.5
			4 10 or more times	48	2.1
			Missing	376	
64-64	Q40	Q48	How old were you when you first used drugs?		
			1 I have never used drugs	1,888	83.6
			2 7 years old or younger	164	7.6
			3 8 or 9 years old	50	2.2
			4 10 or 11 years old	33	1.6
			5 12 or 13 years old	20	0.9
			6 14 or 15 years old	21	0.9
			7 16 or 17 years old	35	1.3
			8 18 years old or older	43	1.8
			Missing	490	
65-65	Q41	Q49	During your life, how many times have you used marijuana (also called weed)?		
			1 0 times	2,187	91.8
			2 1 or 2 times	82	3.6
			3 3 to 9 times	51	2.0
			4 10 to 19 times	24	1.0
			5 20 or more times	39	1.6
			Missing	361	
66-66	Q42	Q50	During the past 30 days, how many times have you used marijuana (also called weed)?		
			1 0 times	2,170	91.6
			2 1 or 2 times	86	3.5
			3 3 to 9 times	45	2.2
			4 10 to 19 times	32	1.4
			5 20 or more times	30	1.2
			Missing	381	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Liberia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
67-67	Q43	Q51	During your life, how many times have you used amphetamines or methamphetamines (also called		
			1 0 times	2,170	92.1
			2 1 or 2 times	82	3.6
			3 3 to 9 times	37	1.6
			4 10 to 19 times	38	1.7
			5 20 or more times	23	1.1
			Missing	394	
68-68	Q44	Q53	Have you ever had sexual intercourse?		
			1 Yes	1,264	61.9
			2 No	689	38.1
			Missing	791	
69-69	Q45	Q54	How old were you when you had sexual intercourse for the first time?		
			1 I have never had sexual intercourse	1,158	54.7
			2 11 years old or younger	104	4.7
			3 12 years old	64	2.9
			4 13 years old	38	1.7
			5 14 years old	72	3.2
			6 15 years old	110	4.8
			7 16 or 17 years old	351	14.3
			8 18 years old or older	343	13.7
			Missing	504	
70-70	Q46	Q55	During your life, with how many people have you had sexual intercourse?		
			1 I have never had sexual intercourse	1,133	53.0
			2 1 person	441	19.1
			3 2 people	205	8.8
			4 3 people	141	6.0
			5 4 people	66	2.7
			6 5 people	51	2.0
			7 6 or more people	221	8.3
			Missing	486	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Liberia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
71-71	Q47	Q56	The last time you had sexual intercourse, did you or your partner use a condom or rain coat?		
			1 I have never had sexual intercourse	1,087	53.7
			2 Yes	632	27.8
			3 No	411	18.4
			Missing	614	
72-72	Q48	Q57	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?		
			1 I have never had sexual intercourse	1,056	52.0
			2 Yes	581	25.6
			3 No	314	13.9
			4 I do not know	189	8.5
			Missing	604	
73-73	Q49	Q58	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
			1 0 days	854	36.3
			2 1 day	561	22.8
			3 2 days	291	11.4
			4 3 days	169	6.4
			5 4 days	123	4.8
			6 5 days	80	3.1
			7 6 days	69	3.1
			8 7 days	304	12.2
			Missing	293	
74-74	Q50	Q59	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?		
			1 0 days	1,081	44.9
			2 1 day	305	12.5
			3 2 days	211	8.6
			4 3 days	136	5.5
			5 4 days	101	3.7
			6 5 days	162	6.3
			7 6 days	49	2.1
			8 7 days	410	16.3
			Missing	289	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Liberia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
75-75	Q51	Q60	During this school year, on how many days did you go to physical education (PE) class each week?		
			1 0 days	847	33.6
			2 1 day	648	25.6
			3 2 days	284	11.9
			4 3 days	143	5.5
			5 4 days	88	3.6
			6 5 or more days	471	19.7
			Missing	263	
76-76	Q52	Q63	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as ludo, checkup, tag, cards, marbor, or scramble?		
			1 Less than 1 hour per day	1,252	51.0
			2 1 to 2 hours per day	710	29.4
			3 3 to 4 hours per day	221	8.6
			4 5 to 6 hours per day	82	3.3
			5 7 to 8 hours per day	51	2.0
			6 More than 8 hours per day	136	5.7
			Missing	292	
77-77	Q53	Q64	During the past 30 days, on how many days did you miss classes or school without permission?		
			1 0 days	1,331	52.4
			2 1 or 2 days	781	32.7
			3 3 to 5 days	214	9.1
			4 6 to 9 days	60	2.8
			5 10 or more days	74	3.1
			Missing	284	
78-78	Q54	Q65	During the past 30 days, how often were most of the students in your school kind and helpful?		
			1 Never	387	16.3
			2 Rarely	184	8.3
			3 Sometimes	951	39.0
			4 Most of the time	400	16.4
			5 Always	487	19.9
			Missing	335	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Liberia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
79-79	Q55	Q66	During the past 30 days, how often did your parents or guardians check to see if your homework was done?		
			1 Never	565	23.1
			2 Rarely	169	6.7
			3 Sometimes	601	24.2
			4 Most of the time	384	16.6
			5 Always	734	29.4
			Missing	291	
80-80	Q56	Q67	During the past 30 days, how often did your parents or guardians understand your problems and worries?		
			1 Never	440	18.8
			2 Rarely	192	8.1
			3 Sometimes	784	31.7
			4 Most of the time	412	17.5
			5 Always	574	23.9
			Missing	342	
81-81	Q57	Q68	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?		
			1 Never	491	21.1
			2 Rarely	169	7.4
			3 Sometimes	791	33.9
			4 Most of the time	369	15.5
			5 Always	531	22.1
			Missing	393	
82-82	Q58	Q69	During the past 30 days, how often did your parents or guardians go through your things without your approval?		
			1 Never	1,014	41.7
			2 Rarely	185	7.8
			3 Sometimes	747	30.7
			4 Most of the time	230	9.5
			5 Always	252	10.3
			Missing	316	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Liberia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
185-185	QN6		Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)		
		1	Yes	439	16.6
		2	No	2,202	83.4
			Missing	103	
186-186	QN7		Percentage of students who did not eat fruit (during the 30 days before the survey)		
		1	Yes	369	13.7
		2	No	2,297	86.3
			Missing	78	
187-187	QN8		Percentage of students who did not eat vegetables (during the 30 days before the survey)		
		1	Yes	261	9.9
		2	No	2,361	90.1
			Missing	122	
188-188	QN9		Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)		
		1	Yes	857	31.7
		2	No	1,796	68.3
			Missing	91	
189-189	QN10		Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)		
		1	Yes	1,571	58.0
		2	No	1,086	42.0
			Missing	87	
190-190	QN11		Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)		
		1	Yes	2,363	87.5
		2	No	325	12.5
			Missing	56	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Liberia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
191-191	QN12		Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)		
		1	Yes	229	8.8
		2	No	2,429	91.2
			Missing	86	
192-192	QN13		Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)		
		1	Yes	176	7.0
		2	No	2,487	93.0
			Missing	81	
193-193	QN14		Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)		
		1	Yes	230	8.6
		2	No	2,427	91.4
			Missing	87	
194-194	QN15		Percentage of students who were physically attacked (one or more times during the 12 months before the survey)		
		1	Yes	1,525	58.0
		2	No	1,136	42.0
			Missing	83	
195-195	QN16		Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
		1	Yes	1,087	41.6
		2	No	1,585	58.4
			Missing	72	
196-196	QN17		Percentage of students who were seriously injured (one or more times during the 12 months before the survey)		
		1	Yes	1,636	71.6
		2	No	655	28.4
			Missing	453	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Liberia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
197-197	QN18		Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)		
		1	Yes	191	16.6
		2	No	978	83.4
			Missing	1,575	
198-198	QN19		Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)		
		1	Yes	217	17.6
		2	No	948	82.4
			Missing	1,579	
199-199	QN20		Percentage of students who were bullied (on one or more days during the 30 days before the survey)		
		1	Yes	1,177	51.4
		2	No	1,176	48.6
			Missing	391	
200-200	QN21		Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)		
		1	Yes	197	21.5
		2	No	739	78.5
			Missing	1,808	
201-201	QN22		Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)		
		1	Yes	367	13.9
		2	No	2,267	86.1
			Missing	110	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Liberia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
202-202	QN23		Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)		
		1	Yes	540	20.0
		2	No	2,098	80.0
			Missing	106	
203-203	QN24		Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)		
		1	Yes	682	26.3
		2	No	1,866	73.7
			Missing	196	
204-204	QN25		Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)		
		1	Yes	928	36.7
		2	No	1,615	63.3
			Missing	201	
205-205	QN26		Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
		1	Yes	861	33.7
		2	No	1,691	66.3
			Missing	192	
206-206	QN27		Percentage of students who did not have any close friends		
		1	Yes	330	12.6
		2	No	2,297	87.4
			Missing	117	
207-207	QN28		Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)		
		1	Yes	310	64.7
		2	No	187	35.3
			Missing	2,247	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Liberia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
208-208	QN29		Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
		1	Yes	252	10.3
		2	No	2,297	89.7
			Missing	195	
209-209	QN30		Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)		
		1	Yes	331	12.8
		2	No	2,324	87.2
			Missing	89	
210-210	QN31		Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)		
		1	Yes	132	51.5
		2	No	125	48.5
			Missing	2,487	
211-211	QN32		Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)		
		1	Yes	1,642	62.8
		2	No	985	37.2
			Missing	117	
212-212	QN33		Percentage of students who had parents or guardians who used any form of tobacco		
		1	Yes	358	13.9
		2	No	2,221	86.1
			Missing	165	
213-213	QN34		Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)		
		1	Yes	434	46.5
		2	No	555	53.5
			Missing	1,755	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Liberia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
214-214	QN35		Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)		
		1	Yes	618	24.7
		2	No	1,866	75.3
			Missing	260	
215-215	QN36		Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)		
		1	Yes	154	21.4
		2	No	577	78.6
			Missing	2,013	
216-216	QN37		Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)		
		1	Yes	235	36.5
		2	No	404	63.5
			Missing	2,105	
217-217	QN38		Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)		
		1	Yes	495	19.8
		2	No	1,967	80.2
			Missing	282	
218-218	QN39		Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)		
		1	Yes	358	15.6
		2	No	2,010	84.4
			Missing	376	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Liberia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
219-219	QN40		Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)		
			1 Yes	267	75.2
			2 No	99	24.8
			Missing	2,378	
220-220	QN41		Percentage of students who ever used marijuana (one or more times during their life)		
			1 Yes	196	8.2
			2 No	2,187	91.8
			Missing	361	
221-221	QN42		Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
			1 Yes	193	8.4
			2 No	2,170	91.6
			Missing	381	
222-222	QN43		Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)		
			1 Yes	180	7.9
			2 No	2,170	92.1
			Missing	394	
223-223	QN44		Percentage of students who ever had sexual intercourse		
			1 Yes	1,264	61.9
			2 No	689	38.1
			Missing	791	
224-224	QN45		Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)		
			1 Yes	206	20.6
			2 No	876	79.4
			Missing	1,662	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Liberia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
225-225	QN46		Percentage of students who had sexual intercourse with two or more persons (during their life)		
		1	Yes	684	27.8
		2	No	1,574	72.2
			Missing	486	
226-226	QN47		Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)		
		1	Yes	632	60.2
		2	No	411	39.8
			Missing	1,701	
227-227	QN48		Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)		
		1	Yes	581	53.4
		2	No	503	46.6
			Missing	1,660	
228-228	QN49		Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)		
		1	Yes	854	36.3
		2	No	1,597	63.7
			Missing	293	
229-229	QN50		Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)		
		1	Yes	1,081	44.9
		2	No	1,374	55.1
			Missing	289	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Liberia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
230-230	QN51		Percentage of students who did not attend physical education classes (each week during this school year)		
		1	Yes	847	33.6
		2	No	1,634	66.4
			Missing	263	
231-231	QN52		Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)		
		1	Yes	490	19.6
		2	No	1,962	80.4
			Missing	292	
232-232	QN53		Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)		
		1	Yes	1,129	47.6
		2	No	1,331	52.4
			Missing	284	
233-233	QN54		Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)		
		1	Yes	887	36.4
		2	No	1,522	63.6
			Missing	335	
234-234	QN55		Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)		
		1	Yes	1,118	46.0
		2	No	1,335	54.0
			Missing	291	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Liberia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
235-235	QN56		Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)		
		1	Yes	986	41.4
		2	No	1,416	58.6
			Missing	342	
236-236	QN57		Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)		
		1	Yes	900	37.6
		2	No	1,451	62.4
			Missing	393	
237-237	QN58		Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)		
		1	Yes	1,199	49.5
		2	No	1,229	50.5
			Missing	316	
353-353	QNFR1G		Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)		
		1	Yes	668	24.9
		2	No	1,998	75.1
			Missing	78	
354-354	QNFR1G		Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)		
		1	Yes	1,629	61.4
		2	No	1,037	38.6
			Missing	78	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Liberia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
355-355	QNFR2G		Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)		
		1	Yes	910	34.3
		2	No	1,756	65.7
			Missing	78	
356-356	QNFR3G		Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)		
		1	Yes	556	21.0
		2	No	2,110	79.0
			Missing	78	
357-357	QNVEGLG		Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)		
		1	Yes	559	21.6
		2	No	2,063	78.4
			Missing	122	
358-358	QNVEG1G		Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)		
		1	Yes	1,802	68.6
		2	No	820	31.4
			Missing	122	
359-359	QNVEG2G		Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)		
		1	Yes	1,011	38.3
		2	No	1,611	61.7
			Missing	122	
360-360	QNVEG3G		Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)		
		1	Yes	720	27.4
		2	No	1,902	72.6
			Missing	122	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Liberia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
361-361	QNSODALG		Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)		
		1	Yes	623	23.3
		2	No	2,030	76.7
			Missing	91	
362-362	QNSODA1G		Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)		
		1	Yes	1,173	45.0
		2	No	1,480	55.0
			Missing	91	
363-363	QNSODA2G		Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)		
		1	Yes	512	19.2
		2	No	2,141	80.8
			Missing	91	
364-364	QNSODA3G		Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)		
		1	Yes	334	12.8
		2	No	2,319	87.2
			Missing	91	
365-365	QNFF1G		Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)		
		1	Yes	1,086	42.0
		2	No	1,571	58.0
			Missing	87	
366-366	QNFF2G		Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)		
		1	Yes	607	23.6
		2	No	2,050	76.4
			Missing	87	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Liberia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
367-367	QNFF3G		Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)		
		1	Yes	392	15.4
		2	No	2,265	84.6
			Missing	87	
368-368	QNC2G		Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)		
		1	Yes	290	65.5
		2	No	167	34.5
			Missing	2,287	
369-369	QNTOB2G		Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)		
		1	Yes	414	16.9
		2	No	2,151	83.1
			Missing	179	
370-370	QNNOTB2G		Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)		
		1	Yes	2,151	85.6
		2	No	348	14.4
			Missing	245	
371-371	QNBCANYG		Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)		
		1	Yes	754	82.6
		2	No	161	17.4
			Missing	1,829	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Liberia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
372-372	QNC1G		Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)		
		1	Yes	283	84.2
		2	No	48	15.8
			Missing	2,413	
373-373	QNPA5G		Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)		
		1	Yes	453	18.4
		2	No	1,998	81.6
			Missing	293	
374-374	QNPA7G		Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)		
		1	Yes	304	12.2
		2	No	2,147	87.8
			Missing	293	
375-375	QNPE3G		Percentage of students who attended physical education classes on three or more days (each week during this school year)		
		1	Yes	702	28.8
		2	No	1,779	71.2
			Missing	263	
376-376	QNPE5G		Percentage of students who attended physical education classes on five or more days (each week during this school year)		
		1	Yes	471	19.7
		2	No	2,010	80.3
			Missing	263	
377-386	WEIGHT				
387-395	STRATUM				

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Liberia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
396-400	PSU				
