

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

French Polynesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
17-17	Q1	Q1	How old are you?		
			1 11 years old or younger	11	0.5
			2 12 years old	186	10.3
			3 13 years old	533	19.1
			4 14 years old	558	17.0
			5 15 years old	625	18.0
			6 16 years old	529	14.2
			7 17 years old	440	11.9
			8 18 years old or older	328	9.0
			Missing	6	
18-18	Q2	Q2	What is your sex?		
			1 Male	1,484	49.5
			2 Female	1,718	50.5
			Missing	14	
19-19	Q3	Q4	In what grade are you?		
			1 5th class	313	18.3
			2 4th/1st CETAD	635	18.9
			3 3rd/2nd CETAD	579	18.1
			4 2nd/1st Bac/1st CAP/3rd CETAD	648	17.8
			5 1st/2nd Bac/2nd CAP	529	13.8
			6 Terminal/3rd Bac	478	13.0
			Missing	34	
20-23	Q4	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
24-29	Q5	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
30-30	Q6	Q8	During the past 30 days, how often did you go hungry because there was not enough food in your home?		
			1 Never	1,154	35.2
			2 Rarely	1,003	32.0
			3 Sometimes	708	21.7
			4 Most of the time	254	8.3
			5 Always	76	2.8
			Missing	21	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

French Polynesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
31-31	Q7	Q9	During the past 30 days, how many times per day did you usually eat fruit, such as papayas, mangoes, bananas, apples, or oranges?		
			1 I did not eat fruit during the past 30 days	163	5.6
			2 Less than one time per day	793	24.4
			3 1 time per day	742	22.9
			4 2 times per day	657	20.3
			5 3 times per day	453	14.3
			6 4 times per day	190	6.0
			7 5 or more times per day	197	6.5
			Missing	21	
32-32	Q8	Q10	During the past 30 days, how many times per day did you usually eat vegetables, such as salad, carrots, tomatoes, turnips, cabbage, cucumbers, or eggplants?		
			1 I did not eat vegetables during the past 30 days	187	6.2
			2 Less than one time per day	538	17.6
			3 1 time per day	803	25.0
			4 2 times per day	783	23.4
			5 3 times per day	438	13.3
			6 4 times per day	178	5.6
			7 5 or more times per day	272	8.8
			Missing	17	
33-33	Q9	Q11	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as Coca-cola, Sprite, or Fanta?		
			1 I did not drink carbonated soft drinks during the past 30 days	390	12.1
			2 Less than one time per day	1,355	41.8
			3 1 time per day	572	17.9
			4 2 times per day	405	12.7
			5 3 times per day	242	7.7
			6 4 times per day	98	3.1
			7 5 or more times per day	136	4.8
			Missing	18	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

French Polynesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
34-34	Q10	Q12	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as food trucks, snacks, carry-out, or MacDonalds?		
			1 0 days	917	28.4
			2 1 day	959	30.0
			3 2 days	596	18.3
			4 3 days	349	11.1
			5 4 days	158	4.8
			6 5 days	142	4.4
			7 6 days	27	0.9
			8 7 days	57	2.1
			Missing	11	
35-35	Q11	Q18	During the past 30 days, how many times per day did you usually clean or brush your teeth?		
			1 I did not clean or brush my teeth during the past 30 days	48	1.6
			2 Less than 1 time per day	160	5.5
			3 1 time per day	484	15.0
			4 2 times per day	1,596	47.9
			5 3 times per day	542	17.1
			6 4 or more times per day	376	12.8
			Missing	10	
36-36	Q12	Q19	During the past 30 days, how often did you wash your hands before eating?		
			1 Never	70	2.3
			2 Rarely	206	6.3
			3 Sometimes	483	14.6
			4 Most of the time	742	22.2
			5 Always	1,703	54.6
			Missing	12	
37-37	Q13	Q22	During the past 30 days, how often did you wash your hands after using the toilet or latrine?		
			1 Never	41	1.4
			2 Rarely	111	3.7
			3 Sometimes	253	7.8
			4 Most of the time	498	15.4
			5 Always	2,292	71.7
			Missing	21	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

French Polynesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
38-38	Q14	Q23	During the past 30 days, how often did you use soap when washing your hands?		
			1 Never	86	2.7
			2 Rarely	278	8.6
			3 Sometimes	707	21.4
			4 Most of the time	936	27.9
			5 Always	1,185	39.4
			Missing	24	
39-39	Q15	Q24	During the past 12 months, how many times were you physically attacked?		
			1 0 times	2,755	84.6
			2 1 time	216	7.2
			3 2 or 3 times	169	5.8
			4 4 or 5 times	23	0.8
			5 6 or 7 times	13	0.5
			6 8 or 9 times	8	0.3
			7 10 or 11 times	6	0.2
			8 12 or more times	19	0.6
			Missing	7	
40-40	Q16	Q25	During the past 12 months, how many times were you in a physical fight?		
			1 0 times	2,342	71.6
			2 1 time	379	12.4
			3 2 or 3 times	290	9.6
			4 4 or 5 times	80	2.6
			5 6 or 7 times	40	1.3
			6 8 or 9 times	17	0.6
			7 10 or 11 times	7	0.2
			8 12 or more times	50	1.8
			Missing	11	
41-41	Q17	Q26	During the past 12 months, how many times were you seriously injured?		
			1 0 times	1,718	59.4
			2 1 time	617	21.8
			3 2 or 3 times	344	12.7
			4 4 or 5 times	78	3.2
			5 6 or 7 times	19	0.7
			6 8 or 9 times	16	0.6
			7 10 or 11 times	7	0.3
			8 12 or more times	28	1.3
			Missing	389	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

French Polynesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
42-42	Q18	Q27	During the past 12 months, what was the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	2,135	70.8
			2 I had a broken bone or a dislocated joint	235	7.7
			3 I had a cut or stab wound	53	1.8
			4 I had a concussion or other head or neck injury, was knocked out, or could not breathe	52	1.9
			5 I had a gunshot wound	7	0.2
			6 I had a bad burn	18	0.7
			7 I was poisoned or took too much of a drug	9	0.3
			8 Something else happened to me	482	16.6
			Missing	225	
43-43	Q19	Q28	During the past 12 months, what was the major cause of the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	1,928	66.9
			2 I was in a motor vehicle accident or hit by a motor vehicle	78	3.0
			3 I fell	402	14.1
			4 Something fell on me or hit me	49	1.7
			5 I was attacked or abused or was fighting with someone	37	1.3
			6 I was in a fire or too near a flame or something hot	8	0.4
			7 I inhaled or swallowed something bad for me	7	0.2
			8 Something else caused my injury	357	12.5
			Missing	350	
44-44	Q20	Q29	During the past 30 days, on how many days were you bullied?		
			1 0 days	2,398	77.0
			2 1 or 2 days	450	14.9
			3 3 to 5 days	102	3.4
			4 6 to 9 days	36	1.1
			5 10 to 19 days	28	1.0
			6 20 to 29 days	12	0.3
			7 All 30 days	70	2.2
			Missing	120	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

French Polynesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
45-45	Q21	Q30	During the past 30 days, how were you bullied most often?		
			1 I was not bullied during the past 30 days	2,572	82.9
			2 I was hit, kicked, pushed, shoved around, or locked indoors	30	1.2
			3 I was made fun of because of my race, nationality, or color	44	1.5
			4 I was made fun of because of my religion	11	0.4
			5 I was made fun of with sexual jokes, comments, or gestures	125	4.0
			6 I was left out of activities on purpose or completely ignored	51	1.4
			7 I was made fun of because of how my body or face looks	118	3.6
			8 I was bullied in some other way	159	4.9
			Missing	106	
46-46	Q22	Q32	During the past 12 months, how often have you felt lonely?		
			1 Never	1,119	36.7
			2 Rarely	806	24.9
			3 Sometimes	923	27.8
			4 Most of the time	258	7.8
			5 Always	79	2.6
			Missing	31	
47-47	Q23	Q33	During the past 12 months, how often have you been so worried about something that you could not sleep at night?		
			1 Never	1,158	38.7
			2 Rarely	784	24.0
			3 Sometimes	878	25.4
			4 Most of the time	282	8.5
			5 Always	107	3.4
			Missing	7	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

French Polynesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
48-48	Q24	Q35	During the past 12 months, did you ever seriously consider attempting suicide?		
			1 Yes	465	14.0
			2 No	2,702	86.0
			Missing	49	
49-49	Q25	Q36	During the past 12 months, did you make a plan about how you would attempt suicide?		
			1 Yes	544	16.5
			2 No	2,636	83.5
			Missing	36	
50-50	Q26	Q37	During the past 12 months, how many times did you actually attempt suicide?		
			1 0 times	2,875	90.3
			2 1 time	164	5.1
			3 2 or 3 times	87	2.4
			4 4 or 5 times	35	1.0
			5 6 or more times	28	1.1
			Missing	27	
51-51	Q27	Q38	How many close friends do you have?		
			1 0	92	2.9
			2 1	197	6.1
			3 2	362	11.0
			4 3 or more	2,531	80.1
			Missing	34	
52-52	Q28	Q40	How old were you when you first tried a cigarette?		
			1 I have never smoked cigarettes	1,809	60.9
			2 7 years old or younger	112	3.5
			3 8 or 9 years old	120	3.9
			4 10 or 11 years old	213	6.7
			5 12 or 13 years old	356	10.6
			6 14 or 15 years old	394	10.8
			7 16 or 17 years old	121	3.3
			8 18 years old or older	15	0.4
			Missing	76	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

French Polynesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
53-53	Q29	Q41	During the past 30 days, on how many days did you smoke cigarettes?		
			1 0 days	2,488	79.3
			2 1 or 2 days	266	8.1
			3 3 to 5 days	116	3.6
			4 6 to 9 days	54	1.7
			5 10 to 19 days	33	1.0
			6 20 to 29 days	20	0.5
			7 All 30 days	210	5.8
			Missing	29	
54-54	Q30	Q42	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as Shisha or an electronic cigarette?		
			1 0 days	2,785	87.8
			2 1 or 2 days	233	6.7
			3 3 to 5 days	80	2.3
			4 6 to 9 days	35	1.1
			5 10 to 19 days	16	0.4
			6 20 to 29 days	12	0.4
			7 All 30 days	41	1.2
			Missing	14	
55-55	Q31	Q43	During the past 12 months, have you ever tried to stop smoking cigarettes?		
			1 I have never smoked cigarettes	1,931	64.5
			2 I did not smoke cigarettes during the past 12 months	464	13.5
			3 Yes	613	18.2
			4 No	136	3.9
			Missing	72	
56-56	Q32	Q44	During the past 7 days, on how many days have people smoked in your presence?		
			1 0 days	1,535	51.6
			2 1 or 2 days	621	18.7
			3 3 or 4 days	233	6.7
			4 5 or 6 days	144	4.3
			5 All 7 days	645	18.7
			Missing	38	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

French Polynesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
57-57	Q33	Q45	Which of your parents or guardians use any form of tobacco?		
			1 Neither	1,576	50.6
			2 My father or male guardian	434	13.2
			3 My mother or female guardian	508	15.4
			4 Both	483	14.7
			5 I do not know	184	6.0
			Missing	31	
58-58	Q34	Q48	How old were you when you had your first drink of alcohol other than a few sips?		
			1 I have never had a drink of alcohol other than a few sips	853	31.8
			2 7 years old or younger	139	4.8
			3 8 or 9 years old	107	3.7
			4 10 or 11 years old	250	8.4
			5 12 or 13 years old	643	21.4
			6 14 or 15 years old	722	21.5
			7 16 or 17 years old	256	7.7
			8 18 years old or older	20	0.7
			Missing	226	
59-59	Q35	Q49	During the past 30 days, on how many days did you have at least one drink containing alcohol?		
			1 0 days	1,707	57.2
			2 1 or 2 days	909	27.2
			3 3 to 5 days	296	8.8
			4 6 to 9 days	130	3.8
			5 10 to 19 days	59	1.7
			6 20 to 29 days	26	0.8
			7 All 30 days	16	0.4
			Missing	73	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

French Polynesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
60-60	Q36	Q50	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?		
		1	I did not drink alcohol during the past 30 days	1,532	51.3
		2	Less than one drink	221	7.3
		3	1 drink	221	6.7
		4	2 drinks	225	7.1
		5	3 drinks	205	6.1
		6	4 drinks	142	4.2
		7	5 or more drinks	602	17.5
			Missing	68	
61-61	Q37	Q51	During the past 30 days, how did you usually get the alcohol you drank?		
		1	I did not drink alcohol during the past 30 days	1,600	54.5
		2	I bought it in a store, shop, or from a street vendor	249	7.2
		3	I gave someone else money to buy it for me	150	4.6
		4	I got it from my friends	435	13.4
		5	I got it from my family	572	17.4
		6	I stole it or got it without permission	15	0.5
		7	I got it some other way	81	2.5
			Missing	114	
62-62	Q38	Q53	During your life, how many times did you drink so much alcohol that you were really drunk?		
		1	0 times	1,745	59.2
		2	1 or 2 times	844	25.2
		3	3 to 9 times	362	10.4
		4	10 or more times	171	5.3
			Missing	94	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

French Polynesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
63-63	Q39	Q56	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?		
			1 0 times	2,619	85.6
			2 1 or 2 times	302	9.3
			3 3 to 9 times	88	3.0
			4 10 or more times	67	2.1
			Missing	140	
64-64	Q40	Q57	How old were you when you first used drugs?		
			1 I have never used drugs	2,109	71.9
			2 7 years old or younger	21	0.8
			3 8 or 9 years old	34	1.1
			4 10 or 11 years old	59	1.9
			5 12 or 13 years old	189	5.9
			6 14 or 15 years old	418	12.4
			7 16 or 17 years old	186	5.1
			8 18 years old or older	25	0.8
			Missing	175	
65-65	Q41	Q58	During your life, how many times have you used marijuana (also called paka or cannabis)?		
			1 0 times	2,156	73.4
			2 1 or 2 times	260	7.9
			3 3 to 9 times	234	6.8
			4 10 to 19 times	122	3.6
			5 20 or more times	278	8.3
			Missing	166	
66-66	Q42	Q59	During the past 30 days, how many times have you used marijuana (also called paka or cannabis)?		
			1 0 times	2,618	84.9
			2 1 or 2 times	222	6.6
			3 3 to 9 times	119	3.4
			4 10 to 19 times	66	2.1
			5 20 or more times	100	3.0
			Missing	91	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

French Polynesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
67-67	Q43	Q61	During your life, how many times have you used amphetamines or methamphetamines (also called		
			1 0 times	3,040	96.5
			2 1 or 2 times	62	1.9
			3 3 to 9 times	22	0.6
			4 10 to 19 times	11	0.3
			5 20 or more times	14	0.6
			Missing	67	
68-68	Q44	Q62	Have you ever had sexual intercourse?		
			1 Yes	1,331	40.9
			2 No	1,736	59.1
			Missing	149	
69-69	Q45	Q63	How old were you when you had sexual intercourse for the first time?		
			1 I have never had sexual intercourse	1,882	63.3
			2 11 years old or younger	142	4.8
			3 12 years old	87	2.9
			4 13 years old	146	4.4
			5 14 years old	254	7.4
			6 15 years old	311	8.8
			7 16 or 17 years old	263	7.3
			8 18 years old or older	38	1.1
			Missing	93	
70-70	Q46	Q64	During your life, with how many people have you had sexual intercourse?		
			1 I have never had sexual intercourse	1,918	64.4
			2 1 person	550	16.1
			3 2 people	215	6.4
			4 3 people	161	4.9
			5 4 people	83	2.4
			6 5 people	49	1.4
			7 6 or more people	148	4.5
			Missing	92	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

French Polynesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
71-71	Q47	Q65	The last time you had sexual intercourse, did you or your partner use a condom or capote?		
			1 I have never had sexual intercourse	1,886	63.8
			2 Yes	559	17.0
			3 No	657	19.2
			Missing	114	
72-72	Q48	Q67	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?		
			1 I have never had sexual intercourse	1,889	63.8
			2 Yes	514	15.0
			3 No	555	16.3
			4 I do not know	149	4.9
			Missing	109	
73-73	Q49	Q71	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
			1 0 days	353	13.1
			2 1 day	470	14.9
			3 2 days	453	14.6
			4 3 days	409	12.5
			5 4 days	314	9.4
			6 5 days	393	12.3
			7 6 days	177	5.4
			8 7 days	563	17.9
			Missing	84	
74-74	Q50	Q72	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?		
			1 0 days	1,565	49.3
			2 1 day	224	7.3
			3 2 days	181	5.7
			4 3 days	125	3.8
			5 4 days	91	2.9
			6 5 days	412	12.8
			7 6 days	52	1.7
			8 7 days	487	16.5
			Missing	79	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

French Polynesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
76-76	Q52	Q75	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as chatting on Facebook or Skype, or playing video games?		
			1 Less than 1 hour per day	757	26.1
			2 1 to 2 hours per day	1,040	33.2
			3 3 to 4 hours per day	713	21.8
			4 5 to 6 hours per day	287	8.7
			5 7 to 8 hours per day	96	2.9
			6 More than 8 hours per day	210	7.3
			Missing	113	
77-77	Q53	Q76	During the past 30 days, on how many days did you miss classes or school without permission?		
			1 0 days	2,289	73.4
			2 1 or 2 days	530	17.2
			3 3 to 5 days	175	5.6
			4 6 to 9 days	54	1.9
			5 10 or more days	60	1.9
			Missing	108	
78-78	Q54	Q77	During the past 30 days, how often were most of the students in your school kind and helpful?		
			1 Never	133	5.1
			2 Rarely	309	10.9
			3 Sometimes	666	22.0
			4 Most of the time	1,027	31.9
			5 Always	947	30.1
			Missing	134	
79-79	Q55	Q78	During the past 30 days, how often did your parents or guardians check to see if your homework was done?		
			1 Never	1,109	34.0
			2 Rarely	524	16.6
			3 Sometimes	556	17.5
			4 Most of the time	398	12.9
			5 Always	517	18.9
			Missing	112	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

French Polynesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
80-80	Q56	Q79	During the past 30 days, how often did your parents or guardians understand your problems and worries?		
			1 Never	852	27.7
			2 Rarely	485	15.3
			3 Sometimes	583	18.7
			4 Most of the time	471	15.3
			5 Always	675	23.0
			Missing	150	
81-81	Q57	Q80	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?		
			1 Never	501	16.6
			2 Rarely	348	10.8
			3 Sometimes	518	16.6
			4 Most of the time	623	19.7
			5 Always	1,088	36.3
			Missing	138	
82-82	Q58	Q81	During the past 30 days, how often did your parents or guardians go through your things without your approval?		
			1 Never	2,222	70.2
			2 Rarely	401	13.5
			3 Sometimes	262	8.4
			4 Most of the time	105	3.6
			5 Always	105	4.3
			Missing	121	
185-185	QN6		Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)		
			1 Yes	330	11.1
			2 No	2,865	88.9
			Missing	21	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

French Polynesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
186-186	QN7		Percentage of students who did not eat fruit (during the 30 days before the survey)		
		1	Yes	163	5.6
		2	No	3,032	94.4
			Missing	21	
187-187	QN8		Percentage of students who did not eat vegetables (during the 30 days before the survey)		
		1	Yes	187	6.2
		2	No	3,012	93.8
			Missing	17	
188-188	QN9		Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)		
		1	Yes	390	12.1
		2	No	2,808	87.9
			Missing	18	
189-189	QN10		Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)		
		1	Yes	917	28.4
		2	No	2,288	71.6
			Missing	11	
190-190	QN11		Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)		
		1	Yes	2,998	92.9
		2	No	208	7.1
			Missing	10	
191-191	QN12		Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)		
		1	Yes	276	8.6
		2	No	2,928	91.4
			Missing	12	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

French Polynesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
192-192	QN13		Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)		
		1	Yes	152	5.0
		2	No	3,043	95.0
			Missing	21	
193-193	QN14		Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)		
		1	Yes	364	11.3
		2	No	2,828	88.7
			Missing	24	
194-194	QN15		Percentage of students who were physically attacked (one or more times during the 12 months before the survey)		
		1	Yes	454	15.4
		2	No	2,755	84.6
			Missing	7	
195-195	QN16		Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
		1	Yes	863	28.4
		2	No	2,342	71.6
			Missing	11	
196-196	QN17		Percentage of students who were seriously injured (one or more times during the 12 months before the survey)		
		1	Yes	1,109	40.6
		2	No	1,718	59.4
			Missing	389	
197-197	QN18		Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)		
		1	Yes	235	26.4
		2	No	621	73.6
			Missing	2,360	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

French Polynesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
198-198	QN19		Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)		
		1	Yes	78	8.9
		2	No	860	91.1
			Missing	2,278	
199-199	QN20		Percentage of students who were bullied (on one or more days during the 30 days before the survey)		
		1	Yes	698	23.0
		2	No	2,398	77.0
			Missing	120	
200-200	QN21		Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)		
		1	Yes	30	6.9
		2	No	508	93.1
			Missing	2,678	
201-201	QN22		Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)		
		1	Yes	337	10.5
		2	No	2,848	89.5
			Missing	31	
202-202	QN23		Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)		
		1	Yes	389	11.9
		2	No	2,820	88.1
			Missing	7	
203-203	QN24		Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)		
		1	Yes	465	14.0
		2	No	2,702	86.0
			Missing	49	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

French Polynesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
204-204	QN25		Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)		
		1	Yes	544	16.5
		2	No	2,636	83.5
			Missing	36	
205-205	QN26		Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
		1	Yes	314	9.7
		2	No	2,875	90.3
			Missing	27	
206-206	QN27		Percentage of students who did not have any close friends		
		1	Yes	92	2.9
		2	No	3,090	97.1
			Missing	34	
207-207	QN28		Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)		
		1	Yes	801	62.8
		2	No	530	37.2
			Missing	1,885	
208-208	QN29		Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
		1	Yes	699	20.7
		2	No	2,488	79.3
			Missing	29	
209-209	QN30		Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)		
		1	Yes	417	12.2
		2	No	2,785	87.8
			Missing	14	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

French Polynesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
210-210	QN31		Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)		
		1	Yes	613	82.4
		2	No	136	17.6
			Missing	2,467	
211-211	QN32		Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)		
		1	Yes	1,643	48.4
		2	No	1,535	51.6
			Missing	38	
212-212	QN33		Percentage of students who had parents or guardians who used any form of tobacco		
		1	Yes	1,425	43.3
		2	No	1,760	56.7
			Missing	31	
213-213	QN34		Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)		
		1	Yes	1,139	56.2
		2	No	998	43.8
			Missing	1,079	
214-214	QN35		Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)		
		1	Yes	1,436	42.8
		2	No	1,707	57.2
			Missing	73	
215-215	QN36		Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)		
		1	Yes	1,174	71.4
		2	No	442	28.6
			Missing	1,600	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

French Polynesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
216-216	QN37		Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)		
		1	Yes	435	29.4
		2	No	1,067	70.6
			Missing	1,714	
217-217	QN38		Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)		
		1	Yes	1,377	40.8
		2	No	1,745	59.2
			Missing	94	
218-218	QN39		Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)		
		1	Yes	457	14.4
		2	No	2,619	85.6
			Missing	140	
219-219	QN40		Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)		
		1	Yes	303	34.6
		2	No	629	65.4
			Missing	2,284	
220-220	QN41		Percentage of students who ever used marijuana (one or more times during their life)		
		1	Yes	894	26.6
		2	No	2,156	73.4
			Missing	166	
221-221	QN42		Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
		1	Yes	507	15.1
		2	No	2,618	84.9
			Missing	91	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

French Polynesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
222-222	QN43		Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)		
		1	Yes	109	3.5
		2	No	3,040	96.5
			Missing	67	
223-223	QN44		Percentage of students who ever had sexual intercourse		
		1	Yes	1,331	40.9
		2	No	1,736	59.1
			Missing	149	
224-224	QN45		Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)		
		1	Yes	375	33.2
		2	No	866	66.8
			Missing	1,975	
225-225	QN46		Percentage of students who had sexual intercourse with two or more persons (during their life)		
		1	Yes	656	19.6
		2	No	2,468	80.4
			Missing	92	
226-226	QN47		Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)		
		1	Yes	559	47.0
		2	No	657	53.0
			Missing	2,000	
227-227	QN48		Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)		
		1	Yes	514	41.3
		2	No	704	58.7
			Missing	1,998	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

French Polynesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
228-228	QN49		Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)		
		1	Yes	353	13.1
		2	No	2,779	86.9
			Missing	84	
229-229	QN50		Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)		
		1	Yes	1,565	49.3
		2	No	1,572	50.7
			Missing	79	
231-231	QN52		Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)		
		1	Yes	1,306	40.7
		2	No	1,797	59.3
			Missing	113	
232-232	QN53		Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)		
		1	Yes	819	26.6
		2	No	2,289	73.4
			Missing	108	
233-233	QN54		Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)		
		1	Yes	1,974	62.0
		2	No	1,108	38.0
			Missing	134	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

French Polynesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
234-234	QN55		Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)		
		1	Yes	915	31.8
		2	No	2,189	68.2
			Missing	112	
235-235	QN56		Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)		
		1	Yes	1,146	38.3
		2	No	1,920	61.7
			Missing	150	
236-236	QN57		Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)		
		1	Yes	1,711	56.0
		2	No	1,367	44.0
			Missing	138	
237-237	QN58		Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)		
		1	Yes	2,623	83.7
		2	No	472	16.3
			Missing	121	
350-350	QNUNWTG		Percentage of students who were underweight (<-2SD from median for BMI by age and sex)		
		1	Yes	34	1.4
		2	No	3,033	98.6
			Missing	149	
351-351	QNOWTG		Percentage of students who were overweight (>+1SD from median for BMI by age and sex)		
		1	Yes	1,339	44.8
		2	No	1,728	55.2
			Missing	149	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

French Polynesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
352-352	QNOBESEG		Percentage of students who were obese (>+2SD from median for BMI by age and sex)		
		1	Yes	624	21.2
		2	No	2,443	78.8
			Missing	149	
353-353	QNFRLG		Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)		
		1	Yes	793	24.4
		2	No	2,402	75.6
			Missing	21	
354-354	QNFR1G		Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)		
		1	Yes	2,239	69.9
		2	No	956	30.1
			Missing	21	
355-355	QNFR2G		Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)		
		1	Yes	1,497	47.0
		2	No	1,698	53.0
			Missing	21	
356-356	QNFR3G		Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)		
		1	Yes	840	26.8
		2	No	2,355	73.2
			Missing	21	
357-357	QNVEGLG		Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)		
		1	Yes	538	17.6
		2	No	2,661	82.4
			Missing	17	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

French Polynesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
358-358	QNVEG1G		Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)		
		1	Yes	2,474	76.2
		2	No	725	23.8
			Missing	17	
359-359	QNVEG2G		Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)		
		1	Yes	1,671	51.2
		2	No	1,528	48.8
			Missing	17	
360-360	QNVEG3G		Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)		
		1	Yes	888	27.8
		2	No	2,311	72.2
			Missing	17	
361-361	QNSODALG		Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)		
		1	Yes	1,355	41.8
		2	No	1,843	58.2
			Missing	18	
362-362	QNSODA1G		Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)		
		1	Yes	1,453	46.2
		2	No	1,745	53.8
			Missing	18	
363-363	QNSODA2G		Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)		
		1	Yes	881	28.3
		2	No	2,317	71.7
			Missing	18	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

French Polynesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
364-364	QNSODA3G		Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)		
		1	Yes	476	15.6
		2	No	2,722	84.4
			Missing	18	
365-365	QNFF1G		Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)		
		1	Yes	2,288	71.6
		2	No	917	28.4
			Missing	11	
366-366	QNFF2G		Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)		
		1	Yes	1,329	41.6
		2	No	1,876	58.4
			Missing	11	
367-367	QNFF3G		Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)		
		1	Yes	733	23.4
		2	No	2,472	76.6
			Missing	11	
368-368	QNC2G		Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)		
		1	Yes	145	39.7
		2	No	225	60.3
			Missing	2,846	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

French Polynesia Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
369-369	QNTOB2G		Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)		
		1	Yes	869	25.7
		2	No	2,319	74.3
			Missing	28	
370-370	QNNOTB2G		Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)		
		1	Yes	2,319	74.4
		2	No	863	25.6
			Missing	34	
371-371	QNBCANYG		Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)		
		1	Yes	847	74.9
		2	No	290	25.1
			Missing	2,079	
372-372	QNC1G		Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)		
		1	Yes	876	65.4
		2	No	441	34.6
			Missing	1,899	
373-373	QNPA5G		Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)		
		1	Yes	1,133	35.6
		2	No	1,999	64.4
			Missing	84	

2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

French Polynesia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
374-374	QNPA7G		Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)		
		1	Yes	563	17.9
		2	No	2,569	82.1
			Missing	84	
377-386	WEIGHT				
387-395	STRATUM				
396-400	PSU				