

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Philippines (Davao City) Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
17-17	Q1	Q1	How old are you?		
			1 11 years old or younger	6	0.2
			2 12 years old	97	4.8
			3 13 years old	457	19.7
			4 14 years old	731	23.9
			5 15 years old	705	23.1
			6 16 years old	556	17.5
			7 17 years old	194	6.4
			8 18 years old or older	126	4.4
			Missing	2	
18-18	Q2	Q2	What is your sex?		
			1 Male	1,205	48.8
			2 Female	1,663	51.2
			Missing	6	
19-19	Q3	Q3	In what grade are you?		
			1 Grade 7	554	28.7
			2 Grade 8	906	26.1
			3 Grade 9	707	23.8
			4 Fourth Year	679	21.5
			Missing	28	
20-23	Q4	Q5	How tall are you without your shoes on? (Note: Data are in meters.)		
24-29	Q5	Q6	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
30-30	Q6	Q7	During the past 30 days, how often did you go hungry because there was not enough food in your home?		
			1 Never	849	28.6
			2 Rarely	773	26.3
			3 Sometimes	970	34.7
			4 Most of the time	209	7.8
			5 Always	70	2.6
			Missing	3	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Philippines (Davao City) Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
31-31	Q7	Q8	During the past 30 days, how many times per day did you usually eat fruit, such as bananas, mangoes, or papaya?		
			1 I did not eat fruit during the past 30 days	186	6.9
			2 Less than one time per day	882	30.1
			3 1 time per day	724	25.1
			4 2 times per day	493	17.3
			5 3 times per day	355	12.7
			6 4 times per day	76	2.8
			7 5 or more times per day	139	5.2
			Missing	19	
32-32	Q8	Q9	During the past 30 days, how many times per day did you usually eat vegetables, such as tomatoes, kangkong, cabbage, or stringbeans?		
			1 I did not eat vegetables during the past 30 days	182	6.3
			2 Less than one time per day	413	14.5
			3 1 time per day	861	29.6
			4 2 times per day	683	23.4
			5 3 times per day	419	15.1
			6 4 times per day	94	3.4
			7 5 or more times per day	217	7.7
			Missing	5	
33-33	Q9	Q10	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as Coke or Pepsi?		
			1 I did not drink carbonated soft drinks during the past 30 days	175	6.1
			2 Less than one time per day	1,401	49.0
			3 1 time per day	582	20.7
			4 2 times per day	418	14.1
			5 3 times per day	159	5.5
			6 4 times per day	48	1.6
			7 5 or more times per day	84	2.9
			Missing	7	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Philippines (Davao City) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
34-34	Q10	Q11	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as McDonalds, Jollibee, or Pizza Restaurants?		
			1 0 days	1,346	47.3
			2 1 day	895	31.3
			3 2 days	302	10.1
			4 3 days	188	6.5
			5 4 days	65	2.1
			6 5 days	35	1.3
			7 6 days	11	0.4
			8 7 days	27	1.1
			Missing	5	
35-35	Q11	Q12	During the past 30 days, how many times per day did you usually clean or brush your teeth?		
			1 I did not clean or brush my teeth during the past 30 days	21	0.8
			2 Less than 1 time per day	78	2.8
			3 1 time per day	339	12.1
			4 2 times per day	1,265	43.2
			5 3 times per day	970	34.1
			6 4 or more times per day	198	6.9
			Missing	3	
36-36	Q12	Q13	During the past 30 days, how often did you wash your hands before eating?		
			1 Never	20	0.8
			2 Rarely	145	5.0
			3 Sometimes	485	16.9
			4 Most of the time	752	25.4
			5 Always	1,464	51.8
			Missing	8	
37-37	Q13	Q14	During the past 30 days, how often did you wash your hands after using the toilet or latrine?		
			1 Never	31	1.3
			2 Rarely	65	2.3
			3 Sometimes	233	8.4
			4 Most of the time	439	15.4
			5 Always	2,087	72.6
			Missing	19	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Philippines (Davao City) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
38-38	Q14	Q15	During the past 30 days, how often did you use soap when washing your hands?		
			1 Never	46	1.9
			2 Rarely	119	4.1
			3 Sometimes	576	20.1
			4 Most of the time	824	28.0
			5 Always	1,300	45.8
			Missing	9	
39-39	Q15	Q16	During the past 12 months, how many times were you physically attacked?		
			1 0 times	1,787	61.0
			2 1 time	400	14.7
			3 2 or 3 times	344	12.1
			4 4 or 5 times	146	5.3
			5 6 or 7 times	54	2.0
			6 8 or 9 times	27	1.1
			7 10 or 11 times	15	0.5
			8 12 or more times	95	3.4
			Missing	6	
40-40	Q16	Q17	During the past 12 months, how many times were you in a physical fight?		
			1 0 times	1,849	62.0
			2 1 time	516	19.0
			3 2 or 3 times	299	11.2
			4 4 or 5 times	88	3.3
			5 6 or 7 times	33	1.4
			6 8 or 9 times	14	0.6
			7 10 or 11 times	12	0.5
			8 12 or more times	50	1.9
			Missing	13	
41-41	Q17	Q18	During the past 12 months, how many times were you seriously injured?		
			1 0 times	1,391	52.6
			2 1 time	626	25.9
			3 2 or 3 times	368	15.2
			4 4 or 5 times	82	3.5
			5 6 or 7 times	21	0.9
			6 8 or 9 times	10	0.5
			7 10 or 11 times	6	0.3
			8 12 or more times	22	1.1
			Missing	348	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Philippines (Davao City) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
42-42	Q18	Q19	During the past 12 months, what was the most serious injury that happened to you?		
		1	I was not seriously injured during the past 12 months	1,942	72.0
		2	I had a broken bone or a dislocated joint	176	7.3
		3	I had a cut or stab wound	82	3.4
		4	I had a concussion or other head or neck injury, was knocked out, or could not breathe	83	3.1
		5	I had a gunshot wound	7	0.4
		6	I had a bad burn	53	2.1
		7	I was poisoned or took too much of a drug	3	0.1
		8	Something else happened to me	295	11.4
			Missing	233	
43-43	Q19	Q20	During the past 12 months, what was the major cause of the most serious injury that happened to you?		
		1	I was not seriously injured during the past 12 months	1,987	74.6
		2	I was in a motor vehicle accident or hit by a motor vehicle	69	2.8
		3	I fell	131	5.5
		4	Something fell on me or hit me	146	5.9
		5	I was attacked or abused or was fighting with someone	74	3.2
		6	I was in a fire or too near a flame or something hot	20	0.8
		7	I inhaled or swallowed something bad for me	15	0.6
		8	Something else caused my injury	166	6.6
			Missing	266	
44-44	Q20	Q21	During the past 30 days, on how many days were you bullied?		
		1	0 days	1,374	48.1
		2	1 or 2 days	731	27.3
		3	3 to 5 days	270	10.5
		4	6 to 9 days	132	4.8
		5	10 to 19 days	99	3.8
		6	20 to 29 days	40	1.5
		7	All 30 days	103	4.1
			Missing	125	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Philippines (Davao City) Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
45-45	Q21	Q22	During the past 30 days, how were you bullied most often?		
			1 I was not bullied during the past 30 days	1,779	63.4
			2 I was hit, kicked, pushed, shoved around, or locked indoors	111	4.4
			3 I was made fun of because of my race, nationality, or color	148	5.8
			4 I was made fun of because of my religion	37	1.6
			5 I was made fun of with sexual jokes, comments, or gestures	307	11.4
			6 I was left out of activities on purpose or completely ignored	37	1.3
			7 I was made fun of because of how my body or face looks	163	5.7
			8 I was bullied in some other way	175	6.4
			Missing	117	
46-46	Q22	Q23	During the past 12 months, how often have you felt lonely?		
			1 Never	273	9.9
			2 Rarely	665	23.6
			3 Sometimes	1,373	47.9
			4 Most of the time	436	15.1
			5 Always	102	3.5
			Missing	25	
47-47	Q23	Q24	During the past 12 months, how often have you been so worried about something that you could not sleep at night?		
			1 Never	659	23.8
			2 Rarely	886	30.6
			3 Sometimes	929	32.0
			4 Most of the time	327	11.2
			5 Always	67	2.5
			Missing	6	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Philippines (Davao City) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
48-48	Q24	Q25	During the past 12 months, did you ever seriously consider attempting suicide?		
			1 Yes	371	12.3
			2 No	2,449	87.7
			Missing	54	
49-49	Q25	Q26	During the past 12 months, did you make a plan about how you would attempt suicide?		
			1 Yes	346	11.9
			2 No	2,487	88.1
			Missing	41	
50-50	Q26	Q27	During the past 12 months, how many times did you actually attempt suicide?		
			1 0 times	2,431	85.2
			2 1 time	256	8.7
			3 2 or 3 times	111	3.7
			4 4 or 5 times	31	1.1
			5 6 or more times	35	1.3
			Missing	10	
51-51	Q27	Q28	How many close friends do you have?		
			1 0	83	3.1
			2 1	123	4.5
			3 2	184	6.6
			4 3 or more	2,461	85.9
			Missing	23	
52-52	Q28	Q29	How old were you when you first tried a cigarette?		
			1 I have never smoked cigarettes	2,008	72.0
			2 7 years old or younger	98	3.4
			3 8 or 9 years old	70	2.7
			4 10 or 11 years old	141	5.4
			5 12 or 13 years old	192	7.2
			6 14 or 15 years old	187	6.5
			7 16 or 17 years old	70	2.5
			8 18 years old or older	9	0.3
			Missing	99	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Philippines (Davao City) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
53-53	Q29	Q30	During the past 30 days, on how many days did you smoke cigarettes?		
			1 0 days	2,516	87.4
			2 1 or 2 days	188	6.9
			3 3 to 5 days	55	2.1
			4 6 to 9 days	23	0.8
			5 10 to 19 days	19	0.8
			6 20 to 29 days	16	0.7
			7 All 30 days	33	1.3
			Missing	24	
54-54	Q30	Q31	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as chewing tobacco leaves?		
			1 0 days	2,749	95.1
			2 1 or 2 days	61	2.3
			3 3 to 5 days	27	1.1
			4 6 to 9 days	14	0.6
			5 10 to 19 days	10	0.4
			6 20 to 29 days	3	0.1
			7 All 30 days	8	0.4
			Missing	2	
55-55	Q31	Q32	During the past 12 months, have you ever tried to stop smoking cigarettes?		
			1 I have never smoked cigarettes	2,240	80.1
			2 I did not smoke cigarettes during the past 12 months	161	5.7
			3 Yes	341	12.6
			4 No	40	1.5
			Missing	92	
56-56	Q32	Q33	During the past 7 days, on how many days have people smoked in your presence?		
			1 0 days	1,218	43.0
			2 1 or 2 days	834	28.8
			3 3 or 4 days	323	11.3
			4 5 or 6 days	109	4.0
			5 All 7 days	377	13.0
			Missing	13	



# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Philippines (Davao City) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
57-57	Q33	Q34	Which of your parents or guardians use any form of tobacco?		
			1 Neither	1,565	55.5
			2 My father or male guardian	982	33.4
			3 My mother or female guardian	111	4.1
			4 Both	92	3.2
			5 I do not know	109	3.9
			Missing	15	
58-58	Q34	Q35	How old were you when you had your first drink of alcohol other than a few sips?		
			1 I have never had a drink of alcohol other than a few sips	1,342	50.6
			2 7 years old or younger	94	3.7
			3 8 or 9 years old	90	3.7
			4 10 or 11 years old	140	5.6
			5 12 or 13 years old	361	14.0
			6 14 or 15 years old	467	16.2
			7 16 or 17 years old	156	5.6
			8 18 years old or older	15	0.5
			Missing	209	
59-59	Q35	Q37	During the past 30 days, on how many days did you have at least one drink containing alcohol?		
			1 0 days	2,308	81.2
			2 1 or 2 days	408	14.2
			3 3 to 5 days	82	2.9
			4 6 to 9 days	22	0.8
			5 10 to 19 days	10	0.4
			6 20 to 29 days	8	0.3
			7 All 30 days	4	0.2
			Missing	32	
60-60	Q36	Q38	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?		
			1 I did not drink alcohol during the past 30 days	2,183	76.7
			2 Less than one drink	233	8.4
			3 1 drink	163	5.7
			4 2 drinks	70	2.4
			5 3 drinks	62	2.1
			6 4 drinks	35	1.3
			7 5 or more drinks	103	3.4
			Missing	25	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Philippines (Davao City) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
61-61	Q37	Q39	During the past 30 days, how did you usually get the alcohol you drank?		
			1 I did not drink alcohol during the past 30 days	2,176	76.7
			2 I bought it in a store, shop, or from a street vendor	147	5.5
			3 I gave someone else money to buy it for me	49	1.9
			4 I got it from my friends	291	9.8
			5 I got it from my family	139	4.8
			6 I stole it or got it without permission	3	0.1
			7 I got it some other way	33	1.2
			Missing	36	
62-62	Q38	Q46	During your life, how many times did you drink so much alcohol that you were really drunk?		
			1 0 times	2,259	80.3
			2 1 or 2 times	432	15.0
			3 3 to 9 times	90	3.2
			4 10 or more times	38	1.5
			Missing	55	
63-63	Q39	Q48	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?		
			1 0 times	2,470	90.2
			2 1 or 2 times	175	6.4
			3 3 to 9 times	47	1.8
			4 10 or more times	43	1.7
			Missing	139	
64-64	Q40	Q57	How old were you when you first used drugs?		
			1 I have never used drugs	2,558	90.8
			2 7 years old or younger	76	3.0
			3 8 or 9 years old	24	1.1
			4 10 or 11 years old	16	0.8
			5 12 or 13 years old	37	1.5
			6 14 or 15 years old	50	1.7
			7 16 or 17 years old	27	1.0
			8 18 years old or older	3	0.1
			Missing	83	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Philippines (Davao City) Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
65-65	Q41	Q58	During your life, how many times have you used marijuana ?		
			1 0 times	2,659	93.8
			2 1 or 2 times	80	3.2
			3 3 to 9 times	39	1.6
			4 10 to 19 times	18	0.7
			5 20 or more times	19	0.7
			Missing	59	
66-66	Q42	Q59	During the past 30 days, how many times have you used marijuana ?		
			1 0 times	2,716	95.5
			2 1 or 2 times	66	2.6
			3 3 to 9 times	19	0.8
			4 10 to 19 times	13	0.5
			5 20 or more times	11	0.5
			Missing	49	
67-67	Q43	Q60	During your life, how many times have you used amphetamines or methamphetamines also called		
			1 0 times	2,778	97.4
			2 1 or 2 times	26	1.1
			3 3 to 9 times	23	1.1
			4 10 to 19 times	8	0.3
			5 20 or more times	1	0.0
			Missing	38	
73-73	Q49	Q65	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
			1 0 days	1,071	38.5
			2 1 day	545	19.1
			3 2 days	332	11.7
			4 3 days	242	8.4
			5 4 days	133	4.6
			6 5 days	128	4.2
			7 6 days	55	1.9
			8 7 days	337	11.6
			Missing	31	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Philippines (Davao City) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
74-74	Q50	Q66	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?		
			1 0 days	1,468	51.8
			2 1 day	252	9.2
			3 2 days	163	5.8
			4 3 days	101	3.6
			5 4 days	72	2.6
			6 5 days	277	9.2
			7 6 days	30	0.9
			8 7 days	507	17.0
			Missing	4	
75-75	Q51	Q67	During this school year, on how many days did you go to physical education (PE) class each week?		
			1 0 days	448	16.2
			2 1 day	681	24.0
			3 2 days	221	8.0
			4 3 days	224	7.4
			5 4 days	276	9.3
			6 5 or more days	997	35.1
			Missing	27	
76-76	Q52	Q68	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as playing cards?		
			1 Less than 1 hour per day	848	31.4
			2 1 to 2 hours per day	740	26.0
			3 3 to 4 hours per day	679	23.2
			4 5 to 6 hours per day	286	9.5
			5 7 to 8 hours per day	101	3.4
			6 More than 8 hours per day	201	6.5
			Missing	19	
77-77	Q53	Q69	During the past 30 days, on how many days did you miss classes or school without permission?		
			1 0 days	1,986	68.4
			2 1 or 2 days	659	23.4
			3 3 to 5 days	156	5.9
			4 6 to 9 days	30	1.2
			5 10 or more days	31	1.1
			Missing	12	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Philippines (Davao City) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
78-78	Q54	Q70	During the past 30 days, how often were most of the students in your school kind and helpful?		
			1 Never	244	9.5
			2 Rarely	616	21.8
			3 Sometimes	1,016	34.8
			4 Most of the time	712	24.1
			5 Always	275	9.9
			Missing	11	
79-79	Q55	Q71	During the past 30 days, how often did your parents or guardians check to see if your homework was done?		
			1 Never	866	29.7
			2 Rarely	677	23.1
			3 Sometimes	722	25.5
			4 Most of the time	293	10.5
			5 Always	303	11.1
			Missing	13	
80-80	Q56	Q72	During the past 30 days, how often did your parents or guardians understand your problems and worries?		
			1 Never	560	19.9
			2 Rarely	609	20.7
			3 Sometimes	813	28.7
			4 Most of the time	439	15.2
			5 Always	448	15.5
			Missing	5	
81-81	Q57	Q73	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?		
			1 Never	518	18.6
			2 Rarely	607	21.0
			3 Sometimes	813	28.6
			4 Most of the time	488	16.7
			5 Always	439	15.1
			Missing	9	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Philippines (Davao City) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
82-82	Q58	Q74	During the past 30 days, how often did your parents or guardians go through your things without your approval?		
			1 Never	1,221	43.0
			2 Rarely	764	26.2
			3 Sometimes	633	22.4
			4 Most of the time	151	5.2
			5 Always	84	3.1
			Missing	21	
185-185	QN6		Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)		
			1 Yes	279	10.4
			2 No	2,592	89.6
			Missing	3	
186-186	QN7		Percentage of students who did not eat fruit (during the 30 days before the survey)		
			1 Yes	186	6.9
			2 No	2,669	93.1
			Missing	19	
187-187	QN8		Percentage of students who did not eat vegetables (during the 30 days before the survey)		
			1 Yes	182	6.3
			2 No	2,687	93.7
			Missing	5	
188-188	QN9		Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)		
			1 Yes	175	6.1
			2 No	2,692	93.9
			Missing	7	
189-189	QN10		Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)		
			1 Yes	1,346	47.3
			2 No	1,523	52.7
			Missing	5	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Philippines (Davao City) Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
190-190	QN11		Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)		
		1	Yes	2,772	96.3
		2	No	99	3.7
			Missing	3	
191-191	QN12		Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)		
		1	Yes	165	5.8
		2	No	2,701	94.2
			Missing	8	
192-192	QN13		Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)		
		1	Yes	96	3.6
		2	No	2,759	96.4
			Missing	19	
193-193	QN14		Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)		
		1	Yes	165	6.1
		2	No	2,700	93.9
			Missing	9	
194-194	QN15		Percentage of students who were physically attacked (one or more times during the 12 months before the survey)		
		1	Yes	1,081	39.0
		2	No	1,787	61.0
			Missing	6	
195-195	QN16		Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
		1	Yes	1,012	38.0
		2	No	1,849	62.0
			Missing	13	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Philippines (Davao City) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
196-196	QN17		Percentage of students who were seriously injured (one or more times during the 12 months before the survey)		
		1	Yes	1,135	47.4
		2	No	1,391	52.6
			Missing	348	
197-197	QN18		Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)		
		1	Yes	176	26.3
		2	No	523	73.7
			Missing	2,175	
198-198	QN19		Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)		
		1	Yes	69	11.2
		2	No	552	88.8
			Missing	2,253	
199-199	QN20		Percentage of students who were bullied (on one or more days during the 30 days before the survey)		
		1	Yes	1,375	51.9
		2	No	1,374	48.1
			Missing	125	
200-200	QN21		Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey )		
		1	Yes	111	12.2
		2	No	867	87.8
			Missing	1,896	



# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Philippines (Davao City) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
201-201	QN22		Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)		
		1	Yes	538	18.6
		2	No	2,311	81.4
			Missing	25	
202-202	QN23		Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)		
		1	Yes	394	13.7
		2	No	2,474	86.3
			Missing	6	
203-203	QN24		Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)		
		1	Yes	371	12.3
		2	No	2,449	87.7
			Missing	54	
204-204	QN25		Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)		
		1	Yes	346	11.9
		2	No	2,487	88.1
			Missing	41	
205-205	QN26		Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
		1	Yes	433	14.8
		2	No	2,431	85.2
			Missing	10	
206-206	QN27		Percentage of students who did not have any close friends		
		1	Yes	83	3.1
		2	No	2,768	96.9
			Missing	23	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Philippines (Davao City) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
207-207	QN28		Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)		
		1	Yes	501	66.8
		2	No	266	33.2
			Missing	2,107	
208-208	QN29		Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
		1	Yes	334	12.6
		2	No	2,516	87.4
			Missing	24	
209-209	QN30		Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)		
		1	Yes	123	4.9
		2	No	2,749	95.1
			Missing	2	
210-210	QN31		Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)		
		1	Yes	341	89.1
		2	No	40	10.9
			Missing	2,493	
211-211	QN32		Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)		
		1	Yes	1,643	57.0
		2	No	1,218	43.0
			Missing	13	
212-212	QN33		Percentage of students who had parents or guardians who used any form of tobacco		
		1	Yes	1,185	40.6
		2	No	1,674	59.4
			Missing	15	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Philippines (Davao City) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
213-213	QN34		Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)		
		1	Yes	685	54.6
		2	No	638	45.4
			Missing	1,551	
214-214	QN35		Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)		
		1	Yes	534	18.8
		2	No	2,308	81.2
			Missing	32	
215-215	QN36		Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)		
		1	Yes	270	39.4
		2	No	396	60.6
			Missing	2,208	
216-216	QN37		Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)		
		1	Yes	291	42.1
		2	No	371	57.9
			Missing	2,212	
217-217	QN38		Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)		
		1	Yes	560	19.7
		2	No	2,259	80.3
			Missing	55	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Philippines (Davao City) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
218-218	QN39		Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)		
		1	Yes	265	9.8
		2	No	2,470	90.2
			Missing	139	
219-219	QN40		Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)		
		1	Yes	153	69.2
		2	No	80	30.8
			Missing	2,641	
220-220	QN41		Percentage of students who ever used marijuana (one or more times during their life)		
		1	Yes	156	6.2
		2	No	2,659	93.8
			Missing	59	
221-221	QN42		Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
		1	Yes	109	4.5
		2	No	2,716	95.5
			Missing	49	
222-222	QN43		Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)		
		1	Yes	58	2.6
		2	No	2,778	97.4
			Missing	38	
228-228	QN49		Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)		
		1	Yes	1,071	38.5
		2	No	1,772	61.5
			Missing	31	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Philippines (Davao City) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
229-229	QN50		Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)		
		1	Yes	1,468	51.8
		2	No	1,402	48.2
			Missing	4	
230-230	QN51		Percentage of students who did not attend physical education classes (each week during this school year)		
		1	Yes	448	16.2
		2	No	2,399	83.8
			Missing	27	
231-231	QN52		Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)		
		1	Yes	1,267	42.6
		2	No	1,588	57.4
			Missing	19	
232-232	QN53		Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)		
		1	Yes	876	31.6
		2	No	1,986	68.4
			Missing	12	
233-233	QN54		Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)		
		1	Yes	987	33.9
		2	No	1,876	66.1
			Missing	11	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Philippines (Davao City) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
234-234	QN55		Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)		
		1	Yes	596	21.6
		2	No	2,265	78.4
			Missing	13	
235-235	QN56		Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)		
		1	Yes	887	30.7
		2	No	1,982	69.3
			Missing	5	
236-236	QN57		Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)		
		1	Yes	927	31.8
		2	No	1,938	68.2
			Missing	9	
237-237	QN58		Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)		
		1	Yes	1,985	69.3
		2	No	868	30.7
			Missing	21	
350-350	QNUNWTG		Percentage of students who were underweight (<-2SD from median for BMI by age and sex)		
		1	Yes	250	9.8
		2	No	2,432	90.2
			Missing	192	
351-351	QNOWTG		Percentage of students who were overweight (>+1SD from median for BMI by age and sex)		
		1	Yes	296	11.3
		2	No	2,386	88.7
			Missing	192	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Philippines (Davao City) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
352-352	QNOBESEG		Percentage of students who were obese (>+2SD from median for BMI by age and sex)		
		1	Yes	80	3.2
		2	No	2,602	96.8
			Missing	192	
353-353	QNFRLG		Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)		
		1	Yes	882	30.1
		2	No	1,973	69.9
			Missing	19	
354-354	QNFR1G		Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)		
		1	Yes	1,787	63.0
		2	No	1,068	37.0
			Missing	19	
355-355	QNFR2G		Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)		
		1	Yes	1,063	37.9
		2	No	1,792	62.1
			Missing	19	
356-356	QNFR3G		Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)		
		1	Yes	570	20.7
		2	No	2,285	79.3
			Missing	19	
357-357	QNVEGLG		Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)		
		1	Yes	413	14.5
		2	No	2,456	85.5
			Missing	5	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Philippines (Davao City) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
358-358	QNVEG1G		Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)		
			1 Yes	2,274	79.2
			2 No	595	20.8
			Missing	5	
359-359	QNVEG2G		Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)		
			1 Yes	1,413	49.6
			2 No	1,456	50.4
			Missing	5	
360-360	QNVEG3G		Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)		
			1 Yes	730	26.2
			2 No	2,139	73.8
			Missing	5	
361-361	QNSODALG		Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)		
			1 Yes	1,401	49.0
			2 No	1,466	51.0
			Missing	7	
362-362	QNSODA1G		Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)		
			1 Yes	1,291	44.9
			2 No	1,576	55.1
			Missing	7	
363-363	QNSODA2G		Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)		
			1 Yes	709	24.2
			2 No	2,158	75.8
			Missing	7	



# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Philippines (Davao City) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
364-364	QNSODA3G		Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)		
		1	Yes	291	10.1
		2	No	2,576	89.9
			Missing	7	
365-365	QNFF1G		Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)		
		1	Yes	1,523	52.7
		2	No	1,346	47.3
			Missing	5	
366-366	QNFF2G		Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)		
		1	Yes	628	21.5
		2	No	2,241	78.5
			Missing	5	
367-367	QNFF3G		Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)		
		1	Yes	326	11.4
		2	No	2,543	88.6
			Missing	5	
368-368	QNC2G		Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)		
		1	Yes	220	61.6
		2	No	148	38.4
			Missing	2,506	

# 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Philippines (Davao City) Survey

### Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
369-369	QNTOB2G		Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)		
		1	Yes	363	13.7
		2	No	2,493	86.3
			Missing	18	
370-370	QNNOTB2G		Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)		
		1	Yes	2,493	86.6
		2	No	355	13.4
			Missing	26	
373-373	QNPA5G		Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)		
		1	Yes	520	17.7
		2	No	2,323	82.3
			Missing	31	
374-374	QNPA7G		Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey )		
		1	Yes	337	11.6
		2	No	2,506	88.4
			Missing	31	
375-375	QNPE3G		Percentage of students who attended physical education classes on three or more days (each week during this school year)		
		1	Yes	1,497	51.8
		2	No	1,350	48.2
			Missing	27	
376-376	QNPE5G		Percentage of students who attended physical education classes on five or more days (each week during this school year)		
		1	Yes	997	35.1
		2	No	1,850	64.9
			Missing	27	

## 2015 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

### Philippines (Davao City) Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
377-386	WEIGHT				
387-395	STRATUM				
396-400	PSU				