

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tajikistan Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
1-3	SITE		Site Code		
4-13	SCHOOL		School Codes		
14-16	CLASS		Class Codes		
17-17	Q1	Q1	How old are you?		
		1	11 years old or younger	34	0.4
		2	12 years old	141	1.4
		3	13 years old	1,329	13.7
		4	14 years old	3,176	33.0
		5	15 years old	2,890	29.5
		6	16 years old or older	2,091	22.0
			Missing	53	
18-18	Q2	Q2	What is your sex?		
		1	Male	4,805	55.0
		2	Female	4,796	45.0
			Missing	113	
19-19	Q3	Q3	In what grade are you?		
		1	7 form	3,229	33.0
		2	8 form	3,222	33.3
		3	9 form	3,056	32.7
		4	1 course	48	0.5
		5	2 course	33	0.3
		6	3 course	7	0.1
			Missing	119	
37-37	Q13	Q4	During the past 12 months, how many times were you physically attacked?		
		1	0 times	7,271	75.2
		2	1 time	1,515	15.4
		3	2 or 3 times	545	6.0
		4	4 or 5 times	169	1.9
		5	6 or 7 times	49	0.5
		6	8 or 9 times	22	0.2
		7	10 or 11 times	11	0.1
		8	12 or more times	46	0.5
			Missing	86	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tajikistan Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
38-38	Q14	Q5	During the past 12 months, how many times were you in a physical fight?		
		1	0 times	7,722	78.5
		2	1 time	1,067	11.8
		3	2 or 3 times	547	6.6
		4	4 or 5 times	127	1.5
		5	6 or 7 times	38	0.5
		6	8 or 9 times	24	0.3
		7	10 or 11 times	5	0.1
		8	12 or more times	58	0.8
			Missing	126	
39-39	Q15	Q6	During the past 12 months, how many times were you seriously injured?		
		1	0 times	6,526	82.5
		2	1 time	882	12.2
		3	2 or 3 times	215	3.0
		4	4 or 5 times	75	1.1
		5	6 or 7 times	43	0.8
		6	8 or 9 times	10	0.1
		7	10 or 11 times	3	0.1
		8	12 or more times	23	0.3
			Missing	1,937	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tajikistan Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
40-40	Q16	Q7	During the past 12 months, what were you doing when the most serious injury happened to you?		
		1	I was not seriously injured during the past 12 months	7,945	90.9
		2	Playing or training for a sport	421	5.4
		3	Walking or running, but not as part of playing or training for a sport	121	1.5
		4	Riding a bicycle or scooter	70	1.1
		5	Riding or driving in a car or other motor vehicle	15	0.2
		6	Doing any paid or unpaid work, including housework, yard work, or cooking	51	0.5
		7	Nothing	18	0.3
		8	Something else	15	0.2
			Missing	1,058	
41-41	Q17	Q8	During the past 12 months, what was the major cause of the most serious injury that happened to you?		
		1	I was not seriously injured during the past 12 months	8,453	92.7
		2	I was in a motor vehicle accident or hit by a motor vehicle	148	1.7
		3	I fell	300	3.6
		4	Something fell on me or hit me	37	0.5
		5	I was fighting with someone	33	0.6
		6	I was attacked, assaulted, or abused by someone	23	0.4
		7	I was in a fire or too near a flame or something hot	12	0.2
		8	Something else caused my injury	31	0.4
			Missing	677	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tajikistan Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
42-42	Q18	Q9	During the past 12 months, how did the most serious injury happen to you?		
		1	I was not seriously injured during the past 12 months	8,501	93.5
		2	I hurt myself by accident	320	3.8
		3	Someone else hurt me by accident	122	1.5
		4	I hurt myself on purpose	32	0.5
		5	Someone else hurt me on purpose	63	0.8
			Missing	676	
43-43	Q19	Q10	During the past 12 months, what was the most serious injury that happened to you?		
		1	I was not seriously injured during the past 12 months	8,576	94.3
		2	I had a broken bone or a dislocated joint	224	2.7
		3	I had a cut, puncture, or stab wound	85	1.0
		4	I had a concussion or other head or neck injury, was knocked out, or could not breathe	72	0.9
		5	I had a gunshot wound	4	0.0
		6	I had a bad burn	23	0.2
		7	I lost all or part of a foot, leg, hand, or arm	4	0.1
		8	Something else happened to me	48	0.7
			Missing	678	
44-44	Q20	Q11	During the past 30 days, on how many days were you bullied?		
		1	0 days	7,204	92.6
		2	1 or 2 days	388	5.0
		3	3 to 5 days	97	1.3
		4	6 to 9 days	38	0.6
		5	10 to 19 days	17	0.2
		6	20 to 29 days	11	0.2
		7	All 30 days	10	0.1
			Missing	1,949	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tajikistan Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
45-45	Q21	Q12	During the past 30 days, how were you bullied most often?		
		1	I was not bullied during the past 30 days	7,108	92.7
		2	I was hit, kicked, pushed, shoved around, or locked indoors	293	3.7
		3	I was made fun of because of my race or color	84	1.2
		4	I was made fun of because of my religion	36	0.6
		5	I was made fun of with sexual jokes, comments, or gestures	46	0.7
		6	I was left out of activities on purpose or completely ignored	17	0.2
		7	I was made fun of because of how my body or face looks	12	0.2
		8	I was bullied in some other way	44	0.6
			Missing	2,074	
46-46	Q22	Q14	During the past 12 months, how often have you felt lonely?		
		1	Never	5,844	59.4
		2	Rarely	2,063	21.9
		3	Sometimes	1,447	15.7
		4	Most of the time	121	1.3
		5	Always	142	1.6
			Missing	97	
47-47	Q23	Q15	During the past 12 months, how often have you been so worried about something that you could not sleep at night?		
		1	Never	6,187	65.0
		2	Rarely	2,331	23.8
		3	Sometimes	761	8.2
		4	Most of the time	166	1.8
		5	Always	103	1.2
			Missing	166	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tajikistan Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
48-48	Q24	Q16	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing your usual activities?		
		1	Yes	2,182	23.9
		2	No	7,285	76.1
			Missing	247	
49-49	Q25	Q17	During the past 12 months, did you ever seriously consider attempting suicide?		
		1	Yes	1,159	12.6
		2	No	8,377	87.4
			Missing	178	
50-50	Q26	Q18	During the past 12 months, did you make a plan about how you would attempt suicide?		
		1	Yes	1,092	12.0
		2	No	8,362	88.0
			Missing	260	
51-51	Q27	Q19	How many close friends do you have?		
		1	0	966	10.2
		2	1	1,945	19.7
		3	2	2,027	21.3
		4	3 or more	4,630	48.8
			Missing	146	
52-52	Q28	Q20	How old were you when you first tried a cigarette?		
		1	I have never smoked cigarettes	8,997	97.0
		2	7 years old or younger	88	1.1
		3	8 or 9 years old	42	0.6
		4	10 or 11 years old	33	0.4
		5	12 or 13 years old	38	0.5
		6	14 or 15 years old	29	0.3
		7	16 years old or older	10	0.1
			Missing	477	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tajikistan Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
53-53	Q29	Q21	During the past 30 days, on how many days did you smoke cigarettes?		
		1	0 days	9,290	99.0
		2	1 or 2 days	43	0.5
		3	3 to 5 days	16	0.2
		4	6 to 9 days	14	0.2
		5	10 to 19 days	5	0.0
		6	20 to 29 days	4	0.1
		7	All 30 days	5	0.1
			Missing	337	
54-54	Q30	Q22	During the past 30 days, on how many days did you use any other form of tobacco, such as traditional forms of tobacco?		
		1	0 days	9,401	97.1
		2	1 or 2 days	145	1.7
		3	3 to 5 days	25	0.3
		4	6 to 9 days	47	0.5
		5	10 to 19 days	12	0.1
		6	20 to 29 days	5	0.1
		7	All 30 days	18	0.2
			Missing	61	
55-55	Q31	Q23	During the past 12 months, have you ever tried to stop smoking cigarettes?		
		1	I have never smoked cigarettes	8,661	93.8
		2	I did not smoke cigarettes during the past 12 months	243	2.8
		3	Yes	95	1.2
		4	No	184	2.3
			Missing	531	
56-56	Q32	Q24	During the past 7 days, on how many days have people smoked in your presence?		
		1	0 days	8,018	83.2
		2	1 or 2 days	988	10.5
		3	3 or 4 days	283	2.9
		4	5 or 6 days	97	1.1
		5	All 7 days	205	2.3
			Missing	123	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tajikistan Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
57-57	Q33	Q25	Which of your parents or guardians use any form of tobacco?		
		1	Neither	7,590	78.9
		2	My father or male guardian	1,349	13.9
		3	My mother or female guardian	76	1.0
		4	Both	188	1.7
		5	I do not know	383	4.4
			Missing	128	
58-58	Q34	Q27	During the past 30 days, on how many days did you have at least one drink containing alcohol?		
		1	0 days	9,203	99.1
		2	1 or 2 days	36	0.5
		3	3 to 5 days	15	0.2
		4	6 to 9 days	3	0.0
		5	10 to 19 days	4	0.1
		6	20 to 29 days	1	0.0
		7	All 30 days	3	0.1
			Missing	449	
59-59	Q35	Q28	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?		
		1	I did not drink alcohol during the past 30 days	9,189	98.7
		2	Less than one drink	57	0.7
		3	1 drink	17	0.2
		4	2 drinks	5	0.1
		5	3 drinks	2	0.0
		6	4 drinks	4	0.1
		7	5 or more drinks	3	0.1
			Missing	437	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tajikistan Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
60-60	Q36	Q29	During the past 30 days, how did you usually get the alcohol you drank?		
		1	I did not drink alcohol during the past 30 days	9,168	99.1
		2	I bought it in a store, shop, or from a street vendor	29	0.4
		3	I gave someone else money to buy it for me	16	0.2
		4	I got it from my friends	10	0.2
		5	I got it from home	10	0.1
		7	I made it myself	1	0.0
		8	I got it some other way	4	0.0
			Missing	476	
61-61	Q37	Q31	During your life, how many times did you drink so much alcohol that you were really drunk?		
		1	0 times	9,516	98.3
		2	1 or 2 times	113	1.4
		3	3 to 9 times	14	0.2
		4	10 or more times	14	0.2
			Missing	57	
62-62	Q38	Q32	During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?		
		1	0 times	9,412	97.4
		2	1 or 2 times	155	1.8
		3	3 to 9 times	34	0.5
		4	10 or more times	22	0.3
			Missing	91	
63-63	Q39	Q34	During your life, how many times have you used drugs such as hashish, opium, heroin, or marijuana?		
		1	0 times	9,573	98.9
		2	1 or 2 times	67	0.7
		3	3 to 9 times	17	0.2
		4	10 or more times	14	0.1
			Missing	43	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tajikistan Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
64-64	Q40	Q38	Have you ever had sexual intercourse?		
		1	Yes	100	1.4
		2	No	8,514	98.6
			Missing	1,100	
65-65	Q41	Q40	How old were you when you had sexual intercourse for the first time?		
		1	I have never had sexual intercourse	8,358	95.0
		2	11 years old or younger	176	2.3
		3	12 years old	58	0.7
		4	13 years old	38	0.5
		5	14 years old	54	0.7
		6	15 years old	42	0.6
		7	16 years old or older	24	0.3
			Missing	964	
66-66	Q42	Q41	During your life, with how many people have you had sexual intercourse?		
		1	I have never had sexual intercourse	8,323	93.8
		2	1 person	328	4.0
		3	2 people	61	0.8
		4	3 people	32	0.4
		5	4 people	27	0.5
		6	5 people	7	0.1
		7	6 or more people	29	0.3
			Missing	907	
67-67	Q43	Q45	During the past 12 months, have you had sexual intercourse?		
		1	Yes	1,182	13.0
		2	No	8,217	87.0
			Missing	315	
68-68	Q44	Q48	The last time you had sexual intercourse, did you or your partner use a condom ?		
		1	I have never had sexual intercourse	7,760	87.9
		2	Yes	244	3.2
		3	No	684	8.9
			Missing	1,026	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tajikistan Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
153-153	QN13		Percentage of students who were physically attacked one or more times during the past 12 months		
		1	Yes	2,357	24.8
		2	No	7,271	75.2
			Missing	86	
154-154	QN14		Percentage of students who were in a physical fight one or more times during the past 12 months		
		1	Yes	1,866	21.5
		2	No	7,722	78.5
			Missing	126	
155-155	QN15		Percentage of students who were seriously injured one or more times during the past 12 months		
		1	Yes	1,251	17.5
		2	No	6,526	82.5
			Missing	1,937	
156-156	QN16		Among students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport		
		1	Yes	393	32.5
		2	No	849	67.5
			Missing	8,472	
157-157	QN17		Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall		
		1	Yes	289	23.6
		2	No	939	76.4
			Missing	8,486	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tajikistan Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
158-158	QN18		Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident		
		1	Yes	307	25.0
		2	No	906	75.0
			Missing	8,501	
159-159	QN19		Among students who were seriously injured during the past 12 months, the percentage who had a broken bone or a dislocated joint as their most serious injury		
		1	Yes	208	17.0
		2	No	1,035	83.0
			Missing	8,471	
160-160	QN20		Percentage of students who were bullied on one or more days during the past 30 days		
		1	Yes	561	7.4
		2	No	7,204	92.6
			Missing	1,949	
161-161	QN21		Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors		
		1	Yes	290	51.3
		2	No	235	48.7
			Missing	9,189	
162-162	QN22		Percentage of students who felt lonely most of the time or always during the past 12 months		
		1	Yes	263	2.9
		2	No	9,354	97.1
			Missing	97	
163-163	QN23		Percentage of students who most of the time or always felt so worried about something that they could not sleep at night during the past 12 months		
		1	Yes	269	3.0
		2	No	9,279	97.0
			Missing	166	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tajikistan Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
164-164	QN24		Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing their usual activities during the past 12 months		
		1	Yes	2,182	23.9
		2	No	7,285	76.1
			Missing	247	
165-165	QN25		Percentage of students who seriously considered attempting suicide during the past 12 months		
		1	Yes	1,159	12.6
		2	No	8,377	87.4
			Missing	178	
166-166	QN26		Percentage of students who made a plan about how they would attempt suicide during the past 12 months		
		1	Yes	1,092	12.0
		2	No	8,362	88.0
			Missing	260	
167-167	QN27		Percentage of students who have no close friends		
		1	Yes	966	10.2
		2	No	8,602	89.8
			Missing	146	
168-168	QN28		Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age 13 or younger		
		1	Yes	58	78.6
		2	No	20	21.4
			Missing	9,636	
169-169	QN29		Percentage of students who smoked cigarettes on one or more days during the past 30 days		
		1	Yes	87	1.0
		2	No	9,290	99.0
			Missing	337	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tajikistan Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
170-170	QN30		Percentage of students who used any other form of tobacco, such as traditional forms of tobacco on one or more days during the past 30 days		
		1	Yes	252	2.9
		2	No	9,401	97.1
			Missing	61	
171-171	QN31		Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes		
		1	Yes	95	34.3
		2	No	184	65.7
			Missing	9,435	
172-172	QN32		Percentage of students who reported people smoking in their presence on one or more days during the past 7 days		
		1	Yes	1,573	16.8
		2	No	8,018	83.2
			Missing	123	
173-173	QN33		Percentage of students who have a parent or guardian who uses any form of tobacco		
		1	Yes	1,613	16.7
		2	No	7,973	83.3
			Missing	128	
174-174	QN34		Percentage of students who had at least one drink containing alcohol on one or more days during the past 30 days		
		1	Yes	62	0.9
		2	No	9,203	99.1
			Missing	449	
175-175	QN35		Among students who had at least one drink containing alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol during the past 30 days		
		1	Yes	10	28.0
		2	No	45	72.0
			Missing	9,659	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tajikistan Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
176-176	QN36		Among students who had at least one drink containing alcohol during the past 30 days, the percentage who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor		
		1	Yes	27	42.3
		2	No	33	57.7
			Missing	9,654	
177-177	QN37		Percentage of students who drank so much alcohol that they were really drunk one or more times during their life		
		1	Yes	141	1.7
		2	No	9,516	98.3
			Missing	57	
178-178	QN38		Percentage of students who had a hang-over, felt sick, got into trouble with their family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life		
		1	Yes	211	2.6
		2	No	9,412	97.4
			Missing	91	
179-179	QN39		Percentage of students who used drugs, such as hashish, opium, heroin, or marijuana one or more times during their life		
		1	Yes	98	1.1
		2	No	9,573	98.9
			Missing	43	
180-180	QN40		Percentage of students who have ever had sexual intercourse		
		1	Yes	100	1.4
		2	No	8,514	98.6
			Missing	1,100	
181-181	QN41		Percentage of students who had sexual intercourse for the first time before age 13		
		1	Yes	234	3.0
		2	No	8,516	97.0
			Missing	964	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Tajikistan Survey Public Use Codebook

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
182-182	QN42		Percentage of students who have had sexual intercourse with two or more people during their life		
		1	Yes	156	2.1
		2	No	8,651	97.9
			Missing	907	
183-183	QN43		Percentage of students who had sexual intercourse during the past 12 months		
		1	Yes	1,182	13.0
		2	No	8,217	87.0
			Missing	315	
184-184	QN44		Among students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse		
		1	Yes	117	56.0
		2	No	87	44.0
			Missing	9,510	
265-265	QNANYTBG		Percentage of students who used any tobacco on one or more of the past 30 days		
		1	Yes	206	2.5
		2	No	9,141	97.5
			Missing	367	
358-369	Weight		Weight		
370-374	PSU		Primary Sampling Unit		
375-383	Stratum		Stratum		
384-388	BMIPct		Percentile for body mass index, by age and sex		