

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Tajikistan (Vocational) Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
1-3	SITE		Site Code		
4-13	SCHOOL		School Codes		
14-16	CLASS		Class Codes		
17-17	Q1	Q1	How old are you?		
			1 11 years old or younger	3	0.1
			2 12 years old	1	0.0
			4 14 years old	19	0.2
			5 15 years old	98	2.5
			6 16 years old or older	2,714	97.1
			Missing	34	
18-18	Q2	Q2	What is your sex?		
			1 Male	1,577	71.8
			2 Female	1,276	28.2
			Missing	16	
19-19	Q3	Q3	In what grade are you?		
			1 7 form	2	0.1
			2 8 form	1	0.0
			3 9 form	2	0.1
			4 1 course	1,522	34.6
			5 2 course	904	33.1
			6 3 course	429	32.0
			Missing	9	
37-37	Q13	Q4	During the past 12 months, how many times were you physically attacked?		
			1 0 times	2,296	74.7
			2 1 time	316	13.9
			3 2 or 3 times	108	4.7
			4 4 or 5 times	78	3.4
			5 6 or 7 times	27	1.2
			6 8 or 9 times	13	0.5
			8 12 or more times	23	1.5
			Missing	8	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Tajikistan (Vocational) Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
38-38	Q14	Q5	During the past 12 months, how many times were you in a physical fight?		
			1 0 times	2,122	72.2
			2 1 time	403	13.0
			3 2 or 3 times	133	4.1
			4 4 or 5 times	81	2.8
			5 6 or 7 times	33	2.2
			6 8 or 9 times	24	1.4
			8 12 or more times	52	4.2
			Missing	21	
39-39	Q15	Q6	During the past 12 months, how many times were you seriously injured?		
			1 0 times	1,840	83.1
			2 1 time	277	10.1
			3 2 or 3 times	76	4.0
			4 4 or 5 times	37	2.4
			5 6 or 7 times	1	0.1
			6 8 or 9 times	1	0.0
			7 10 or 11 times	1	0.0
			8 12 or more times	4	0.2
			Missing	632	
40-40	Q16	Q7	During the past 12 months, what were you doing when the most serious injury happened to you?		
			1 I was not seriously injured during the past 12 months	2,234	91.2
			2 Playing or training for a sport	85	3.9
			3 Walking or running, but not as part of playing or training for a sport	33	0.8
			4 Riding a bicycle or scooter	7	0.2
			5 Riding or driving in a car or other motor vehicle	5	0.2
			6 Doing any paid or unpaid work, including housework, yard work, or cooking	47	1.3
			7 Nothing	6	0.3
			8 Something else	32	2.1
			Missing	420	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Tajikistan (Vocational) Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
41-41	Q17	Q8	During the past 12 months, what was the major cause of the most serious injury that happened to you?		
		1	I was not seriously injured during the past 12 months	2,373	91.0
		2	I was in a motor vehicle accident or hit by a motor vehicle	22	0.8
		3	I fell	111	3.3
		4	Something fell on me or hit me	3	0.1
		5	I was fighting with someone	31	1.9
		6	I was attacked, assaulted, or abused by someone	18	1.1
		7	I was in a fire or too near a flame or something hot	17	0.4
		8	Something else caused my injury	54	1.3
			Missing	240	
42-42	Q18	Q9	During the past 12 months, how did the most serious injury happen to you?		
		1	I was not seriously injured during the past 12 months	2,440	92.6
		2	I hurt myself by accident	101	3.4
		3	Someone else hurt me by accident	58	2.5
		4	I hurt myself on purpose	11	0.5
		5	Someone else hurt me on purpose	26	1.0
			Missing	233	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Tajikistan (Vocational) Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
43-43	Q19	Q10	During the past 12 months, what was the most serious injury that happened to you?		
		1	I was not seriously injured during the past 12 months	2,331	92.2
		2	I had a broken bone or a dislocated joint	107	4.5
		3	I had a cut, puncture, or stab wound	34	1.4
		4	I had a concussion or other head or neck injury, was knocked out, or could not breathe	22	0.6
		5	I had a gunshot wound	9	0.3
		6	I had a bad burn	17	0.4
		7	I lost all or part of a foot, leg, hand, or arm	10	0.3
		8	Something else happened to me	14	0.4
			Missing	325	
44-44	Q20	Q11	During the past 30 days, on how many days were you bullied?		
		1	0 days	2,200	89.0
		2	1 or 2 days	131	4.6
		3	3 to 5 days	15	0.6
		4	6 to 9 days	28	2.1
		5	10 to 19 days	34	3.2
		6	20 to 29 days	13	0.2
		7	All 30 days	10	0.3
			Missing	438	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Tajikistan (Vocational) Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
45-45	Q21	Q12	During the past 30 days, how were you bullied most often?		
			1 I was not bullied during the past 30 days	2,184	89.1
			2 I was hit, kicked, pushed, shoved around, or locked indoors	65	2.4
			3 I was made fun of because of my race or color	95	6.3
			4 I was made fun of because of my religion	20	0.9
			5 I was made fun of with sexual jokes, comments, or gestures	18	0.4
			6 I was left out of activities on purpose or completely ignored	11	0.3
			7 I was made fun of because of how my body or face looks	8	0.2
			8 I was bullied in some other way	11	0.3
			Missing	457	
46-46	Q22	Q14	During the past 12 months, how often have you felt lonely?		
			1 Never	1,259	42.5
			2 Rarely	720	27.2
			3 Sometimes	721	25.1
			4 Most of the time	71	2.3
			5 Always	83	3.0
			Missing	15	
47-47	Q23	Q15	During the past 12 months, how often have you been so worried about something that you could not sleep at night?		
			1 Never	1,542	55.8
			2 Rarely	662	21.6
			3 Sometimes	481	17.1
			4 Most of the time	110	3.9
			5 Always	54	1.5
			Missing	20	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Tajikistan (Vocational) Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
48-48	Q24	Q16	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing your usual activities?		
			1 Yes	940	36.1
			2 No	1,827	63.9
			Missing	102	
49-49	Q25	Q17	During the past 12 months, did you ever seriously consider attempting suicide?		
			1 Yes	287	12.8
			2 No	2,511	87.2
			Missing	71	
50-50	Q26	Q18	During the past 12 months, did you make a plan about how you would attempt suicide?		
			1 Yes	354	17.8
			2 No	2,483	82.2
			Missing	32	
51-51	Q27	Q19	How many close friends do you have?		
			1 0	326	12.5
			2 1	458	16.0
			3 2	445	16.5
			4 3 or more	1,601	55.0
			Missing	39	
52-52	Q28	Q20	How old were you when you first tried a cigarette?		
			1 I have never smoked cigarettes	2,374	86.9
			2 7 years old or younger	47	1.9
			3 8 or 9 years old	18	0.7
			4 10 or 11 years old	16	0.7
			5 12 or 13 years old	32	1.5
			6 14 or 15 years old	69	3.9
			7 16 years old or older	112	4.5
			Missing	201	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Tajikistan (Vocational) Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
53-53	Q29	Q21	During the past 30 days, on how many days did you smoke cigarettes?		
			1 0 days	2,504	90.0
			2 1 or 2 days	115	4.5
			3 3 to 5 days	29	1.2
			5 10 to 19 days	12	0.6
			6 20 to 29 days	15	0.9
			7 All 30 days	37	2.8
			Missing	157	
54-54	Q30	Q22	During the past 30 days, on how many days did you use any other form of tobacco, such as traditional forms of tobacco?		
			1 0 days	2,621	89.1
			2 1 or 2 days	140	6.9
			3 3 to 5 days	37	1.5
			4 6 to 9 days	29	1.1
			5 10 to 19 days	9	0.4
			6 20 to 29 days	2	0.1
			7 All 30 days	17	0.9
Missing	14				
55-55	Q31	Q23	During the past 12 months, have you ever tried to stop smoking cigarettes?		
			1 I have never smoked cigarettes	2,270	83.8
			2 I did not smoke cigarettes during the past 12 months	116	4.8
			3 Yes	168	8.7
			4 No	76	2.7
Missing	239				
56-56	Q32	Q24	During the past 7 days, on how many days have people smoked in your presence?		
			1 0 days	1,949	67.1
			2 1 or 2 days	446	14.6
			3 3 or 4 days	146	6.1
			4 5 or 6 days	75	3.0
			5 All 7 days	229	9.2
Missing	24				

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Tajikistan (Vocational) Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
57-57	Q33	Q25	Which of your parents or guardians use any form of tobacco?		
			1 Neither	2,203	75.1
			2 My father or male guardian	401	15.4
			3 My mother or female guardian	64	3.1
			4 Both	28	1.0
			5 I do not know	162	5.4
			Missing	11	
58-58	Q34	Q27	During the past 30 days, on how many days did you have at least one drink containing alcohol?		
			1 0 days	2,510	92.3
			2 1 or 2 days	144	6.3
			3 3 to 5 days	13	0.6
			4 6 to 9 days	12	0.4
			5 10 to 19 days	4	0.2
			6 20 to 29 days	7	0.2
			Missing	179	
59-59	Q35	Q28	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?		
			1 I did not drink alcohol during the past 30 days	2,475	92.0
			2 Less than one drink	87	3.6
			3 1 drink	53	2.8
			4 2 drinks	17	0.7
			5 3 drinks	16	0.4
			6 4 drinks	4	0.2
			7 5 or more drinks	11	0.3
			Missing	206	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Tajikistan (Vocational) Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
60-60	Q36	Q29	During the past 30 days, how did you usually get the alcohol you drank?		
		1	I did not drink alcohol during the past 30 days	2,458	92.1
		2	I bought it in a store, shop, or from a street vendor	115	5.6
		3	I gave someone else money to buy it for me	20	0.7
		4	I got it from my friends	26	0.8
		5	I got it from home	16	0.6
		6	I stole it	3	0.1
			Missing	231	
61-61	Q37	Q31	During your life, how many times did you drink so much alcohol that you were really drunk?		
		1	0 times	2,642	88.4
		2	1 or 2 times	147	8.1
		3	3 to 9 times	42	2.5
		4	10 or more times	23	1.0
			Missing	15	
62-62	Q38	Q32	During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?		
		1	0 times	2,749	95.4
		2	1 or 2 times	66	2.2
		3	3 to 9 times	30	2.1
		4	10 or more times	6	0.2
			Missing	18	
63-63	Q39	Q34	During your life, how many times have you used drugs such as hashish, opium, heroin, or marijuana?		
		1	0 times	2,794	97.4
		2	1 or 2 times	53	2.1
		3	3 to 9 times	13	0.5
		4	10 or more times	1	0.0
			Missing	8	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Tajikistan (Vocational) Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
64-64	Q40	Q38	Have you ever had sexual intercourse?		
			1 Yes	160	10.0
			2 No	2,444	90.0
			Missing	265	
65-65	Q41	Q40	How old were you when you had sexual intercourse for the first time?		
			1 I have never had sexual intercourse	2,341	80.3
			2 11 years old or younger	89	6.4
			3 12 years old	20	0.6
			4 13 years old	21	0.9
			5 14 years old	41	2.5
			6 15 years old	57	3.1
			7 16 years old or older	115	6.1
			Missing	185	
66-66	Q42	Q41	During your life, with how many people have you had sexual intercourse?		
			1 I have never had sexual intercourse	2,352	81.8
			2 1 person	136	7.2
			3 2 people	59	2.5
			4 3 people	67	5.0
			5 4 people	39	2.1
			6 5 people	1	0.0
			7 6 or more people	17	1.3
			Missing	198	
67-67	Q43	Q45	During the past 12 months, have you had sexual intercourse?		
			1 Yes	384	16.0
			2 No	2,454	84.0
			Missing	31	
68-68	Q44	Q48	The last time you had sexual intercourse, did you or your partner use a condom ?		
			1 I have never had sexual intercourse	2,229	75.5
			2 Yes	201	11.4
			3 No	279	13.1

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Tajikistan (Vocational) Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
153-153	QN13		Percentage of students who were physically attacked one or more times during the past 12 months		
		1	Yes	565	25.3
		2	No	2,296	74.7
			Missing	8	
154-154	QN14		Percentage of students who were in a physical fight one or more times during the past 12 months		
		1	Yes	726	27.8
		2	No	2,122	72.2
			Missing	21	
155-155	QN15		Percentage of students who were seriously injured one or more times during the past 12 months		
		1	Yes	397	16.9
		2	No	1,840	83.1
			Missing	632	
156-156	QN16		Among students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport		
		1	Yes	80	24.3
		2	No	313	75.7
			Missing	2,476	
157-157	QN17		Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall		
		1	Yes	104	22.9
		2	No	288	77.1
			Missing	2,477	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Tajikistan (Vocational) Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
158-158	QN18		Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident		
		1	Yes	101	24.3
		2	No	292	75.7
			Missing	2,476	
159-159	QN19		Among students who were seriously injured during the past 12 months, the percentage who had a broken bone or a dislocated joint as their most serious injury		
		1	Yes	107	31.3
		2	No	290	68.7
			Missing	2,472	
160-160	QN20		Percentage of students who were bullied on one or more days during the past 30 days		
		1	Yes	231	11.0
		2	No	2,200	89.0
			Missing	438	
161-161	QN21		Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors		
		1	Yes	65	22.0
		2	No	159	78.0
			Missing	2,645	
162-162	QN22		Percentage of students who felt lonely most of the time or always during the past 12 months		
		1	Yes	154	5.2
		2	No	2,700	94.8
			Missing	15	
163-163	QN23		Percentage of students who most of the time or always felt so worried about something that they could not sleep at night during the past 12 months		
		1	Yes	164	5.4
		2	No	2,685	94.6
			Missing	20	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Tajikistan (Vocational) Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
164-164	QN24		Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing their usual activities during the past 12 months		
		1	Yes	940	36.1
		2	No	1,827	63.9
			Missing	102	
165-165	QN25		Percentage of students who seriously considered attempting suicide during the past 12 months		
		1	Yes	287	12.8
		2	No	2,511	87.2
			Missing	71	
166-166	QN26		Percentage of students who made a plan about how they would attempt suicide during the past 12 months		
		1	Yes	354	17.8
		2	No	2,483	82.2
			Missing	32	
167-167	QN27		Percentage of students who have no close friends		
		1	Yes	326	12.5
		2	No	2,504	87.5
			Missing	39	
168-168	QN28		Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age 13 or younger		
		1	Yes	59	28.0
		2	No	139	72.0
			Missing	2,671	
169-169	QN29		Percentage of students who smoked cigarettes on one or more days during the past 30 days		
		1	Yes	208	10.0
		2	No	2,504	90.0
			Missing	157	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Tajikistan (Vocational) Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
170-170	QN30		Percentage of students who used any other form of tobacco, such as traditional forms of tobacco on one or more days during the past 30 days		
		1	Yes	234	10.9
		2	No	2,621	89.1
			Missing	14	
171-171	QN31		Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes		
		1	Yes	168	76.3
		2	No	76	23.7
			Missing	2,625	
172-172	QN32		Percentage of students who reported people smoking in their presence on one or more days during the past 7 days		
		1	Yes	896	32.9
		2	No	1,949	67.1
			Missing	24	
173-173	QN33		Percentage of students who have a parent or guardian who uses any form of tobacco		
		1	Yes	493	19.5
		2	No	2,365	80.5
			Missing	11	
174-174	QN34		Percentage of students who had at least one drink containing alcohol on one or more days during the past 30 days		
		1	Yes	180	7.7
		2	No	2,510	92.3
			Missing	179	
175-175	QN35		Among students who had at least one drink containing alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol during the past 30 days		
		1	Yes	48	21.0
		2	No	131	79.0
			Missing	2,690	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Tajikistan (Vocational) Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
176-176	QN36		Among students who had at least one drink containing alcohol during the past 30 days, the percentage who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor		
		1	Yes	114	70.7
		2	No	65	29.3
			Missing	2,690	
177-177	QN37		Percentage of students who drank so much alcohol that they were really drunk one or more times during their life		
		1	Yes	212	11.6
		2	No	2,642	88.4
			Missing	15	
178-178	QN38		Percentage of students who had a hang-over, felt sick, got into trouble with their family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life		
		1	Yes	102	4.6
		2	No	2,749	95.4
			Missing	18	
179-179	QN39		Percentage of students who used drugs, such as hashish, opium, heroin, or marijuana one or more times during their life		
		1	Yes	67	2.6
		2	No	2,794	97.4
			Missing	8	
180-180	QN40		Percentage of students who have ever had sexual intercourse		
		1	Yes	160	10.0
		2	No	2,444	90.0
			Missing	265	
181-181	QN41		Percentage of students who had sexual intercourse for the first time before age 13		
		1	Yes	109	7.1
		2	No	2,575	92.9
			Missing	185	

2006 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Tajikistan (Vocational) Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Question Number	Question Code and Label	Unweighted Frequency	Weighted Percent
182-182	QN42		Percentage of students who have had sexual intercourse with two or more people during their life		
		1	Yes	183	11.0
		2	No	2,488	89.0
			Missing	198	
183-183	QN43		Percentage of students who had sexual intercourse during the past 12 months		
		1	Yes	384	16.0
		2	No	2,454	84.0
			Missing	31	
184-184	QN44		Among students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse		
		1	Yes	104	47.1
		2	No	103	52.9
			Missing	2,662	
265-265	QNANYTBG		Percentage of students who used any tobacco on one or more of the past 30 days		
		1	Yes	218	10.7
		2	No	2,489	89.3
			Missing	162	
358-369	Weight		Weight		
370-374	PSU		Primary Sampling Unit		
375-383	Stratum		Stratum		
384-388	BMIPct		Percentile for body mass index, by age and sex		