

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Trinidad) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
17-17	Q1	Q1	How old are you?			
			1	11 years old or younger	112	3.3
			2	12 years old	435	14.0
			3	13 years old	473	18.5
			4	14 years old	588	19.3
			5	15 years old	540	19.0
			6	16 years old	400	15.3
			7	17 years old	228	8.7
			8	18 years old or older	52	2.0
		Missing	8			
18-18	Q2	Q2	What is your sex?			
			1	Male	1,266	48.1
			2	Female	1,551	51.9
				Missing	19	
19-19	Q3	Q3	In what grade are you?			
			1	Form 1	671	20.9
			2	Form 2	421	20.2
			3	Form 3	685	19.7
			4	Form 4	532	18.6
			5	FORM 5	363	16.4
			6	FORM 6	142	4.3
		Missing	22			
20-23	Q4	Q4	How tall are you without your shoes on? (Note: Data are in meters.)			
24-29	Q5	Q5	How much do you weigh without your shoes on? (Note: Data are in kilograms.)			
30-30	Q6	Q6	During the past 30 days, how often did you go hungry because there was not enough food in your home?			
			1	Never	1,408	49.4
			2	Rarely	624	21.9
			3	Sometimes	563	20.6
			4	Most of the time	153	5.5
			5	Always	68	2.5
		Missing	20			

**2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS**

**Trinidad & Tobago (Trinidad) Survey  
Public Use Codebook**

<b>Data Location</b>	<b>Standard Variable Name</b>	<b>Country Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
31-31	Q7	Q7	During the past 30 days, how many times per day did you usually eat fruit, such as oranges, pineapples, bananas, papaya, or watermelon?		
			1 I did not eat fruit during the past 30 days	623	22.8
			2 Less than one time per day	776	27.7
			3 1 time per day	714	24.8
			4 2 times per day	414	14.1
			5 3 times per day	151	5.5
			6 4 times per day	39	1.4
			7 5 or more times per day	95	3.6
			Missing	24	
32-32	Q8	Q8	During the past 30 days, how many times per day did you usually eat vegetables, such as lettuce, tomatoes, carrots, pumpkin, or cucumber?		
			1 I did not eat vegetables during the past 30 days	303	11.2
			2 Less than one time per day	572	20.8
			3 1 time per day	777	28.1
			4 2 times per day	557	19.4
			5 3 times per day	275	9.9
			6 4 times per day	89	3.1
			7 5 or more times per day	202	7.4
			Missing	61	
33-33	Q9	Q9	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as Coca Cola, Fanta, Pepsi, Cannings, or Solo?		
			1 I did not drink carbonated soft drinks during the past 30 days	482	17.0
			2 Less than one time per day	880	30.5
			3 1 time per day	509	18.3
			4 2 times per day	443	15.8
			5 3 times per day	236	8.5
			6 4 times per day	83	3.1
			7 5 or more times per day	186	6.8
			Missing	17	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Trinidad) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
34-34	Q10	Q11	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as McDonalds, Burger King, KFC, or Pizza Hut?		
			1 0 days	875	31.2
			2 1 day	929	32.9
			3 2 days	478	16.7
			4 3 days	267	9.7
			5 4 days	114	4.0
			6 5 days	52	1.7
			7 6 days	26	0.9
			8 7 days	82	2.9
			Missing	13	
35-35	Q11	Q15	During the past 30 days, how many times per day did you usually clean or brush your teeth?		
			1 I did not clean or brush my teeth during the past 30 days	61	2.4
			2 Less than 1 time per day	73	2.6
			3 1 time per day	486	17.2
			4 2 times per day	1,574	55.6
			5 3 times per day	457	16.2
			6 4 or more times per day	165	6.0
			Missing	20	
36-36	Q12	Q16	During the past 30 days, how often did you wash your hands before eating?		
			1 Never	114	4.3
			2 Rarely	323	11.5
			3 Sometimes	623	22.3
			4 Most of the time	792	28.1
			5 Always	954	33.8
			Missing	30	
37-37	Q13	Q17	During the past 30 days, how often did you wash your hands after using the toilet or latrine?		
			1 Never	55	2.2
			2 Rarely	54	2.2
			3 Sometimes	107	4.0
			4 Most of the time	298	11.2
			5 Always	2,249	80.4
			Missing	73	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Trinidad) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
38-38	Q14	Q18	During the past 30 days, how often did you use soap when washing your hands?			
			1	Never	91	3.3
			2	Rarely	249	9.3
			3	Sometimes	510	18.3
			4	Most of the time	833	29.4
			5	Always	1,133	39.8
				Missing	20	
39-39	Q15	Q19	During the past 12 months, how many times were you physically attacked?			
			1	0 times	2,046	72.0
			2	1 time	263	9.7
			3	2 or 3 times	234	8.7
			4	4 or 5 times	70	2.8
			5	6 or 7 times	37	1.3
			6	8 or 9 times	27	0.9
			7	10 or 11 times	13	0.5
			8	12 or more times	120	4.2
				Missing	26	
40-40	Q16	Q20	During the past 12 months, how many times were you in a physical fight?			
			1	0 times	1,949	68.6
			2	1 time	360	13.4
			3	2 or 3 times	272	10.0
			4	4 or 5 times	80	2.9
			5	6 or 7 times	33	1.2
			6	8 or 9 times	14	0.5
			7	10 or 11 times	12	0.5
			8	12 or more times	82	2.9
				Missing	34	
41-41	Q17	Q21	During the past 12 months, how many times were you seriously injured?			
			1	0 times	1,461	58.0
			2	1 time	512	21.2
			3	2 or 3 times	334	13.4
			4	4 or 5 times	77	3.2
			5	6 or 7 times	30	1.3
			6	8 or 9 times	12	0.5
			7	10 or 11 times	9	0.3
			8	12 or more times	51	2.1
				Missing	350	

**2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS**

**Trinidad & Tobago (Trinidad) Survey  
Public Use Codebook**

<b>Data Location</b>	<b>Standard Variable Name</b>	<b>Country Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
42-42	Q18	Q22	During the past 12 months, what was the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	1,750	68.9
			2 I had a broken bone or a dislocated joint	164	6.6
			3 I had a cut or stab wound	187	7.6
			4 I had a concussion or other head or neck injury, was knocked out, or could not breathe	56	2.3
			5 I had a gunshot wound	8	0.4
			6 I had a bad burn	41	1.7
			7 I was poisoned or took too much of a drug	10	0.4
			8 Something else happened to me	302	12.1
			Missing	318	
43-43	Q19	Q23	During the past 12 months, what was the major cause of the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	1,771	70.0
			2 I was in a motor vehicle accident or hit by a motor vehicle	34	1.4
			3 I fell	217	8.7
			4 Something fell on me or hit me	103	4.2
			5 I was attacked or abused or was fighting with someone	53	2.2
			6 I was in a fire or too near a flame or something hot	29	1.1
			7 I inhaled or swallowed something bad for me	16	0.6
			8 Something else caused my injury	289	11.7
			Missing	324	
44-44	Q20	Q24	During the past 30 days, on how many days were you bullied?		
			1 0 days	2,332	85.0
			2 1 or 2 days	233	8.7
			3 3 to 5 days	73	2.6
			4 6 to 9 days	33	1.3
			5 10 to 19 days	17	0.7
			6 20 to 29 days	9	0.3
			7 All 30 days	40	1.4
			Missing	99	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Trinidad) Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
45-45	Q21	Q25	During the past 30 days, how were you bullied most often?		
			1 I was not bullied during the past 30 days	2,366	87.4
			2 I was hit, kicked, pushed, shoved around, or locked indoors	53	2.1
			3 I was made fun of because of my race, nationality, or color	46	1.6
			4 I was made fun of because of my religion	14	0.6
			5 I was made fun of with sexual jokes, comments, or gestures	40	1.6
			6 I was left out of activities on purpose or completely ignored	23	0.8
			7 I was made fun of because of how my body or face looks	84	3.1
			8 I was bullied in some other way	77	2.7
			Missing	133	
46-46	Q22	Q26	During the past 12 months, how often have you felt lonely?		
			1 Never	1,061	38.7
			2 Rarely	623	22.0
			3 Sometimes	694	24.7
			4 Most of the time	228	8.4
			5 Always	166	6.1
			Missing	64	
47-47	Q23	Q27	During the past 12 months, how often have you been so worried about something that you could not sleep at night?		
			1 Never	1,175	41.9
			2 Rarely	652	22.9
			3 Sometimes	605	21.4
			4 Most of the time	253	9.0
			5 Always	137	4.9
			Missing	14	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Trinidad) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
48-48	Q24	Q28	During the past 12 months, did you ever seriously consider attempting suicide?		
			1 Yes	627	22.8
			2 No	2,139	77.2
			Missing	70	
49-49	Q25	Q29	During the past 12 months, did you make a plan about how you would attempt suicide?		
			1 Yes	585	21.7
			2 No	2,155	78.3
			Missing	96	
50-50	Q26	Q30	During the past 12 months, how many times did you actually attempt suicide?		
			1 0 times	2,427	86.3
			2 1 time	197	7.1
			3 2 or 3 times	108	3.8
			4 4 or 5 times	50	1.8
			5 6 or more times	30	1.1
			Missing	24	
51-51	Q27	Q31	How many close friends do you have?		
			1 0	242	9.2
			2 1	357	12.9
			3 2	460	16.9
			4 3 or more	1,708	61.0
			Missing	69	
52-52	Q28	Q35	How old were you when you first tried a cigarette?		
			1 I have never smoked cigarettes	2,012	74.3
			2 7 years old or younger	126	4.9
			3 8 or 9 years old	92	3.4
			4 10 or 11 years old	104	3.9
			5 12 or 13 years old	183	7.0
			6 14 or 15 years old	131	5.1
			7 16 or 17 years old	35	1.4
			8 18 years old or older	0	0.0
			Missing	153	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Trinidad) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
53-53	Q29	Q36	During the past 30 days, on how many days did you smoke cigarettes?		
			1 0 days	2,527	89.6
			2 1 or 2 days	124	4.7
			3 3 to 5 days	46	1.7
			4 6 to 9 days	32	1.2
			5 10 to 19 days	26	1.0
			6 20 to 29 days	10	0.4
			7 All 30 days	35	1.4
	Missing	36			
54-54	Q30	Q37	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as cigars, hookah, or pipes?		
			1 0 days	2,636	93.5
			2 1 or 2 days	76	2.8
			3 3 to 5 days	32	1.2
			4 6 to 9 days	19	0.7
			5 10 to 19 days	17	0.7
			6 20 to 29 days	8	0.3
			7 All 30 days	21	0.8
	Missing	27			
55-55	Q31	Q38	During the past 12 months, have you ever tried to stop smoking cigarettes?		
			1 I have never smoked cigarettes	2,156	79.2
			2 I did not smoke cigarettes during the past 12 months	278	10.6
			3 Yes	201	7.6
			4 No	67	2.6
	Missing	134			
56-56	Q32	Q39	During the past 7 days, on how many days have people smoked in your presence?		
			1 0 days	1,300	45.7
			2 1 or 2 days	635	22.8
			3 3 or 4 days	233	8.3
			4 5 or 6 days	92	3.3
			5 All 7 days	546	19.8
	Missing	30			

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Trinidad) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
57-57	Q33	Q40	Which of your parents or guardians use any form of tobacco?			
			1	Neither	1,850	66.2
			2	My father or male guardian	501	17.9
			3	My mother or female guardian	109	4.1
			4	Both	138	5.1
			5	I do not know	185	6.7
				Missing	53	
58-58	Q34	Q41	How old were you when you had your first drink of alcohol other than a few sips?			
			1	I have never had a drink of alcohol other than a few sips	1,024	38.1
			2	7 years old or younger	285	11.0
			3	8 or 9 years old	208	8.0
			4	10 or 11 years old	262	10.5
			5	12 or 13 years old	439	17.2
			6	14 or 15 years old	290	11.4
			7	16 or 17 years old	80	3.4
			8	18 years old or older	7	0.3
	Missing	241				
59-59	Q35	Q42	During the past 30 days, on how many days did you have at least one drink containing alcohol?			
			1	0 days	1,922	70.7
			2	1 or 2 days	489	18.0
			3	3 to 5 days	141	5.4
			4	6 to 9 days	67	2.7
			5	10 to 19 days	45	1.7
			6	20 to 29 days	25	0.9
			7	All 30 days	17	0.6
	Missing	130				

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Trinidad) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
60-60	Q36	Q43	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?		
			1 I did not drink alcohol during the past 30 days	1,919	69.2
			2 Less than one drink	322	11.7
			3 1 drink	212	7.5
			4 2 drinks	129	5.0
			5 3 drinks	74	2.9
			6 4 drinks	25	1.0
			7 5 or more drinks	73	2.7
			Missing	82	
61-61	Q37	Q44	During the past 30 days, how did you usually get the alcohol you drank?		
			1 I did not drink alcohol during the past 30 days	1,918	70.9
			2 I bought it in a store, shop, or from a street vendor	101	4.0
			3 I gave someone else money to buy it for me	54	2.2
			4 I got it from my friends	105	4.0
			5 I got it from my family	335	12.6
			6 I stole it or got it without permission	57	2.0
			7 I got it some other way	116	4.3
			Missing	150	
62-62	Q38	Q45	During your life, how many times did you drink so much alcohol that you were really drunk?		
			1 0 times	2,148	77.5
			2 1 or 2 times	385	14.5
			3 3 to 9 times	125	4.9
			4 10 or more times	82	3.0
			Missing	96	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Trinidad) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
63-63	Q39	Q46	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?			
			1	0 times	2,434	90.6
			2	1 or 2 times	172	6.6
			3	3 to 9 times	40	1.6
			4	10 or more times	31	1.2
				Missing	159	
64-64	Q40	Q48	How old were you when you first used drugs?			
			1	I have never used drugs	2,347	86.4
			2	7 years old or younger	64	2.5
			3	8 or 9 years old	58	2.3
			4	10 or 11 years old	33	1.5
			5	12 or 13 years old	80	3.1
			6	14 or 15 years old	84	3.3
			7	16 or 17 years old	25	1.0
			8	18 years old or older	0	0.0
	Missing	145				
65-65	Q41	Q49	During your life, how many times have you used marijuana (also called cannabis, pot, or ganja)?			
			1	0 times	2,444	89.6
			2	1 or 2 times	95	3.7
			3	3 to 9 times	70	2.8
			4	10 to 19 times	25	1.0
			5	20 or more times	73	2.9
	Missing	129				
66-66	Q42	Q50	During the past 30 days, how many times have you used marijuana (also called cannabis, pot, or ganja)?			
			1	0 times	2,536	93.1
			2	1 or 2 times	77	3.2
			3	3 to 9 times	43	1.7
			4	10 to 19 times	18	0.7
			5	20 or more times	34	1.3
	Missing	128				

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Trinidad) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
67-67	Q43	Q51	During your life, how many times have you used amphetamines or methamphetamines (also called ecstasy, crystal, or meth)?			
			1	0 times	2,672	96.9
			2	1 or 2 times	48	1.9
			3	3 to 9 times	14	0.6
			4	10 to 19 times	11	0.4
			5	20 or more times	5	0.2
				Missing	86	
68-68	Q44	Q53	Have you ever had sexual intercourse?			
			1	Yes	630	26.1
			2	No	1,958	73.9
				Missing	248	
69-69	Q45	Q54	How old were you when you had sexual intercourse for the first time?			
			1	I have never had sexual intercourse	2,275	82.1
			2	11 years old or younger	116	4.4
			3	12 years old	65	2.6
			4	13 years old	74	3.0
			5	14 years old	72	2.8
			6	15 years old	61	2.5
			7	16 or 17 years old	57	2.3
			8	18 years old or older	4	0.2
	Missing	112				
70-70	Q46	Q55	During your life, with how many people have you had sexual intercourse?			
			1	I have never had sexual intercourse	2,261	80.9
			2	1 person	192	7.6
			3	2 people	96	3.8
			4	3 people	68	2.8
			5	4 people	45	1.9
			6	5 people	23	0.9
			7	6 or more people	56	2.2
	Missing	95				

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Trinidad) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
71-71	Q47	Q56	The last time you had sexual intercourse, did you or your partner use a condom or rubber?		
			1 I have never had sexual intercourse	2,199	82.3
			2 Yes	214	8.9
			3 No	212	8.8
			Missing	211	
72-72	Q48	Q57	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?		
			1 I have never had sexual intercourse	2,258	82.6
			2 Yes	109	4.2
			3 No	258	10.5
			4 I do not know	63	2.6
			Missing	148	
73-73	Q49	Q58	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
			1 0 days	722	26.9
			2 1 day	373	13.5
			3 2 days	373	13.3
			4 3 days	255	9.1
			5 4 days	197	7.2
			6 5 days	187	6.8
			7 6 days	77	2.7
			8 7 days	550	20.4
			Missing	102	
74-74	Q50	Q59	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?		
			1 0 days	1,908	69.2
			2 1 day	123	4.6
			3 2 days	86	3.4
			4 3 days	79	3.0
			5 4 days	68	2.4
			6 5 days	138	5.1
			7 6 days	16	0.6
			8 7 days	322	11.9
			Missing	96	

**2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS**

**Trinidad & Tobago (Trinidad) Survey  
Public Use Codebook**

<b>Data Location</b>	<b>Standard Variable Name</b>	<b>Country Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
75-75	Q51	Q60	During this school year, on how many days did you go to physical education (PE) class each week?		
			1      0 days	1,016	37.5
			2      1 day	733	26.1
			3      2 days	346	12.3
			4      3 days	145	5.3
			5      4 days	89	3.3
			6      5 or more days	415	15.4
			Missing	92	
76-76	Q52	Q63	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as playing video games, surfing on the internet, talking on the phone, or doing homework?		
			1      Less than 1 hour per day	656	24.5
			2      1 to 2 hours per day	751	27.2
			3      3 to 4 hours per day	594	21.0
			4      5 to 6 hours per day	294	11.0
			5      7 to 8 hours per day	124	4.6
			6      More than 8 hours per day	320	11.8
			Missing	97	
77-77	Q53	Q64	During the past 30 days, on how many days did you miss classes or school without permission?		
			1      0 days	2,264	82.0
			2      1 or 2 days	289	10.8
			3      3 to 5 days	112	4.2
			4      6 to 9 days	38	1.6
			5      10 or more days	37	1.4
			Missing	96	
78-78	Q54	Q65	During the past 30 days, how often were most of the students in your school kind and helpful?		
			1      Never	402	16.0
			2      Rarely	618	23.2
			3      Sometimes	867	32.2
			4      Most of the time	498	17.7
			5      Always	309	10.9
			Missing	142	

**2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS**

**Trinidad & Tobago (Trinidad) Survey  
Public Use Codebook**

<b>Data Location</b>	<b>Standard Variable Name</b>	<b>Country Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
79-79	Q55	Q66	During the past 30 days, how often did your parents or guardians check to see if your homework was done?		
			1 Never	752	28.1
			2 Rarely	396	15.0
			3 Sometimes	503	18.7
			4 Most of the time	373	13.6
			5 Always	682	24.5
			Missing	130	
80-80	Q56	Q67	During the past 30 days, how often did your parents or guardians understand your problems and worries?		
			1 Never	801	30.5
			2 Rarely	428	16.0
			3 Sometimes	490	18.1
			4 Most of the time	368	13.1
			5 Always	607	22.3
			Missing	142	
81-81	Q57	Q68	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?		
			1 Never	506	19.5
			2 Rarely	321	12.0
			3 Sometimes	480	18.1
			4 Most of the time	510	18.9
			5 Always	881	31.5
			Missing	138	
82-82	Q58	Q69	During the past 30 days, how often did your parents or guardians go through your things without your approval?		
			1 Never	1,170	44.2
			2 Rarely	497	18.6
			3 Sometimes	436	16.5
			4 Most of the time	215	8.1
			5 Always	334	12.6
			Missing	184	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Trinidad) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
185-185	QN6		Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)		
			1 Yes	221	8.0
			2 No	2,595	92.0
			Missing	20	
186-186	QN7		Percentage of students who did not eat fruit (during the 30 days before the survey)		
			1 Yes	623	22.8
			2 No	2,189	77.2
			Missing	24	
187-187	QN8		Percentage of students who did not eat vegetables (during the 30 days before the survey)		
			1 Yes	303	11.2
			2 No	2,472	88.8
			Missing	61	
188-188	QN9		Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)		
			1 Yes	482	17.0
			2 No	2,337	83.0
			Missing	17	
189-189	QN10		Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)		
			1 Yes	875	31.2
			2 No	1,948	68.8
			Missing	13	
190-190	QN11		Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)		
			1 Yes	2,682	95.0
			2 No	134	5.0
			Missing	20	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Trinidad) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
191-191	QN12		Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)			
			1	Yes	437	15.8
			2	No	2,369	84.2
				Missing	30	
192-192	QN13		Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)			
			1	Yes	109	4.4
			2	No	2,654	95.6
				Missing	73	
193-193	QN14		Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)			
			1	Yes	340	12.5
			2	No	2,476	87.5
				Missing	20	
194-194	QN15		Percentage of students who were physically attacked (one or more times during the 12 months before the survey)			
			1	Yes	764	28.0
			2	No	2,046	72.0
				Missing	26	
195-195	QN16		Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)			
			1	Yes	853	31.4
			2	No	1,949	68.6
				Missing	34	
196-196	QN17		Percentage of students who were seriously injured (one or more times during the 12 months before the survey)			
			1	Yes	1,025	42.0
			2	No	1,461	58.0
				Missing	350	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Trinidad) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
197-197	QN18		Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)		
			1 Yes	164	21.3
			2 No	604	78.7
			Missing	2,068	
198-198	QN19		Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)		
			1 Yes	34	4.6
			2 No	707	95.4
			Missing	2,095	
199-199	QN20		Percentage of students who were bullied (on one or more days during the 30 days before the survey)		
			1 Yes	405	15.0
			2 No	2,332	85.0
			Missing	99	
200-200	QN21		Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey )		
			1 Yes	53	16.9
			2 No	284	83.1
			Missing	2,499	
201-201	QN22		Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)		
			1 Yes	394	14.5
			2 No	2,378	85.5
			Missing	64	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Trinidad) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
202-202	QN23		Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)		
			1 Yes	390	13.9
			2 No	2,432	86.1
			Missing	14	
203-203	QN24		Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)		
			1 Yes	627	22.8
			2 No	2,139	77.2
			Missing	70	
204-204	QN25		Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)		
			1 Yes	585	21.7
			2 No	2,155	78.3
			Missing	96	
205-205	QN26		Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
			1 Yes	385	13.7
			2 No	2,427	86.3
			Missing	24	
206-206	QN27		Percentage of students who did not have any close friends		
			1 Yes	242	9.2
			2 No	2,525	90.8
			Missing	69	
207-207	QN28		Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)		
			1 Yes	505	74.8
			2 No	166	25.2
			Missing	2,165	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Trinidad) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
208-208	QN29		Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
			1 Yes	273	10.4
			2 No	2,527	89.6
			Missing	36	
209-209	QN30		Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)		
			1 Yes	173	6.5
			2 No	2,636	93.5
			Missing	27	
210-210	QN31		Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)		
			1 Yes	201	74.4
			2 No	67	25.6
			Missing	2,568	
211-211	QN32		Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)		
			1 Yes	1,506	54.3
			2 No	1,300	45.7
			Missing	30	
212-212	QN33		Percentage of students who had parents or guardians who used any form of tobacco		
			1 Yes	748	27.1
			2 No	2,035	72.9
			Missing	53	
213-213	QN34		Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)		
			1 Yes	1,194	75.6
			2 No	377	24.4
			Missing	1,265	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Trinidad) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
214-214	QN35		Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)		
			1 Yes	784	29.3
			2 No	1,922	70.7
			Missing	130	
215-215	QN36		Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)		
			1 Yes	301	37.7
			2 No	534	62.3
			Missing	2,001	
216-216	QN37		Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)		
			1 Yes	105	13.9
			2 No	663	86.1
			Missing	2,068	
217-217	QN38		Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)		
			1 Yes	592	22.5
			2 No	2,148	77.5
			Missing	96	
218-218	QN39		Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)		
			1 Yes	243	9.4
			2 No	2,434	90.6
			Missing	159	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Trinidad) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
219-219	QN40		Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)		
			1 Yes	235	68.1
			2 No	109	31.9
			Missing	2,492	
220-220	QN41		Percentage of students who ever used marijuana (one or more times during their life)		
			1 Yes	263	10.4
			2 No	2,444	89.6
			Missing	129	
221-221	QN42		Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
			1 Yes	172	6.9
			2 No	2,536	93.1
			Missing	128	
222-222	QN43		Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)		
			1 Yes	78	3.1
			2 No	2,672	96.9
			Missing	86	
223-223	QN44		Percentage of students who ever had sexual intercourse		
			1 Yes	630	26.1
			2 No	1,958	73.9
			Missing	248	
224-224	QN45		Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)		
			1 Yes	255	55.9
			2 No	194	44.1
			Missing	2,387	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Trinidad) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
225-225	QN46		Percentage of students who had sexual intercourse with two or more persons (during their life)		
			1 Yes	288	11.5
			2 No	2,453	88.5
			Missing	95	
226-226	QN47		Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)		
			1 Yes	214	50.1
			2 No	212	49.9
			Missing	2,410	
227-227	QN48		Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)		
			1 Yes	109	24.3
			2 No	321	75.7
			Missing	2,406	
228-228	QN49		Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)		
			1 Yes	722	26.9
			2 No	2,012	73.1
			Missing	102	
229-229	QN50		Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)		
			1 Yes	1,908	69.2
			2 No	832	30.8
			Missing	96	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Trinidad) Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
230-230	QN51		Percentage of students who did not attend physical education classes (each week during this school year)		
			1 Yes	1,016	37.5
			2 No	1,728	62.5
			Missing	92	
231-231	QN52		Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)		
			1 Yes	1,332	48.4
			2 No	1,407	51.6
			Missing	97	
232-232	QN53		Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)		
			1 Yes	476	18.0
			2 No	2,264	82.0
			Missing	96	
233-233	QN54		Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)		
			1 Yes	807	28.6
			2 No	1,887	71.4
			Missing	142	
234-234	QN55		Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)		
			1 Yes	1,055	38.1
			2 No	1,651	61.9
			Missing	130	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Trinidad) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
235-235	QN56		Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)		
			1 Yes	975	35.4
			2 No	1,719	64.6
			Missing	142	
236-236	QN57		Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)		
			1 Yes	1,391	50.4
			2 No	1,307	49.6
			Missing	138	
237-237	QN58		Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)		
			1 Yes	1,667	62.8
			2 No	985	37.2
			Missing	184	
350-350	QNUNWTG		Percentage of students who were underweight (<-2SD from median for BMI by age and sex)		
			1 Yes	184	7.3
			2 No	2,333	92.7
			Missing	319	
351-351	QNOWTG		Percentage of students who were overweight (>+1SD from median for BMI by age and sex)		
			1 Yes	837	33.1
			2 No	1,680	66.9
			Missing	319	
352-352	QNOBESEG		Percentage of students who were obese (>+2SD from median for BMI by age and sex)		
			1 Yes	418	16.6
			2 No	2,099	83.4
			Missing	319	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Trinidad) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
353-353	QNFR1G		Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)		
			1 Yes	776	27.7
			2 No	2,036	72.3
			Missing	24	
354-354	QNFR1G		Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)		
			1 Yes	1,413	49.6
			2 No	1,399	50.4
			Missing	24	
355-355	QNFR2G		Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)		
			1 Yes	699	24.7
			2 No	2,113	75.3
			Missing	24	
356-356	QNFR3G		Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)		
			1 Yes	285	10.6
			2 No	2,527	89.4
			Missing	24	
357-357	QNVEGLG		Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)		
			1 Yes	572	20.8
			2 No	2,203	79.2
			Missing	61	
358-358	QNVEG1G		Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)		
			1 Yes	1,900	68.0
			2 No	875	32.0
			Missing	61	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Trinidad) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
359-359	QNVEG2G		Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)		
			1 Yes	1,123	39.9
			2 No	1,652	60.1
			Missing	61	
360-360	QNVEG3G		Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)		
			1 Yes	566	20.4
			2 No	2,209	79.6
			Missing	61	
361-361	QNSODALG		Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)		
			1 Yes	880	30.5
			2 No	1,939	69.5
			Missing	17	
362-362	QNSODA1G		Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)		
			1 Yes	1,457	52.5
			2 No	1,362	47.5
			Missing	17	
363-363	QNSODA2G		Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)		
			1 Yes	948	34.2
			2 No	1,871	65.8
			Missing	17	
364-364	QNSODA3G		Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)		
			1 Yes	505	18.4
			2 No	2,314	81.6
			Missing	17	

**2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS**

**Trinidad & Tobago (Trinidad) Survey  
Public Use Codebook**

<b>Data Location</b>	<b>Standard Variable Name</b>	<b>Country Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
365-365	QNFF1G		Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)		
			1      Yes	1,948	68.8
			2      No	875	31.2
			Missing	13	
366-366	QNFF2G		Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)		
			1      Yes	1,019	35.9
			2      No	1,804	64.1
			Missing	13	
367-367	QNFF3G		Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)		
			1      Yes	541	19.2
			2      No	2,282	80.8
			Missing	13	
368-368	QNC2G		Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)		
			1      Yes	115	30.4
			2      No	260	69.6
			Missing	2,461	
369-369	QNTOB2G		Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)		
			1      Yes	331	12.5
			2      No	2,471	87.5
			Missing	34	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Trinidad) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
370-370	QNNOTB2G		Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)			
			1	Yes	2,471	88.0
			2	No	315	12.0
			Missing	50		
371-371	QNBCANYG		Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)			
			1	Yes	239	61.5
			2	No	146	38.5
			Missing	2,451		
372-372	QNC1G		Percentage of students who ever had sexual intercourse among students who had drunk so much alcohol that they were really drunk (one or more times during their life)			
			1	Yes	240	47.3
			2	No	296	52.7
			Missing	2,300		
373-373	QNPA5G		Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)			
			1	Yes	814	29.9
			2	No	1,920	70.1
			Missing	102		
374-374	QNPA7G		Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)			
			1	Yes	550	20.4
			2	No	2,184	79.6
			Missing	102		

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Trinidad) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
375-375	QNPE3G		Percentage of students who attended physical education classes on three or more days (each week during this school year)		
			1 Yes	649	24.0
			2 No	2,095	76.0
			Missing	92	
376-376	QNPE5G		Percentage of students who attended physical education classes on five or more days (each week during this school year)		
			1 Yes	415	15.4
			2 No	2,329	84.6
			Missing	92	
377-386	WEIGHT				
387-395	STRATUM				
396-400	PSU				