

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Tobago) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
17-17	Q1	Q1	How old are you?			
			1	11 years old or younger	51	4.4
			2	12 years old	175	15.6
			3	13 years old	180	17.0
			4	14 years old	177	16.6
			5	15 years old	195	18.9
			6	16 years old	152	15.9
			7	17 years old	78	8.3
			8	18 years old or older	22	3.2
		Missing	3			
18-18	Q2	Q2	What is your sex?			
			1	Male	524	50.1
			2	Female	499	49.9
				Missing	10	
19-19	Q3	Q3	In what grade are you?			
			1	Form 1	225	19.8
			2	Form 2	246	21.7
			3	Form 3	166	19.0
			4	Form 4	235	19.1
			5	FORM 5	99	14.2
			6	FORM 6	58	6.3
		Missing	4			
20-23	Q4	Q4	How tall are you without your shoes on? (Note: Data are in meters.)			
24-29	Q5	Q5	How much do you weigh without your shoes on? (Note: Data are in kilograms.)			
30-30	Q6	Q6	During the past 30 days, how often did you go hungry because there was not enough food in your home?			
			1	Never	443	43.2
			2	Rarely	227	22.4
			3	Sometimes	258	25.0
			4	Most of the time	65	6.4
			5	Always	27	3.0
		Missing	13			

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Tobago) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
31-31	Q7	Q7	During the past 30 days, how many times per day did you usually eat fruit, such as oranges, pineapples, bananas, papaya, or watermelon?		
			1 I did not eat fruit during the past 30 days	248	24.7
			2 Less than one time per day	280	28.0
			3 1 time per day	221	21.5
			4 2 times per day	136	12.4
			5 3 times per day	59	5.7
			6 4 times per day	23	2.3
			7 5 or more times per day	54	5.3
			Missing	12	
32-32	Q8	Q8	During the past 30 days, how many times per day did you usually eat vegetables, such as lettuce, tomatoes, carrots, pumpkin, or cucumber?		
			1 I did not eat vegetables during the past 30 days	172	17.3
			2 Less than one time per day	221	22.0
			3 1 time per day	290	29.0
			4 2 times per day	167	16.3
			5 3 times per day	63	6.2
			6 4 times per day	29	2.9
			7 5 or more times per day	66	6.3
			Missing	25	
33-33	Q9	Q9	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as Coca Cola, Fanta, Pepsi, Cannings, or Solo?		
			1 I did not drink carbonated soft drinks during the past 30 days	234	22.7
			2 Less than one time per day	322	32.0
			3 1 time per day	177	16.7
			4 2 times per day	134	13.2
			5 3 times per day	74	7.3
			6 4 times per day	24	2.3
			7 5 or more times per day	63	5.9
			Missing	5	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Tobago) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
34-34	Q10	Q11	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as McDonalds, Burger King, KFC, or Pizza Hut?		
			1 0 days	346	34.0
			2 1 day	318	31.1
			3 2 days	163	15.8
			4 3 days	81	7.8
			5 4 days	42	4.0
			6 5 days	18	2.0
			7 6 days	10	1.0
			8 7 days	46	4.3
			Missing	9	
35-35	Q11	Q15	During the past 30 days, how many times per day did you usually clean or brush your teeth?		
			1 I did not clean or brush my teeth during the past 30 days	20	1.9
			2 Less than 1 time per day	40	4.0
			3 1 time per day	136	13.4
			4 2 times per day	523	51.7
			5 3 times per day	208	20.0
			6 4 or more times per day	93	8.9
			Missing	13	
36-36	Q12	Q16	During the past 30 days, how often did you wash your hands before eating?		
			1 Never	47	4.7
			2 Rarely	148	13.9
			3 Sometimes	291	29.4
			4 Most of the time	268	27.0
			5 Always	257	25.0
			Missing	22	
37-37	Q13	Q17	During the past 30 days, how often did you wash your hands after using the toilet or latrine?		
			1 Never	18	2.1
			2 Rarely	29	3.2
			3 Sometimes	57	5.6
			4 Most of the time	149	15.0
			5 Always	742	74.2
			Missing	38	

**2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS**

**Trinidad & Tobago (Tobago) Survey  
Public Use Codebook**

<b>Data Location</b>	<b>Standard Variable Name</b>	<b>Country Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
38-38	Q14	Q18	During the past 30 days, how often did you use soap when washing your hands?			
			1	Never	43	4.4
			2	Rarely	107	10.5
			3	Sometimes	228	21.8
			4	Most of the time	256	25.6
			5	Always	386	37.6
				Missing	13	
39-39	Q15	Q19	During the past 12 months, how many times were you physically attacked?			
			1	0 times	703	68.8
			2	1 time	98	9.4
			3	2 or 3 times	82	8.4
			4	4 or 5 times	39	3.9
			5	6 or 7 times	14	1.6
			6	8 or 9 times	11	1.0
			7	10 or 11 times	4	0.4
			8	12 or more times	66	6.5
	Missing	16				
40-40	Q16	Q20	During the past 12 months, how many times were you in a physical fight?			
			1	0 times	626	61.3
			2	1 time	172	17.2
			3	2 or 3 times	120	12.0
			4	4 or 5 times	37	3.6
			5	6 or 7 times	11	1.1
			6	8 or 9 times	10	1.1
			7	10 or 11 times	6	0.5
			8	12 or more times	34	3.2
	Missing	17				
41-41	Q17	Q21	During the past 12 months, how many times were you seriously injured?			
			1	0 times	459	51.2
			2	1 time	219	24.2
			3	2 or 3 times	136	15.5
			4	4 or 5 times	41	4.6
			5	6 or 7 times	15	1.8
			6	8 or 9 times	6	0.6
			7	10 or 11 times	1	0.1
			8	12 or more times	16	1.8
	Missing	140				

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Tobago) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
42-42	Q18	Q22	During the past 12 months, what was the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	563	61.9
			2 I had a broken bone or a dislocated joint	82	9.0
			3 I had a cut or stab wound	79	8.6
			4 I had a concussion or other head or neck injury, was knocked out, or could not breathe	29	3.1
			5 I had a gunshot wound	7	0.8
			6 I had a bad burn	10	1.0
			7 I was poisoned or took too much of a drug	5	0.7
			8 Something else happened to me	133	14.9
			Missing	125	
43-43	Q19	Q23	During the past 12 months, what was the major cause of the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	575	64.5
			2 I was in a motor vehicle accident or hit by a motor vehicle	13	1.4
			3 I fell	94	10.3
			4 Something fell on me or hit me	36	4.0
			5 I was attacked or abused or was fighting with someone	26	2.9
			6 I was in a fire or too near a flame or something hot	8	0.8
			7 I inhaled or swallowed something bad for me	5	0.6
			8 Something else caused my injury	137	15.5
			Missing	139	
44-44	Q20	Q24	During the past 30 days, on how many days were you bullied?		
			1 0 days	777	79.4
			2 1 or 2 days	118	11.4
			3 3 to 5 days	37	3.7
			4 6 to 9 days	23	2.2
			5 10 to 19 days	9	0.9
			6 20 to 29 days	5	0.5
			7 All 30 days	22	2.0
			Missing	42	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Tobago) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
45-45	Q21	Q25	During the past 30 days, how were you bullied most often?		
			1 I was not bullied during the past 30 days	801	83.1
			2 I was hit, kicked, pushed, shoved around, or locked indoors	34	3.2
			3 I was made fun of because of my race, nationality, or color	24	2.6
			4 I was made fun of because of my religion	3	0.3
			5 I was made fun of with sexual jokes, comments, or gestures	24	2.3
			6 I was left out of activities on purpose or completely ignored	9	0.9
			7 I was made fun of because of how my body or face looks	31	3.0
			8 I was bullied in some other way	48	4.8
			Missing	59	
46-46	Q22	Q26	During the past 12 months, how often have you felt lonely?		
			1 Never	366	35.6
			2 Rarely	212	21.3
			3 Sometimes	257	25.8
			4 Most of the time	108	10.8
			5 Always	60	6.5
			Missing	30	
47-47	Q23	Q27	During the past 12 months, how often have you been so worried about something that you could not sleep at night?		
			1 Never	462	45.1
			2 Rarely	192	18.4
			3 Sometimes	229	22.5
			4 Most of the time	98	9.4
			5 Always	46	4.6
			Missing	6	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Tobago) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
48-48	Q24	Q28	During the past 12 months, did you ever seriously consider attempting suicide?		
			1 Yes	209	21.4
			2 No	791	78.6
			Missing	33	
49-49	Q25	Q29	During the past 12 months, did you make a plan about how you would attempt suicide?		
			1 Yes	233	24.0
			2 No	757	76.0
			Missing	43	
50-50	Q26	Q30	During the past 12 months, how many times did you actually attempt suicide?		
			1 0 times	874	85.4
			2 1 time	70	7.0
			3 2 or 3 times	39	4.0
			4 4 or 5 times	13	1.4
			5 6 or more times	22	2.1
			Missing	15	
51-51	Q27	Q31	How many close friends do you have?		
			1 0	97	9.5
			2 1	119	12.1
			3 2	152	15.3
			4 3 or more	640	63.1
Missing	25				
52-52	Q28	Q35	How old were you when you first tried a cigarette?		
			1 I have never smoked cigarettes	701	72.6
			2 7 years old or younger	44	4.3
			3 8 or 9 years old	39	4.1
			4 10 or 11 years old	78	8.5
			5 12 or 13 years old	48	5.1
			6 14 or 15 years old	35	4.4
			7 16 or 17 years old	9	0.9
			8 18 years old or older	0	0.0
Missing	79				

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Tobago) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
53-53	Q29	Q36	During the past 30 days, on how many days did you smoke cigarettes?		
			1 0 days	911	89.5
			2 1 or 2 days	55	5.7
			3 3 to 5 days	21	2.1
			4 6 to 9 days	9	1.0
			5 10 to 19 days	5	0.5
			6 20 to 29 days	1	0.1
			7 All 30 days	10	1.0
	Missing	21			
54-54	Q30	Q37	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as cigars, hookah, or pipes?		
			1 0 days	936	92.2
			2 1 or 2 days	37	3.5
			3 3 to 5 days	15	1.6
			4 6 to 9 days	11	1.2
			5 10 to 19 days	8	1.0
			6 20 to 29 days	1	0.1
			7 All 30 days	5	0.5
	Missing	20			
55-55	Q31	Q38	During the past 12 months, have you ever tried to stop smoking cigarettes?		
			1 I have never smoked cigarettes	754	77.6
			2 I did not smoke cigarettes during the past 12 months	97	10.4
			3 Yes	76	8.3
			4 No	32	3.7
	Missing	74			
56-56	Q32	Q39	During the past 7 days, on how many days have people smoked in your presence?		
			1 0 days	545	53.4
			2 1 or 2 days	189	18.7
			3 3 or 4 days	81	8.3
			4 5 or 6 days	31	3.1
			5 All 7 days	163	16.5
	Missing	24			

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Tobago) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
57-57	Q33	Q40	Which of your parents or guardians use any form of tobacco?			
			1	Neither	732	73.0
			2	My father or male guardian	122	11.9
			3	My mother or female guardian	28	3.0
			4	Both	37	3.6
			5	I do not know	87	8.5
				Missing	27	
58-58	Q34	Q41	How old were you when you had your first drink of alcohol other than a few sips?			
			1	I have never had a drink of alcohol other than a few sips	288	29.4
			2	7 years old or younger	155	17.4
			3	8 or 9 years old	114	11.7
			4	10 or 11 years old	115	12.2
			5	12 or 13 years old	154	16.5
			6	14 or 15 years old	83	9.1
			7	16 or 17 years old	29	3.4
			8	18 years old or older	2	0.4
	Missing	93				
59-59	Q35	Q42	During the past 30 days, on how many days did you have at least one drink containing alcohol?			
			1	0 days	647	65.2
			2	1 or 2 days	198	20.7
			3	3 to 5 days	61	6.7
			4	6 to 9 days	32	3.3
			5	10 to 19 days	21	2.2
			6	20 to 29 days	7	0.6
			7	All 30 days	13	1.3
	Missing	54				

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Tobago) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
60-60	Q36	Q43	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?		
			1 I did not drink alcohol during the past 30 days	612	60.6
			2 Less than one drink	126	12.8
			3 1 drink	104	10.7
			4 2 drinks	66	7.3
			5 3 drinks	33	4.0
			6 4 drinks	16	1.5
			7 5 or more drinks	29	3.0
			Missing	47	
61-61	Q37	Q44	During the past 30 days, how did you usually get the alcohol you drank?		
			1 I did not drink alcohol during the past 30 days	641	65.4
			2 I bought it in a store, shop, or from a street vendor	55	6.3
			3 I gave someone else money to buy it for me	31	3.4
			4 I got it from my friends	50	5.3
			5 I got it from my family	108	11.5
			6 I stole it or got it without permission	17	1.7
			7 I got it some other way	62	6.5
			Missing	69	
62-62	Q38	Q45	During your life, how many times did you drink so much alcohol that you were really drunk?		
			1 0 times	731	73.3
			2 1 or 2 times	164	17.7
			3 3 to 9 times	49	4.8
			4 10 or more times	39	4.2
			Missing	50	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Tobago) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
63-63	Q39	Q46	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?		
			1 0 times	867	90.3
			2 1 or 2 times	52	5.3
			3 3 to 9 times	29	3.4
			4 10 or more times	9	1.0
		Missing	76		
64-64	Q40	Q48	How old were you when you first used drugs?		
			1 I have never used drugs	806	85.6
			2 7 years old or younger	28	2.9
			3 8 or 9 years old	21	2.2
			4 10 or 11 years old	21	2.4
			5 12 or 13 years old	28	3.1
			6 14 or 15 years old	17	2.1
			7 16 or 17 years old	13	1.6
8 18 years old or older	0	0.0			
		Missing	99		
65-65	Q41	Q49	During your life, how many times have you used marijuana (also called cannabis, pot, or ganja)?		
			1 0 times	853	89.4
			2 1 or 2 times	38	4.2
			3 3 to 9 times	20	2.3
			4 10 to 19 times	10	1.2
		5 20 or more times	24	2.9	
		Missing	88		
66-66	Q42	Q50	During the past 30 days, how many times have you used marijuana (also called cannabis, pot, or ganja)?		
			1 0 times	889	92.4
			2 1 or 2 times	28	3.1
			3 3 to 9 times	12	1.3
			4 10 to 19 times	11	1.4
		5 20 or more times	17	1.9	
		Missing	76		

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Tobago) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
67-67	Q43	Q51	During your life, how many times have you used amphetamines or methamphetamines (also called ecstasy, crystal, or meth)?			
			1	0 times	933	96.5
			2	1 or 2 times	14	1.5
			3	3 to 9 times	10	1.1
			4	10 to 19 times	4	0.5
			5	20 or more times	5	0.5
		Missing		67		
68-68	Q44	Q53	Have you ever had sexual intercourse?			
			1	Yes	302	35.1
			2	No	600	64.9
		Missing		131		
69-69	Q45	Q54	How old were you when you had sexual intercourse for the first time?			
			1	I have never had sexual intercourse	723	73.3
			2	11 years old or younger	74	7.7
			3	12 years old	37	3.9
			4	13 years old	37	3.7
			5	14 years old	36	4.1
			6	15 years old	30	3.5
			7	16 or 17 years old	29	3.6
			8	18 years old or older	1	0.2
		Missing		66		
70-70	Q46	Q55	During your life, with how many people have you had sexual intercourse?			
			1	I have never had sexual intercourse	724	73.7
			2	1 person	94	9.8
			3	2 people	47	5.7
			4	3 people	34	3.9
			5	4 people	11	1.2
			6	5 people	10	1.2
			7	6 or more people	43	4.5
		Missing		70		

**2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS**

**Trinidad & Tobago (Tobago) Survey  
Public Use Codebook**

<b>Data Location</b>	<b>Standard Variable Name</b>	<b>Country Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
71-71	Q47	Q56	The last time you had sexual intercourse, did you or your partner use a condom or rubber?		
			1 I have never had sexual intercourse	696	74.1
			2 Yes	128	14.8
			3 No	97	11.2
			Missing	112	
72-72	Q48	Q57	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?		
			1 I have never had sexual intercourse	698	73.0
			2 Yes	49	5.7
			3 No	143	16.6
			4 I do not know	47	4.7
			Missing	96	
73-73	Q49	Q58	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
			1 0 days	320	32.8
			2 1 day	137	14.3
			3 2 days	102	10.4
			4 3 days	97	10.1
			5 4 days	70	7.5
			6 5 days	51	5.5
			7 6 days	26	2.7
			8 7 days	162	16.7
			Missing	68	
74-74	Q50	Q59	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?		
			1 0 days	673	70.4
			2 1 day	54	5.3
			3 2 days	37	3.8
			4 3 days	31	3.2
			5 4 days	13	1.4
			6 5 days	31	3.2
			7 6 days	10	1.0
			8 7 days	109	11.6
			Missing	75	

**2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS**

**Trinidad & Tobago (Tobago) Survey  
Public Use Codebook**

<b>Data Location</b>	<b>Standard Variable Name</b>	<b>Country Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
75-75	Q51	Q60	During this school year, on how many days did you go to physical education (PE) class each week?		
			1      0 days	348	37.0
			2      1 day	205	21.0
			3      2 days	128	13.6
			4      3 days	52	5.5
			5      4 days	33	3.3
			6      5 or more days	199	19.6
			Missing	68	
76-76	Q52	Q63	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as playing video games, surfing on the internet, talking on the phone, or doing homework?		
			1      Less than 1 hour per day	224	23.8
			2      1 to 2 hours per day	230	23.6
			3      3 to 4 hours per day	225	23.5
			4      5 to 6 hours per day	108	11.4
			5      7 to 8 hours per day	40	4.3
			6      More than 8 hours per day	130	13.5
			Missing	76	
77-77	Q53	Q64	During the past 30 days, on how many days did you miss classes or school without permission?		
			1      0 days	719	74.8
			2      1 or 2 days	144	15.7
			3      3 to 5 days	56	5.9
			4      6 to 9 days	21	2.4
			5      10 or more days	12	1.2
			Missing	81	
78-78	Q54	Q65	During the past 30 days, how often were most of the students in your school kind and helpful?		
			1      Never	172	18.2
			2      Rarely	252	27.2
			3      Sometimes	325	35.6
			4      Most of the time	123	13.3
			5      Always	54	5.6
			Missing	107	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Tobago) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
79-79	Q55	Q66	During the past 30 days, how often did your parents or guardians check to see if your homework was done?			
			1	Never	293	33.0
			2	Rarely	154	16.2
			3	Sometimes	197	20.3
			4	Most of the time	105	10.7
			5	Always	195	19.7
				Missing	89	
80-80	Q56	Q67	During the past 30 days, how often did your parents or guardians understand your problems and worries?			
			1	Never	267	29.2
			2	Rarely	172	19.0
			3	Sometimes	189	20.4
			4	Most of the time	113	11.8
			5	Always	190	19.6
				Missing	102	
81-81	Q57	Q68	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?			
			1	Never	187	20.3
			2	Rarely	154	17.7
			3	Sometimes	187	20.0
			4	Most of the time	160	17.4
			5	Always	236	24.6
				Missing	109	
82-82	Q58	Q69	During the past 30 days, how often did your parents or guardians go through your things without your approval?			
			1	Never	439	49.6
			2	Rarely	176	18.9
			3	Sometimes	130	13.9
			4	Most of the time	66	7.2
			5	Always	96	10.4
				Missing	126	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Tobago) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
185-185	QN6		Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)		
			1 Yes	92	9.4
			2 No	928	90.6
			Missing	13	
186-186	QN7		Percentage of students who did not eat fruit (during the 30 days before the survey)		
			1 Yes	248	24.7
			2 No	773	75.3
			Missing	12	
187-187	QN8		Percentage of students who did not eat vegetables (during the 30 days before the survey)		
			1 Yes	172	17.3
			2 No	836	82.7
			Missing	25	
188-188	QN9		Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)		
			1 Yes	234	22.7
			2 No	794	77.3
			Missing	5	
189-189	QN10		Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)		
			1 Yes	346	34.0
			2 No	678	66.0
			Missing	9	
190-190	QN11		Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)		
			1 Yes	960	94.1
			2 No	60	5.9
			Missing	13	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Tobago) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
191-191	QN12		Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)		
			1 Yes	195	18.6
			2 No	816	81.4
			Missing	22	
192-192	QN13		Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)		
			1 Yes	47	5.2
			2 No	948	94.8
			Missing	38	
193-193	QN14		Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)		
			1 Yes	150	15.0
			2 No	870	85.0
			Missing	13	
194-194	QN15		Percentage of students who were physically attacked (one or more times during the 12 months before the survey)		
			1 Yes	314	31.2
			2 No	703	68.8
			Missing	16	
195-195	QN16		Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
			1 Yes	390	38.7
			2 No	626	61.3
			Missing	17	
196-196	QN17		Percentage of students who were seriously injured (one or more times during the 12 months before the survey)		
			1 Yes	434	48.8
			2 No	459	51.2
			Missing	140	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Tobago) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
197-197	QN18		Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)		
			1 Yes	82	23.7
			2 No	263	76.3
			Missing	688	
198-198	QN19		Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)		
			1 Yes	13	3.9
			2 No	306	96.1
			Missing	714	
199-199	QN20		Percentage of students who were bullied (on one or more days during the 30 days before the survey)		
			1 Yes	214	20.6
			2 No	777	79.4
			Missing	42	
200-200	QN21		Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey )		
			1 Yes	34	18.9
			2 No	139	81.1
			Missing	860	
201-201	QN22		Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)		
			1 Yes	168	17.3
			2 No	835	82.7
			Missing	30	

**2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS**

**Trinidad & Tobago (Tobago) Survey  
Public Use Codebook**

<b>Data Location</b>	<b>Standard Variable Name</b>	<b>Country Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
202-202	QN23		Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)		
			1 Yes	144	14.0
			2 No	883	86.0
			Missing	6	
203-203	QN24		Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)		
			1 Yes	209	21.4
			2 No	791	78.6
			Missing	33	
204-204	QN25		Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)		
			1 Yes	233	24.0
			2 No	757	76.0
			Missing	43	
205-205	QN26		Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
			1 Yes	144	14.6
			2 No	874	85.4
			Missing	15	
206-206	QN27		Percentage of students who did not have any close friends		
			1 Yes	97	9.5
			2 No	911	90.5
			Missing	25	
207-207	QN28		Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)		
			1 Yes	209	80.5
			2 No	44	19.5
			Missing	780	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Tobago) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
208-208	QN29		Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
			1 Yes	101	10.5
			2 No	911	89.5
			Missing	21	
209-209	QN30		Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)		
			1 Yes	77	7.8
			2 No	936	92.2
			Missing	20	
210-210	QN31		Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)		
			1 Yes	76	69.1
			2 No	32	30.9
			Missing	925	
211-211	QN32		Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)		
			1 Yes	464	46.6
			2 No	545	53.4
			Missing	24	
212-212	QN33		Percentage of students who had parents or guardians who used any form of tobacco		
			1 Yes	187	18.5
			2 No	819	81.5
			Missing	27	
213-213	QN34		Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)		
			1 Yes	538	81.8
			2 No	114	18.2
			Missing	381	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Tobago) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
214-214	QN35		Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)		
			1 Yes	332	34.8
			2 No	647	65.2
			Missing	54	
215-215	QN36		Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)		
			1 Yes	144	40.3
			2 No	230	59.7
			Missing	659	
216-216	QN37		Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)		
			1 Yes	50	15.2
			2 No	273	84.8
			Missing	710	
217-217	QN38		Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)		
			1 Yes	252	26.7
			2 No	731	73.3
			Missing	50	
218-218	QN39		Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)		
			1 Yes	90	9.7
			2 No	867	90.3
			Missing	76	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Tobago) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
219-219	QN40		Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)			
			1	Yes	98	73.8
			2	No	30	26.2
				Missing	905	
220-220	QN41		Percentage of students who ever used marijuana (one or more times during their life)			
			1	Yes	92	10.6
			2	No	853	89.4
				Missing	88	
221-221	QN42		Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)			
			1	Yes	68	7.6
			2	No	889	92.4
				Missing	76	
222-222	QN43		Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)			
			1	Yes	33	3.5
			2	No	933	96.5
				Missing	67	
223-223	QN44		Percentage of students who ever had sexual intercourse			
			1	Yes	302	35.1
			2	No	600	64.9
				Missing	131	
224-224	QN45		Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)			
			1	Yes	148	57.5
			2	No	96	42.5
				Missing	789	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Tobago) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
225-225	QN46		Percentage of students who had sexual intercourse with two or more persons (during their life)		
			1 Yes	145	16.5
			2 No	818	83.5
			Missing	70	
226-226	QN47		Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)		
			1 Yes	128	56.9
			2 No	97	43.1
			Missing	808	
227-227	QN48		Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)		
			1 Yes	49	21.1
			2 No	190	78.9
			Missing	794	
228-228	QN49		Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)		
			1 Yes	320	32.8
			2 No	645	67.2
			Missing	68	
229-229	QN50		Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)		
			1 Yes	673	70.4
			2 No	285	29.6
			Missing	75	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Tobago) Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
230-230	QN51		Percentage of students who did not attend physical education classes (each week during this school year)		
			1 Yes	348	37.0
			2 No	617	63.0
			Missing	68	
231-231	QN52		Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)		
			1 Yes	503	52.6
			2 No	454	47.4
			Missing	76	
232-232	QN53		Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)		
			1 Yes	233	25.2
			2 No	719	74.8
			Missing	81	
233-233	QN54		Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)		
			1 Yes	177	19.0
			2 No	749	81.0
			Missing	107	
234-234	QN55		Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)		
			1 Yes	300	30.4
			2 No	644	69.6
			Missing	89	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Tobago) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
235-235	QN56		Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)		
			1 Yes	303	31.4
			2 No	628	68.6
			Missing	102	
236-236	QN57		Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)		
			1 Yes	396	42.0
			2 No	528	58.0
			Missing	109	
237-237	QN58		Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)		
			1 Yes	615	68.4
			2 No	292	31.6
			Missing	126	
350-350	QNUNWTG		Percentage of students who were underweight (<-2SD from median for BMI by age and sex)		
			1 Yes	38	4.0
			2 No	927	96.0
			Missing	68	
351-351	QNOWTG		Percentage of students who were overweight (>+1SD from median for BMI by age and sex)		
			1 Yes	383	39.8
			2 No	582	60.2
			Missing	68	
352-352	QNOBESEG		Percentage of students who were obese (>+2SD from median for BMI by age and sex)		
			1 Yes	191	19.6
			2 No	774	80.4
			Missing	68	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Tobago) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
353-353	QNFR1G		Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)		
			1 Yes	280	28.0
			2 No	741	72.0
			Missing	12	
354-354	QNFR1G		Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)		
			1 Yes	493	47.3
			2 No	528	52.7
			Missing	12	
355-355	QNFR2G		Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)		
			1 Yes	272	25.7
			2 No	749	74.3
			Missing	12	
356-356	QNFR3G		Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)		
			1 Yes	136	13.3
			2 No	885	86.7
			Missing	12	
357-357	QNVEGLG		Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)		
			1 Yes	221	22.0
			2 No	787	78.0
			Missing	25	
358-358	QNVEG1G		Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)		
			1 Yes	615	60.7
			2 No	393	39.3
			Missing	25	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Tobago) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
359-359	QNVEG2G		Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)		
			1 Yes	325	31.7
			2 No	683	68.3
			Missing	25	
360-360	QNVEG3G		Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)		
			1 Yes	158	15.4
			2 No	850	84.6
			Missing	25	
361-361	QNSODALG		Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)		
			1 Yes	322	32.0
			2 No	706	68.0
			Missing	5	
362-362	QNSODA1G		Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)		
			1 Yes	472	45.3
			2 No	556	54.7
			Missing	5	
363-363	QNSODA2G		Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)		
			1 Yes	295	28.6
			2 No	733	71.4
			Missing	5	
364-364	QNSODA3G		Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)		
			1 Yes	161	15.4
			2 No	867	84.6
			Missing	5	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Tobago) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
365-365	QNFF1G		Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)		
			1 Yes	678	66.0
			2 No	346	34.0
			Missing	9	
366-366	QNFF2G		Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)		
			1 Yes	360	34.9
			2 No	664	65.1
			Missing	9	
367-367	QNFF3G		Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)		
			1 Yes	197	19.1
			2 No	827	80.9
			Missing	9	
368-368	QNC2G		Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)		
			1 Yes	59	40.0
			2 No	81	60.0
			Missing	893	
369-369	QNTOB2G		Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)		
			1 Yes	127	13.1
			2 No	882	86.9
			Missing	24	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Tobago) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
370-370	QNNOTB2G		Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)			
			1	Yes	882	87.3
			2	No	123	12.7
				Missing	28	
371-371	QNBCANYG		Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)			
			1	Yes	145	72.5
			2	No	53	27.5
				Missing	835	
372-372	QNC1G		Percentage of students who ever had sexual intercourse among students who had drunk so much alcohol that they were really drunk (one or more times during their life)			
			1	Yes	115	55.7
			2	No	99	44.3
				Missing	819	
373-373	QNPA5G		Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)			
			1	Yes	239	25.0
			2	No	726	75.0
				Missing	68	
374-374	QNPA7G		Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)			
			1	Yes	162	16.7
			2	No	803	83.3
				Missing	68	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Trinidad & Tobago (Tobago) Survey  
Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
375-375	QNPE3G		Percentage of students who attended physical education classes on three or more days (each week during this school year)		
			1 Yes	284	28.4
			2 No	681	71.6
			Missing	68	
376-376	QNPE5G		Percentage of students who attended physical education classes on five or more days (each week during this school year)		
			1 Yes	199	19.6
			2 No	766	80.4
			Missing	68	
377-386	WEIGHT				
387-395	STRATUM				
396-400	PSU				