

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|------------------------|-----------------------|--|----------------------|---------------------|
| 17-17 | Q1 | Q1 | How old are you? | | |
| | | | 1 11 years old or younger | 14 | 0.4 |
| | | | 2 12 years old | 11 | 0.3 |
| | | | 3 13 years old | 715 | 22.1 |
| | | | 4 14 years old | 1,073 | 30.1 |
| | | | 5 15 years old | 1,070 | 30.2 |
| | | | 6 16 years old or older | 605 | 17.0 |
| | | | Missing | 36 | |
| 18-18 | Q2 | Q2 | What is your sex? | | |
| | | | 1 Male | 1,621 | 46.0 |
| | | | 2 Female | 1,867 | 54.0 |
| | | | Missing | 36 | |
| 19-19 | Q3 | Q3 | In what grade are you? | | |
| | | | 1 2 CB | 1,231 | 38.6 |
| | | | 2 3 CB | 1,314 | 34.9 |
| | | | 3 1 BD | 948 | 26.5 |
| | | | Missing | 31 | |
| 20-23 | Q4 | Q6 | How tall are you without your shoes on? (Note: Data are in meters.) | | |
| 24-29 | Q5 | Q7 | How much do you weigh without your shoes on? (Note: Data are in kilograms.) | | |
| 30-30 | Q6 | Q9 | During the past 30 days, how often did you go hungry because there was not enough food in your home? | | |
| | | | 1 Never | 2,661 | 76.6 |
| | | | 2 Rarely | 563 | 16.1 |
| | | | 3 Sometimes | 208 | 5.8 |
| | | | 4 Most of the time | 34 | 0.9 |
| | | | 5 Always | 19 | 0.6 |
| | | | Missing | 39 | |

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|------------------------|-----------------------|--|----------------------|---------------------|
| 31-31 | Q7 | Q12 | During the past 30 days, how many times per day did you usually eat fruit, such as apples, bananas, or oranges? | | |
| | | | 1 I did not eat fruit during the past 30 days | 284 | 8.2 |
| | | | 2 Less than one time per day | 733 | 20.9 |
| | | | 3 1 time per day | 928 | 26.0 |
| | | | 4 2 times per day | 773 | 22.1 |
| | | | 5 3 times per day | 422 | 12.0 |
| | | | 6 4 times per day | 138 | 4.0 |
| | | | 7 5 or more times per day | 235 | 6.9 |
| | | | Missing | 11 | |
| 32-32 | Q8 | Q13 | During the past 30 days, how many times per day did you usually eat vegetables, such as lettuce, tomatoes, or carrots? | | |
| | | | 1 I did not eat vegetables during the past 30 days | 187 | 5.3 |
| | | | 2 Less than one time per day | 700 | 19.6 |
| | | | 3 1 time per day | 1,094 | 30.9 |
| | | | 4 2 times per day | 932 | 27.2 |
| | | | 5 3 times per day | 254 | 7.4 |
| | | | 6 4 times per day | 112 | 3.1 |
| | | | 7 5 or more times per day | 218 | 6.5 |
| | | | Missing | 27 | |
| 33-33 | Q9 | Q15 | During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as Coca Cola, Pepsi, Nix, or Fresquita? | | |
| | | | 1 I did not drink carbonated soft drinks during the past 30 days | 243 | 6.6 |
| | | | 2 Less than one time per day | 813 | 22.4 |
| | | | 3 1 time per day | 586 | 16.6 |
| | | | 4 2 times per day | 610 | 17.3 |
| | | | 5 3 times per day | 428 | 12.7 |
| | | | 6 4 times per day | 295 | 8.4 |
| | | | 7 5 or more times per day | 539 | 15.9 |
| | | | Missing | 10 | |

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|------------------------|-----------------------|--|----------------------|---------------------|
| 34-34 | Q10 | Q16 | During the past 7 days, on how many days did you eat food from a fast food restaurant, such as McDonalds, Burger King, or Barneys? | | |
| | | | 1 0 days | 1,927 | 54.7 |
| | | | 2 1 day | 921 | 26.1 |
| | | | 3 2 days | 343 | 9.9 |
| | | | 4 3 days | 174 | 5.2 |
| | | | 5 4 days | 67 | 2.0 |
| | | | 6 5 days | 35 | 1.0 |
| | | | 7 6 days | 18 | 0.5 |
| | | | 8 7 days | 24 | 0.7 |
| | | | Missing | 15 | |
| 35-35 | Q11 | Q17 | During the past 30 days, how many times per day did you usually clean or brush your teeth? | | |
| | | | 1 I did not clean or brush my teeth during the past 30 days | 26 | 0.7 |
| | | | 2 Less than 1 time per day | 63 | 1.8 |
| | | | 3 1 time per day | 329 | 9.1 |
| | | | 4 2 times per day | 1,035 | 28.4 |
| | | | 5 3 times per day | 1,334 | 39.5 |
| | | | 6 4 or more times per day | 695 | 20.5 |
| | | | Missing | 42 | |
| 36-36 | Q12 | Q18 | During the past 30 days, how often did you wash your hands before eating? | | |
| | | | 1 Never | 152 | 3.9 |
| | | | 2 Rarely | 329 | 8.9 |
| | | | 3 Sometimes | 704 | 19.6 |
| | | | 4 Most of the time | 1,011 | 29.0 |
| | | | 5 Always | 1,316 | 38.7 |
| | | | Missing | 12 | |
| 37-37 | Q13 | Q19 | During the past 30 days, how often did you wash your hands after using the toilet or latrine? | | |
| | | | 1 Never | 80 | 2.0 |
| | | | 2 Rarely | 189 | 5.1 |
| | | | 3 Sometimes | 366 | 10.2 |
| | | | 4 Most of the time | 730 | 20.8 |
| | | | 5 Always | 2,139 | 61.9 |
| | | | Missing | 20 | |

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|------------------------|-----------------------|--|----------------------|---------------------|
| 38-38 | Q14 | Q20 | During the past 30 days, how often did you use soap when washing your hands? | | |
| | | | 1 Never | 55 | 1.5 |
| | | | 2 Rarely | 77 | 2.2 |
| | | | 3 Sometimes | 202 | 5.8 |
| | | | 4 Most of the time | 546 | 15.9 |
| | | | 5 Always | 2,588 | 74.5 |
| | | | Missing | 56 | |
| 39-39 | Q15 | Q21 | During the past 12 months, how many times were you physically attacked? | | |
| | | | 1 0 times | 2,949 | 84.0 |
| | | | 2 1 time | 281 | 7.9 |
| | | | 3 2 or 3 times | 153 | 4.5 |
| | | | 4 4 or 5 times | 48 | 1.5 |
| | | | 5 6 or 7 times | 18 | 0.5 |
| | | | 6 8 or 9 times | 16 | 0.5 |
| | | | 7 10 or 11 times | 7 | 0.2 |
| | | | 8 12 or more times | 33 | 0.9 |
| | | | Missing | 19 | |
| 40-40 | Q16 | Q24 | During the past 12 months, how many times were you in a physical fight? | | |
| | | | 1 0 times | 2,565 | 73.0 |
| | | | 2 1 time | 453 | 12.8 |
| | | | 3 2 or 3 times | 310 | 8.8 |
| | | | 4 4 or 5 times | 80 | 2.3 |
| | | | 5 6 or 7 times | 32 | 0.9 |
| | | | 6 8 or 9 times | 25 | 0.7 |
| | | | 7 10 or 11 times | 15 | 0.4 |
| | | | 8 12 or more times | 40 | 1.1 |
| | | | Missing | 4 | |
| 41-41 | Q17 | Q25 | During the past 12 months, how many times were you seriously injured? | | |
| | | | 1 0 times | 2,170 | 66.4 |
| | | | 2 1 time | 709 | 21.2 |
| | | | 3 2 or 3 times | 302 | 9.1 |
| | | | 4 4 or 5 times | 61 | 1.8 |
| | | | 5 6 or 7 times | 15 | 0.4 |
| | | | 6 8 or 9 times | 10 | 0.3 |
| | | | 7 10 or 11 times | 7 | 0.2 |
| | | | 8 12 or more times | 22 | 0.6 |
| | | | Missing | 228 | |

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|------------------------|-----------------------|--|----------------------|---------------------|
| 42-42 | Q18 | Q26 | During the past 12 months, what was the most serious injury that happened to you? | | |
| | | | 1 I was not seriously injured during the past 12 months | 2,364 | 71.3 |
| | | | 2 I had a broken bone or a dislocated joint | 278 | 8.0 |
| | | | 3 I had a cut or stab wound | 61 | 1.9 |
| | | | 4 I had a concussion or other head or neck injury, was knocked out, or could not breathe | 67 | 2.0 |
| | | | 5 I had a gunshot wound | 9 | 0.3 |
| | | | 6 I had a bad burn | 23 | 0.8 |
| | | | 7 I was poisoned or took too much of a drug | 12 | 0.3 |
| | | | 8 Something else happened to me | 525 | 15.5 |
| | | | Missing | 185 | |
| 43-43 | Q19 | Q27 | During the past 12 months, what was the major cause of the most serious injury that happened to you? | | |
| | | | 1 I was not seriously injured during the past 12 months | 2,325 | 71.0 |
| | | | 2 I was in a motor vehicle accident or hit by a motor vehicle | 70 | 2.2 |
| | | | 3 I fell | 342 | 10.4 |
| | | | 4 Something fell on me or hit me | 76 | 2.2 |
| | | | 5 I was attacked or abused or was fighting with someone | 29 | 0.9 |
| | | | 6 I was in a fire or too near a flame or something hot | 13 | 0.4 |
| | | | 7 I inhaled or swallowed something bad for me | 14 | 0.4 |
| | | | 8 Something else caused my injury | 432 | 12.5 |
| | | | Missing | 223 | |
| 44-44 | Q20 | Q28 | During the past 30 days, on how many days were you bullied? | | |
| | | | 1 0 days | 2,780 | 81.4 |
| | | | 2 1 or 2 days | 443 | 13.0 |
| | | | 3 3 to 5 days | 94 | 2.7 |
| | | | 4 6 to 9 days | 26 | 0.7 |
| | | | 5 10 to 19 days | 29 | 0.8 |
| | | | 6 20 to 29 days | 12 | 0.3 |
| | | | 7 All 30 days | 31 | 1.0 |
| | | | Missing | 109 | |

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|------------------------|-----------------------|--|----------------------|---------------------|
| 45-45 | Q21 | Q29 | During the past 30 days, how were you bullied most often? | | |
| | | 1 | I was not bullied during the past 30 days | 2,836 | 83.6 |
| | | 2 | I was hit, kicked, pushed, shoved around, or locked indoors | 26 | 0.7 |
| | | 3 | I was made fun of because of my race, nationality, or color | 33 | 0.9 |
| | | 4 | I was made fun of because of my religion | 6 | 0.2 |
| | | 5 | I was made fun of with sexual jokes, comments, or gestures | 99 | 3.0 |
| | | 6 | I was left out of activities on purpose or completely ignored | 39 | 1.1 |
| | | 7 | I was made fun of because of how my body or face looks | 165 | 4.9 |
| | | 8 | I was bullied in some other way | 189 | 5.5 |
| | | | Missing | 131 | |
| 46-46 | Q22 | Q34 | During the past 12 months, how often have you felt lonely? | | |
| | | 1 | Never | 1,507 | 43.4 |
| | | 2 | Rarely | 1,062 | 29.8 |
| | | 3 | Sometimes | 678 | 19.6 |
| | | 4 | Most of the time | 178 | 5.1 |
| | | 5 | Always | 68 | 2.0 |
| | | | Missing | 31 | |
| 47-47 | Q23 | Q35 | During the past 12 months, how often have you been so worried about something that you could not sleep at night? | | |
| | | 1 | Never | 1,400 | 40.9 |
| | | 2 | Rarely | 1,168 | 33.3 |
| | | 3 | Sometimes | 710 | 20.0 |
| | | 4 | Most of the time | 149 | 4.5 |
| | | 5 | Always | 43 | 1.3 |
| | | | Missing | 54 | |

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|------------------------|-----------------------|---|----------------------|---------------------|
| 48-48 | Q24 | Q37 | During the past 12 months, did you ever seriously consider attempting suicide? | | |
| | | | 1 Yes | 422 | 12.3 |
| | | | 2 No | 3,058 | 87.7 |
| | | | Missing | 44 | |
| 49-49 | Q25 | Q38 | During the past 12 months, did you make a plan about how you would attempt suicide? | | |
| | | | 1 Yes | 384 | 11.2 |
| | | | 2 No | 3,051 | 88.8 |
| | | | Missing | 89 | |
| 50-50 | Q26 | Q39 | During the past 12 months, how many times did you actually attempt suicide? | | |
| | | | 1 0 times | 3,152 | 89.9 |
| | | | 2 1 time | 234 | 6.7 |
| | | | 3 2 or 3 times | 79 | 2.4 |
| | | | 4 4 or 5 times | 18 | 0.5 |
| | | | 5 6 or more times | 18 | 0.5 |
| | | | Missing | 23 | |
| 51-51 | Q27 | Q41 | How many close friends do you have? | | |
| | | | 1 0 | 107 | 3.1 |
| | | | 2 1 | 250 | 7.3 |
| | | | 3 2 | 490 | 14.3 |
| | | | 4 3 or more | 2,633 | 75.2 |
| | | | Missing | 44 | |
| 52-52 | Q28 | Q46 | How old were you when you first tried a cigarette? | | |
| | | | 1 I have never smoked cigarettes | 2,425 | 70.3 |
| | | | 2 7 years old or younger | 60 | 1.8 |
| | | | 3 8 or 9 years old | 57 | 1.6 |
| | | | 4 10 or 11 years old | 114 | 3.2 |
| | | | 5 12 or 13 years old | 425 | 12.2 |
| | | | 6 14 or 15 years old | 356 | 9.7 |
| | | | 7 16 years old or older | 37 | 1.2 |
| | | | Missing | 50 | |

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|------------------------|-----------------------|--|----------------------|---------------------|
| 53-53 | Q29 | Q47 | During the past 30 days, on how many days did you smoke cigarettes? | | |
| | | | 1 0 days | 3,022 | 86.9 |
| | | | 2 1 or 2 days | 181 | 5.2 |
| | | | 3 3 to 5 days | 63 | 2.0 |
| | | | 4 6 to 9 days | 49 | 1.4 |
| | | | 5 10 to 19 days | 42 | 1.3 |
| | | | 6 20 to 29 days | 36 | 1.1 |
| | | | 7 All 30 days | 74 | 2.2 |
| | | | Missing | 57 | |
| 54-54 | Q30 | Q48 | During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as a pipe or hand rolled tobacco? | | |
| | | | 1 0 days | 3,304 | 94.4 |
| | | | 2 1 or 2 days | 107 | 3.0 |
| | | | 3 3 to 5 days | 41 | 1.2 |
| | | | 4 6 to 9 days | 18 | 0.5 |
| | | | 5 10 to 19 days | 15 | 0.4 |
| | | | 6 20 to 29 days | 9 | 0.2 |
| | | | 7 All 30 days | 11 | 0.3 |
| | | | Missing | 19 | |
| 55-55 | Q31 | Q49 | During the past 12 months, have you ever tried to stop smoking cigarettes? | | |
| | | | 1 I have never smoked cigarettes | 2,660 | 77.1 |
| | | | 2 I did not smoke cigarettes during the past 12 months | 338 | 9.6 |
| | | | 3 Yes | 238 | 7.0 |
| | | | 4 No | 222 | 6.3 |
| | | | Missing | 66 | |
| 56-56 | Q32 | Q50 | During the past 7 days, on how many days have people smoked in your presence? | | |
| | | | 1 0 days | 1,123 | 32.2 |
| | | | 2 1 or 2 days | 934 | 26.9 |
| | | | 3 3 or 4 days | 370 | 10.7 |
| | | | 4 5 or 6 days | 192 | 5.4 |
| | | | 5 All 7 days | 856 | 24.7 |
| | | | Missing | 49 | |

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|------------------------|-----------------------|--|----------------------|---------------------|
| 57-57 | Q33 | Q51 | Which of your parents or guardians use any form of tobacco? | | |
| | | | 1 Neither | 2,088 | 59.5 |
| | | | 2 My father or male guardian | 568 | 16.6 |
| | | | 3 My mother or female guardian | 428 | 12.0 |
| | | | 4 Both | 354 | 10.3 |
| | | | 5 I do not know | 54 | 1.6 |
| | | | Missing | 32 | |
| 58-58 | Q34 | Q52 | How old were you when you had your first drink of alcohol other than a few sips? | | |
| | | | 1 I have never had a drink of alcohol other than a few sips | 957 | 29.5 |
| | | | 2 7 years old or younger | 196 | 6.1 |
| | | | 3 8 or 9 years old | 175 | 5.4 |
| | | | 4 10 or 11 years old | 364 | 11.3 |
| | | | 5 12 or 13 years old | 833 | 25.5 |
| | | | 6 14 or 15 years old | 706 | 20.9 |
| | | | 7 16 years old or older | 40 | 1.2 |
| | | | Missing | 253 | |
| 59-59 | Q35 | Q53 | During the past 30 days, on how many days did you have at least one drink containing alcohol? | | |
| | | | 1 0 days | 1,697 | 51.4 |
| | | | 2 1 or 2 days | 854 | 25.6 |
| | | | 3 3 to 5 days | 407 | 11.9 |
| | | | 4 6 to 9 days | 177 | 5.1 |
| | | | 5 10 to 19 days | 136 | 4.0 |
| | | | 6 20 to 29 days | 41 | 1.3 |
| | | | 7 All 30 days | 26 | 0.8 |
| | | | Missing | 186 | |
| 60-60 | Q36 | Q54 | During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day? | | |
| | | | 1 I did not drink alcohol during the past 30 days | 1,686 | 49.2 |
| | | | 2 Less than one drink | 400 | 11.3 |
| | | | 3 1 drink | 324 | 9.5 |
| | | | 4 2 drinks | 277 | 7.8 |
| | | | 5 3 drinks | 268 | 7.7 |
| | | | 6 4 drinks | 135 | 3.8 |
| | | | 7 5 or more drinks | 368 | 10.7 |
| | | | Missing | 66 | |

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|------------------------|-----------------------|---|----------------------|---------------------|
| 61-61 | Q37 | Q55 | During the past 30 days, how did you usually get the alcohol you drank? | | |
| | | | 1 I did not drink alcohol during the past 30 days | 1,727 | 52.1 |
| | | | 2 I bought it in a store, shop, or from a street vendor | 669 | 19.8 |
| | | | 3 I gave someone else money to buy it for me | 69 | 1.8 |
| | | | 4 I got it from my friends | 347 | 10.4 |
| | | | 5 I got it from my family | 305 | 9.0 |
| | | | 6 I stole it or got it without permission | 18 | 0.5 |
| | | | 7 I got it some other way | 221 | 6.5 |
| | | | Missing | 168 | |
| 62-62 | Q38 | Q56 | During your life, how many times did you drink so much alcohol that you were really drunk? | | |
| | | | 1 0 times | 2,408 | 71.1 |
| | | | 2 1 or 2 times | 634 | 19.0 |
| | | | 3 3 to 9 times | 238 | 6.5 |
| | | | 4 10 or more times | 123 | 3.4 |
| | | | Missing | 121 | |
| 63-63 | Q39 | Q57 | During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol? | | |
| | | | 1 0 times | 2,678 | 78.2 |
| | | | 2 1 or 2 times | 534 | 15.5 |
| | | | 3 3 to 9 times | 152 | 4.5 |
| | | | 4 10 or more times | 67 | 1.9 |
| | | | Missing | 93 | |
| 65-65 | Q41 | Q60 | During your life, how many times have you used marijuana ? | | |
| | | | 1 0 times | 3,024 | 87.3 |
| | | | 2 1 or 2 times | 165 | 4.6 |
| | | | 3 3 to 9 times | 125 | 3.3 |
| | | | 4 10 to 19 times | 50 | 1.3 |
| | | | 5 20 or more times | 129 | 3.5 |
| | | | Missing | 31 | |

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|------------------------|-----------------------|--|----------------------|---------------------|
| 68-68 | Q44 | Q64 | Have you ever had sexual intercourse? | | |
| | | | 1 Yes | 1,140 | 34.2 |
| | | | 2 No | 2,244 | 65.8 |
| | | | Missing | 140 | |
| 69-69 | Q45 | Q65 | How old were you when you had sexual intercourse for the first time? | | |
| | | | 1 I have never had sexual intercourse | 2,397 | 69.5 |
| | | | 2 11 years old or younger | 68 | 2.0 |
| | | | 3 12 years old | 92 | 3.0 |
| | | | 4 13 years old | 194 | 5.7 |
| | | | 5 14 years old | 354 | 10.5 |
| | | | 6 15 years old | 261 | 7.6 |
| | | | 7 16 years old or older | 59 | 1.7 |
| | | | Missing | 99 | |
| 70-70 | Q46 | Q66 | During your life, with how many people have you had sexual intercourse? | | |
| | | | 1 I have never had sexual intercourse | 2,441 | 70.3 |
| | | | 2 1 person | 473 | 13.9 |
| | | | 3 2 people | 176 | 5.1 |
| | | | 4 3 people | 125 | 3.8 |
| | | | 5 4 people | 65 | 1.8 |
| | | | 6 5 people | 43 | 1.3 |
| | | | 7 6 or more people | 125 | 3.7 |
| | | | Missing | 76 | |
| 71-71 | Q47 | Q67 | The last time you had sexual intercourse, did you or your partner use a condom forro, or preservativo? | | |
| | | | 1 I have never had sexual intercourse | 2,416 | 70.2 |
| | | | 2 Yes | 818 | 24.3 |
| | | | 3 No | 187 | 5.4 |
| | | | Missing | 103 | |

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|------------------------|-----------------------|---|----------------------|---------------------|
| 72-72 | Q48 | Q69 | The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy? | | |
| | | | 1 I have never had sexual intercourse | 2,414 | 70.3 |
| | | | 2 Yes | 505 | 15.2 |
| | | | 3 No | 411 | 11.9 |
| | | | 4 I do not know | 87 | 2.7 |
| | | | Missing | 107 | |
| 73-73 | Q49 | Q72 | During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? | | |
| | | | 1 0 days | 724 | 20.9 |
| | | | 2 1 day | 399 | 11.8 |
| | | | 3 2 days | 685 | 19.5 |
| | | | 4 3 days | 443 | 12.3 |
| | | | 5 4 days | 278 | 7.5 |
| | | | 6 5 days | 268 | 7.5 |
| | | | 7 6 days | 164 | 4.6 |
| | | | 8 7 days | 537 | 15.9 |
| | | | Missing | 26 | |
| 74-74 | Q50 | Q73 | During the past 7 days, on how many days did you walk or ride a bicycle to or from school? | | |
| | | | 1 0 days | 1,213 | 32.9 |
| | | | 2 1 day | 203 | 5.7 |
| | | | 3 2 days | 185 | 5.2 |
| | | | 4 3 days | 130 | 3.5 |
| | | | 5 4 days | 94 | 2.6 |
| | | | 6 5 days | 312 | 9.0 |
| | | | 7 6 days | 279 | 8.6 |
| | | | 8 7 days | 1,064 | 32.3 |
| | | | Missing | 44 | |
| 75-75 | Q51 | Q74 | During this school year, on how many days did you go to physical education (PE) class each week? | | |
| | | | 1 0 days | 441 | 12.7 |
| | | | 2 1 day | 280 | 8.2 |
| | | | 3 2 days | 1,538 | 44.3 |
| | | | 4 3 days | 211 | 6.5 |
| | | | 5 4 days | 63 | 1.8 |
| | | | 6 5 or more days | 884 | 26.6 |
| | | | Missing | 107 | |

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|------------------------|-----------------------|--|----------------------|---------------------|
| 76-76 | Q52 | Q75 | How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as drinking mate? | | |
| | | | 1 Less than 1 hour per day | 411 | 12.3 |
| | | | 2 1 to 2 hours per day | 978 | 28.6 |
| | | | 3 3 to 4 hours per day | 1,174 | 32.8 |
| | | | 4 5 to 6 hours per day | 532 | 15.4 |
| | | | 5 7 to 8 hours per day | 152 | 4.5 |
| | | | 6 More than 8 hours per day | 218 | 6.4 |
| | | | Missing | 59 | |
| 77-77 | Q53 | Q76 | During the past 30 days, on how many days did you miss classes or school without permission? | | |
| | | | 1 0 days | 2,544 | 73.3 |
| | | | 2 1 or 2 days | 628 | 18.0 |
| | | | 3 3 to 5 days | 184 | 5.2 |
| | | | 4 6 to 9 days | 60 | 1.7 |
| | | | 5 10 or more days | 56 | 1.7 |
| | | | Missing | 52 | |
| 78-78 | Q54 | Q77 | During the past 30 days, how often were most of the students in your school kind and helpful? | | |
| | | | 1 Never | 153 | 4.7 |
| | | | 2 Rarely | 272 | 8.1 |
| | | | 3 Sometimes | 639 | 18.5 |
| | | | 4 Most of the time | 1,165 | 33.5 |
| | | | 5 Always | 1,208 | 35.3 |
| | | | Missing | 87 | |
| 79-79 | Q55 | Q78 | During the past 30 days, how often did your parents or guardians check to see if your homework was done? | | |
| | | | 1 Never | 626 | 17.8 |
| | | | 2 Rarely | 510 | 14.8 |
| | | | 3 Sometimes | 712 | 19.9 |
| | | | 4 Most of the time | 714 | 20.8 |
| | | | 5 Always | 896 | 26.7 |
| | | | Missing | 66 | |

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|------------------------|-----------------------|---|----------------------|---------------------|
| 80-80 | Q56 | Q79 | During the past 30 days, how often did your parents or guardians understand your problems and worries? | | |
| | | | 1 Never | 416 | 12.5 |
| | | | 2 Rarely | 370 | 10.8 |
| | | | 3 Sometimes | 556 | 15.8 |
| | | | 4 Most of the time | 833 | 23.8 |
| | | | 5 Always | 1,269 | 37.0 |
| | | | Missing | 80 | |
| 81-81 | Q57 | Q80 | During the past 30 days, how often did your parents or guardians really know what you were doing with your free time? | | |
| | | | 1 Never | 249 | 7.6 |
| | | | 2 Rarely | 252 | 7.5 |
| | | | 3 Sometimes | 518 | 14.5 |
| | | | 4 Most of the time | 930 | 26.6 |
| | | | 5 Always | 1,493 | 43.8 |
| | | | Missing | 82 | |
| 185-185 | QN6 | | Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days | | |
| | | | 1 Yes | 53 | 1.5 |
| | | | 2 No | 3,432 | 98.5 |
| | | | Missing | 39 | |
| 186-186 | QN7 | | Percentage of students who usually ate fruit two or more times per day during the past 30 days | | |
| | | | 1 Yes | 1,568 | 44.9 |
| | | | 2 No | 1,945 | 55.1 |
| | | | Missing | 11 | |
| 187-187 | QN8 | | Percentage of students who usually ate vegetables three or more times per day during the past 30 days | | |
| | | | 1 Yes | 584 | 16.9 |
| | | | 2 No | 2,913 | 83.1 |
| | | | Missing | 27 | |

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|------------------------|-----------------------|---|----------------------|---------------------|
| 188-188 | QN9 | | Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days | | |
| | | 1 | Yes | 2,458 | 71.0 |
| | | 2 | No | 1,056 | 29.0 |
| | | | Missing | 10 | |
| 189-189 | QN10 | | Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days | | |
| | | 1 | Yes | 318 | 9.3 |
| | | 2 | No | 3,191 | 90.7 |
| | | | Missing | 15 | |
| 190-190 | QN11 | | Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days | | |
| | | 1 | Yes | 89 | 2.6 |
| | | 2 | No | 3,393 | 97.4 |
| | | | Missing | 42 | |
| 191-191 | QN12 | | Percentage of students who never or rarely washed their hands before eating during the past 30 days | | |
| | | 1 | Yes | 481 | 12.8 |
| | | 2 | No | 3,031 | 87.2 |
| | | | Missing | 12 | |
| 192-192 | QN13 | | Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days | | |
| | | 1 | Yes | 269 | 7.0 |
| | | 2 | No | 3,235 | 93.0 |
| | | | Missing | 20 | |
| 193-193 | QN14 | | Percentage of students who never or rarely used soap when washing their hands during the past 30 days | | |
| | | 1 | Yes | 132 | 3.7 |
| | | 2 | No | 3,336 | 96.3 |
| | | | Missing | 56 | |

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|------------------------|-----------------------|--|----------------------|---------------------|
| 194-194 | QN15 | | Percentage of students who were physically attacked one or more times during the past 12 months | | |
| | | 1 | Yes | 556 | 16.0 |
| | | 2 | No | 2,949 | 84.0 |
| | | | Missing | 19 | |
| 195-195 | QN16 | | Percentage of students who were in a physical fight one or more times during the past 12 months | | |
| | | 1 | Yes | 955 | 27.0 |
| | | 2 | No | 2,565 | 73.0 |
| | | | Missing | 4 | |
| 196-196 | QN17 | | Percentage of students who were seriously injured one or more times during the past 12 months | | |
| | | 1 | Yes | 1,126 | 33.6 |
| | | 2 | No | 2,170 | 66.4 |
| | | | Missing | 228 | |
| 197-197 | QN18 | | Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint | | |
| | | 1 | Yes | 278 | 28.0 |
| | | 2 | No | 697 | 72.0 |
| | | | Missing | 2,549 | |
| 198-198 | QN19 | | Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle | | |
| | | 1 | Yes | 70 | 7.7 |
| | | 2 | No | 906 | 92.3 |
| | | | Missing | 2,548 | |
| 199-199 | QN20 | | Percentage of students who were bullied on one or more days during the past 30 days | | |
| | | 1 | Yes | 635 | 18.6 |
| | | 2 | No | 2,780 | 81.4 |
| | | | Missing | 109 | |

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|------------------------|-----------------------|--|----------------------|---------------------|
| 200-200 | QN21 | | Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors | | |
| | | 1 | Yes | 26 | 4.5 |
| | | 2 | No | 531 | 95.5 |
| | | | Missing | 2,967 | |
| 201-201 | QN22 | | Percentage of students who most of the time or always felt lonely during the past 12 months | | |
| | | 1 | Yes | 246 | 7.1 |
| | | 2 | No | 3,247 | 92.9 |
| | | | Missing | 31 | |
| 202-202 | QN23 | | Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months | | |
| | | 1 | Yes | 192 | 5.8 |
| | | 2 | No | 3,278 | 94.2 |
| | | | Missing | 54 | |
| 203-203 | QN24 | | Percentage of students who ever seriously considered attempting suicide during the past 12 months | | |
| | | 1 | Yes | 422 | 12.3 |
| | | 2 | No | 3,058 | 87.7 |
| | | | Missing | 44 | |
| 204-204 | QN25 | | Percentage of students who made a plan about how they would attempt suicide during the past 12 months | | |
| | | 1 | Yes | 384 | 11.2 |
| | | 2 | No | 3,051 | 88.8 |
| | | | Missing | 89 | |
| 205-205 | QN26 | | Percentage of students who actually attempted suicide one or more times during the past 12 months | | |
| | | 1 | Yes | 349 | 10.1 |
| | | 2 | No | 3,152 | 89.9 |
| | | | Missing | 23 | |
| 206-206 | QN27 | | Percentage of students who had no close friends | | |
| | | 1 | Yes | 107 | 3.1 |
| | | 2 | No | 3,373 | 96.9 |
| | | | Missing | 44 | |

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|------------------------|-----------------------|---|----------------------|---------------------|
| 207-207 | QN28 | | Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years | | |
| | | | 1 Yes | 656 | 63.1 |
| | | | 2 No | 393 | 36.9 |
| | | | Missing | 2,475 | |
| 208-208 | QN29 | | Percentage of students who smoked cigarettes on one or more days during the past 30 days | | |
| | | | 1 Yes | 445 | 13.1 |
| | | | 2 No | 3,022 | 86.9 |
| | | | Missing | 57 | |
| 209-209 | QN30 | | Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days | | |
| | | | 1 Yes | 201 | 5.6 |
| | | | 2 No | 3,304 | 94.4 |
| | | | Missing | 19 | |
| 210-210 | QN31 | | Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months | | |
| | | | 1 Yes | 238 | 52.7 |
| | | | 2 No | 222 | 47.3 |
| | | | Missing | 3,064 | |
| 211-211 | QN32 | | Percentage of students who reported people smoked in their presence on one or more days during the past seven days | | |
| | | | 1 Yes | 2,352 | 67.8 |
| | | | 2 No | 1,123 | 32.2 |
| | | | Missing | 49 | |
| 212-212 | QN33 | | Percentage of students who had parents or guardians who used any form of tobacco | | |
| | | | 1 Yes | 1,350 | 38.9 |
| | | | 2 No | 2,142 | 61.1 |
| | | | Missing | 32 | |

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|------------------------|-----------------------|---|----------------------|---------------------|
| 213-213 | QN34 | | Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years | | |
| | | 1 | Yes | 1,568 | 68.6 |
| | | 2 | No | 746 | 31.4 |
| | | | Missing | 1,210 | |
| 214-214 | QN35 | | Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days | | |
| | | 1 | Yes | 1,641 | 48.6 |
| | | 2 | No | 1,697 | 51.4 |
| | | | Missing | 186 | |
| 215-215 | QN36 | | Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol | | |
| | | 1 | Yes | 1,048 | 59.0 |
| | | 2 | No | 724 | 41.0 |
| | | | Missing | 1,752 | |
| 216-216 | QN37 | | Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends | | |
| | | 1 | Yes | 347 | 21.7 |
| | | 2 | No | 1,282 | 78.3 |
| | | | Missing | 1,895 | |
| 217-217 | QN38 | | Percentage of students who drank so much alcohol that they were really drunk one or more times during their life | | |
| | | 1 | Yes | 995 | 28.9 |
| | | 2 | No | 2,408 | 71.1 |
| | | | Missing | 121 | |
| 218-218 | QN39 | | Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol | | |
| | | 1 | Yes | 753 | 21.8 |
| | | 2 | No | 2,678 | 78.2 |
| | | | Missing | 93 | |

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|------------------------|-----------------------|---|----------------------|---------------------|
| 220-220 | QN41 | | Percentage of students who used marijuana one or more times during their life | | |
| | | 1 | Yes | 469 | 12.7 |
| | | 2 | No | 3,024 | 87.3 |
| | | | Missing | 31 | |
| 223-223 | QN44 | | Percentage of students who ever had sexual intercourse | | |
| | | 1 | Yes | 1,140 | 34.2 |
| | | 2 | No | 2,244 | 65.8 |
| | | | Missing | 140 | |
| 224-224 | QN45 | | Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years | | |
| | | 1 | Yes | 354 | 34.7 |
| | | 2 | No | 674 | 65.3 |
| | | | Missing | 2,496 | |
| 225-225 | QN46 | | Percentage of students who had sexual intercourse with two or more people during their life | | |
| | | 1 | Yes | 534 | 15.8 |
| | | 2 | No | 2,914 | 84.2 |
| | | | Missing | 76 | |
| 226-226 | QN47 | | Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse | | |
| | | 1 | Yes | 818 | 81.7 |
| | | 2 | No | 187 | 18.3 |
| | | | Missing | 2,519 | |
| 227-227 | QN48 | | Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse | | |
| | | 1 | Yes | 505 | 51.0 |
| | | 2 | No | 498 | 49.0 |
| | | | Missing | 2,521 | |

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|------------------------|-----------------------|---|----------------------|---------------------|
| 228-228 | QN49 | | Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days | | |
| | | 1 | Yes | 969 | 28.0 |
| | | 2 | No | 2,529 | 72.0 |
| | | | Missing | 26 | |
| 229-229 | QN50 | | Percentage of students who did not walk or ride a bicycle to or from school during the past seven days | | |
| | | 1 | Yes | 1,213 | 32.9 |
| | | 2 | No | 2,267 | 67.1 |
| | | | Missing | 44 | |
| 230-230 | QN51 | | Percentage of students who went to physical education (PE) class on three or more days each week during this school year | | |
| | | 1 | Yes | 1,158 | 34.9 |
| | | 2 | No | 2,259 | 65.1 |
| | | | Missing | 107 | |
| 231-231 | QN52 | | Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities | | |
| | | 1 | Yes | 2,076 | 59.1 |
| | | 2 | No | 1,389 | 40.9 |
| | | | Missing | 59 | |
| 232-232 | QN53 | | Percentage of students who missed classes or school without permission on one or more of the past 30 days | | |
| | | 1 | Yes | 928 | 26.7 |
| | | 2 | No | 2,544 | 73.3 |
| | | | Missing | 52 | |
| 233-233 | QN54 | | Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days | | |
| | | 1 | Yes | 2,373 | 68.7 |
| | | 2 | No | 1,064 | 31.3 |
| | | | Missing | 87 | |

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|------------------------|-----------------------|--|----------------------|---------------------|
| 234-234 | QN55 | | Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days | | |
| | | 1 | Yes | 1,610 | 47.5 |
| | | 2 | No | 1,848 | 52.5 |
| | | | Missing | 66 | |
| 235-235 | QN56 | | Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days | | |
| | | 1 | Yes | 2,102 | 60.9 |
| | | 2 | No | 1,342 | 39.1 |
| | | | Missing | 80 | |
| 236-236 | QN57 | | Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days | | |
| | | 1 | Yes | 2,423 | 70.4 |
| | | 2 | No | 1,019 | 29.6 |
| | | | Missing | 82 | |
| 350-350 | QNOWTG | | Percentage of students who were overweight (>+1SD from median for BMI by age and sex) | | |
| | | 1 | Yes | 842 | 26.6 |
| | | 2 | No | 2,305 | 73.4 |
| | | | Missing | 377 | |
| 351-351 | QNOBESEG | | Percentage of students who were obese (>+2SD from median for BMI by age and sex) | | |
| | | 1 | Yes | 224 | 7.0 |
| | | 2 | No | 2,923 | 93.0 |
| | | | Missing | 377 | |
| 352-352 | QNUNWTG | | Percentage of students who were underweight (<-2SD from median for BMI by age and sex) | | |
| | | 1 | Yes | 60 | 2.0 |
| | | 2 | No | 3,087 | 98.0 |
| | | | Missing | 377 | |

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|------------------------|-----------------------|---|----------------------|---------------------|
| 353-353 | QNFRVGG | | Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days | | |
| | | | 1 Yes | 834 | 24.4 |
| | | | 2 No | 2,657 | 75.6 |
| | | | Missing | 33 | |
| 354-354 | QNANYTBG | | Percentage of students who used any tobacco on one or more days during the past 30 days | | |
| | | | 1 Yes | 465 | 13.6 |
| | | | 2 No | 2,997 | 86.4 |
| | | | Missing | 62 | |
| 355-355 | QNPA7G | | Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days | | |
| | | | 1 Yes | 537 | 15.9 |
| | | | 2 No | 2,961 | 84.1 |
| | | | Missing | 26 | |
| 356-356 | QNPE5G | | Percentage of students who went to physical education (PE) class on five or more days each week during this school year | | |
| | | | 1 Yes | 884 | 26.6 |
| | | | 2 No | 2,533 | 73.4 |
| | | | Missing | 107 | |
| 357-357 | QNC1G | | Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse | | |
| | | | 1 Yes | 543 | 58.3 |
| | | | 2 No | 407 | 41.7 |
| | | | Missing | 2,574 | |
| 358-358 | QNC2G | | Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days | | |
| | | | 1 Yes | 66 | 36.3 |
| | | | 2 No | 120 | 63.7 |
| | | | Missing | 3,338 | |

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay Survey Public Use Codebook

| Data Location | Standard Variable Name | Country Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|------------------------|-----------------------|-------------------------|----------------------|---------------------|
| 362-371 | WEIGHT | | | | |
| 372-380 | STRATUM | | | | |
| 381-385 | PSU | | | | |