

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Argentina Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
17-17	Q1	Q1	How old are you?		
			1 11 years old or younger	79	0.4
			2 12 years old	638	5.0
			3 13 years old	4,989	20.6
			4 14 years old	8,177	29.5
			5 15 years old	7,724	25.4
			6 16 years old or older	6,527	19.2
			Missing	234	
18-18	Q2	Q2	What is your sex?		
			1 Male	13,364	48.3
			2 Female	14,624	51.7
			Missing	380	
19-19	Q3	Q3	In what grade are you?		
			1 8th EGB	9,288	37.2
			2 9th EGB	9,972	33.5
			3 1st Pol	8,287	29.3
			Missing	821	
20-23	Q4	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
24-29	Q5	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
30-30	Q6	Q8	During the past 30 days, how often did you go hungry because there was not enough food in your home?		
			1 Never	17,611	64.4
			2 Rarely	5,966	19.9
			3 Sometimes	3,374	11.8
			4 Most of the time	584	2.2
			5 Always	486	1.7
			Missing	347	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Argentina Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
31-31	Q7	Q9	During the past 30 days, how many times per day did you usually eat fruit, such as apples, bananas, oranges, and mandarins?		
			1 I did not eat fruit during the past 30 days	3,186	10.4
			2 Less than one time per day	6,166	22.3
			3 1 time per day	8,399	29.1
			4 2 times per day	5,639	22.0
			5 3 times per day	2,493	8.8
			6 4 times per day	805	2.7
			7 5 or more times per day	1,418	4.7
			Missing	262	
32-32	Q8	Q10	During the past 30 days, how many times per day did you usually eat vegetables, such as lettuce, tomatoes, carrots, and pumpkin?		
			1 I did not eat vegetables during the past 30 days	2,044	8.8
			2 Less than one time per day	4,996	18.5
			3 1 time per day	10,244	35.1
			4 2 times per day	7,096	24.5
			5 3 times per day	1,486	6.1
			6 4 times per day	591	2.1
			7 5 or more times per day	1,564	4.9
			Missing	347	
33-33	Q9	Q11	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as Coke, Pepsi, Sprite, and Fanta?		
			1 I did not drink carbonated soft drinks during the past 30 days	2,591	10.0
			2 Less than one time per day	7,195	24.2
			3 1 time per day	5,479	18.0
			4 2 times per day	4,570	15.9
			5 3 times per day	2,926	10.9
			6 4 times per day	1,478	5.9
			7 5 or more times per day	3,806	15.1
			Missing	323	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Argentina Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
34-34	Q10	Q12	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as McDonalds or Burger King?		
			1 0 days	19,869	68.4
			2 1 day	4,609	17.6
			3 2 days	1,840	7.0
			4 3 days	851	3.6
			5 4 days	360	1.2
			6 5 days	197	0.7
			7 6 days	91	0.3
			8 7 days	356	1.2
			Missing	195	
35-35	Q11	Q13	During the past 30 days, how many times per day did you usually clean or brush your teeth?		
			1 I did not clean or brush my teeth during the past 30 days	554	2.3
			2 Less than 1 time per day	1,438	5.0
			3 1 time per day	4,544	15.4
			4 2 times per day	8,832	33.3
			5 3 times per day	9,030	31.0
			6 4 or more times per day	3,734	12.9
			Missing	236	
36-36	Q12	Q14	During the past 30 days, how often did you wash your hands before eating?		
			1 Never	811	3.5
			2 Rarely	2,267	7.9
			3 Sometimes	4,530	16.8
			4 Most of the time	7,648	27.1
			5 Always	12,706	44.6
			Missing	406	
37-37	Q13	Q15	During the past 30 days, how often did you wash your hands after using the toilet or latrine?		
			1 Never	585	2.4
			2 Rarely	997	3.8
			3 Sometimes	2,201	7.6
			4 Most of the time	4,748	17.3
			5 Always	19,590	68.9
			Missing	247	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Argentina Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
38-38	Q14	Q16	During the past 30 days, how often did you use soap when washing your hands?		
			1 Never	563	2.0
			2 Rarely	1,327	4.9
			3 Sometimes	3,404	11.2
			4 Most of the time	6,531	22.3
			5 Always	16,192	59.6
			Missing	351	
39-39	Q15	Q23	During the past 12 months, how many times were you physically attacked?		
			1 0 times	21,100	75.0
			2 1 time	2,995	11.1
			3 2 or 3 times	1,938	6.8
			4 4 or 5 times	520	2.2
			5 6 or 7 times	260	0.9
			6 8 or 9 times	207	0.8
			7 10 or 11 times	92	0.3
			8 12 or more times	775	2.9
			Missing	481	
40-40	Q16	Q24	During the past 12 months, how many times were you in a physical fight?		
			1 0 times	18,708	65.9
			2 1 time	4,017	14.2
			3 2 or 3 times	2,806	9.2
			4 4 or 5 times	860	2.7
			5 6 or 7 times	436	1.8
			6 8 or 9 times	237	1.4
			7 10 or 11 times	141	0.6
			8 12 or more times	1,051	4.2
			Missing	112	
41-41	Q17	Q25	During the past 12 months, how many times were you seriously injured?		
			1 0 times	16,171	66.4
			2 1 time	5,490	21.3
			3 2 or 3 times	2,144	7.9
			4 4 or 5 times	461	1.8
			5 6 or 7 times	177	0.5
			6 8 or 9 times	98	0.4
			7 10 or 11 times	48	0.1
			8 12 or more times	225	1.6
			Missing	3,554	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Argentina Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
42-42	Q18	Q26	During the past 12 months, what was the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	18,894	74.8
			2 I had a broken bone or a dislocated joint	1,662	6.3
			3 I had a cut or stab wound	495	2.6
			4 I had a concussion or other head or neck injury, was knocked out, or could not breathe	532	1.7
			5 I had a gunshot wound	104	0.4
			6 I had a bad burn	182	0.6
			7 I was poisoned or took too much of a drug	105	0.4
			8 Something else happened to me	3,589	13.2
			Missing	2,805	
43-43	Q19	Q27	During the past 12 months, what was the major cause of the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	18,540	73.7
			2 I was in a motor vehicle accident or hit by a motor vehicle	601	2.2
			3 I fell	2,495	8.8
			4 Something fell on me or hit me	544	2.8
			5 I was attacked or abused or was fighting with someone	392	1.4
			6 I was in a fire or too near a flame or something hot	80	0.3
			7 I inhaled or swallowed something bad for me	101	0.4
			8 Something else caused my injury	2,553	10.5
			Missing	3,062	
44-44	Q20	Q28	During the past 30 days, on how many days were you bullied?		
			1 0 days	20,239	76.0
			2 1 or 2 days	4,041	14.3
			3 3 to 5 days	1,062	3.5
			4 6 to 9 days	507	1.8
			5 10 to 19 days	323	1.3
			6 20 to 29 days	180	0.9
			7 All 30 days	636	2.2
			Missing	1,380	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Argentina Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
45-45	Q21	Q29	During the past 30 days, how were you bullied most often?		
		1	I was not bullied during the past 30 days	21,396	80.6
		2	I was hit, kicked, pushed, shoved around, or locked indoors	488	2.0
		3	I was made fun of because of my race, nationality, or color	394	1.5
		4	I was made fun of because of my religion	162	0.7
		5	I was made fun of with sexual jokes, comments, or gestures	783	2.7
		6	I was left out of activities on purpose or completely ignored	337	1.3
		7	I was made fun of because of how my body or face looks	1,321	4.7
		8	I was bullied in some other way	1,867	6.6
			Missing	1,620	
46-46	Q22	Q32	During the past 12 months, how often have you felt lonely?		
		1	Never	10,943	41.2
		2	Rarely	7,508	25.9
		3	Sometimes	6,359	23.3
		4	Most of the time	1,968	6.4
		5	Always	928	3.2
			Missing	662	
47-47	Q23	Q33	During the past 12 months, how often have you been so worried about something that you could not sleep at night?		
		1	Never	10,104	38.2
		2	Rarely	8,649	30.3
		3	Sometimes	6,783	22.5
		4	Most of the time	1,916	6.4
		5	Always	712	2.6
			Missing	204	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Argentina Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
48-48	Q24	Q35	During the past 12 months, did you ever seriously consider attempting suicide?		
			1 Yes	5,032	17.2
			2 No	22,541	82.8
			Missing	795	
49-49	Q25	Q36	During the past 12 months, did you make a plan about how you would attempt suicide?		
			1 Yes	4,587	16.0
			2 No	23,213	84.0
			Missing	568	
50-50	Q26	Q37	During the past 12 months, how many times did you actually attempt suicide?		
			1 0 times	23,367	83.8
			2 1 time	2,667	9.7
			3 2 or 3 times	1,054	3.6
			4 4 or 5 times	400	1.5
			5 6 or more times	397	1.4
			Missing	483	
51-51	Q27	Q38	How many close friends do you have?		
			1 0	1,471	5.7
			2 1	2,227	8.3
			3 2	4,017	14.1
			4 3 or more	19,864	71.8
			Missing	789	
52-52	Q28	Q39	How old were you when you first tried a cigarette?		
			1 I have never smoked cigarettes	15,633	61.5
			2 7 years old or younger	822	3.6
			3 8 or 9 years old	943	3.0
			4 10 or 11 years old	2,177	6.7
			5 12 or 13 years old	4,301	13.4
			6 14 or 15 years old	3,190	10.5
			7 16 years old or older	476	1.4
			Missing	826	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Argentina Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
53-53	Q29	Q40	During the past 30 days, on how many days did you smoke cigarettes?		
			1 0 days	21,256	79.7
			2 1 or 2 days	2,479	7.8
			3 3 to 5 days	1,019	3.0
			4 6 to 9 days	698	2.6
			5 10 to 19 days	710	2.0
			6 20 to 29 days	451	1.4
			7 All 30 days	1,219	3.6
			Missing	536	
54-54	Q30	Q41	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as pipes, roll your own cigarettes, or smokeless tobacco?		
			1 0 days	25,937	92.7
			2 1 or 2 days	1,025	3.6
			3 3 to 5 days	424	1.3
			4 6 to 9 days	198	0.8
			5 10 to 19 days	168	0.4
			6 20 to 29 days	77	0.2
			7 All 30 days	247	1.0
			Missing	292	
55-55	Q31	Q43	During the past 12 months, have you ever tried to stop smoking cigarettes?		
			1 I have never smoked cigarettes	18,314	71.2
			2 I did not smoke cigarettes during the past 12 months	2,994	8.9
			3 Yes	4,376	13.5
			4 No	1,871	6.4
			Missing	813	
56-56	Q32	Q44	During the past 7 days, on how many days have people smoked in your presence?		
			1 0 days	6,973	26.1
			2 1 or 2 days	7,464	25.9
			3 3 or 4 days	3,769	12.3
			4 5 or 6 days	1,961	7.6
			5 All 7 days	7,705	28.1
			Missing	496	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Argentina Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
57-57	Q33	Q45	Which of your parents or guardians use any form of tobacco?		
			1 Neither	17,056	60.7
			2 My father or male guardian	4,730	16.5
			3 My mother or female guardian	2,726	10.6
			4 Both	2,661	9.5
			5 I do not know	806	2.6
			Missing	389	
58-58	Q34	Q46	How old were you when you had your first drink of alcohol other than a few sips?		
			1 I have never had a drink of alcohol other than a few sips	6,856	28.1
			2 7 years old or younger	1,428	6.2
			3 8 or 9 years old	1,231	4.8
			4 10 or 11 years old	2,808	11.3
			5 12 or 13 years old	7,101	28.1
			6 14 or 15 years old	5,785	19.1
			7 16 years old or older	771	2.4
			Missing	2,388	
59-59	Q35	Q47	During the past 30 days, on how many days did you have at least one drink containing alcohol?		
			1 0 days	12,490	48.4
			2 1 or 2 days	7,003	25.4
			3 3 to 5 days	2,884	9.7
			4 6 to 9 days	1,867	7.2
			5 10 to 19 days	1,410	4.6
			6 20 to 29 days	548	2.1
			7 All 30 days	626	2.7
			Missing	1,540	
60-60	Q36	Q48	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?		
			1 I did not drink alcohol during the past 30 days	12,063	45.6
			2 Less than one drink	3,196	12.0
			3 1 drink	2,207	7.9
			4 2 drinks	1,984	7.2
			5 3 drinks	1,912	7.4
			6 4 drinks	1,233	3.8
			7 5 or more drinks	4,842	16.1
			Missing	931	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Argentina Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
61-61	Q37	Q49	During the past 30 days, how did you usually get the alcohol you drank?		
			1 I did not drink alcohol during the past 30 days	12,573	48.3
			2 I bought it in a store, shop, or from a street vendor	4,096	14.7
			3 I gave someone else money to buy it for me	909	2.9
			4 I got it from my friends	5,196	16.6
			5 I got it from my family	1,742	8.1
			6 I stole it or got it without permission	175	1.0
			7 I got it some other way	2,281	8.3
			Missing	1,396	
62-62	Q38	Q52	During your life, how many times did you drink so much alcohol that you were really drunk?		
			1 0 times	18,423	68.9
			2 1 or 2 times	5,827	19.9
			3 3 to 9 times	2,047	7.3
			4 10 or more times	1,243	3.9
			Missing	828	
63-63	Q39	Q53	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?		
			1 0 times	20,825	77.9
			2 1 or 2 times	4,224	14.4
			3 3 to 9 times	1,191	4.9
			4 10 or more times	837	2.8
			Missing	1,291	
64-64	Q40	Q55	How old were you when you first used drugs?		
			1 I have never used drugs	23,384	88.0
			2 7 years old or younger	358	1.5
			3 8 or 9 years old	236	0.8
			4 10 or 11 years old	303	1.1
			5 12 or 13 years old	924	3.0
			6 14 or 15 years old	1,485	4.5
			7 16 years old or older	394	1.0
			Missing	1,284	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Argentina Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
65-65	Q41	Q56	During your life, how many times have you used marijuana (also called porro)?		
			1 0 times	23,858	89.7
			2 1 or 2 times	992	3.4
			3 3 to 9 times	848	2.8
			4 10 to 19 times	427	1.4
			5 20 or more times	949	2.8
			Missing	1,294	
66-66	Q42	Q57	During the past 30 days, how many times have you used marijuana (also called porro)?		
			1 0 times	25,140	92.8
			2 1 or 2 times	1,003	3.2
			3 3 to 9 times	658	2.0
			4 10 to 19 times	296	0.8
			5 20 or more times	424	1.2
			Missing	847	
67-67	Q43	Q58	During your life, how many times have you used amphetamines or methamphetamines ?		
			1 0 times	26,690	97.2
			2 1 or 2 times	399	1.4
			3 3 to 9 times	180	0.6
			4 10 to 19 times	100	0.3
			5 20 or more times	135	0.6
			Missing	864	
68-68	Q44	Q61	Have you ever had sexual intercourse?		
			1 Yes	11,420	41.6
			2 No	14,918	58.4
			Missing	2,030	
69-69	Q45	Q62	How old were you when you had sexual intercourse for the first time?		
			1 I have never had sexual intercourse	16,706	64.6
			2 11 years old or younger	1,169	4.6
			3 12 years old	1,215	4.8
			4 13 years old	1,925	8.2
			5 14 years old	2,822	9.4
			6 15 years old	2,098	6.2
			7 16 years old or older	805	2.2
			Missing	1,628	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Argentina Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
70-70	Q46	Q63	During your life, with how many people have you had sexual intercourse?		
			1 I have never had sexual intercourse	17,215	65.1
			2 1 person	4,336	14.6
			3 2 people	1,917	8.0
			4 3 people	1,202	4.1
			5 4 people	690	2.3
			6 5 people	439	1.3
			7 6 or more people	1,334	4.6
			Missing	1,235	
71-71	Q47	Q64	The last time you had sexual intercourse, did you or your partner use a condom or forro?		
			1 I have never had sexual intercourse	17,032	65.6
			2 Yes	7,367	26.0
			3 No	2,425	8.3
			Missing	1,544	
72-72	Q48	Q67	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?		
			1 I have never had sexual intercourse	17,040	65.2
			2 Yes	4,900	16.7
			3 No	3,377	13.0
			4 I do not know	1,507	5.1
			Missing	1,544	
73-73	Q49	Q72	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
			1 0 days	4,191	14.8
			2 1 day	4,176	15.9
			3 2 days	5,486	21.0
			4 3 days	3,240	11.2
			5 4 days	2,282	8.8
			6 5 days	2,235	7.9
			7 6 days	928	3.4
			8 7 days	5,013	17.0
			Missing	817	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Argentina Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
74-74	Q50	Q73	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?		
			1 0 days	8,529	31.6
			2 1 day	1,965	7.0
			3 2 days	1,526	5.8
			4 3 days	1,173	4.3
			5 4 days	978	4.4
			6 5 days	3,752	13.4
			7 6 days	467	1.9
			8 7 days	8,905	31.7
			Missing	1,073	
75-75	Q51	Q74	During this school year, on how many days did you go to physical education (PE) class each week?		
			1 0 days	2,162	7.9
			2 1 day	4,571	15.3
			3 2 days	12,922	51.2
			4 3 days	930	2.8
			5 4 days	602	2.4
			6 5 or more days	5,579	20.3
			Missing	1,602	
76-76	Q52	Q75	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as reading a book or chatting?		
			1 Less than 1 hour per day	5,884	19.8
			2 1 to 2 hours per day	8,419	30.3
			3 3 to 4 hours per day	7,179	26.5
			4 5 to 6 hours per day	2,916	11.7
			5 7 to 8 hours per day	1,004	3.8
			6 More than 8 hours per day	1,894	7.8
			Missing	1,072	
77-77	Q53	Q76	During the past 30 days, on how many days did you miss classes or school without permission?		
			1 0 days	17,535	67.6
			2 1 or 2 days	5,353	16.8
			3 3 to 5 days	2,167	7.7
			4 6 to 9 days	883	3.3
			5 10 or more days	1,267	4.6
			Missing	1,163	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Argentina Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
78-78	Q54	Q77	During the past 30 days, how often were most of the students in your school kind and helpful?		
			1 Never	2,493	9.5
			2 Rarely	4,663	16.0
			3 Sometimes	6,472	24.0
			4 Most of the time	7,282	27.7
			5 Always	6,045	22.9
			Missing	1,413	
79-79	Q55	Q78	During the past 30 days, how often did your parents or guardians check to see if your homework was done?		
			1 Never	8,965	34.6
			2 Rarely	5,208	17.8
			3 Sometimes	4,730	17.3
			4 Most of the time	3,698	13.2
			5 Always	4,650	17.1
			Missing	1,117	
80-80	Q56	Q79	During the past 30 days, how often did your parents or guardians understand your problems and worries?		
			1 Never	4,856	18.1
			2 Rarely	4,409	14.4
			3 Sometimes	5,012	19.2
			4 Most of the time	4,904	17.8
			5 Always	7,883	30.5
			Missing	1,304	
81-81	Q57	Q80	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?		
			1 Never	4,636	17.4
			2 Rarely	3,678	12.5
			3 Sometimes	4,399	16.2
			4 Most of the time	5,330	19.9
			5 Always	8,824	34.0
			Missing	1,501	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Argentina Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
82-82	Q58	Q81	During the past 30 days, how often did your parents or guardians go through your things without your approval?		
			1 Never	12,148	44.9
			2 Rarely	6,084	22.5
			3 Sometimes	4,504	16.9
			4 Most of the time	2,225	8.3
			5 Always	2,019	7.4
			Missing	1,388	
185-185	QN6		Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days		
			1 Yes	1,070	3.9
			2 No	26,951	96.1
			Missing	347	
186-186	QN7		Percentage of students who usually ate fruit two or more times per day during the past 30 days		
			1 Yes	10,355	38.3
			2 No	17,751	61.7
			Missing	262	
187-187	QN8		Percentage of students who usually ate vegetables three or more times per day during the past 30 days		
			1 Yes	3,641	13.1
			2 No	24,380	86.9
			Missing	347	
188-188	QN9		Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days		
			1 Yes	18,259	65.9
			2 No	9,786	34.1
			Missing	323	
189-189	QN10		Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days		
			1 Yes	1,855	7.0
			2 No	26,318	93.0
			Missing	195	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Argentina Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
190-190	QN11		Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days		
			1 Yes	1,992	7.3
			2 No	26,140	92.7
			Missing	236	
191-191	QN12		Percentage of students who never or rarely washed their hands before eating during the past 30 days		
			1 Yes	3,078	11.5
			2 No	24,884	88.5
			Missing	406	
192-192	QN13		Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days		
			1 Yes	1,582	6.2
			2 No	26,539	93.8
			Missing	247	
193-193	QN14		Percentage of students who never or rarely used soap when washing their hands during the past 30 days		
			1 Yes	1,890	6.9
			2 No	26,127	93.1
			Missing	351	
194-194	QN15		Percentage of students who were physically attacked one or more times during the past 12 months		
			1 Yes	6,787	25.0
			2 No	21,100	75.0
			Missing	481	
195-195	QN16		Percentage of students who were in a physical fight one or more times during the past 12 months		
			1 Yes	9,548	34.1
			2 No	18,708	65.9
			Missing	112	
196-196	QN17		Percentage of students who were seriously injured one or more times during the past 12 months		
			1 Yes	8,643	33.6
			2 No	16,171	66.4
			Missing	3,554	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Argentina Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
197-197	QN18		Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint		
		1	Yes	1,662	24.9
		2	No	5,007	75.1
			Missing	21,699	
198-198	QN19		Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle		
		1	Yes	601	8.3
		2	No	6,165	91.7
			Missing	21,602	
199-199	QN20		Percentage of students who were bullied on one or more days during the past 30 days		
		1	Yes	6,749	24.0
		2	No	20,239	76.0
			Missing	1,380	
200-200	QN21		Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors		
		1	Yes	488	10.2
		2	No	4,864	89.8
			Missing	23,016	
201-201	QN22		Percentage of students who most of the time or always felt lonely during the past 12 months		
		1	Yes	2,896	9.6
		2	No	24,810	90.4
			Missing	662	
202-202	QN23		Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months		
		1	Yes	2,628	8.9
		2	No	25,536	91.1
			Missing	204	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Argentina Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
203-203	QN24		Percentage of students who ever seriously considered attempting suicide during the past 12 months		
		1	Yes	5,032	17.2
		2	No	22,541	82.8
			Missing	795	
204-204	QN25		Percentage of students who made a plan about how they would attempt suicide during the past 12 months		
		1	Yes	4,587	16.0
		2	No	23,213	84.0
			Missing	568	
205-205	QN26		Percentage of students who actually attempted suicide one or more times during the past 12 months		
		1	Yes	4,518	16.2
		2	No	23,367	83.8
			Missing	483	
206-206	QN27		Percentage of students who had no close friends		
		1	Yes	1,471	5.7
		2	No	26,108	94.3
			Missing	789	
207-207	QN28		Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years		
		1	Yes	8,243	69.0
		2	No	3,666	31.0
			Missing	16,459	
208-208	QN29		Percentage of students who smoked cigarettes on one or more days during the past 30 days		
		1	Yes	6,576	20.3
		2	No	21,256	79.7
			Missing	536	
209-209	QN30		Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days		
		1	Yes	2,139	7.3
		2	No	25,937	92.7
			Missing	292	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Argentina Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
210-210	QN31		Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months		
		1	Yes	4,376	67.7
		2	No	1,871	32.3
			Missing	22,121	
211-211	QN32		Percentage of students who reported people smoked in their presence on one or more days during the past seven days		
		1	Yes	20,899	73.9
		2	No	6,973	26.1
			Missing	496	
212-212	QN33		Percentage of students who had parents or guardians who used any form of tobacco		
		1	Yes	10,117	36.7
		2	No	17,862	63.3
			Missing	389	
213-213	QN34		Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years		
		1	Yes	12,568	70.2
		2	No	6,556	29.8
			Missing	9,244	
214-214	QN35		Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days		
		1	Yes	14,338	51.6
		2	No	12,490	48.4
			Missing	1,540	
215-215	QN36		Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol		
		1	Yes	9,971	63.4
		2	No	5,403	36.6
			Missing	12,994	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Argentina Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
216-216	QN37		Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends		
		1	Yes	5,196	32.1
		2	No	9,203	67.9
			Missing	13,969	
217-217	QN38		Percentage of students who drank so much alcohol that they were really drunk one or more times during their life		
		1	Yes	9,117	31.1
		2	No	18,423	68.9
			Missing	828	
218-218	QN39		Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol		
		1	Yes	6,252	22.1
		2	No	20,825	77.9
			Missing	1,291	
219-219	QN40		Among students who ever used drugs, the percentage who first used drugs before age 14 years		
		1	Yes	1,821	53.3
		2	No	1,879	46.7
			Missing	24,668	
220-220	QN41		Percentage of students who used marijuana one or more times during their life		
		1	Yes	3,216	10.3
		2	No	23,858	89.7
			Missing	1,294	
221-221	QN42		Percentage of students who used marijuana one or more times during the past 30 days		
		1	Yes	2,381	7.2
		2	No	25,140	92.8
			Missing	847	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Argentina Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
222-222	QN43		Percentage of students who used amphetamines or methamphetamines one or more times during their life		
		1	Yes	814	2.8
		2	No	26,690	97.2
			Missing	864	
223-223	QN44		Percentage of students who ever had sexual intercourse		
		1	Yes	11,420	41.6
		2	No	14,918	58.4
			Missing	2,030	
224-224	QN45		Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years		
		1	Yes	4,309	49.8
		2	No	5,725	50.2
			Missing	18,334	
225-225	QN46		Percentage of students who had sexual intercourse with two or more people during their life		
		1	Yes	5,582	20.2
		2	No	21,551	79.8
			Missing	1,235	
226-226	QN47		Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse		
		1	Yes	7,367	75.8
		2	No	2,425	24.2
			Missing	18,576	
227-227	QN48		Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse		
		1	Yes	4,900	47.9
		2	No	4,884	52.1
			Missing	18,584	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Argentina Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
228-228	QN49		Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days		
		1	Yes	8,176	28.2
		2	No	19,375	71.8
			Missing	817	
229-229	QN50		Percentage of students who did not walk or ride a bicycle to or from school during the past seven days		
		1	Yes	8,529	31.6
		2	No	18,766	68.4
			Missing	1,073	
230-230	QN51		Percentage of students who went to physical education (PE) class on three or more days each week during this school year		
		1	Yes	7,111	25.6
		2	No	19,655	74.4
			Missing	1,602	
231-231	QN52		Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities		
		1	Yes	12,993	49.9
		2	No	14,303	50.1
			Missing	1,072	
232-232	QN53		Percentage of students who missed classes or school without permission on one or more of the past 30 days		
		1	Yes	9,670	32.4
		2	No	17,535	67.6
			Missing	1,163	
233-233	QN54		Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days		
		1	Yes	13,327	50.5
		2	No	13,628	49.5
			Missing	1,413	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Argentina Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
234-234	QN55		Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days		
		1	Yes	8,348	30.4
		2	No	18,903	69.6
			Missing	1,117	
235-235	QN56		Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days		
		1	Yes	12,787	48.3
		2	No	14,277	51.7
			Missing	1,304	
236-236	QN57		Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days		
		1	Yes	14,154	53.9
		2	No	12,713	46.1
			Missing	1,501	
237-237	QN58		Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days		
		1	Yes	18,232	67.5
		2	No	8,748	32.5
			Missing	1,388	
350-350	QNOWTG		Percentage of students who were overweight (>+1SD from median for BMI by age and sex)		
		1	Yes	4,789	27.8
		2	No	12,835	72.2
			Missing	10,744	
351-351	QNOBESEG		Percentage of students who were obese (>+2SD from median for BMI by age and sex)		
		1	Yes	984	6.1
		2	No	16,640	93.9
			Missing	10,744	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Argentina Survey

Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
352-352	QNUNWTG		Percentage of students who were underweight (<-2SD from median for BMI by age and sex)		
		1	Yes	434	2.2
		2	No	17,190	97.8
			Missing	10,744	
353-353	QNFRVGG		Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days		
		1	Yes	4,909	17.5
		2	No	22,976	82.5
			Missing	483	
354-354	QNANYTBG		Percentage of students who used any tobacco on one or more days during the past 30 days		
		1	Yes	6,827	22.1
		2	No	20,921	77.9
			Missing	620	
355-355	QNPA7G		Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days		
		1	Yes	5,013	17.0
		2	No	22,538	83.0
			Missing	817	
356-356	QNPE5G		Percentage of students who went to physical education (PE) class on five or more days each week during this school year		
		1	Yes	5,579	20.3
		2	No	21,187	79.7
			Missing	1,602	
357-357	QNC1G		Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse		
		1	Yes	5,599	65.4
		2	No	2,811	34.6
			Missing	19,958	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Argentina Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
358-358	QNC2G		Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days		
		1	Yes	1,053	42.3
		2	No	1,373	57.7
			Missing	25,942	
362-371	WEIGHT				
372-380	STRATUM				
381-385	PSU				