

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Samoa Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
17-17	Q1	Q1	How old are you?		
			1 11 years old or younger	47	3.2
			2 12 years old	98	7.2
			3 13 years old	237	13.7
			4 14 years old	368	17.9
			5 15 years old	355	17.2
			6 16 years old	356	18.6
			7 17 years old	288	14.5
			8 18 years old or older	175	7.7
			Missing	31	
18-18	Q2	Q2	What is your sex?		
			1 Male	707	47.8
			2 Female	1,197	52.2
			Missing	51	
19-19	Q3	Q3	In what grade are you?		
			1 Year 8	271	20.7
			2 Year 9	447	20.1
			3 Year 10	378	18.5
			4 Year 11	278	15.5
			5 Year 12	276	14.2
			6 Year 13	274	11.0
			Missing	31	
20-23	Q4	Q4	How tall are you without your shoes on? (Note: Data are in meters.)		
24-29	Q5	Q5	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
30-30	Q6	Q6	During the past 30 days, how often did you go hungry because there was not enough food in your home?		
			1 Never	527	26.1
			2 Rarely	694	36.5
			3 Sometimes	476	25.0
			4 Most of the time	101	5.0
			5 Always	127	7.5
			Missing	30	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Samoa Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
31-31	Q7	Q9	During the past 30 days, how many times per day did you usually eat fruit, such as pawpaw, ripe banana, coconut, apple, or orange?		
			1 I did not eat fruit during the past 30 days	132	7.6
			2 Less than one time per day	364	18.2
			3 1 time per day	460	23.3
			4 2 times per day	361	18.1
			5 3 times per day	215	11.2
			6 4 times per day	68	3.3
			7 5 or more times per day	345	18.4
			Missing	10	
32-32	Q8	Q10	During the past 30 days, how many times per day did you usually eat vegetables, such as cabbage, cucumbers, pumpkin, carrots, or tomatoes?		
			1 I did not eat vegetables during the past 30 days	92	5.1
			2 Less than one time per day	331	17.9
			3 1 time per day	508	24.4
			4 2 times per day	358	18.3
			5 3 times per day	195	10.6
			6 4 times per day	76	3.9
			7 5 or more times per day	377	19.8
			Missing	18	
33-33	Q9	Q13	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as Coke, Fanta, or Sprite?		
			1 I did not drink carbonated soft drinks during the past 30 days	199	11.4
			2 Less than one time per day	491	25.2
			3 1 time per day	503	26.3
			4 2 times per day	275	14.1
			5 3 times per day	184	9.1
			6 4 times per day	70	3.6
			7 5 or more times per day	209	10.3
			Missing	24	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Samoa Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
34-34	Q10	Q15	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as Burger Bill or McDonalds?		
			1 0 days	635	32.0
			2 1 day	497	26.5
			3 2 days	364	19.0
			4 3 days	174	8.7
			5 4 days	88	4.3
			6 5 days	68	3.3
			7 6 days	24	1.3
			8 7 days	96	4.9
			Missing	9	
35-35	Q11	Q16	During the past 30 days, how many times per day did you usually clean or brush your teeth?		
			1 I did not clean or brush my teeth during the past 30 days	15	1.0
			2 Less than 1 time per day	64	3.8
			3 1 time per day	222	11.6
			4 2 times per day	737	37.9
			5 3 times per day	542	26.8
			6 4 or more times per day	352	18.9
			Missing	23	
36-36	Q12	Q19	During the past 30 days, how often did you wash your hands before eating?		
			1 Never	43	2.3
			2 Rarely	308	16.5
			3 Sometimes	242	12.1
			4 Most of the time	457	23.2
			5 Always	885	45.9
			Missing	20	
37-37	Q13	Q21	During the past 30 days, how often did you wash your hands after using the toilet or latrine?		
			1 Never	26	1.5
			2 Rarely	106	5.8
			3 Sometimes	130	7.2
			4 Most of the time	371	19.8
			5 Always	1,312	65.6
			Missing	10	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Samoa Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
38-38	Q14	Q22	During the past 30 days, how often did you use soap when washing your hands?		
			1 Never	42	2.4
			2 Rarely	219	12.4
			3 Sometimes	272	13.7
			4 Most of the time	469	24.0
			5 Always	929	47.5
			Missing	24	
39-39	Q15	Q24	During the past 12 months, how many times were you physically attacked?		
			1 0 times	1,567	78.2
			2 1 time	154	8.8
			3 2 or 3 times	109	6.5
			4 4 or 5 times	29	1.3
			5 6 or 7 times	24	1.5
			6 8 or 9 times	7	0.4
			7 10 or 11 times	18	1.0
			8 12 or more times	38	2.2
			Missing	9	
40-40	Q16	Q25	During the past 12 months, how many times were you in a physical fight?		
			1 0 times	1,084	52.1
			2 1 time	375	20.7
			3 2 or 3 times	237	13.4
			4 4 or 5 times	92	5.3
			5 6 or 7 times	31	1.6
			6 8 or 9 times	22	1.5
			7 10 or 11 times	31	1.8
			8 12 or more times	69	3.6
			Missing	14	
41-41	Q17	Q26	During the past 12 months, how many times were you seriously injured?		
			1 0 times	919	50.1
			2 1 time	383	23.3
			3 2 or 3 times	236	14.4
			4 4 or 5 times	83	5.1
			5 6 or 7 times	25	1.7
			6 8 or 9 times	15	0.9
			7 10 or 11 times	27	2.1
			8 12 or more times	39	2.3
			Missing	228	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Samoa Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
42-42	Q18	Q27	During the past 12 months, what was the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	1,127	60.5
			2 I had a broken bone or a dislocated joint	224	13.7
			3 I had a cut or stab wound	76	4.7
			4 I had a concussion or other head or neck injury, was knocked out, or could not breathe	105	5.8
			5 I had a gunshot wound	18	1.3
			6 I had a bad burn	64	4.0
			7 I was poisoned or took too much of a drug	10	0.5
			8 Something else happened to me	180	9.4
			Missing	151	
43-43	Q19	Q28	During the past 12 months, what was the major cause of the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	1,120	60.9
			2 I was in a motor vehicle accident or hit by a motor vehicle	75	5.0
			3 I fell	151	8.6
			4 Something fell on me or hit me	57	3.3
			5 I was attacked or abused or was fighting with someone	60	3.5
			6 I was in a fire or too near a flame or something hot	38	2.6
			7 I inhaled or swallowed something bad for me	12	0.7
			8 Something else caused my injury	274	15.5
			Missing	168	
44-44	Q20	Q30	During the past 30 days, on how many days were you bullied?		
			1 0 days	1,200	62.3
			2 1 or 2 days	401	22.9
			3 3 to 5 days	106	6.1
			4 6 to 9 days	51	3.4
			5 10 to 19 days	40	2.0
			6 20 to 29 days	7	0.4
			7 All 30 days	46	2.7
			Missing	104	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Samoa Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
45-45	Q21	Q31	During the past 30 days, how were you bullied most often?		
			1 I was not bullied during the past 30 days	1,366	72.5
			2 I was hit, kicked, pushed, shoved around, or locked indoors	91	5.9
			3 I was made fun of because of my race, nationality, or color	67	4.2
			4 I was made fun of because of my religion	62	3.8
			5 I was made fun of with sexual jokes, comments, or gestures	59	3.1
			6 I was left out of activities on purpose or completely ignored	24	1.4
			7 I was made fun of because of how my body or face looks	44	1.9
			8 I was bullied in some other way	137	7.2
			Missing	105	
46-46	Q22	Q36	During the past 12 months, how often have you felt lonely?		
			1 Never	839	43.9
			2 Rarely	566	29.1
			3 Sometimes	355	18.0
			4 Most of the time	107	5.4
			5 Always	70	3.6
			Missing	18	
47-47	Q23	Q37	During the past 12 months, how often have you been so worried about something that you could not sleep at night?		
			1 Never	825	43.9
			2 Rarely	496	25.2
			3 Sometimes	418	21.4
			4 Most of the time	125	6.1
			5 Always	66	3.4
			Missing	25	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Samoa Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
48-48	Q24	Q38	During the past 12 months, did you ever seriously consider attempting suicide?		
			1 Yes	419	22.9
			2 No	1,427	77.1
			Missing	109	
49-49	Q25	Q39	During the past 12 months, did you make a plan about how you would attempt suicide?		
			1 Yes	431	23.0
			2 No	1,450	77.0
			Missing	74	
50-50	Q26	Q40	During the past 12 months, how many times did you actually attempt suicide?		
			1 0 times	1,493	77.0
			2 1 time	236	13.1
			3 2 or 3 times	116	6.1
			4 4 or 5 times	37	2.0
			5 6 or more times	33	1.8
			Missing	40	
51-51	Q27	Q41	How many close friends do you have?		
			1 0	172	10.0
			2 1	390	20.9
			3 2	348	19.5
			4 3 or more	1,000	49.5
			Missing	45	
52-52	Q28	Q42	How old were you when you first tried a cigarette?		
			1 I have never smoked cigarettes	1,418	82.3
			2 7 years old or younger	61	3.9
			3 8 or 9 years old	31	2.0
			4 10 or 11 years old	45	2.8
			5 12 or 13 years old	39	2.1
			6 14 or 15 years old	65	3.8
			7 16 or 17 years old	48	2.7
			8 18 years old or older	11	0.4
			Missing	237	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Samoa Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
53-53	Q29	Q43	During the past 30 days, on how many days did you smoke cigarettes?		
			1 0 days	1,678	89.8
			2 1 or 2 days	91	4.8
			3 3 to 5 days	34	1.9
			4 6 to 9 days	21	1.3
			5 10 to 19 days	11	0.5
			6 20 to 29 days	11	0.6
			7 All 30 days	16	1.1
			Missing	93	
54-54	Q30	Q44	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as e-cigarettes or chewed smokes?		
			1 0 days	1,770	91.4
			2 1 or 2 days	65	3.9
			3 3 to 5 days	35	2.4
			4 6 to 9 days	15	0.9
			5 10 to 19 days	9	0.6
			6 20 to 29 days	5	0.2
			7 All 30 days	11	0.7
			Missing	45	
55-55	Q31	Q45	During the past 12 months, have you ever tried to stop smoking cigarettes?		
			1 I have never smoked cigarettes	1,508	86.9
			2 I did not smoke cigarettes during the past 12 months	61	3.4
			3 Yes	143	8.7
			4 No	17	1.0
			Missing	226	
56-56	Q32	Q46	During the past 7 days, on how many days have people smoked in your presence?		
			1 0 days	592	31.8
			2 1 or 2 days	505	26.7
			3 3 or 4 days	226	11.3
			4 5 or 6 days	114	6.1
			5 All 7 days	473	24.2
			Missing	45	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Samoa Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
57-57	Q33	Q47	Which of your parents or guardians use any form of tobacco?		
			1 Neither	1,193	64.2
			2 My father or male guardian	241	12.4
			3 My mother or female guardian	117	6.6
			4 Both	157	8.2
			5 I do not know	163	8.6
			Missing	84	
58-58	Q34	Q48	How old were you when you had your first drink of alcohol other than a few sips?		
			1 I have never had a drink of alcohol other than a few sips	1,289	78.7
			2 7 years old or younger	70	4.9
			3 8 or 9 years old	25	1.8
			4 10 or 11 years old	23	1.4
			5 12 or 13 years old	54	3.4
			6 14 or 15 years old	81	4.6
			7 16 or 17 years old	74	4.4
			8 18 years old or older	18	0.9
			Missing	321	
59-59	Q35	Q49	During the past 30 days, on how many days did you have at least one drink containing alcohol?		
			1 0 days	1,639	87.9
			2 1 or 2 days	143	7.3
			3 3 to 5 days	33	2.1
			4 6 to 9 days	20	1.1
			5 10 to 19 days	12	0.7
			6 20 to 29 days	11	0.9
			7 All 30 days	2	0.1
			Missing	95	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Samoa Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
60-60	Q36	Q50	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?		
			1 I did not drink alcohol during the past 30 days	1,630	86.5
			2 Less than one drink	89	5.1
			3 1 drink	57	3.2
			4 2 drinks	41	2.2
			5 3 drinks	22	1.1
			6 4 drinks	11	0.6
			7 5 or more drinks	20	1.3
			Missing	85	
61-61	Q37	Q51	During the past 30 days, how did you usually get the alcohol you drank?		
			1 I did not drink alcohol during the past 30 days	1,627	87.5
			2 I bought it in a store, shop, or from a street vendor	37	2.8
			3 I gave someone else money to buy it for me	38	2.4
			4 I got it from my friends	80	3.7
			5 I got it from my family	37	1.9
			6 I stole it or got it without permission	7	0.3
			7 I got it some other way	29	1.5
			Missing	100	
62-62	Q38	Q53	During your life, how many times did you drink so much alcohol that you were really drunk?		
			1 0 times	1,662	91.7
			2 1 or 2 times	86	5.0
			3 3 to 9 times	32	2.1
			4 10 or more times	22	1.3
			Missing	153	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Samoa Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
63-63	Q39	Q54	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?		
			1 0 times	1,560	92.6
			2 1 or 2 times	62	4.4
			3 3 to 9 times	25	1.7
			4 10 or more times	19	1.3
			Missing	289	
64-64	Q40	Q58	How old were you when you first used drugs?		
			1 I have never used drugs	1,614	88.0
			2 7 years old or younger	57	3.9
			3 8 or 9 years old	44	2.8
			4 10 or 11 years old	24	1.7
			5 12 or 13 years old	15	1.0
			6 14 or 15 years old	22	1.6
			7 16 or 17 years old	17	0.9
			8 18 years old or older	4	0.2
			Missing	158	
65-65	Q41	Q59	During your life, how many times have you used marijuana ?		
			1 0 times	1,702	92.3
			2 1 or 2 times	48	3.3
			3 3 to 9 times	38	2.4
			4 10 to 19 times	14	1.0
			5 20 or more times	16	0.9
			Missing	137	
66-66	Q42	Q61	During the past 30 days, how many times have you used marijuana ?		
			1 0 times	1,716	93.2
			2 1 or 2 times	43	2.8
			3 3 to 9 times	38	2.4
			4 10 to 19 times	17	1.2
			5 20 or more times	8	0.4
			Missing	133	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Samoa Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
67-67	Q43	Q62	During your life, how many times have you used amphetamines or methamphetamines ?		
			1 0 times	1,725	94.6
			2 1 or 2 times	35	2.2
			3 3 to 9 times	26	1.6
			4 10 to 19 times	17	1.2
			5 20 or more times	7	0.4
			Missing	145	
68-68	Q44	Q64	Have you ever had sexual intercourse?		
			1 Yes	383	27.3
			2 No	1,185	72.7
			Missing	387	
69-69	Q45	Q65	How old were you when you had sexual intercourse for the first time?		
			1 I have never had sexual intercourse	1,536	84.2
			2 11 years old or younger	52	3.4
			3 12 years old	24	1.7
			4 13 years old	19	1.3
			5 14 years old	25	1.6
			6 15 years old	35	2.0
			7 16 or 17 years old	79	4.7
			8 18 years old or older	22	1.0
			Missing	163	
70-70	Q46	Q66	During your life, with how many people have you had sexual intercourse?		
			1 I have never had sexual intercourse	1,569	84.5
			2 1 person	121	6.8
			3 2 people	53	3.3
			4 3 people	26	1.6
			5 4 people	19	1.2
			6 5 people	10	0.7
			7 6 or more people	31	1.9
			Missing	126	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Samoa Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
71-71	Q47	Q67	The last time you had sexual intercourse, did you or your partner use a condom ?		
			1 I have never had sexual intercourse	1,415	83.6
			2 Yes	124	8.3
			3 No	124	8.1
			Missing	292	
72-72	Q48	Q68	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?		
			1 I have never had sexual intercourse	1,424	84.5
			2 Yes	66	4.6
			3 No	126	7.6
			4 I do not know	46	3.3
			Missing	293	
73-73	Q49	Q71	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
			1 0 days	429	24.8
			2 1 day	340	18.0
			3 2 days	216	11.6
			4 3 days	162	8.2
			5 4 days	125	6.2
			6 5 days	107	5.4
			7 6 days	72	3.8
			8 7 days	405	22.0
			Missing	99	
74-74	Q50	Q72	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?		
			1 0 days	1,258	65.6
			2 1 day	177	10.8
			3 2 days	68	3.8
			4 3 days	60	3.0
			5 4 days	41	2.3
			6 5 days	66	3.6
			7 6 days	15	1.1
			8 7 days	188	9.9
			Missing	82	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Samoa Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
75-75	Q51	Q73	During this school year, on how many days did you go to physical education (PE) class each week?		
			1 0 days	1,047	54.3
			2 1 day	231	13.5
			3 2 days	143	8.3
			4 3 days	88	4.8
			5 4 days	57	3.3
			6 5 or more days	277	15.8
			Missing	112	
76-76	Q52	Q74	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as using your cell phone.		
			1 Less than 1 hour per day	847	47.4
			2 1 to 2 hours per day	459	24.8
			3 3 to 4 hours per day	216	11.5
			4 5 to 6 hours per day	94	5.2
			5 7 to 8 hours per day	46	2.6
			6 More than 8 hours per day	155	8.5
			Missing	138	
77-77	Q53	Q76	During the past 30 days, on how many days did you miss classes or school without permission?		
			1 0 days	1,203	63.0
			2 1 or 2 days	416	23.7
			3 3 to 5 days	102	6.2
			4 6 to 9 days	41	2.6
			5 10 or more days	82	4.5
			Missing	111	
78-78	Q54	Q77	During the past 30 days, how often were most of the students in your school kind and helpful?		
			1 Never	243	14.9
			2 Rarely	473	27.9
			3 Sometimes	413	21.3
			4 Most of the time	329	17.5
			5 Always	345	18.3
			Missing	152	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Samoa Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
79-79	Q55	Q78	During the past 30 days, how often did your parents or guardians check to see if your homework was done?		
			1 Never	364	20.2
			2 Rarely	297	16.7
			3 Sometimes	284	15.7
			4 Most of the time	315	16.3
			5 Always	581	31.0
			Missing	114	
80-80	Q56	Q79	During the past 30 days, how often did your parents or guardians understand your problems and worries?		
			1 Never	631	35.8
			2 Rarely	401	22.4
			3 Sometimes	307	16.7
			4 Most of the time	194	10.1
			5 Always	286	15.0
			Missing	136	
81-81	Q57	Q80	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?		
			1 Never	641	37.8
			2 Rarely	334	18.8
			3 Sometimes	270	14.8
			4 Most of the time	212	11.7
			5 Always	319	16.8
			Missing	179	
82-82	Q58	Q81	During the past 30 days, how often did your parents or guardians go through your things without your approval?		
			1 Never	962	53.1
			2 Rarely	350	18.9
			3 Sometimes	199	11.3
			4 Most of the time	118	5.8
			5 Always	192	10.9
			Missing	134	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Samoa Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
185-185	QN6		Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)		
		1	Yes	228	12.5
		2	No	1,697	87.5
			Missing	30	
186-186	QN7		Percentage of students who did not eat fruit (during the 30 days before the survey)		
		1	Yes	132	7.6
		2	No	1,813	92.4
			Missing	10	
187-187	QN8		Percentage of students who did not eat vegetables (during the 30 days before the survey)		
		1	Yes	92	5.1
		2	No	1,845	94.9
			Missing	18	
188-188	QN9		Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)		
		1	Yes	199	11.4
		2	No	1,732	88.6
			Missing	24	
189-189	QN10		Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)		
		1	Yes	635	32.0
		2	No	1,311	68.0
			Missing	9	
190-190	QN11		Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)		
		1	Yes	1,853	95.3
		2	No	79	4.7
			Missing	23	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Samoa Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
191-191	QN12		Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)		
			1 Yes	351	18.8
			2 No	1,584	81.2
			Missing	20	
192-192	QN13		Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)		
			1 Yes	132	7.3
			2 No	1,813	92.7
			Missing	10	
193-193	QN14		Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)		
			1 Yes	261	14.8
			2 No	1,670	85.2
			Missing	24	
194-194	QN15		Percentage of students who were physically attacked (one or more times during the 12 months before the survey)		
			1 Yes	379	21.8
			2 No	1,567	78.2
			Missing	9	
195-195	QN16		Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
			1 Yes	857	47.9
			2 No	1,084	52.1
			Missing	14	
196-196	QN17		Percentage of students who were seriously injured (one or more times during the 12 months before the survey)		
			1 Yes	808	49.9
			2 No	919	50.1
			Missing	228	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Samoa Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
197-197	QN18		Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)		
		1	Yes	224	34.8
		2	No	453	65.2
			Missing	1,278	
198-198	QN19		Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)		
		1	Yes	75	12.8
		2	No	592	87.2
			Missing	1,288	
199-199	QN20		Percentage of students who were bullied (on one or more days during the 30 days before the survey)		
		1	Yes	651	37.7
		2	No	1,200	62.3
			Missing	104	
200-200	QN21		Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)		
		1	Yes	91	21.4
		2	No	393	78.6
			Missing	1,471	
201-201	QN22		Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)		
		1	Yes	177	9.0
		2	No	1,760	91.0
			Missing	18	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Samoa Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
202-202	QN23		Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)		
			1 Yes	191	9.5
			2 No	1,739	90.5
			Missing	25	
203-203	QN24		Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)		
			1 Yes	419	22.9
			2 No	1,427	77.1
			Missing	109	
204-204	QN25		Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)		
			1 Yes	431	23.0
			2 No	1,450	77.0
			Missing	74	
205-205	QN26		Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
			1 Yes	422	23.0
			2 No	1,493	77.0
			Missing	40	
206-206	QN27		Percentage of students who did not have any close friends		
			1 Yes	172	10.0
			2 No	1,738	90.0
			Missing	45	
207-207	QN28		Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)		
			1 Yes	176	60.7
			2 No	124	39.3
			Missing	1,655	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Samoa Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
208-208	QN29		Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
		1	Yes	184	10.2
		2	No	1,678	89.8
			Missing	93	
209-209	QN30		Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)		
		1	Yes	140	8.6
		2	No	1,770	91.4
			Missing	45	
210-210	QN31		Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)		
		1	Yes	143	89.3
		2	No	17	10.7
			Missing	1,795	
211-211	QN32		Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)		
		1	Yes	1,318	68.2
		2	No	592	31.8
			Missing	45	
212-212	QN33		Percentage of students who had parents or guardians who used any form of tobacco		
		1	Yes	515	27.2
		2	No	1,356	72.8
			Missing	84	
213-213	QN34		Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)		
		1	Yes	172	53.7
		2	No	173	46.3
			Missing	1,610	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Samoa Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
214-214	QN35		Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)		
		1	Yes	221	12.1
		2	No	1,639	87.9
			Missing	95	
215-215	QN36		Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)		
		1	Yes	94	38.7
		2	No	146	61.3
			Missing	1,715	
216-216	QN37		Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)		
		1	Yes	80	29.6
		2	No	148	70.4
			Missing	1,727	
217-217	QN38		Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)		
		1	Yes	140	8.3
		2	No	1,662	91.7
			Missing	153	
218-218	QN39		Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)		
		1	Yes	106	7.4
		2	No	1,560	92.6
			Missing	289	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Samoa Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
219-219	QN40		Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)		
		1	Yes	140	77.9
		2	No	43	22.1
			Missing	1,772	
220-220	QN41		Percentage of students who ever used marijuana (one or more times during their life)		
		1	Yes	116	7.7
		2	No	1,702	92.3
			Missing	137	
221-221	QN42		Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
		1	Yes	106	6.8
		2	No	1,716	93.2
			Missing	133	
222-222	QN43		Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)		
		1	Yes	85	5.4
		2	No	1,725	94.6
			Missing	145	
223-223	QN44		Percentage of students who ever had sexual intercourse		
		1	Yes	383	27.3
		2	No	1,185	72.7
			Missing	387	
224-224	QN45		Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)		
		1	Yes	95	40.6
		2	No	161	59.4
			Missing	1,699	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Samoa Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
225-225	QN46		Percentage of students who had sexual intercourse with two or more persons (during their life)		
		1	Yes	139	8.7
		2	No	1,690	91.3
			Missing	126	
226-226	QN47		Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)		
		1	Yes	124	50.6
		2	No	124	49.4
			Missing	1,707	
227-227	QN48		Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)		
		1	Yes	66	29.6
		2	No	172	70.4
			Missing	1,717	
228-228	QN49		Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)		
		1	Yes	429	24.8
		2	No	1,427	75.2
			Missing	99	
229-229	QN50		Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)		
		1	Yes	1,258	65.6
		2	No	615	34.4
			Missing	82	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Samoa Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
230-230	QN51		Percentage of students who did not attend physical education classes (each week during this school year)		
		1	Yes	1,047	54.3
		2	No	796	45.7
			Missing	112	
231-231	QN52		Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)		
		1	Yes	511	27.8
		2	No	1,306	72.2
			Missing	138	
232-232	QN53		Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)		
		1	Yes	641	37.0
		2	No	1,203	63.0
			Missing	111	
233-233	QN54		Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)		
		1	Yes	674	35.8
		2	No	1,129	64.2
			Missing	152	
234-234	QN55		Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)		
		1	Yes	896	47.3
		2	No	945	52.7
			Missing	114	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Samoa Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
235-235	QN56		Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)		
		1	Yes	480	25.1
		2	No	1,339	74.9
			Missing	136	
236-236	QN57		Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)		
		1	Yes	531	28.5
		2	No	1,245	71.5
			Missing	179	
237-237	QN58		Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)		
		1	Yes	1,312	72.0
		2	No	509	28.0
			Missing	134	
350-350	QNUNWTG		Percentage of students who were underweight (<-2SD from median for BMI by age and sex)		
		1	Yes	4	0.3
		2	No	1,760	99.7
			Missing	191	
351-351	QNOWTG		Percentage of students who were overweight (>+1SD from median for BMI by age and sex)		
		1	Yes	1,086	59.2
		2	No	678	40.8
			Missing	191	
352-352	QNOBESEG		Percentage of students who were obese (>+2SD from median for BMI by age and sex)		
		1	Yes	483	26.2
		2	No	1,281	73.8
			Missing	191	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Samoa Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
353-353	QNFRLG		Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)		
		1	Yes	364	18.2
		2	No	1,581	81.8
			Missing	10	
354-354	QNFR1G		Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)		
		1	Yes	1,449	74.2
		2	No	496	25.8
			Missing	10	
355-355	QNFR2G		Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)		
		1	Yes	989	50.9
		2	No	956	49.1
			Missing	10	
356-356	QNFR3G		Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)		
		1	Yes	628	32.9
		2	No	1,317	67.1
			Missing	10	
357-357	QNVEGLG		Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)		
		1	Yes	331	17.9
		2	No	1,606	82.1
			Missing	18	
358-358	QNVEG1G		Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)		
		1	Yes	1,514	77.0
		2	No	423	23.0
			Missing	18	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Samoa Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
359-359	QNVEG2G		Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)		
			1 Yes	1,006	52.6
			2 No	931	47.4
			Missing	18	
360-360	QNVEG3G		Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)		
			1 Yes	648	34.3
			2 No	1,289	65.7
			Missing	18	
361-361	QNSODALG		Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)		
			1 Yes	491	25.2
			2 No	1,440	74.8
			Missing	24	
362-362	QNSODA1G		Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)		
			1 Yes	1,241	63.4
			2 No	690	36.6
			Missing	24	
363-363	QNSODA2G		Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)		
			1 Yes	738	37.1
			2 No	1,193	62.9
			Missing	24	
364-364	QNSODA3G		Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)		
			1 Yes	463	23.0
			2 No	1,468	77.0
			Missing	24	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Samoa Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
365-365	QNFF1G		Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)		
		1	Yes	1,311	68.0
		2	No	635	32.0
			Missing	9	
366-366	QNFF2G		Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)		
		1	Yes	814	41.4
		2	No	1,132	58.6
			Missing	9	
367-367	QNFF3G		Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)		
		1	Yes	450	22.5
		2	No	1,496	77.5
			Missing	9	
368-368	QNC2G		Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)		
		1	Yes	90	55.5
		2	No	88	44.5
			Missing	1,777	
369-369	QNTOB2G		Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)		
		1	Yes	246	14.3
		2	No	1,639	85.7
			Missing	70	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Samoa Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
370-370	QNNOTB2G		Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)		
			1 Yes	1,639	88.1
			2 No	206	11.9
			Missing	110	
371-371	QNBCANYG		Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)		
			1 Yes	128	69.4
			2 No	67	30.6
			Missing	1,760	
372-372	QNC1G		Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)		
			1 Yes	56	60.1
			2 No	41	39.9
			Missing	1,858	
373-373	QNPA5G		Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)		
			1 Yes	584	31.2
			2 No	1,272	68.8
			Missing	99	
374-374	QNPA7G		Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)		
			1 Yes	405	22.0
			2 No	1,451	78.0
			Missing	99	

2017 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Samoa Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
375-375	QNPE3G		Percentage of students who attended physical education classes on three or more days (each week during this school year)		
		1	Yes	422	23.8
		2	No	1,421	76.2
			Missing	112	
376-376	QNPE5G		Percentage of students who attended physical education classes on five or more days (each week during this school year)		
		1	Yes	277	15.8
		2	No	1,566	84.2
			Missing	112	
377-386	WEIGHT				
387-395	STRATUM				
396-400	PSU				