

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bahamas Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
17-17	Q1	Q1	How old are you?		
			1 11 years old or younger	9	0.7
			2 12 years old	237	17.5
			3 13 years old	517	32.5
			4 14 years old	404	31.8
			5 15 years old	150	13.7
			6 16 years old	35	3.6
			7 17 years old	1	0.1
			8 18 years old or older	0	0.0
			Missing	4	
18-18	Q2	Q2	What is your sex?		
			1 Male	626	48.0
			2 Female	724	52.0
			Missing	7	
19-19	Q3	Q3	In what grade are you?		
			1 7th grade	2	0.2
			2 8th grade	456	34.1
			3 9th grade	529	30.7
			4 10th grade	350	34.9
			5 11th grade	1	0.1
			6 12th grade	0	0.0
			Missing	19	
20-23	Q4	Q4	How tall are you without your shoes on? (Note: Data are in meters.)		
24-29	Q5	Q5	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
30-30	Q6	Q6	During the past 30 days, how often did you go hungry because there was not enough food in your home?		
			1 Never	697	53.0
			2 Rarely	244	17.4
			3 Sometimes	312	22.7
			4 Most of the time	69	5.0
			5 Always	26	1.9
			Missing	9	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bahamas Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
31-31	Q7	Q7	During the past 30 days, how many times per day did you usually eat fruit, such as oranges, grapes, apples, bananas, or peaches?		
			1 I did not eat fruit during the past 30 days	262	20.1
			2 Less than one time per day	349	25.4
			3 1 time per day	323	23.8
			4 2 times per day	216	16.4
			5 3 times per day	95	6.9
			6 4 times per day	35	2.3
			7 5 or more times per day	72	5.1
			Missing	5	
32-32	Q8	Q8	During the past 30 days, how many times per day did you usually eat vegetables, such as broccoli, okra, carrots, cabbage, lettuce, spinach, or beets?		
			1 I did not eat vegetables during the past 30 days	318	23.9
			2 Less than one time per day	323	24.5
			3 1 time per day	342	25.1
			4 2 times per day	161	12.3
			5 3 times per day	88	6.5
			6 4 times per day	30	2.4
			7 5 or more times per day	77	5.4
			Missing	18	
33-33	Q9	Q9	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as Goombay Punch, Coke, Sprite, Ginger Ale, Ting, or other "fizzy" drinks?		
			1 I did not drink carbonated soft drinks during the past 30 days	138	10.7
			2 Less than one time per day	275	20.2
			3 1 time per day	290	20.7
			4 2 times per day	306	22.9
			5 3 times per day	145	11.1
			6 4 times per day	47	3.5
			7 5 or more times per day	144	10.9
			Missing	12	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bahamas Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
34-34	Q10	Q10	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as Bamboo Shack, Sammy's, Burger King, McDonalds, Wendy's, KFC or Imperials?		
			1 0 days	368	28.1
			2 1 day	352	25.7
			3 2 days	244	18.8
			4 3 days	163	11.7
			5 4 days	76	5.7
			6 5 days	50	3.8
			7 6 days	24	1.8
			8 7 days	65	4.5
			Missing	15	
35-35	Q11	Q15	During the past 30 days, how many times per day did you usually clean or brush your teeth?		
			1 I did not clean or brush my teeth during the past 30 days	24	1.8
			2 Less than 1 time per day	57	4.2
			3 1 time per day	288	21.0
			4 2 times per day	615	46.0
			5 3 times per day	235	17.2
			6 4 or more times per day	133	9.9
			Missing	5	
36-36	Q12	Q16	During the past 30 days, how often did you wash your hands before eating?		
			1 Never	59	4.7
			2 Rarely	154	11.2
			3 Sometimes	421	31.2
			4 Most of the time	396	29.4
			5 Always	311	23.5
			Missing	16	
37-37	Q13	Q17	During the past 30 days, how often did you wash your hands after using the toilet or latrine?		
			1 Never	18	1.6
			2 Rarely	44	3.4
			3 Sometimes	132	9.8
			4 Most of the time	246	18.4
			5 Always	878	66.7
			Missing	39	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bahamas Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
38-38	Q14	Q18	During the past 30 days, how often did you use soap when washing your hands?		
			1 Never	30	2.5
			2 Rarely	90	6.5
			3 Sometimes	235	17.1
			4 Most of the time	341	25.3
			5 Always	651	48.6
			Missing	10	
39-39	Q15	Q20	During the past 12 months, how many times were you physically attacked?		
			1 0 times	923	70.2
			2 1 time	143	10.5
			3 2 or 3 times	122	9.5
			4 4 or 5 times	50	3.7
			5 6 or 7 times	17	1.4
			6 8 or 9 times	9	0.7
			7 10 or 11 times	10	0.7
			8 12 or more times	47	3.3
			Missing	36	
40-40	Q16	Q21	During the past 12 months, how many times were you in a physical fight?		
			1 0 times	813	60.4
			2 1 time	230	16.9
			3 2 or 3 times	165	12.5
			4 4 or 5 times	56	4.0
			5 6 or 7 times	24	1.8
			6 8 or 9 times	17	1.2
			7 10 or 11 times	3	0.4
			8 12 or more times	41	2.7
			Missing	8	
41-41	Q17	Q22	During the past 12 months, how many times were you seriously injured?		
			1 0 times	635	54.9
			2 1 time	295	24.4
			3 2 or 3 times	152	12.9
			4 4 or 5 times	45	3.9
			5 6 or 7 times	17	1.4
			6 8 or 9 times	6	0.5
			7 10 or 11 times	6	0.6
			8 12 or more times	17	1.4
			Missing	184	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bahamas Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
42-42	Q18	Q23	During the past 12 months, what was the most serious injury that happened to you?		
		1	I was not seriously injured during the past 12 months	740	63.2
		2	I had a broken bone or a dislocated joint	106	8.8
		3	I had a cut or stab wound	86	7.5
		4	I had a concussion or other head or neck injury, was knocked out, or could not breathe	39	3.2
		5	I had a gunshot wound	3	0.2
		6	I had a bad burn	37	3.0
		7	I was poisoned or took too much of a drug	14	1.2
		8	Something else happened to me	156	13.0
			Missing	176	
43-43	Q19	Q24	During the past 12 months, what was the major cause of the most serious injury that happened to you?		
		1	I was not seriously injured during the past 12 months	766	63.9
		2	I was in a motor vehicle accident or hit by a motor vehicle	28	2.4
		3	I fell	138	11.0
		4	Something fell on me or hit me	48	3.8
		5	I was attacked or abused or was fighting with someone	38	3.3
		6	I was in a fire or too near a flame or something hot	17	1.3
		7	I inhaled or swallowed something bad for me	10	0.8
		8	Something else caused my injury	160	13.5
			Missing	152	
44-44	Q20	Q25	During the past 30 days, on how many days were you bullied?		
		1	0 days	977	76.5
		2	1 or 2 days	163	13.2
		3	3 to 5 days	46	3.5
		4	6 to 9 days	28	2.4
		5	10 to 19 days	16	1.1
		6	20 to 29 days	14	1.2
		7	All 30 days	26	2.2
			Missing	87	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bahamas Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
45-45	Q21	Q26	During the past 30 days, how were you bullied most often?		
			1 I was not bullied during the past 30 days	995	79.4
			2 I was hit, kicked, pushed, shoved around, or locked indoors	33	2.4
			3 I was made fun of because of my race, nationality, or color	26	1.9
			4 I was made fun of because of my religion	12	1.0
			5 I was made fun of with sexual jokes, comments, or gestures	32	2.4
			6 I was left out of activities on purpose or completely ignored	17	1.4
			7 I was made fun of because of how my body or face looks	63	5.1
			8 I was bullied in some other way	75	6.4
			Missing	104	
46-46	Q22	Q31	During the past 12 months, how often have you felt lonely?		
			1 Never	629	47.1
			2 Rarely	251	19.3
			3 Sometimes	313	22.4
			4 Most of the time	100	7.4
			5 Always	50	3.8
			Missing	14	
47-47	Q23	Q32	During the past 12 months, how often have you been so worried about something that you could not sleep at night?		
			1 Never	549	41.5
			2 Rarely	261	19.4
			3 Sometimes	337	24.9
			4 Most of the time	121	9.6
			5 Always	61	4.5
			Missing	28	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bahamas Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
48-48	Q24	Q33	During the past 12 months, did you ever seriously consider attempting suicide?		
			1 Yes	237	18.3
			2 No	1,071	81.7
			Missing	49	
49-49	Q25	Q34	During the past 12 months, did you make a plan about how you would attempt suicide?		
			1 Yes	208	15.5
			2 No	1,109	84.5
			Missing	40	
50-50	Q26	Q35	During the past 12 months, how many times did you actually attempt suicide?		
			1 0 times	1,140	85.9
			2 1 time	106	8.0
			3 2 or 3 times	46	3.5
			4 4 or 5 times	22	1.7
			5 6 or more times	13	0.9
			Missing	30	
51-51	Q27	Q36	How many close friends do you have?		
			1 0	127	9.1
			2 1	167	12.9
			3 2	238	18.4
			4 3 or more	801	59.6
			Missing	24	
52-52	Q28	Q37	How old were you when you first tried a cigarette?		
			1 I have never smoked cigarettes	1,083	83.5
			2 7 years old or younger	33	2.4
			3 8 or 9 years old	44	3.6
			4 10 or 11 years old	63	4.8
			5 12 or 13 years old	46	3.5
			6 14 or 15 years old	23	2.1
			7 16 years old or older	3	0.2
			Missing	62	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bahamas Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
53-53	Q29	Q38	During the past 30 days, on how many days did you smoke cigarettes?		
			1 0 days	1,257	94.5
			2 1 or 2 days	34	2.8
			3 3 to 5 days	12	1.1
			4 6 to 9 days	4	0.3
			5 10 to 19 days	7	0.5
			6 20 to 29 days	6	0.5
			7 All 30 days	3	0.3
			Missing	34	
54-54	Q30	Q39	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as pipe or hookah?		
			1 0 days	1,251	92.2
			2 1 or 2 days	55	4.0
			3 3 to 5 days	16	1.3
			4 6 to 9 days	14	1.1
			5 10 to 19 days	5	0.4
			6 20 to 29 days	7	0.4
			7 All 30 days	4	0.5
			Missing	5	
55-55	Q31	Q40	During the past 12 months, have you ever tried to stop smoking cigarettes?		
			1 I have never smoked cigarettes	1,141	88.5
			2 I did not smoke cigarettes during the past 12 months	84	6.6
			3 Yes	39	3.0
			4 No	20	1.8
			Missing	73	
56-56	Q32	Q41	During the past 7 days, on how many days have people smoked in your presence?		
			1 0 days	702	51.8
			2 1 or 2 days	277	21.0
			3 3 or 4 days	103	7.6
			4 5 or 6 days	50	3.6
			5 All 7 days	206	16.0
			Missing	19	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bahamas Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
57-57	Q33	Q42	Which of your parents or guardians use any form of tobacco?		
			1 Neither	991	74.5
			2 My father or male guardian	186	13.1
			3 My mother or female guardian	32	2.4
			4 Both	24	1.6
			5 I do not know	111	8.3
			Missing	13	
58-58	Q34	Q43	How old were you when you had your first drink of alcohol other than a few sips?		
			1 I have never had a drink of alcohol other than a few sips	508	40.3
			2 7 years old or younger	153	13.3
			3 8 or 9 years old	120	9.5
			4 10 or 11 years old	169	13.1
			5 12 or 13 years old	205	16.0
			6 14 or 15 years old	77	7.1
			7 16 years old or older	8	0.6
			Missing	117	
59-59	Q35	Q44	During the past 30 days, on how many days did you have at least one drink containing alcohol?		
			1 0 days	941	71.9
			2 1 or 2 days	217	16.4
			3 3 to 5 days	68	5.7
			4 6 to 9 days	36	2.7
			5 10 to 19 days	17	1.8
			6 20 to 29 days	10	0.7
			7 All 30 days	10	0.8
			Missing	58	
60-60	Q36	Q45	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?		
			1 I did not drink alcohol during the past 30 days	940	69.8
			2 Less than one drink	160	11.9
			3 1 drink	117	8.7
			4 2 drinks	61	4.4
			5 3 drinks	22	2.0
			6 4 drinks	19	1.5
			7 5 or more drinks	18	1.8
			Missing	20	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bahamas Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
61-61	Q37	Q46	During the past 30 days, how did you usually get the alcohol you drank?		
			1 I did not drink alcohol during the past 30 days	916	69.4
			2 I bought it in a store, shop, or from a street vendor	47	4.1
			3 I gave someone else money to buy it for me	36	2.8
			4 I got it from my friends	83	6.2
			5 I got it from my family	142	10.8
			6 I stole it or got it without permission	24	1.9
			7 I got it some other way	63	4.7
			Missing	46	
62-62	Q38	Q49	During your life, how many times did you drink so much alcohol that you were really drunk?		
			1 0 times	1,031	79.3
			2 1 or 2 times	189	14.6
			3 3 to 9 times	47	3.7
			4 10 or more times	29	2.4
			Missing	61	
63-63	Q39	Q50	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?		
			1 0 times	1,126	89.1
			2 1 or 2 times	83	6.6
			3 3 to 9 times	38	3.0
			4 10 or more times	17	1.4
			Missing	93	
64-64	Q40	Q52	How old were you when you first used drugs?		
			1 I have never used drugs	1,109	85.4
			2 7 years old or younger	31	2.4
			3 8 or 9 years old	27	2.3
			4 10 or 11 years old	43	3.3
			5 12 or 13 years old	56	4.4
			6 14 or 15 years old	21	2.0
			7 16 years old or older	2	0.1
			Missing	68	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bahamas Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
65-65	Q41	Q53	During your life, how many times have you used marijuana (also called weed, ganja, spliff, or joint)?		
			1 0 times	1,158	89.8
			2 1 or 2 times	45	3.7
			3 3 to 9 times	32	2.6
			4 10 to 19 times	19	1.6
			5 20 or more times	26	2.3
			Missing	77	
66-66	Q42	Q54	During the past 30 days, how many times have you used marijuana (also called weed, ganja, spliff, or joint)?		
			1 0 times	1,223	93.4
			2 1 or 2 times	28	2.2
			3 3 to 9 times	25	2.0
			4 10 to 19 times	14	1.1
			5 20 or more times	16	1.3
			Missing	51	
67-67	Q43	Q55	During your life, how many times have you used amphetamines or methamphetamines (also called uppers, ecstasy, MDMA, or Molly)?		
			1 0 times	1,261	96.7
			2 1 or 2 times	15	1.0
			3 3 to 9 times	14	1.1
			4 10 to 19 times	10	0.7
			5 20 or more times	7	0.5
			Missing	50	
68-68	Q44	Q56	Have you ever had sexual intercourse?		
			1 Yes	327	28.2
			2 No	888	71.8
			Missing	142	
69-69	Q45	Q57	How old were you when you had sexual intercourse for the first time?		
			1 I have never had sexual intercourse	1,030	77.9
			2 11 years old or younger	133	10.2
			3 12 years old	48	3.8
			4 13 years old	51	4.3
			5 14 years old	30	2.5
			6 15 years old	11	0.9
			7 16 years old or older	3	0.2
			Missing	51	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bahamas Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
70-70	Q46	Q59	During your life, with how many people have you had sexual intercourse?		
			1 I have never had sexual intercourse	1,032	79.3
			2 1 person	103	8.1
			3 2 people	42	3.5
			4 3 people	39	3.6
			5 4 people	18	1.3
			6 5 people	17	1.2
			7 6 or more people	33	3.0
			Missing	73	
71-71	Q47	Q60	The last time you had sexual intercourse, did you or your partner use a condom (also called a rubber, umbrella, jacket, life savers, Trojan, or raincoat)?		
			1 I have never had sexual intercourse	1,027	79.6
			2 Yes	142	12.3
			3 No	102	8.2
			Missing	86	
72-72	Q48	Q61	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?		
			1 I have never had sexual intercourse	1,040	79.6
			2 Yes	54	4.4
			3 No	136	11.5
			4 I do not know	58	4.5
			Missing	69	
73-73	Q49	Q71	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
			1 0 days	418	31.1
			2 1 day	231	17.5
			3 2 days	151	11.4
			4 3 days	127	9.7
			5 4 days	81	6.1
			6 5 days	77	5.8
			7 6 days	39	3.1
			8 7 days	192	15.3
			Missing	41	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bahamas Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
74-74	Q50	Q72	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?		
			1 0 days	873	66.3
			2 1 day	78	5.7
			3 2 days	45	3.2
			4 3 days	41	2.8
			5 4 days	18	1.5
			6 5 days	74	5.9
			7 6 days	10	0.6
			8 7 days	187	13.8
			Missing	31	
75-75	Q51	Q73	During this school year, on how many days did you go to physical education (PE) class each week?		
			1 0 days	106	8.1
			2 1 day	778	59.8
			3 2 days	153	12.2
			4 3 days	53	4.0
			5 4 days	24	1.6
			6 5 or more days	190	14.3
			Missing	53	
76-76	Q52	Q74	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as texting; going on Twitter, Facebook, Tumblr, or YouTube; chatting online; or playing dominoes?		
			1 Less than 1 hour per day	298	22.8
			2 1 to 2 hours per day	278	22.6
			3 3 to 4 hours per day	278	21.4
			4 5 to 6 hours per day	150	11.4
			5 7 to 8 hours per day	69	5.7
			6 More than 8 hours per day	211	16.1
			Missing	73	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bahamas Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
77-77	Q53	Q76	During the past 30 days, on how many days did you miss classes or school without permission?		
			1 0 days	1,110	85.3
			2 1 or 2 days	108	8.7
			3 3 to 5 days	36	2.8
			4 6 to 9 days	24	1.9
			5 10 or more days	16	1.3
			Missing	63	
78-78	Q54	Q77	During the past 30 days, how often were most of the students in your school kind and helpful?		
			1 Never	219	17.5
			2 Rarely	270	20.8
			3 Sometimes	458	36.5
			4 Most of the time	232	17.9
			5 Always	96	7.3
			Missing	82	
79-79	Q55	Q78	During the past 30 days, how often did your parents or guardians check to see if your homework was done?		
			1 Never	266	20.3
			2 Rarely	178	13.7
			3 Sometimes	221	17.3
			4 Most of the time	229	17.6
			5 Always	415	31.1
			Missing	48	
80-80	Q56	Q79	During the past 30 days, how often did your parents or guardians understand your problems and worries?		
			1 Never	353	27.7
			2 Rarely	193	15.4
			3 Sometimes	275	20.8
			4 Most of the time	196	15.3
			5 Always	275	20.8
			Missing	65	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bahamas Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
81-81	Q57	Q80	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?		
			1 Never	258	20.2
			2 Rarely	167	12.8
			3 Sometimes	271	20.9
			4 Most of the time	210	16.5
			5 Always	372	29.5
			Missing	79	
82-82	Q58	Q81	During the past 30 days, how often did your parents or guardians go through your things without your approval?		
			1 Never	585	45.1
			2 Rarely	232	18.3
			3 Sometimes	219	17.5
			4 Most of the time	116	8.5
			5 Always	140	10.6
			Missing	65	
185-185	QN6		Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days		
			1 Yes	95	6.9
			2 No	1,253	93.1
			Missing	9	
186-186	QN7		Percentage of students who usually ate fruit two or more times per day during the past 30 days		
			1 Yes	418	30.7
			2 No	934	69.3
			Missing	5	
187-187	QN8		Percentage of students who usually ate vegetables three or more times per day during the past 30 days		
			1 Yes	195	14.3
			2 No	1,144	85.7
			Missing	18	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bahamas Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
188-188	QN9		Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days		
		1	Yes	932	69.1
		2	No	413	30.9
			Missing	12	
189-189	QN10		Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days		
		1	Yes	378	27.5
		2	No	964	72.5
			Missing	15	
190-190	QN11		Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days		
		1	Yes	81	5.9
		2	No	1,271	94.1
			Missing	5	
191-191	QN12		Percentage of students who never or rarely washed their hands before eating during the past 30 days		
		1	Yes	213	15.9
		2	No	1,128	84.1
			Missing	16	
192-192	QN13		Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days		
		1	Yes	62	5.0
		2	No	1,256	95.0
			Missing	39	
193-193	QN14		Percentage of students who never or rarely used soap when washing their hands during the past 30 days		
		1	Yes	120	9.0
		2	No	1,227	91.0
			Missing	10	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bahamas Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
194-194	QN15		Percentage of students who were physically attacked one or more times during the past 12 months		
		1	Yes	398	29.8
		2	No	923	70.2
			Missing	36	
195-195	QN16		Percentage of students who were in a physical fight one or more times during the past 12 months		
		1	Yes	536	39.6
		2	No	813	60.4
			Missing	8	
196-196	QN17		Percentage of students who were seriously injured one or more times during the past 12 months		
		1	Yes	538	45.1
		2	No	635	54.9
			Missing	184	
197-197	QN18		Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint		
		1	Yes	106	23.9
		2	No	335	76.1
			Missing	916	
198-198	QN19		Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle		
		1	Yes	28	6.6
		2	No	411	93.4
			Missing	918	
199-199	QN20		Percentage of students who were bullied on one or more days during the past 30 days		
		1	Yes	293	23.5
		2	No	977	76.5
			Missing	87	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bahamas Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
200-200	QN21		Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors		
		1	Yes	33	11.8
		2	No	225	88.2
			Missing	1,099	
201-201	QN22		Percentage of students who most of the time or always felt lonely during the past 12 months		
		1	Yes	150	11.2
		2	No	1,193	88.8
			Missing	14	
202-202	QN23		Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months		
		1	Yes	182	14.1
		2	No	1,147	85.9
			Missing	28	
203-203	QN24		Percentage of students who ever seriously considered attempting suicide during the past 12 months		
		1	Yes	237	18.3
		2	No	1,071	81.7
			Missing	49	
204-204	QN25		Percentage of students who made a plan about how they would attempt suicide during the past 12 months		
		1	Yes	208	15.5
		2	No	1,109	84.5
			Missing	40	
205-205	QN26		Percentage of students who actually attempted suicide one or more times during the past 12 months		
		1	Yes	187	14.1
		2	No	1,140	85.9
			Missing	30	
206-206	QN27		Percentage of students who had no close friends		
		1	Yes	127	9.1
		2	No	1,206	90.9
			Missing	24	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bahamas Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
207-207	QN28		Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years		
		1	Yes	186	86.4
		2	No	26	13.6
			Missing	1,145	
208-208	QN29		Percentage of students who smoked cigarettes on one or more days during the past 30 days		
		1	Yes	66	5.5
		2	No	1,257	94.5
			Missing	34	
209-209	QN30		Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days		
		1	Yes	101	7.8
		2	No	1,251	92.2
			Missing	5	
210-210	QN31		Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months		
		1	Yes	39	62.5
		2	No	20	37.5
			Missing	1,298	
211-211	QN32		Percentage of students who reported people smoked in their presence on one or more days during the past seven days		
		1	Yes	636	48.2
		2	No	702	51.8
			Missing	19	
212-212	QN33		Percentage of students who had parents or guardians who used any form of tobacco		
		1	Yes	242	17.2
		2	No	1,102	82.8
			Missing	13	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bahamas Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
213-213	QN34		Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years		
		1	Yes	647	87.0
		2	No	85	13.0
			Missing	625	
214-214	QN35		Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days		
		1	Yes	358	28.1
		2	No	941	71.9
			Missing	58	
215-215	QN36		Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol		
		1	Yes	120	31.8
		2	No	277	68.2
			Missing	960	
216-216	QN37		Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends		
		1	Yes	83	20.4
		2	No	312	79.6
			Missing	962	
217-217	QN38		Percentage of students who drank so much alcohol that they were really drunk one or more times during their life		
		1	Yes	265	20.7
		2	No	1,031	79.3
			Missing	61	
218-218	QN39		Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol		
		1	Yes	138	10.9
		2	No	1,126	89.1
			Missing	93	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bahamas Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
219-219	QN40		Among students who ever used drugs, the percentage who first used drugs before age 14 years		
		1	Yes	157	85.2
		2	No	23	14.8
			Missing	1,177	
220-220	QN41		Percentage of students who used marijuana one or more times during their life		
		1	Yes	122	10.2
		2	No	1,158	89.8
			Missing	77	
221-221	QN42		Percentage of students who used marijuana one or more times during the past 30 days		
		1	Yes	83	6.6
		2	No	1,223	93.4
			Missing	51	
222-222	QN43		Percentage of students who used amphetamines or methamphetamines one or more times during their life		
		1	Yes	46	3.3
		2	No	1,261	96.7
			Missing	50	
223-223	QN44		Percentage of students who ever had sexual intercourse		
		1	Yes	327	28.2
		2	No	888	71.8
			Missing	142	
224-224	QN45		Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years		
		1	Yes	232	83.5
		2	No	44	16.5
			Missing	1,081	
225-225	QN46		Percentage of students who had sexual intercourse with two or more people during their life		
		1	Yes	149	12.6
		2	No	1,135	87.4
			Missing	73	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bahamas Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
226-226	QN47		Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse		
		1	Yes	142	60.0
		2	No	102	40.0
			Missing	1,113	
227-227	QN48		Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse		
		1	Yes	54	21.6
		2	No	194	78.4
			Missing	1,109	
228-228	QN49		Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days		
		1	Yes	308	24.2
		2	No	1,008	75.8
			Missing	41	
229-229	QN50		Percentage of students who did not walk or ride a bicycle to or from school during the past seven days		
		1	Yes	873	66.3
		2	No	453	33.7
			Missing	31	
230-230	QN51		Percentage of students who went to physical education (PE) class on three or more days each week during this school year		
		1	Yes	267	19.9
		2	No	1,037	80.1
			Missing	53	
231-231	QN52		Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities		
		1	Yes	708	54.6
		2	No	576	45.4
			Missing	73	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bahamas Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
232-232	QN53		Percentage of students who missed classes or school without permission on one or more of the past 30 days		
		1	Yes	184	14.7
		2	No	1,110	85.3
			Missing	63	
233-233	QN54		Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days		
		1	Yes	328	25.2
		2	No	947	74.8
			Missing	82	
234-234	QN55		Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days		
		1	Yes	644	48.7
		2	No	665	51.3
			Missing	48	
235-235	QN56		Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days		
		1	Yes	471	36.1
		2	No	821	63.9
			Missing	65	
236-236	QN57		Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days		
		1	Yes	582	46.0
		2	No	696	54.0
			Missing	79	
237-237	QN58		Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days		
		1	Yes	817	63.4
		2	No	475	36.6
			Missing	65	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bahamas Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
350-350	QNOWTG		Percentage of students who were overweight (>+1SD from median for BMI by age and sex)		
		1	Yes	557	45.5
		2	No	657	54.5
			Missing	143	
351-351	QNOBESEG		Percentage of students who were obese (>+2SD from median for BMI by age and sex)		
		1	Yes	267	21.3
		2	No	947	78.7
			Missing	143	
352-352	QNUNWTG		Percentage of students who were underweight (<-2SD from median for BMI by age and sex)		
		1	Yes	32	2.5
		2	No	1,182	97.5
			Missing	143	
353-353	QNFRVGG		Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days		
		1	Yes	228	16.2
		2	No	1,109	83.8
			Missing	20	
354-354	QNANYTBG		Percentage of students who used any tobacco on one or more days during the past 30 days		
		1	Yes	123	9.7
		2	No	1,199	90.3
			Missing	35	
355-355	QNPA7G		Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days		
		1	Yes	192	15.3
		2	No	1,124	84.7
			Missing	41	

2013 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Bahamas Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
356-356	QNPE5G		Percentage of students who went to physical education (PE) class on five or more days each week during this school year		
		1	Yes	190	14.3
		2	No	1,114	85.7
			Missing	53	
357-357	QNC1G		Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse		
		1	Yes	118	54.2
		2	No	105	45.8
			Missing	1,134	
358-358	QNC2G		Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days		
		1	Yes	66	38.4
		2	No	107	61.6
			Missing	1,184	
362-371	WEIGHT				
372-380	STRATUM				
381-385	PSU				