

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Bolivia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
17-17	Q1	Q1	How old are you?			
			1	11 years old or younger	47	1.2
			2	12 years old	126	3.6
			3	13 years old	697	18.3
			4	14 years old	1,001	27.3
			5	15 years old	980	29.0
			6	16 years old or older	693	20.6
				Missing	152	
18-18	Q2	Q2	What is your sex?			
			1	Male	1,792	51.0
			2	Female	1,743	49.0
				Missing	161	
19-19	Q3	Q3	In what grade are you?			
			1	6th grade primary	6	0.2
			2	1st grade secondary	136	4.1
			3	2nd grade secondary	1,337	33.9
			4	3rd grade secondary	1,207	32.1
			5	4th grade secondary	928	28.7
			6	5th grade secondary	32	0.9
	Missing	50				
20-23	Q4	Q4	How tall are you without your shoes on? (Note: Data are in meters.)			
24-29	Q5	Q5	How much do you weigh without your shoes on? (Note: Data are in kilograms.)			
30-30	Q6	Q7	During the past 30 days, how often did you go hungry because there was not enough food in your home?			
			1	Never	1,358	38.1
			2	Rarely	1,264	34.5
			3	Sometimes	695	18.7
			4	Most of the time	154	4.0
			5	Always	176	4.6
	Missing	49				

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Bolivia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
31-31	Q7	Q9	During the past 30 days, how many times per day did you usually eat fruit, such as oranges, tangerines, bananas, strawberries, papaya, pineapple, melon, apple, pear, grapes, kiwi, mango, or limes?			
			1	I did not eat fruit during the past 30 days	365	9.8
			2	Less than one time per day	737	19.7
			3	1 time per day	885	24.8
			4	2 times per day	692	18.8
			5	3 times per day	499	13.8
			6	4 times per day	178	4.7
			7	5 or more times per day	312	8.2
	Missing	28				
32-32	Q8	Q10	During the past 30 days, how many times per day did you usually eat vegetables, such as lettuce, radishes, carrots, cucumbers, spinach, chard, squash, cegolla, cauliflower, or broccoli?			
			1	I did not eat vegetables during the past 30 days	202	5.4
			2	Less than one time per day	500	13.9
			3	1 time per day	1,197	33.6
			4	2 times per day	855	22.8
			5	3 times per day	407	10.7
			6	4 times per day	117	3.0
			7	5 or more times per day	382	10.6
	Missing	36				
33-33	Q9	Q13	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as Pepsi, Coca-Cola, Fanta, papaya salvieti, or kinot?			
			1	I did not drink carbonated soft drinks during the past 30 days	432	11.2
			2	Less than one time per day	950	25.9
			3	1 time per day	1,038	27.7
			4	2 times per day	483	13.4
			5	3 times per day	342	9.8
			6	4 times per day	130	3.5
			7	5 or more times per day	302	8.5
	Missing	19				

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Bolivia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
34-34	Q10	Q14	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as Burger King, Copacabana Chicken, Dumbo, Tobys, or Ellis Pizza?		
			1 0 days	1,551	42.1
			2 1 day	1,042	28.7
			3 2 days	476	13.2
			4 3 days	246	6.8
			5 4 days	132	3.7
			6 5 days	83	2.1
			7 6 days	34	0.9
			8 7 days	94	2.5
			Missing	38	
35-35	Q11	Q15	During the past 30 days, how many times per day did you usually clean or brush your teeth?		
			1 I did not clean or brush my teeth during the past 30 days	87	2.2
			2 Less than 1 time per day	206	5.6
			3 1 time per day	671	18.2
			4 2 times per day	1,210	33.4
			5 3 times per day	1,215	33.0
			6 4 or more times per day	283	7.6
			Missing	24	
36-36	Q12	Q16	During the past 30 days, how often did you wash your hands before eating?		
			1 Never	42	1.1
			2 Rarely	345	9.5
			3 Sometimes	628	17.4
			4 Most of the time	1,373	38.0
			5 Always	1,248	33.9
			Missing	60	
37-37	Q13	Q17	During the past 30 days, how often did you wash your hands after using the toilet or latrine?		
			1 Never	79	2.0
			2 Rarely	224	5.5
			3 Sometimes	411	11.8
			4 Most of the time	929	25.5
			5 Always	1,987	55.1
			Missing	66	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Bolivia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
38-38	Q14	Q18	During the past 30 days, how often did you use soap when washing your hands?			
			1	Never	140	3.8
			2	Rarely	451	12.3
			3	Sometimes	895	24.5
			4	Most of the time	1,061	28.9
			5	Always	1,133	30.5
				Missing	16	
39-39	Q15	Q21	During the past 12 months, how many times were you physically attacked?			
			1	0 times	2,389	65.1
			2	1 time	625	17.0
			3	2 or 3 times	341	9.4
			4	4 or 5 times	100	2.8
			5	6 or 7 times	65	1.6
			6	8 or 9 times	32	0.9
			7	10 or 11 times	20	0.5
			8	12 or more times	105	2.7
	Missing	19				
40-40	Q16	Q24	During the past 12 months, how many times were you in a physical fight?			
			1	0 times	2,470	67.1
			2	1 time	665	18.0
			3	2 or 3 times	282	7.4
			4	4 or 5 times	112	3.2
			5	6 or 7 times	44	1.3
			6	8 or 9 times	15	0.4
			7	10 or 11 times	9	0.3
			8	12 or more times	92	2.4
	Missing	7				
41-41	Q17	Q25	During the past 12 months, how many times were you seriously injured?			
			1	0 times	1,632	50.7
			2	1 time	1,028	31.8
			3	2 or 3 times	391	11.7
			4	4 or 5 times	95	2.8
			5	6 or 7 times	40	1.2
			6	8 or 9 times	16	0.4
			7	10 or 11 times	8	0.2
			8	12 or more times	42	1.2
	Missing	444				

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Bolivia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
42-42	Q18	Q26	During the past 12 months, what was the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	2,314	67.5
			2 I had a broken bone or a dislocated joint	206	6.1
			3 I had a cut or stab wound	84	2.4
			4 I had a concussion or other head or neck injury, was knocked out, or could not breathe	105	3.0
			5 I had a gunshot wound	12	0.2
			6 I had a bad burn	49	1.5
			7 I was poisoned or took too much of a drug	7	0.2
			8 Something else happened to me	644	19.1
			Missing	275	
43-43	Q19	Q27	During the past 12 months, what was the major cause of the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	2,127	64.4
			2 I was in a motor vehicle accident or hit by a motor vehicle	81	2.5
			3 I fell	574	17.3
			4 Something fell on me or hit me	75	2.2
			5 I was attacked or abused or was fighting with someone	36	1.2
			6 I was in a fire or too near a flame or something hot	26	0.7
			7 I inhaled or swallowed something bad for me	13	0.4
			8 Something else caused my injury	374	11.3
			Missing	390	
44-44	Q20	Q28	During the past 30 days, on how many days were you bullied?		
			1 0 days	2,330	68.2
			2 1 or 2 days	796	22.6
			3 3 to 5 days	153	4.6
			4 6 to 9 days	59	1.7
			5 10 to 19 days	40	0.9
			6 20 to 29 days	18	0.6
			7 All 30 days	49	1.4
			Missing	251	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Bolivia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
45-45	Q21	Q29	During the past 30 days, how were you bullied most often?		
			1 I was not bullied during the past 30 days	2,575	75.9
			2 I was hit, kicked, pushed, shoved around, or locked indoors	112	3.1
			3 I was made fun of because of my race, nationality, or color	89	2.4
			4 I was made fun of because of my religion	58	1.6
			5 I was made fun of with sexual jokes, comments, or gestures	96	2.8
			6 I was left out of activities on purpose or completely ignored	57	1.6
			7 I was made fun of because of how my body or face looks	122	3.7
			8 I was bullied in some other way	307	8.9
			Missing	280	
46-46	Q22	Q31	During the past 12 months, how often have you felt lonely?		
			1 Never	1,009	27.2
			2 Rarely	1,356	37.1
			3 Sometimes	901	24.8
			4 Most of the time	262	6.8
			5 Always	146	4.1
			Missing	22	
47-47	Q23	Q32	During the past 12 months, how often have you been so worried about something that you could not sleep at night?		
			1 Never	1,055	29.0
			2 Rarely	1,411	39.0
			3 Sometimes	884	24.7
			4 Most of the time	181	4.7
			5 Always	98	2.6
			Missing	67	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Bolivia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
48-48	Q24	Q33	During the past 12 months, did you ever seriously consider attempting suicide?			
			1	Yes	686	18.2
			2	No	2,939	81.8
				Missing	71	
49-49	Q25	Q34	During the past 12 months, did you make a plan about how you would attempt suicide?			
			1	Yes	630	17.1
			2	No	3,018	82.9
				Missing	48	
50-50	Q26	Q35	During the past 12 months, how many times did you actually attempt suicide?			
			1	0 times	2,854	79.1
			2	1 time	512	13.7
			3	2 or 3 times	155	4.3
			4	4 or 5 times	55	1.3
			5	6 or more times	55	1.6
				Missing	65	
51-51	Q27	Q36	How many close friends do you have?			
			1	0	306	8.2
			2	1	485	12.9
			3	2	518	13.7
			4	3 or more	2,356	65.1
	Missing	31				
52-52	Q28	Q37	How old were you when you first tried a cigarette?			
			1	I have never smoked cigarettes	2,296	64.5
			2	7 years old or younger	127	3.5
			3	8 or 9 years old	108	3.0
			4	10 or 11 years old	203	5.3
			5	12 or 13 years old	322	9.4
			6	14 or 15 years old	372	11.3
			7	16 years old or older	95	2.8
	Missing	173				

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Bolivia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
53-53	Q29	Q38	During the past 30 days, on how many days did you smoke cigarettes?		
			1 0 days	3,083	84.4
			2 1 or 2 days	360	10.4
			3 3 to 5 days	78	2.2
			4 6 to 9 days	48	1.3
			5 10 to 19 days	21	0.8
			6 20 to 29 days	22	0.5
			7 All 30 days	16	0.5
	Missing	68			
54-54	Q30	Q39	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as cigars, shisha or water pipes, pipes, or kretek?		
			1 0 days	3,448	93.6
			2 1 or 2 days	154	4.2
			3 3 to 5 days	39	0.9
			4 6 to 9 days	21	0.6
			5 10 to 19 days	12	0.4
			6 20 to 29 days	5	0.1
			7 All 30 days	5	0.1
	Missing	12			
55-55	Q31	Q40	During the past 12 months, have you ever tried to stop smoking cigarettes?		
			1 I have never smoked cigarettes	2,576	71.9
			2 I did not smoke cigarettes during the past 12 months	422	12.4
			3 Yes	462	13.3
			4 No	84	2.4
	Missing	152			
56-56	Q32	Q41	During the past 7 days, on how many days have people smoked in your presence?		
			1 0 days	1,809	49.6
			2 1 or 2 days	1,188	32.9
			3 3 or 4 days	329	8.8
			4 5 or 6 days	116	3.1
			5 All 7 days	211	5.6
	Missing	43			

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Bolivia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
57-57	Q33	Q42	Which of your parents or guardians use any form of tobacco?			
			1	Neither	2,825	77.4
			2	My father or male guardian	417	11.0
			3	My mother or female guardian	93	2.5
			4	Both	88	2.3
			5	I do not know	255	6.9
				Missing	18	
58-58	Q34	Q45	How old were you when you had your first drink of alcohol other than a few sips?			
			1	I have never had a drink of alcohol other than a few sips	1,872	59.7
			2	7 years old or younger	101	2.9
			3	8 or 9 years old	64	2.0
			4	10 or 11 years old	115	3.4
			5	12 or 13 years old	322	10.1
			6	14 or 15 years old	526	18.1
			7	16 years old or older	119	3.7
	Missing	577				
59-59	Q35	Q46	During the past 30 days, on how many days did you have at least one drink containing alcohol?			
			1	0 days	2,907	81.1
			2	1 or 2 days	454	13.2
			3	3 to 5 days	102	2.9
			4	6 to 9 days	39	1.2
			5	10 to 19 days	29	0.9
			6	20 to 29 days	12	0.3
			7	All 30 days	14	0.4
	Missing	139				
60-60	Q36	Q47	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?			
			1	I did not drink alcohol during the past 30 days	2,858	78.9
			2	Less than one drink	311	8.9
			3	1 drink	141	4.2
			4	2 drinks	71	2.0
			5	3 drinks	54	1.5
			6	4 drinks	47	1.4
			7	5 or more drinks	105	3.0
	Missing	109				

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Bolivia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
61-61	Q37	Q48	During the past 30 days, how did you usually get the alcohol you drank?			
			1	I did not drink alcohol during the past 30 days	2,933	81.5
			2	I bought it in a store, shop, or from a street vendor	225	6.6
			3	I gave someone else money to buy it for me	61	1.7
			4	I got it from my friends	204	6.1
			5	I got it from my family	41	1.1
			6	I stole it or got it without permission	4	0.1
			7	I got it some other way	105	2.9
				Missing	123	
62-62	Q38	Q50	During your life, how many times did you drink so much alcohol that you were really drunk?			
			1	0 times	3,044	84.8
			2	1 or 2 times	394	11.4
			3	3 to 9 times	73	2.2
			4	10 or more times	49	1.5
				Missing	136	
63-63	Q39	Q51	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?			
			1	0 times	2,913	87.3
			2	1 or 2 times	311	9.5
			3	3 to 9 times	56	1.7
			4	10 or more times	54	1.5
				Missing	362	
64-64	Q40	Q53	How old were you when you first used drugs?			
			1	I have never used drugs	3,241	94.5
			2	7 years old or younger	46	1.4
			3	8 or 9 years old	22	0.7
			4	10 or 11 years old	12	0.3
			5	12 or 13 years old	37	1.2
			6	14 or 15 years old	39	1.1
			7	16 years old or older	31	0.8
				Missing	268	

## 2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

### Bolivia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
65-65	Q41	Q54	During your life, how many times have you used marijuana (also called cannabis, weed, ganja, or grass)?			
			1	0 times	3,499	96.5
			2	1 or 2 times	70	1.9
			3	3 to 9 times	20	0.6
			4	10 to 19 times	20	0.6
			5	20 or more times	16	0.5
		Missing		71		
66-66	Q42	Q55	During the past 30 days, how many times have you used marijuana (also called cannabis, weed, ganja, or grass)?			
			1	0 times	3,503	96.8
			2	1 or 2 times	52	1.4
			3	3 to 9 times	38	1.1
			4	10 to 19 times	17	0.5
			5	20 or more times	7	0.2
		Missing		79		
67-67	Q43	Q56	During your life, how many times have you used amphetamines or methamphetamines (also called pills or seeds)?			
			1	0 times	3,414	98.3
			2	1 or 2 times	31	0.9
			3	3 to 9 times	9	0.3
			4	10 to 19 times	8	0.3
			5	20 or more times	9	0.2
		Missing		225		
68-68	Q44	Q57	Have you ever had sexual intercourse?			
			1	Yes	890	26.1
			2	No	2,511	73.9
		Missing		295		
69-69	Q45	Q58	How old were you when you had sexual intercourse for the first time?			
			1	I have never had sexual intercourse	2,879	80.8
			2	11 years old or younger	113	3.2
			3	12 years old	71	2.2
			4	13 years old	86	2.5
			5	14 years old	152	4.4
			6	15 years old	155	4.5
7	16 years old or older	93	2.4			
		Missing		147		

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Bolivia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
70-70	Q46	Q59	During your life, with how many people have you had sexual intercourse?		
			1 I have never had sexual intercourse	2,909	80.9
			2 1 person	325	9.0
			3 2 people	117	3.5
			4 3 people	87	2.7
			5 4 people	42	1.1
			6 5 people	27	0.8
			7 6 or more people	67	2.0
			Missing	122	
71-71	Q47	Q60	The last time you had sexual intercourse, did you or your partner use a condom ?		
			1 I have never had sexual intercourse	2,871	81.4
			2 Yes	379	10.9
			3 No	277	7.7
			Missing	169	
72-72	Q48	Q62	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?		
			1 I have never had sexual intercourse	2,794	80.8
			2 Yes	234	7.1
			3 No	269	7.8
			4 I do not know	145	4.3
			Missing	254	
73-73	Q49	Q67	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
			1 0 days	834	21.7
			2 1 day	927	25.4
			3 2 days	485	13.2
			4 3 days	371	10.4
			5 4 days	214	6.2
			6 5 days	219	6.0
			7 6 days	115	3.6
			8 7 days	480	13.6
			Missing	51	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Bolivia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
74-74	Q50	Q68	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?		
			1 0 days	1,293	35.3
			2 1 day	431	11.6
			3 2 days	223	6.0
			4 3 days	129	3.5
			5 4 days	90	2.5
			6 5 days	387	10.0
			7 6 days	93	3.2
			8 7 days	974	27.9
			Missing	76	
75-75	Q51	Q69	During this school year, on how many days did you go to physical education (PE) class each week?		
			1 0 days	469	12.5
			2 1 day	1,854	50.7
			3 2 days	170	5.2
			4 3 days	82	2.3
			5 4 days	74	2.1
			6 5 or more days	968	27.3
			Missing	79	
76-76	Q52	Q71	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as playing with play station, Xbox, Wii, or Nintendo?		
			1 Less than 1 hour per day	1,490	40.7
			2 1 to 2 hours per day	1,253	34.9
			3 3 to 4 hours per day	536	14.9
			4 5 to 6 hours per day	192	5.3
			5 7 to 8 hours per day	50	1.3
			6 More than 8 hours per day	102	3.0
			Missing	73	
77-77	Q53	Q72	During the past 30 days, on how many days did you miss classes or school without permission?		
			1 0 days	2,446	66.6
			2 1 or 2 days	941	26.0
			3 3 to 5 days	170	4.5
			4 6 to 9 days	55	1.4
			5 10 or more days	54	1.5
			Missing	30	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Bolivia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
78-78	Q54	Q73	During the past 30 days, how often were most of the students in your school kind and helpful?		
			1 Never	339	9.0
			2 Rarely	966	26.2
			3 Sometimes	880	24.5
			4 Most of the time	819	22.8
			5 Always	647	17.4
			Missing	45	
79-79	Q55	Q74	During the past 30 days, how often did your parents or guardians check to see if your homework was done?		
			1 Never	608	16.2
			2 Rarely	817	22.2
			3 Sometimes	759	21.6
			4 Most of the time	678	19.5
			5 Always	750	20.5
			Missing	84	
80-80	Q56	Q75	During the past 30 days, how often did your parents or guardians understand your problems and worries?		
			1 Never	824	21.8
			2 Rarely	955	26.3
			3 Sometimes	703	19.5
			4 Most of the time	566	16.0
			5 Always	605	16.5
			Missing	43	
81-81	Q57	Q76	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?		
			1 Never	724	19.4
			2 Rarely	941	25.4
			3 Sometimes	643	17.8
			4 Most of the time	636	18.0
			5 Always	702	19.4
			Missing	50	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Bolivia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
82-82	Q58	Q77	During the past 30 days, how often did your parents or guardians go through your things without your approval?		
			1 Never	1,983	54.8
			2 Rarely	843	23.9
			3 Sometimes	458	12.8
			4 Most of the time	150	4.1
			5 Always	162	4.3
			Missing	100	
185-185	QN6		Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days		
			1 Yes	330	8.6
			2 No	3,317	91.4
			Missing	49	
186-186	QN7		Percentage of students who usually ate fruit two or more times per day during the past 30 days		
			1 Yes	1,681	45.6
			2 No	1,987	54.4
			Missing	28	
187-187	QN8		Percentage of students who usually ate vegetables three or more times per day during the past 30 days		
			1 Yes	906	24.3
			2 No	2,754	75.7
			Missing	36	
188-188	QN9		Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days		
			1 Yes	2,295	62.9
			2 No	1,382	37.1
			Missing	19	
189-189	QN10		Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days		
			1 Yes	589	16.0
			2 No	3,069	84.0
			Missing	38	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Bolivia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
190-190	QN11		Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days			
			1	Yes	293	7.8
			2	No	3,379	92.2
				Missing	24	
191-191	QN12		Percentage of students who never or rarely washed their hands before eating during the past 30 days			
			1	Yes	387	10.6
			2	No	3,249	89.4
				Missing	60	
192-192	QN13		Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days			
			1	Yes	303	7.5
			2	No	3,327	92.5
				Missing	66	
193-193	QN14		Percentage of students who never or rarely used soap when washing their hands during the past 30 days			
			1	Yes	591	16.1
			2	No	3,089	83.9
				Missing	16	
194-194	QN15		Percentage of students who were physically attacked one or more times during the past 12 months			
			1	Yes	1,288	34.9
			2	No	2,389	65.1
				Missing	19	
195-195	QN16		Percentage of students who were in a physical fight one or more times during the past 12 months			
			1	Yes	1,219	32.9
			2	No	2,470	67.1
				Missing	7	
196-196	QN17		Percentage of students who were seriously injured one or more times during the past 12 months			
			1	Yes	1,620	49.3
			2	No	1,632	50.7
				Missing	444	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Bolivia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
197-197	QN18		Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint		
			1 Yes	206	18.9
			2 No	901	81.1
			Missing	2,589	
198-198	QN19		Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle		
			1 Yes	81	7.1
			2 No	1,098	92.9
			Missing	2,517	
199-199	QN20		Percentage of students who were bullied on one or more days during the past 30 days		
			1 Yes	1,115	31.8
			2 No	2,330	68.2
			Missing	251	
200-200	QN21		Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors		
			1 Yes	112	13.0
			2 No	729	87.0
			Missing	2,855	
201-201	QN22		Percentage of students who most of the time or always felt lonely during the past 12 months		
			1 Yes	408	10.9
			2 No	3,266	89.1
			Missing	22	
202-202	QN23		Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months		
			1 Yes	279	7.3
			2 No	3,350	92.7
			Missing	67	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Bolivia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
203-203	QN24		Percentage of students who ever seriously considered attempting suicide during the past 12 months		
			1 Yes	686	18.2
			2 No	2,939	81.8
				Missing	71
204-204	QN25		Percentage of students who made a plan about how they would attempt suicide during the past 12 months		
			1 Yes	630	17.1
			2 No	3,018	82.9
				Missing	48
205-205	QN26		Percentage of students who actually attempted suicide one or more times during the past 12 months		
			1 Yes	777	20.9
			2 No	2,854	79.1
				Missing	65
206-206	QN27		Percentage of students who had no close friends		
			1 Yes	306	8.2
			2 No	3,359	91.8
				Missing	31
207-207	QN28		Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years		
			1 Yes	760	60.0
			2 No	467	40.0
				Missing	2,469
208-208	QN29		Percentage of students who smoked cigarettes on one or more days during the past 30 days		
			1 Yes	545	15.6
			2 No	3,083	84.4
				Missing	68
209-209	QN30		Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days		
			1 Yes	236	6.4
			2 No	3,448	93.6
				Missing	12

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Bolivia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
210-210	QN31		Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months		
			1 Yes	462	84.9
			2 No	84	15.1
			Missing	3,150	
211-211	QN32		Percentage of students who reported people smoked in their presence on one or more days during the past seven days		
			1 Yes	1,844	50.4
			2 No	1,809	49.6
			Missing	43	
212-212	QN33		Percentage of students who had parents or guardians who used any form of tobacco		
			1 Yes	598	15.7
			2 No	3,080	84.3
			Missing	18	
213-213	QN34		Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years		
			1 Yes	602	45.8
			2 No	645	54.2
			Missing	2,449	
214-214	QN35		Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days		
			1 Yes	650	18.9
			2 No	2,907	81.1
			Missing	139	
215-215	QN36		Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol		
			1 Yes	277	37.9
			2 No	452	62.1
			Missing	2,967	

**2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS**

**Bolivia Survey  
Public Use Codebook**

<b>Data Location</b>	<b>Standard Variable Name</b>	<b>Country Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
216-216	QN37		Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends		
			1 Yes	204	33.2
			2 No	436	66.8
			Missing	3,056	
217-217	QN38		Percentage of students who drank so much alcohol that they were really drunk one or more times during their life		
			1 Yes	516	15.2
			2 No	3,044	84.8
			Missing	136	
218-218	QN39		Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol		
			1 Yes	421	12.7
			2 No	2,913	87.3
			Missing	362	
219-219	QN40		Among students who ever used drugs, the percentage who first used drugs before age 14 years		
			1 Yes	117	64.8
			2 No	70	35.2
			Missing	3,509	
220-220	QN41		Percentage of students who used marijuana one or more times during their life		
			1 Yes	126	3.5
			2 No	3,499	96.5
			Missing	71	
221-221	QN42		Percentage of students who used marijuana one or more times during the past 30 days		
			1 Yes	114	3.2
			2 No	3,503	96.8
			Missing	79	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Bolivia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
222-222	QN43		Percentage of students who used amphetamines or methamphetamines one or more times during their life		
		1	Yes	57	1.7
		2	No	3,414	98.3
			Missing	225	
223-223	QN44		Percentage of students who ever had sexual intercourse		
		1	Yes	890	26.1
		2	No	2,511	73.9
			Missing	295	
224-224	QN45		Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years		
		1	Yes	270	41.0
		2	No	400	59.0
			Missing	3,026	
225-225	QN46		Percentage of students who had sexual intercourse with two or more people during their life		
		1	Yes	340	10.1
		2	No	3,234	89.9
			Missing	122	
226-226	QN47		Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse		
		1	Yes	379	58.8
		2	No	277	41.2
			Missing	3,040	
227-227	QN48		Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse		
		1	Yes	234	36.8
		2	No	414	63.2
			Missing	3,048	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Bolivia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
228-228	QN49		Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days		
			1 Yes	814	23.2
			2 No	2,831	76.8
			Missing	51	
229-229	QN50		Percentage of students who did not walk or ride a bicycle to or from school during the past seven days		
			1 Yes	1,293	35.3
			2 No	2,327	64.7
			Missing	76	
230-230	QN51		Percentage of students who went to physical education (PE) class on three or more days each week during this school year		
			1 Yes	1,124	31.6
			2 No	2,493	68.4
			Missing	79	
231-231	QN52		Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities		
			1 Yes	880	24.4
			2 No	2,743	75.6
			Missing	73	
232-232	QN53		Percentage of students who missed classes or school without permission on one or more of the past 30 days		
			1 Yes	1,220	33.4
			2 No	2,446	66.6
			Missing	30	
233-233	QN54		Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days		
			1 Yes	1,466	40.3
			2 No	2,185	59.7
			Missing	45	

## 2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

### Bolivia Survey Public Use Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
234-234	QN55		Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days		
			1      Yes	1,428	40.0
			2      No	2,184	60.0
			Missing	84	
235-235	QN56		Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days		
			1      Yes	1,171	32.4
			2      No	2,482	67.6
			Missing	43	
236-236	QN57		Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days		
			1      Yes	1,338	37.4
			2      No	2,308	62.6
			Missing	50	
237-237	QN58		Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days		
			1      Yes	2,826	78.8
			2      No	770	21.2
			Missing	100	
350-350	QNOWTG		Percentage of students who were overweight (>+1SD from median for BMI by age and sex)		
			1      Yes	773	22.5
			2      No	2,586	77.5
			Missing	337	
351-351	QNOBESEG		Percentage of students who were obese (>+2SD from median for BMI by age and sex)		
			1      Yes	162	4.7
			2      No	3,197	95.3
			Missing	337	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Bolivia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
352-352	QNUNWTG		Percentage of students who were underweight (<-2SD from median for BMI by age and sex)		
			1 Yes	38	1.3
			2 No	3,321	98.7
			Missing	337	
353-353	QNFRVGG		Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days		
			1 Yes	1,098	29.7
			2 No	2,545	70.3
			Missing	53	
354-354	QNANYTBG		Percentage of students who used any tobacco on one or more days during the past 30 days		
			1 Yes	600	17.2
			2 No	3,022	82.8
			Missing	74	
355-355	QNPA7G		Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days		
			1 Yes	480	13.6
			2 No	3,165	86.4
			Missing	51	
356-356	QNPE5G		Percentage of students who went to physical education (PE) class on five or more days each week during this school year		
			1 Yes	968	27.3
			2 No	2,649	72.7
			Missing	79	
357-357	QNC1G		Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse		
			1 Yes	300	62.5
			2 No	173	37.5
			Missing	3,223	

2012 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Bolivia Survey**  
**Public Use Codebook**

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
358-358	QNC2G		Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days		
			1 Yes	145	56.8
			2 No	105	43.2
			Missing	3,446	
362-371	WEIGHT				
372-380	STRATUM				
381-385	PSU				