

GYTSAFRO2019 Chad All Schools  
Region 1 (National) -- Enhanced Codebook

SELECTED REGIONS IN DATA EXTRACT

Chad 001 (2,296 Obs) -- National

GYTSAFRO2019 Chad All Schools  
Region 1 (National) -- Enhanced Codebook

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Unweighted Percent
Q1	TDR1	How old are you?		
		. Missing	29	.
		1 11 years old or younger	53	2.3%
		2 12 years old	70	3.1%
		3 13 years old	171	7.5%
		4 14 years old	309	13.6%
		5 15 years old	449	19.8%
		6 16 years old	491	21.7%
		7 17 years old	365	16.1%
		8 18 years old or older	359	15.8%
Q2	CR2	What is your sex?		
		. Missing	59	.
		1 Male	1,437	64.2%
		2 Female	800	35.8%
Q3	TDR3	In what grade/form are you?		
		. Missing	20	.
		1 6 ème	539	23.7%
		2 5 ème	608	26.7%
		3 4 ème	487	21.4%
		4 3 ème	642	28.2%
Q4	TDR4	What level of education did your father (stepfather or mother's partner) complete?		
		. Missing	52	.
		1 Primaire	396	17.6%
		2 Secondaire	489	21.8%
		3 Universitaire (Licence ou Master)	271	12.1%
		4 Supérieur (Doctorat)	135	6.0%
		5 Professeur agrégé	103	4.6%
		6 Other	550	24.5%
		7 Don't know	300	13.4%
Q5	TDR5	What level of education did your mother (stepmother or father's partner) complete?		
		. Missing	69	.
		1 Primaire	601	27.0%
		2 Secondaire	319	14.3%
		3 Universitaire (Licence ou Master)	101	4.5%
		4 Supérieur (Doctorat)	69	3.1%
		5 Professeur agrégé	48	2.2%
		6 Other	729	32.7%
		7 Don't know	360	16.2%
Q6	CR5	Have you ever tried or experimented with cigarette smoking, even one or two puffs?		
		. Missing	215	.
		1 Yes	269	12.9%
		2 No	1,812	87.1%
Q7	CR6	How old were you when you first tried a cigarette?		
		. Missing	132	.
		1 I have never tried smoking a cigarette	2,022	93.4%
		2 7 years old or younger	36	1.7%
		3 8 or 9 years old	15	0.7%

GYTSAFRO2019 Chad All Schools  
Region 1 (National) -- Enhanced Codebook

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Unweighted Percent
		4 10 or 11 years old	18	0.8%
		5 12 or 13 years old	21	1.0%
		6 14 or 15 years old	23	1.1%
		7 16 years old or older	29	1.3%
Q8	CR7	During the past 30 days, on how many days did you smoke cigarettes?		
		. Missing	178	.
		1 0 days	2,047	96.6%
		2 1 or 2 days	36	1.7%
		3 3 to 5 days	7	0.3%
		4 6 to 9 days	15	0.7%
		5 10 to 19 days	2	0.1%
		6 20 to 29 days	2	0.1%
		7 All 30 days	9	0.4%
Q9	CR8	Please think about the days you smoked cigarettes during the past 30 days. How many cigarettes did you usually smoke per day?		
		. Missing	141	.
		1 I did not smoke cigarettes during the past 30 days	2,059	95.5%
		2 Less than 1 cigarette per day	38	1.8%
		3 1 cigarette per day	16	0.7%
		4 2 to 5 cigarettes per day	17	0.8%
		5 6 to 10 cigarettes per day	6	0.3%
		6 11 to 20 cigarettes per day	8	0.4%
		7 More than 20 cigarettes per day	11	0.5%
Q10	OR6	During the past 30 days, how often did you smoke manufactured cigarettes?		
		. Missing	29	.
		1 I did not smoke manufactured cigarettes during the past 30 days	2,154	95.0%
		2 Less than once a week	56	2.5%
		3 At least once a week but not every day	34	1.5%
		4 Every day	23	1.0%
Q11	CR9	Have you ever tried or experimented with any form of smoked tobacco products other than cigarettes (such as pipe tobacco, cigars, mini-cigars/cigarillos, water pipe/hookah/shisha/narguileh/chilam)?		
		. Missing	114	.
		1 Yes	282	12.9%
		2 No	1,900	87.1%
Q12	CR10	During the past 30 days, did you use any form of smoked tobacco products other than cigarettes (such as pipe tobacco, cigars, mini-cigars/cigarillos, water pipe/hookah/shisha/narguileh/chilam)?		
		. Missing	171	.
		1 Yes	163	7.7%
		2 No	1,962	92.3%
Q13	OR8	During the past 30 days, how often did you smoke tobacco in a pipe?		
		. Missing	21	.
		1 I did not smoke tobacco in a pipe during the past 30 days	2,171	95.4%
		2 Less than once a week	68	3.0%
		3 At least once a week but not every day	22	1.0%
		4 Every day	14	0.6%
Q14	OR9	Where do you usually smoke? (select only one response)		

GYTSAFRO2019 Chad All Schools  
Region 1 (National) -- Enhanced Codebook

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Unweighted Percent
		. Missing	24	.
		1 I do not smoke	2,138	94.1%
		2 At home	56	2.5%
		3 At school	19	0.8%
		4 At work	6	0.3%
		5 At friends' houses	27	1.2%
		6 At social events	3	0.1%
		7 In public places (e.g. parks, shopping centers, street corners)	10	0.4%
		8 Other	13	0.6%
Q15	CR11	Do you ever smoke tobacco or feel like smoking tobacco first thing in the morning?		
		. Missing	32	.
		1 I don't smoke tobacco	2,049	90.5%
		2 No, I don't smoke tobacco or feel like smoking tobacco first thing in the morning	176	7.8%
		3 Yes, I sometimes smoke tobacco or feel like smoking tobacco first thing in the morning	19	0.8%
		4 Yes, I always smoke tobacco or feel like smoking tobacco first thing in the morning	20	0.9%
Q16	CR12	How soon after you smoke tobacco do you start to feel a strong desire to smoke again that is hard to ignore?		
		. Missing	18	.
		1 I don't smoke tobacco	2,105	92.4%
		2 I never feel a strong desire to smoke again after smoking tobacco	129	5.7%
		3 Within 60 minutes	15	0.7%
		4 1 to 2 hours	6	0.3%
		5 More than 2 hours to 4 hours	3	0.1%
		6 More than 4 hours but less than one full day	7	0.3%
		7 1 to 3 days	6	0.3%
		8 4 days or more	7	0.3%
Q17	CR13	Have you ever tried or experimented with any form of smokeless tobacco products (such as snuff, chewing tobacco, dip)?		
		. Missing	150	.
		1 Yes	245	11.4%
		2 No	1,901	88.6%
Q18	CR14	During the past 30 days, did you use any form of smokeless tobacco products (such as snuff, chewing tobacco, dip)?		
		. Missing	161	.
		1 Yes	145	6.8%
		2 No	1,990	93.2%
Q19	CR15	Do you want to stop smoking now?		
		. Missing	24	.
		1 I have never smoked	2,015	88.7%
		2 I don't smoke now	160	7.0%
		3 Yes	51	2.2%
		4 No	46	2.0%
Q20	CR16	During the past 12 months, did you ever try to stop smoking?		
		. Missing	23	.
		1 I have never smoked	2,009	88.4%
		2 I did not smoke during the past 12 months	152	6.7%
		3 Yes	48	2.1%

GYTSAFRO2019 Chad All Schools  
Region 1 (National) -- Enhanced Codebook

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Unweighted Percent
		4 No	64	2.8%
Q21	CR17	Do you think you would be able to stop smoking if you wanted to?		
		. Missing	24	.
		1 I have never smoked	1,999	88.0%
		2 I don't smoke now	160	7.0%
		3 Yes	55	2.4%
		4 No	58	2.6%
Q22	CR18	Have you ever received help or advice to help you stop smoking? (select only one response)		
		. Missing	26	.
		1 I have never smoked	2,055	90.5%
		2 Yes, from a program or professional	53	2.3%
		3 Yes, from a friend	47	2.1%
		4 Yes, from a family member	28	1.2%
		5 Yes, from both programs or professionals and from friends or family members	24	1.1%
		6 No	63	2.8%
Q23	OR10	How easy or difficult would you find it to go without smoking for as long as a week?		
		. Missing	31	.
		1 I do not smoke now	2,046	90.3%
		2 Very difficult	103	4.5%
		3 Fairly difficult	21	0.9%
		4 Fairly easy	12	0.5%
		5 Very easy	83	3.7%
Q24	OR11	How easy or difficult would you find it to give up smoking altogether if you wanted to?		
		. Missing	38	.
		1 I do not smoke now	2,073	91.8%
		2 Very difficult	79	3.5%
		3 Fairly difficult	19	0.8%
		4 Fairly easy	13	0.6%
		5 Very easy	74	3.3%
Q25	OR12	How long ago did you stop smoking?		
		. Missing	17	.
		1 I have never smoked	2,164	95.0%
		2 I have not stopped smoking	32	1.4%
		3 1-3 months	23	1.0%
		4 4-11 months	12	0.5%
		5 One year	14	0.6%
		6 2 years	5	0.2%
		7 3 years or longer	29	1.3%
Q26	OR13	What was the main reason you decided to stop smoking? (select one response only)		
		. Missing	47	.
		1 I have never smoked	2,094	93.1%
		2 I have not stopped smoking	32	1.4%
		3 To improve my health	47	2.1%
		4 To save money	11	0.5%
		5 Because my family does not like it	38	1.7%
		6 Because my friends do not like it	17	0.8%
		7 Other	10	0.4%

GYTSAFRO2019 Chad All Schools  
Region 1 (National) -- Enhanced Codebook

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Unweighted Percent
Q27	OR14	When you stopped smoking, how did you feel about it?		
		. Missing	38	.
		1 I have never smoked	2,116	93.7%
		2 I have not stopped smoking	28	1.2%
		3 It was very difficult	45	2.0%
		4 It was rather difficult	16	0.7%
		5 It was rather easy	15	0.7%
		6 It was very easy	38	1.7%
Q28	CR19	During the past 7 days, on how many days has anyone smoked inside your home, in your presence?		
		. Missing	44	.
		1 0 days	1,733	77.0%
		2 1 to 2 days	231	10.3%
		3 3 to 4 days	59	2.6%
		4 5 to 6 days	33	1.5%
		5 7 days	196	8.7%
Q29	OR15	How often do you see your father (stepfather or mother's partner) smoking in your home?		
		. Missing	51	.
		1 I don't have a father/don't see my father	756	33.7%
		2 About every day	265	11.8%
		3 Sometimes	242	10.8%
		4 Never	982	43.7%
Q30	OR17	How often do you see your brother/sister smoking in your home?		
		. Missing	58	.
		1 I don't have a brother or sister/don't see my brother or sister	652	29.1%
		2 About every day	231	10.3%
		3 Sometimes	229	10.2%
		4 Never	1,126	50.3%
Q31	OR18	How often do you see other people smoking in your home?		
		. Missing	37	.
		1 There are no other people/I don't see other people at home	690	30.5%
		2 About every day	396	17.5%
		3 Sometimes	426	18.9%
		4 Never	747	33.1%
Q32	CR20	During the past 7 days, on how many days has anyone smoked in your presence, inside any enclosed public place, other than your home (such as schools, shops, restaurants, cafeteria, place of ceremony such as a ceremony for weddings or endowment, bars, supe		
		. Missing	39	.
		1 0 days	1,212	53.7%
		2 1 to 2 days	321	14.2%
		3 3 to 4 days	112	5.0%
		4 5 to 6 days	58	2.6%
		5 7 days	554	24.5%
Q33	CR21	During the past 7 days, on how many days has anyone smoked in your presence, at any outdoor public place (such as playgrounds, football fields, entrances to buildings, parks, beaches)?		
		. Missing	43	.
		1 0 days	1,364	60.5%

GYTSAFRO2019 Chad All Schools  
Region 1 (National) -- Enhanced Codebook

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Unweighted Percent
		2 1 to 2 days	259	11.5%
		3 3 to 4 days	90	4.0%
		4 5 to 6 days	85	3.8%
		5 7 days	455	20.2%
Q34	CR22	During the past 30 days, did you see anyone smoke inside the school building or outside on school property?		
		. Missing	57	.
		1 Yes	842	37.6%
		2 No	1,397	62.4%
Q35	CR23	Do you think the smoke from other people's tobacco smoking is harmful to you?		
		. Missing	32	.
		1 Definitely not	757	33.4%
		2 Probably not	205	9.1%
		3 Probably yes	290	12.8%
		4 Definitely yes	1,012	44.7%
Q36	CR24	Are you in favor of banning smoking inside enclosed public places (such as schools, shops, cafeteria, place of ceremony such as a ceremony for weddings or endowment, bars, supermarket, public transportation (train, bus, or taxi), restaurants, shopping cen		
		. Missing	67	.
		1 Yes	1,389	62.3%
		2 No	840	37.7%
Q37	CR25	Are you in favor of banning smoking at outdoor public places (such as playgrounds, football fields, entrances to buildings, parks, beaches)?		
		. Missing	36	.
		1 Yes	1,335	59.1%
		2 No	925	40.9%
Q38	TDR38	The last time you smoked cigarettes during the past 30 days, how did you get them? (select only one response)		
		. Missing	63	.
		1 I did not smoke any cigarettes during the past 30 days	2,052	91.9%
		2 I bought them in a store	94	4.2%
		3 I bought them from a street vendor	33	1.5%
		4 I bought them at a kiosk	15	0.7%
		5 I got them from someone else	23	1.0%
		6 I got them some other way	16	0.7%
Q39	CR27	During the past 30 days, did anyone refuse to sell you cigarettes because of your age?		
		. Missing	74	.
		1 I did not try to buy cigarettes during the past 30 days	1,826	82.2%
		2 Yes, someone refused to sell me cigarettes because of my age	233	10.5%
		3 No, my age did not keep me from buying cigarettes	163	7.3%
Q40	TDR40	The last time you bought cigarettes during the past 30 days, how did you buy them?		
		. Missing	57	.
		1 I did not buy cigarettes during the past 30 days	1,936	86.5%
		2 I bought them in a pack	120	5.4%
		3 I bought individual sticks (singles)	97	4.3%
		4 I bought them in a carton	86	3.8%

GYTSAFRO2019 Chad All Schools  
Region 1 (National) -- Enhanced Codebook

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Unweighted Percent
Q41	TDR41	On average, how much do you think a pack of 20 cigarettes costs?		
		. Missing	72	.
		1 500 to 1000 FCFA	396	17.8%
		2 1001 to 1500 FCFA	130	5.8%
		3 More than 1500 FCFA	59	2.7%
		4 I don't know	1,639	73.7%
Q42	TDR42	During the past 30 days, what brand of cigarettes did you usually smoke? (select only one response)		
		. Missing	61	.
		1 I did not smoke cigarettes during the past 30 days	1,973	88.3%
		2 No usual brand	120	5.4%
		3 FINE	57	2.6%
		4 MANCHESTER	33	1.5%
		5 BON AFRICA	10	0.4%
		6 PS	20	0.9%
		7 Other	22	1.0%
Q43	OR22	Can you purchase (tobacco/cigarettes) near your school?		
		. Missing	52	.
		1 Yes	310	13.8%
		2 No	1,350	60.2%
		3 I don't know	584	26.0%
Q44	OR23	How easy or difficult would it be for you to get (tobacco products/cigarettes) if you wanted some?		
		. Missing	58	.
		1 Very difficult	639	28.6%
		2 Fairly difficult	189	8.4%
		3 Fairly easy	70	3.1%
		4 Very easy	283	12.6%
		5 I don't know	1,057	47.2%
Q45	OR24	Do you think the price of (tobacco products/cigarettes) should be increased?		
		. Missing	81	.
		1 Yes	1,541	69.6%
		2 No	674	30.4%
Q46	CR30	During the past 30 days, did you see or hear any anti-tobacco media messages on television, radio, internet, billboards, posters, newspapers, magazines, or movies?		
		. Missing	51	.
		1 Yes	1,692	75.4%
		2 No	553	24.6%
Q47	CR31	During the past 30 days, did you see or hear any anti-tobacco messages at sports events, fairs, concerts, or community events, or social gatherings?		
		. Missing	53	.
		1 I did not go to sports events, fairs, concerts, or community events, or social gatherings in the past 30 days	912	40.7%
		2 Yes	798	35.6%
		3 No	533	23.8%



GYTSAFRO2019 Chad All Schools  
Region 1 (National) -- Enhanced Codebook

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Unweighted Percent
Q48	OR32	During the past 30 days, how many anti-smoking media messages have you seen at points of sale (such as kiosks, convenient stores, etc. )?		
		. Missing	51	.
		1 A lot	1,107	49.3%
		2 A few	361	16.1%
		3 None	777	34.6%
Q49	CR32	During the past 30 days, did you see any health warnings on cigarette packages?		
		. Missing	30	.
		1 Yes, but I didn't think much of them	1,248	55.1%
		2 Yes, and they led me to think about quitting smoking or not starting smoking	450	19.9%
		3 No	568	25.1%
Q50	CR33	During the past 12 months, were you taught in any of your classes about the dangers of tobacco use?		
		. Missing	46	.
		1 Yes	1,071	47.6%
		2 No	567	25.2%
		3 I don't know	612	27.2%
Q51	CR34	During the past 30 days, did you see any people using tobacco on TV, in videos, or in movies?		
		. Missing	55	.
		1 I did not watch TV, videos, or movies in the past 30 days	838	37.4%
		2 Yes	1,006	44.9%
		3 No	397	17.7%
Q52	CR35	During the past 30 days, did you see any advertisements or promotions for tobacco products at points of sale (such as FILL APPROPRIATE COUNTRY EXAMPLES: stores, shops, kiosks, etc.)?		
		. Missing	35	.
		1 I did not visit any points of sale in the past 30 days	787	34.8%
		2 Yes	614	27.2%
		3 No	860	38.0%
Q53	OR34	During the past 30 days, did you see any advertisements for tobacco products on billboards?		
		. Missing	54	.
		1 I did not see any billboards in the past 30 days	845	37.7%
		2 Yes	576	25.7%
		3 No	821	36.6%
Q54	CR36	Would you ever use or wear something that has a tobacco company or tobacco product name or picture on it such as a lighter, t-shirt, hat, or sunglasses?		
		. Missing	65	.
		1 Yes	307	13.8%
		2 Maybe	388	17.4%
		3 No	1,536	68.8%
Q55	CR37	Do you have something (for example, t-shirt, pen, backpack) with a tobacco product brand logo on it?		
		. Missing	232	.
		1 Yes	303	14.7%
		2 No	1,761	85.3%
Q56	CR38	Has a person working for a tobacco company ever offered you a free tobacco product?		
		. Missing	108	.
		1 Yes	217	9.9%
		2 No	1,971	90.1%

GYTSAFRO2019 Chad All Schools  
Region 1 (National) -- Enhanced Codebook

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Unweighted Percent
Q57	CR39	If one of your best friends offered you a tobacco product, would you use it?		
		. Missing	48	.
		1 Definitely not	1,745	77.6%
		2 Probably not	293	13.0%
		3 Probably yes	98	4.4%
		4 Definitely yes	112	5.0%
Q58	CR42	Do you think smoking tobacco helps people feel more comfortable or less comfortable at celebrations, parties, or in other social gatherings?		
		. Missing	38	.
		1 More comfortable	721	31.9%
		2 Less comfortable	422	18.7%
		3 No difference whether smoking or not	1,115	49.4%
Q59	OR48	Do you think young people who smoke tobacco have more or less friends?		
		. Missing	52	.
		1 More friends	519	23.1%
		2 Less friends	726	32.4%
		3 No difference from non-smokers	999	44.5%
Q60	OR49	Do you think smoking tobacco makes young people look more or less attractive?		
		. Missing	70	.
		1 More attractive	608	27.3%
		2 Less attractive	620	27.9%
		3 No difference from non-smokers	998	44.8%
Q61	OR56	During the past 12 months, did you read in your school texts or books about the health effects of tobacco?		
		. Missing	38	.
		1 Yes	1,014	44.9%
		2 No	630	27.9%
		3 I do not have school texts or books	614	27.2%
Q62	OR57	During the past 12 months, did you discuss in any of your classes the reasons why people your age use tobacco?		
		. Missing	49	.
		1 Yes	684	30.4%
		2 No	1,063	47.3%
		3 Not sure	500	22.3%
Q63	OR58	During the past 12 months, were you taught in any of your classes about the effects of using tobacco like it makes your teeth yellow, causes wrinkles, or makes you smell bad?		
		. Missing	63	.
		1 Yes	903	40.4%
		2 No	741	33.2%
		3 Not sure	589	26.4%
Q64	OR61	Do you think the sale of tobacco products to minors should be banned?		
		. Missing	78	.
		1 Yes	1,604	72.3%
		2 No	614	27.7%
Q65	SR1	Have you ever tried or experimented with shisha smoking, even one or two puffs?		

GYTSAFRO2019 Chad All Schools  
Region 1 (National) -- Enhanced Codebook

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Unweighted Percent
		. Missing	110	.
		1 Yes	388	17.7%
		2 No	1,798	82.3%
Q66	SR2	How old were you when you first tried smoking shisha?		
		. Missing	61	.
		1 I have never tried smoking shisha	2,037	91.1%
		2 7 years old or younger	123	5.5%
		3 8 or 9 years old	18	0.8%
		4 10 or 11 years old	14	0.6%
		5 12 or 13 years old	5	0.2%
		6 14 or 15 years old	23	1.0%
		7 16 years old or older	15	0.7%
Q67	SR3	During the past 30 days, on how many days did you smoke shisha?		
		. Missing	68	.
		1 0 days	2,207	99.1%
		2 1 or 2 days	13	0.6%
		3 3 to 5 days	3	0.1%
		4 6 to 9 days	1	0.0%
		5 10 to 19 days	.	0.0%
		6 20 to 29 days	2	0.1%
		7 All 30 days	2	0.1%
Q68	SR5	Do you want to stop smoking shisha now?		
		. Missing	31	.
		1 I have never smoked shisha	2,049	90.5%
		2 I don't smoke shisha now	133	5.9%
		3 Yes	56	2.5%
		4 No	27	1.2%
Q69	SR6	During the past 12 months, did you ever try to stop smoking shisha?		
		. Missing	41	.
		1 I have never smoked shisha	2,079	92.2%
		2 I did not smoke shisha during the past 12 months	97	4.3%
		3 Yes	35	1.6%
		4 No	44	2.0%
Q70	SR8	The last time you smoked shisha during the past 30 days, where did you smoke it? (select only one response)		
		. Missing	26	.
		1 I did not smoke shisha during the past 30 days	2,160	95.2%
		2 At home	45	2.0%
		3 At a coffee shop	21	0.9%
		4 At a restaurant	12	0.5%
		5 At a bar or club	11	0.5%
		6 Other	21	0.9%
Q71	SR7	Do you think the smoke from other people's shisha smoking is harmful to you?		
		. Missing	57	.
		1 Definitely not	781	34.9%
		2 Probably not	205	9.2%
		3 Probably yes	204	9.1%
		4 Definitely yes	1,049	46.9%

GYTSAFRO2019 Chad All Schools  
Region 1 (National) -- Enhanced Codebook

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Unweighted Percent
Q72	SLR1	How old were you when you first tried using smokeless tobacco?		
		. Missing	44	.
		1 I have never tried using smokeless tobacco	2,099	93.2%
		2 7 years old or younger	60	2.7%
		3 8 or 9 years old	26	1.2%
		4 10 or 11 years old	27	1.2%
		5 12 or 13 years old	13	0.6%
		6 14 or 15 years old	9	0.4%
		7 16 years old or older	18	0.8%
Q73	Q73	During the past 30 days, on how many days did you use smokeless tobacco?		
		. Missing	47	.
		1 0 days	2,161	96.1%
		2 1 or 2 days	57	2.5%
		3 3 to 5 days	9	0.4%
		4 6 to 9 days	4	0.2%
		5 10 to 19 days	4	0.2%
		6 20 to 29 days	3	0.1%
		7 All 30 days	11	0.5%
Q74	SLR10	The last time you used smokeless tobacco during the past 30 days, how did you get it? (select only one response)		
		. Missing	68	.
		1 I did not use smokeless tobacco during the past 30 days	2,090	93.8%
		2 I bought it in a store or shop	69	3.1%
		3 I bought it from a street vendor	16	0.7%
		4 I bought it at a kiosk	8	0.4%
		5 I bought it from a vending machine	6	0.3%
		6 I got it from someone else	15	0.7%
		7 I got it some other way	24	1.1%
	AGECIG10	TOBACCO USE: years old Percentage of ever cigarette smokers who first tried a cigarette at the age of 10 or 11	124	14.5%
	AGECIG10L	TOBACCO USE: Percentage of ever cigarette smokers who first tried a cigarette at less than 10 years old	124	31.5%
	AGECIG12	TOBACCO USE: years old Percentage of ever cigarette smokers who first tried a cigarette at the age of 12 or 13	124	14.5%
	AGECIG14	TOBACCO USE: years old Percentage of ever cigarette smokers who first tried a cigarette at the age of 14 or 15	124	17.7%
	AGECIG7	TOBACCO USE: years old Percentage of ever cigarette smokers who first tried a cigarette at the age of 7 or younger	124	21.8%
	AGECIG8	TOBACCO USE: old Percentage of ever cigarette smokers who first tried a cigarette at the age of 8 or 9 years	124	9.7%
	CORE15	CESSATION: Percentage of current tobacco smokers who wanted to stop smoking	31	67.7%
	CORE16	CESSATION: Percentage of current tobacco smokers who tried to stop smoking during the past 12 months	40	55.0%

GYTSAFRO2019 Chad All Schools  
Region 1 (National) -- Enhanced Codebook

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Unweighted Percent
	CORE17	CESSATION: Percentage of current tobacco smokers who think they would be able to stop smoking	37	62.2%
	CORE18	CESSATION: Percentage of current tobacco smokers who have received help/advice to stop smoking from a program or professional	69	47.8%
	CORE19	SECONDHAND SMOKE: Percentage of youth who were exposed to tobacco smoke at home in the past 7 days	2,252	23.0%
	CORE20	SECONDHAND SMOKE: Percentage of youth who were exposed to tobacco smoke in enclosed public places in the past 7 days	2,257	46.3%
	CORE21	SECONDHAND SMOKE: Percentage of youth who were exposed to tobacco smoke at outdoor public places in the past 7 days	2,253	39.5%
	CORE22	SECONDHAND SMOKE: Percentage of youth who saw anyone smoking inside the school building or outside on school property in the past 30 days	2,239	37.6%
	CORE23	KNOWLEDGE AND ATTITUDES: Percentage of youth who definitely think other people's tobacco smoking is harmful to them	2,264	44.7%
	CORE24	KNOWLEDGE AND ATTITUDES: Percentage of youth who are in favor of prohibiting smoking in enclosed public places	2,229	62.3%
	CORE25	KNOWLEDGE AND ATTITUDES: Percentage of youth who are in favor of prohibiting smoking at outdoor public places	2,260	59.1%
	ORE26A	Access and Availability: Percentage of current cigarette smokers who bought the cigarettes they last smoked from a store, street vendor, or kiosk in the past 30 days	38	68.4%
	CORE26KI	Access and Availability: Percentage of smoked at a kiosk in the past 30 days current cigarette smokers who bought the cigarettes they last	38	2.6%
	CORE26OW	Access and Availability: Percentage of some other way in the past 30 days current cigarette smokers who got the cigarettes they last smoked	38	5.3%
	CORE26SE	Access and Availability: Percentage of from someone else in the past 30 days current cigarette smokers who got the cigarettes they last smoked	38	26.3%
	CORE26ST	Access and Availability: Percentage of smoked in a store in the past 30 days current cigarette smokers who bought the cigarettes they last	38	36.8%
	CORE26SV	Access and Availability: Percentage of current cigarette smokers who bought the cigarettes they last smoked from a street vendor in the past 30 days	38	28.9%
	CORE27	Access and Availability: Percentage of current cigarette smokers who were not prevented from buying cigarettes in the past 30 days because of their age	38	57.9%
	CORE28CT	Access and Availability: Percentage of current cigarette smokers who last bought cigarettes as a carton	35	11.4%
	CORE28IN	Access and individual Availability: Percentage of sticks (singles) current cigarette smokers who last bought cigarettes as	35	45.7%
	CORE28PA	Access and Availability: Percentage of current cigarette smokers who last bought cigarettes as a pack	35	42.9%

GYTSAFRO2019 Chad All Schools  
Region 1 (National) -- Enhanced Codebook

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Unweighted Percent
	CORE29_1	Access and Availability: Percentage of youth who estimated the cost of a pack of 20 cigarettes is 500 to 1000 FCFA	585	67.7%
	CORE29_2	Access and Availability: Percentage of youth who estimated the cost of a pack of 20 cigarettes is 1001 to 1500 FCFA	585	22.2%
	CORE29_3	Access and Availability: Percentage of youth who estimated the cost of a pack of 20 cigarettes is More than 1500 FCFA	585	10.1%
	CORE30	MEDIA ANTI-TOBACCO: Percentage of youth who saw or heard anti-tobacco messages in the media in the past 30 days	2,245	75.4%
	CORE31A	MEDIA ANTI-TOBACCO: Percentage of youth who saw or heard any anti-tobacco media messages at sporting or other community events in the past 30 days	2,243	35.6%
	CORE31B	MEDIA ANTI-TOBACCO: Percentage of youth who attended sporting or other community events in the past 30 days who saw or heard any anti-tobacco messages at the events	1,331	60.0%
	CORE32A	MEDIA ANTI-TOBACCO: Percentage of current tobacco smokers who noticed health warnings on cigarette packages in the past 30 days	205	75.6%
	CORE32B	MEDIA ANTI-TOBACCO: Percentage of current tobacco smokers who thought about quitting smoking in the past 30 days because of health warnings on cigarette packages	205	25.4%
	CORE32C	MEDIA ANTI-TOBACCO: Percentage of current tobacco smokers who noticed health warnings on cigarette packages in the past 30 days, who thought about quitting smoking because of the health warnings	155	33.5%
	CORE32D	MEDIA ANTI-TOBACCO: Percentage of never tobacco smokers who thought about not starting smoking in the past 30 days because of health warnings on cigarette packages	1,368	25.4%
	CORE33	MEDIA ANTI-TOBACCO: Percentage of youth who were taught about the dangers of tobacco use in class during the past 12 months	2,250	47.6%
	CORE34A	MEDIA PRO-TOBACCO: Percentage of youth who saw someone using tobacco on television, videos, or movies in the past 30 days	2,241	44.9%
	CORE34B	MEDIA PRO-TOBACCO: Percentage of youth who watched television, videos, or movies in the past 30 days who saw someone using tobacco on television, videos, or movies	1,403	71.7%
	CORE35A	MEDIA PRO-TOBACCO: Percentage of youth who saw tobacco marketing at points of sale in the past 30 days	2,261	27.2%
	CORE35B	MEDIA PRO-TOBACCO: Percentage of youth who visited points of sale in the past 30 days who saw any tobacco marketing at the points of sale	1,474	41.7%
	CORE3637	MEDIA PRO-TOBACCO: Percentage of never tobacco users who had something with a tobacco product brand logo or who might use or wear something that has a tobacco company or product name or picture on it	1,682	29.1%
	CORE37	MEDIA PRO-TOBACCO: Percentage of youth who had something with a tobacco product brand logo on it	2,064	14.7%
	CORE38	MEDIA PRO-TOBACCO: Percentage of youth who were ever offered a free tobacco product from a tobacco company representative	2,188	9.9%

GYTSAFRO2019 Chad All Schools  
Region 1 (National) -- Enhanced Codebook

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Unweighted Percent
	CORE3940	TOBACCO USE: Percentage of never tobacco users who were susceptible to using tobacco in the future	1,664	20.1%
	CORE42	KNOWLEDGE AND ATTITUDES: Percentage of youth who think that smoking tobacco helps people feel more comfortable at celebrations, parties, and social gatherings	2,258	31.9%
	CSLT	TOBACCO USE: Percentage of youth who currently use smokeless tobacco products	2,135	6.8%
	CSMK	TOBACCO USE: Percentage of youth who currently smoke any tobacco products	2,246	9.4%
	CSMKCIG	TOBACCO USE: Percentage of youth who currently smoke cigarettes	2,118	3.4%
	CSMKMCIG	Percentage of youth who currently smoke manufactured cigarettes	2,267	5.0%
	CSMKOTH	TOBACCO USE: Percentage of youth who currently smoke tobacco products other than cigarettes	2,125	7.7%
	CSMKPIPE	Percentage of youth who currently smoke tobacco in a pipe	2,275	4.6%
	CSMKSHI	Percentage of youth who currently smoke shisha	2,228	0.9%
	CTOB	TOBACCO USE: Percentage of youth who currently use any tobacco products	2,281	13.1%
	DUALUSE	Percentage of youth who both currently smoke any tobacco products and use smokeless tobacco products	2,256	2.6%
	ESLT	TOBACCO USE: Percentage of youth who ever used any smokeless tobacco products	2,146	11.4%
	ESMK	TOBACCO USE: Percentage of youth who ever smoked any tobacco products	2,266	20.3%
	ESMKCIG	TOBACCO USE: Percentage of youth who ever smoked cigarettes	2,081	12.9%
	ESMKOTH	TOBACCO USE: Percentage of youth who ever smoked tobacco products other than cigarettes	2,182	12.9%
	ESMKSHI	Percentage of youth who ever smoked shisha	2,186	17.7%
	ETOB	TOBACCO USE: Percentage of youth who have ever used any tobacco products	2,286	26.1%
	FSMKCIG	TOBACCO USE: Percentage of youth who smoked cigarettes on 20 or more days of the past 30 days	2,118	0.5%
	NUMCIG0	TOBACCO USE: Percentage of current cigarette smokers who smoked less than 1 cigarette per day, on the days that they smoked	67	37.3%
	NUMCIG1	TOBACCO USE: Percentage of current cigarette smokers who smoked 1 cigarette per day, on the days that they smoked	67	14.9%
	NUMCIG11	TOBACCO USE: Percentage of current cigarette smokers who smoked 11 to 20 cigarettes per day, on the days that they smoked	67	10.4%
	NUMCIG2	TOBACCO USE: Percentage of current cigarette smokers who smoked 2 to 5 cigarettes per day, on the days that they smoked	67	17.9%
	NUMCIG20	TOBACCO USE: Percentage of current cigarette smokers who smoked more than 20 cigarettes per day, on the days that they smoked	67	11.9%
	NUMCIG6	TOBACCO USE: Percentage of current cigarette smokers who smoked 6 to 10 cigarettes per day, on the days that they smoked	67	7.5%

GYTSAFRO2019 Chad All Schools  
Region 1 (National) -- Enhanced Codebook

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Unweighted Percent
	NUMCIG6M	TOBACCO USE: Percentage of current cigarette smokers who smoked 6 or more cigarettes per day, on the days that they smoked	67	29.9%
	OPT48	Percentage of youth who think that young people who smoke have more friends	2,244	23.1%
	OPT49	Percentage of youth who think that young people who smoke are more attractive	2,226	27.3%
	OPT9A	Percentage of current cigarette smokers who usually smoke at home	48	31.3%
	OPT9B	Percentage of current cigarette smokers who usually smoke at school	48	6.3%
	OPT9C	Percentage of current cigarette smokers who usually smoke at work	48	4.2%
	OPT9D	Percentage of current cigarette smokers who usually smoke at a friend's house	48	31.3%
	OPT9E	Percentage of current cigarette smokers who usually smoke at social events	48	2.1%
	OPT9F	Percentage of current cigarette smokers who usually smoke in public places	48	8.3%
	OTOB	Percentage of youth who currently use any tobacco products other than cigarettes	2,263	11.6%
	SMKDEP	TOBACCO USE: Percentage of current tobacco smokers who were showing signs of smoking dependence	86	40.7%