

# 2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Uruguay Survey Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
17-17	Q1	Q1	How old are you?		
			1 11 years old or younger	3	0.1
			2 12 years old	4	0.1
			3 13 years old	367	10.7
			4 14 years old	681	19.5
			5 15 years old	723	21.9
			6 16 years old	617	20.0
			7 17 years old	489	17.6
			8 18 years old or older	265	10.0
			Missing	13	
18-18	Q2	Q2	What is your sex?		
			1 Male	1,444	45.2
			2 Female	1,684	54.8
			Missing	34	
19-19	Q3	Q3	In what grade are you?		
			1 CB	773	22.8
			2 3 CB	834	23.9
			3 1 BD	597	20.5
			4 2 BD	539	18.3
			5 3 BD	379	14.5
			Missing	40	
20-23	Q4	Q5	How tall are you without your shoes on? (Note: Data are in meters.)		
24-29	Q5	Q6	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
30-30	Q6	Q10	During the past 30 days, how often did you go hungry because there was not enough food in your home?		
			1 Never	2,156	69.0
			2 Rarely	698	22.0
			3 Sometimes	233	7.2
			4 Most of the time	39	1.2
			5 Always	19	0.6
			Missing	17	

# 2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Uruguay Survey Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
34-34	Q10	Q16	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as McDonald's, Burger King, Barney's, or chorizo carts?		
			1 0 days	2,014	63.7
			2 1 day	707	22.3
			3 2 days	259	8.3
			4 3 days	98	3.2
			5 4 days	35	1.2
			6 5 days	21	0.7
			7 6 days	3	0.1
			8 7 days	15	0.5
			Missing	10	
39-39	Q15	Q20	During the past 12 months, how many times were you physically attacked?		
			1 0 times	2,709	87.2
			2 1 time	221	6.7
			3 2 or 3 times	120	3.6
			4 4 or 5 times	32	1.0
			5 6 or 7 times	10	0.3
			6 8 or 9 times	7	0.2
			7 10 or 11 times	4	0.1
			8 12 or more times	28	0.8
			Missing	31	
40-40	Q16	Q23	During the past 12 months, how many times were you in a physical fight?		
			1 0 times	2,554	82.2
			2 1 time	301	9.0
			3 2 or 3 times	184	5.7
			4 4 or 5 times	46	1.4
			5 6 or 7 times	13	0.4
			6 8 or 9 times	14	0.4
			7 10 or 11 times	5	0.1
			8 12 or more times	27	0.8
			Missing	18	

# 2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Uruguay Survey Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
41-41	Q17	Q17	During the past 12 months, how many times were you seriously injured?		
			1 0 times	1,885	65.4
			2 1 time	553	18.8
			3 2 or 3 times	320	10.8
			4 4 or 5 times	77	2.6
			5 6 or 7 times	30	0.9
			6 8 or 9 times	13	0.5
			7 10 or 11 times	11	0.3
			8 12 or more times	24	0.7
			Missing	249	
42-42	Q18	Q18	During the past 12 months, what was the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	2,058	69.8
			2 I had a broken bone or a dislocated joint	233	7.6
			3 I had a cut or stab wound	46	1.4
			4 I had a concussion or other head or neck injury, was knocked out, or could not breathe	52	1.7
			5 I had a gunshot wound	4	0.2
			6 I had a bad burn	11	0.3
			7 I was poisoned or took too much of a drug	2	0.1
			8 Something else happened to me	569	18.9
			Missing	187	
43-43	Q19	Q19	During the past 12 months, what was the major cause of the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	2,024	69.1
			2 I was in a motor vehicle accident or hit by a motor vehicle	31	1.1
			3 I fell	260	8.3
			4 Something fell on me or hit me	62	2.2
			5 I was attacked or abused or was fighting with someone	33	1.0
			6 I was in a fire or too near a flame or something hot	4	0.1
			7 I inhaled or swallowed something bad for me	27	0.8
			8 Something else caused my injury	513	17.5
			Missing	208	

# 2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Uruguay Survey Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
46-46	Q22	Q31	During the past 12 months, how often have you felt lonely?		
			1 Never	830	25.9
			2 Rarely	807	25.3
			3 Sometimes	1,010	32.3
			4 Most of the time	362	11.7
			5 Always	143	4.8
			Missing	10	
47-47	Q23	Q32	During the past 12 months, how often have you been so worried about something that you could not sleep at night?		
			1 Never	895	27.9
			2 Rarely	943	29.8
			3 Sometimes	935	30.4
			4 Most of the time	276	9.1
			5 Always	89	2.8
			Missing	24	
48-48	Q24	Q35	During the past 12 months, did you ever seriously consider attempting suicide?		
			1 Yes	596	19.3
			2 No	2,523	80.7
			Missing	43	
49-49	Q25	Q36	During the past 12 months, did you make a plan about how you would attempt suicide?		
			1 Yes	504	16.4
			2 No	2,633	83.6
			Missing	25	
50-50	Q26	Q37	During the past 12 months, how many times did you actually attempt suicide?		
			1 0 times	2,772	88.2
			2 1 time	226	7.3
			3 2 or 3 times	98	3.2
			4 4 or 5 times	24	0.7
			5 6 or more times	22	0.6
			Missing	20	

# 2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Uruguay Survey Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
51-51	Q27	Q38	How many close friends do you have?		
			1 0	177	6.0
			2 1	351	11.4
			3 2	640	21.0
			4 3 or more	1,967	61.6
			Missing	27	
53-53	Q29	Q44	During the past 30 days, on how many days did you smoke cigarettes?		
			1 0 days	2,706	86.0
			2 1 or 2 days	191	6.0
			3 3 to 5 days	78	2.6
			4 6 to 9 days	55	1.8
			5 10 to 19 days	43	1.4
			6 20 to 29 days	31	1.0
			7 All 30 days	30	1.1
			Missing	28	
54-54	Q30	Q45	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as pipe, hand rolled tobacco or chewing tobacco?		
			1 0 days	2,910	92.6
			2 1 or 2 days	113	3.6
			3 3 to 5 days	36	1.2
			4 6 to 9 days	24	0.7
			5 10 to 19 days	25	0.9
			6 20 to 29 days	15	0.5
			7 All 30 days	16	0.5
			Missing	23	
58-58	Q34	Q47	How old were you when you had your first drink of alcohol other than a few sips?		
			1 I have never had a drink of alcohol other than a few sips	661	20.6
			2 7 years old or younger	140	4.7
			3 8 or 9 years old	135	4.6
			4 10 or 11 years old	225	7.3
			5 12 or 13 years old	761	24.9
			6 14 or 15 years old	909	31.6
			7 16 or 17 years old	155	5.9
			8 18 years old or older	10	0.4
			Missing	166	

# 2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Uruguay Survey Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
59-59	Q35	Q49	During the past 30 days, on how many days did you have at least one drink containing alcohol?		
			1 0 days	1,441	44.6
			2 1 or 2 days	820	27.8
			3 3 to 5 days	390	13.1
			4 6 to 9 days	248	8.5
			5 10 to 19 days	121	4.5
			6 20 to 29 days	32	1.1
			7 All 30 days	14	0.5
			Missing	96	
60-60	Q36	Q50	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?		
			1 I did not drink alcohol during the past 30 days	1,343	41.7
			2 Less than one drink	176	5.7
			3 1 drink	227	7.3
			4 2 drinks	226	7.8
			5 3 drinks	229	7.8
			6 4 drinks	211	7.2
			7 5 or more drinks	653	22.5
			Missing	97	
61-61	Q37	Q51	During the past 30 days, how did you usually get the alcohol you drank?		
			1 I did not drink alcohol during the past 30 days	1,376	42.7
			2 I bought it in a store, shop, or from a street vendor	790	27.9
			3 I gave someone else money to buy it for me	80	2.6
			4 I got it from my friends	361	12.1
			5 I got it from my family	225	7.6
			6 I stole it or got it without permission	8	0.2
			7 I got it some other way	212	7.0
			Missing	110	

# 2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Uruguay Survey

### Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
62-62	Q38	Q53	During your life, how many times did you drink so much alcohol that you were really drunk?		
			1 0 times	1,849	58.0
			2 1 or 2 times	733	24.5
			3 3 to 9 times	345	12.0
			4 10 or more times	156	5.5
			Missing	79	
63-63	Q39	Q54	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?		
			1 0 times	2,257	71.9
			2 1 or 2 times	564	18.8
			3 3 to 9 times	175	6.1
			4 10 or more times	88	3.2
			Missing	78	
68-68	Q44	Q63	Have you ever had sexual intercourse?		
			1 Yes	1,341	47.5
			2 No	1,629	52.5
			Missing	192	
69-69	Q45	Q64	How old were you when you had sexual intercourse for the first time?		
			1 I have never had sexual intercourse	1,715	54.8
			2 11 years old or younger	49	1.5
			3 12 years old	70	2.2
			4 13 years old	200	6.5
			5 14 years old	317	11.3
			6 15 years old	372	13.4
			7 16 or 17 years old	262	9.9
			8 18 years old or older	11	0.4
			Missing	166	
70-70	Q46	Q65	During your life, with how many people have you had sexual intercourse?		
			1 I have never had sexual intercourse	1,755	56.1
			2 1 person	488	16.9
			3 2 people	206	7.2
			4 3 people	176	6.1
			5 4 people	101	3.8
			6 5 people	90	3.2
			7 6 or more people	180	6.7
			Missing	166	

# 2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Uruguay Survey Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
71-71	Q47	Q66	The last time you had sexual intercourse, did you or your partner use a condom forro, or preservative		
			1 I have never had sexual intercourse	1,775	56.6
			2 Yes	956	33.3
			3 No	280	10.1
			Missing	151	
72-72	Q48	Q68	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?		
			1 I have never had sexual intercourse	1,731	56.0
			2 Yes	653	23.7
			3 No	504	17.6
			4 I do not know	78	2.7
			Missing	196	
73-73	Q49	Q71	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
			1 0 days	543	19.5
			2 1 day	310	10.0
			3 2 days	483	15.7
			4 3 days	466	15.2
			5 4 days	329	10.5
			6 5 days	303	9.6
			7 6 days	170	5.9
			8 7 days	404	13.6
			Missing	154	
74-74	Q50	Q72	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?		
			1 0 days	1,120	36.4
			2 1 day	181	5.8
			3 2 days	155	5.1
			4 3 days	143	4.8
			5 4 days	128	4.0
			6 5 days	487	16.9
			7 6 days	60	2.0
			8 7 days	739	25.1
			Missing	149	



# 2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Uruguay Survey Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
75-75	Q51	Q73	During this school year, on how many days did you go to physical education (PE) class each week?		
			1 0 days	1,001	37.4
			2 1 day	360	11.2
			3 2 days	860	26.6
			4 3 days	151	5.4
			5 4 days	26	0.8
			6 5 or more days	563	18.6
			Missing	201	
76-76	Q52	Q74	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as drinking mate?		
			1 Less than 1 hour per day	354	12.1
			2 1 to 2 hours per day	752	25.1
			3 3 to 4 hours per day	1,010	34.2
			4 5 to 6 hours per day	473	16.2
			5 7 to 8 hours per day	165	5.6
			6 More than 8 hours per day	205	6.8
			Missing	203	
77-77	Q53	Q75	During the past 30 days, on how many days did you miss classes or school without permission?		
			1 0 days	2,008	66.5
			2 1 or 2 days	577	19.3
			3 3 to 5 days	235	8.4
			4 6 to 9 days	86	3.0
			5 10 or more days	82	2.9
			Missing	174	
78-78	Q54	Q76	During the past 30 days, how often were most of the students in your school kind and helpful?		
			1 Never	126	4.3
			2 Rarely	314	11.1
			3 Sometimes	616	20.6
			4 Most of the time	1,091	36.5
			5 Always	801	27.5
			Missing	214	

# 2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Uruguay Survey Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
79-79	Q55	Q77	During the past 30 days, how often did your parents or guardians check to see if your homework was done?		
			1 Never	904	31.8
			2 Rarely	511	17.0
			3 Sometimes	568	19.0
			4 Most of the time	520	17.3
			5 Always	447	14.9
			Missing	212	
80-80	Q56	Q78	During the past 30 days, how often did your parents or guardians understand your problems and worries?		
			1 Never	509	17.5
			2 Rarely	467	16.2
			3 Sometimes	537	18.2
			4 Most of the time	633	20.8
			5 Always	809	27.2
			Missing	207	
81-81	Q57	Q79	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?		
			1 Never	247	8.8
			2 Rarely	295	10.3
			3 Sometimes	433	14.7
			4 Most of the time	911	30.4
			5 Always	1,061	35.8
			Missing	215	
88-88	Q64	Q12	During the past 7 days, how many times did you eat fruit, such as apples, bananas, or oranges?		
			1 I did not eat fruit during the past 7 days	481	15.5
			2 1 to 3 times during the past 7 days	1,061	33.6
			3 4 to 6 times during the past 7 days	549	17.6
			4 1 time per day	351	10.7
			5 2 times per day	332	10.5
			6 3 times per day	210	6.9
			7 4 or more times per day	167	5.3
			Missing	11	

# 2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Uruguay Survey Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
89-89	Q65	Q13	During the past 7 days, how many times did you eat vegetables, such as lettuce, tomatoes, carrots, chard, or pumpkin?		
			1 I did not eat vegetables during the past 7 days	270	8.3
			2 1 to 3 times during the past 7 days	973	31.2
			3 4 to 6 times during the past 7 days	802	25.9
			4 1 time per day	366	11.4
			5 2 times per day	427	13.6
			6 3 times per day	119	3.7
			7 4 or more times per day	177	5.8
			Missing	28	
90-90	Q66	Q14	During the past 7 days, how many times did you drink a can, bottle, or glass of a carbonated soft drink, such as Coca Cola, Pepsi, Nix, Fresquita, Fanta, Salus Frutte, or Pomelo?		
			1 I did not drink carbonated soft drinks during the past 7 days	673	21.5
			2 1 to 3 times during the past 7 days	1,239	39.9
			3 4 to 6 times during the past 7 days	489	15.2
			4 1 time per day	252	7.8
			5 2 times per day	184	5.9
			6 3 times per day	111	3.6
			7 4 or more times per day	191	6.2
			Missing	23	
94-94	Q70	Q24	During the past 12 months, have you ever been bullied on school property?		
			1 Yes	604	18.7
			2 No	2,547	81.3
			Missing	11	
95-95	Q71	Q25	During the past 12 months, have you ever been bullied when you were not on school property?		
			1 Yes	566	18.0
			2 No	2,556	82.0
			Missing	40	
97-97	Q73	Q27	During the past 12 months, have you ever been cyber bullied?		
			1 Yes	608	20.3
			2 No	2,538	79.7
			Missing	16	

## 2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

### Uruguay Survey Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
185-185	QN6		Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)		
		1	Yes	58	1.8
		2	No	3,087	98.2
			Missing	17	
189-189	QN10		Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)		
		1	Yes	2,014	63.7
		2	No	1,138	36.3
			Missing	10	
194-194	QN15		Percentage of students who were physically attacked (one or more times during the 12 months before the survey)		
		1	Yes	422	12.8
		2	No	2,709	87.2
			Missing	31	
195-195	QN16		Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
		1	Yes	590	17.8
		2	No	2,554	82.2
			Missing	18	

# 2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Uruguay Survey

### Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
196-196	QN17		Percentage of students who were seriously injured (one or more times during the 12 months before the survey)		
			1 Yes	1,028	34.6
			2 No	1,885	65.4
			Missing	249	
197-197	QN18		Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)		
			1 Yes	233	25.1
			2 No	684	74.9
			Missing	2,245	
198-198	QN19		Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)		
			1 Yes	31	3.6
			2 No	899	96.4
			Missing	2,232	
201-201	QN22		Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)		
			1 Yes	505	16.4
			2 No	2,647	83.6
			Missing	10	
202-202	QN23		Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)		
			1 Yes	365	11.9
			2 No	2,773	88.1
			Missing	24	

# 2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Uruguay Survey

### Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
203-203	QN24		Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)		
			1 Yes	596	19.3
			2 No	2,523	80.7
			Missing	43	
204-204	QN25		Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)		
			1 Yes	504	16.4
			2 No	2,633	83.6
			Missing	25	
205-205	QN26		Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
			1 Yes	370	11.8
			2 No	2,772	88.2
			Missing	20	
206-206	QN27		Percentage of students who did not have any close friends		
			1 Yes	177	6.0
			2 No	2,958	94.0
			Missing	27	
208-208	QN29		Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
			1 Yes	428	14.0
			2 No	2,706	86.0
			Missing	28	
209-209	QN30		Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)		
			1 Yes	229	7.4
			2 No	2,910	92.6
			Missing	23	

# 2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Uruguay Survey

### Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
213-213	QN34		Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)		
			1 Yes	1,261	52.2
			2 No	1,074	47.8
			Missing	827	
214-214	QN35		Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)		
			1 Yes	1,625	55.4
			2 No	1,441	44.6
			Missing	96	
215-215	QN36		Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)		
			1 Yes	1,319	77.7
			2 No	403	22.3
			Missing	1,440	
216-216	QN37		Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)		
			1 Yes	361	21.0
			2 No	1,315	79.0
			Missing	1,486	
217-217	QN38		Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)		
			1 Yes	1,234	42.0
			2 No	1,849	58.0
			Missing	79	

# 2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Uruguay Survey

### Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
218-218	QN39		Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)		
			1 Yes	827	28.1
			2 No	2,257	71.9
			Missing	78	
223-223	QN44		Percentage of students who ever had sexual intercourse		
			1 Yes	1,341	47.5
			2 No	1,629	52.5
			Missing	192	
224-224	QN45		Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)		
			1 Yes	319	22.5
			2 No	962	77.5
			Missing	1,881	
225-225	QN46		Percentage of students who had sexual intercourse with two or more persons (during their life)		
			1 Yes	753	27.0
			2 No	2,243	73.0
			Missing	166	
226-226	QN47		Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)		
			1 Yes	956	76.7
			2 No	280	23.3
			Missing	1,926	
227-227	QN48		Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)		
			1 Yes	653	53.8
			2 No	582	46.2
			Missing	1,927	



# 2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Uruguay Survey

### Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
228-228	QN49		Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)		
			1 Yes	543	19.5
			2 No	2,465	80.5
			Missing	154	
229-229	QN50		Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)		
			1 Yes	1,120	36.4
			2 No	1,893	63.6
			Missing	149	
230-230	QN51		Percentage of students who did not attend physical education classes (each week during this school year)		
			1 Yes	1,001	37.4
			2 No	1,960	62.6
			Missing	201	
231-231	QN52		Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)		
			1 Yes	1,853	62.8
			2 No	1,106	37.2
			Missing	203	
232-232	QN53		Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)		
			1 Yes	980	33.5
			2 No	2,008	66.5
			Missing	174	

# 2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Uruguay Survey Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
233-233	QN54		Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)		
			1 Yes	1,892	64.0
			2 No	1,056	36.0
			Missing	214	
234-234	QN55		Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)		
			1 Yes	967	32.2
			2 No	1,983	67.8
			Missing	212	
235-235	QN56		Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)		
			1 Yes	1,442	48.1
			2 No	1,513	51.9
			Missing	207	
236-236	QN57		Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)		
			1 Yes	1,972	66.2
			2 No	975	33.8
			Missing	215	
238-238	QN59		Percentage of students who lived with both parents or guardians (most days of the week)		
			1 Yes	1,884	59.8
			2 No	1,215	40.2
			Missing	63	
243-243	QN64		Percentage of students who did not eat fruit (during the 7 days before the survey)		
			1 Yes	481	15.5
			2 No	2,670	84.5
			Missing	11	
244-244	QN65		Percentage of students who did not eat vegetables (during the 7 days before the survey)		
			1 Yes	270	8.3
			2 No	2,864	91.7
			Missing	28	

# 2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Uruguay Survey

### Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
245-245	QN66		Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 7 days before the survey)		
		1	Yes	673	21.5
		2	No	2,466	78.5
			Missing	23	
249-249	QN70		Percentage of students who were ever bullied on school property (during the 12 months before the survey)		
		1	Yes	604	18.7
		2	No	2,547	81.3
			Missing	11	
250-250	QN71		Percentage of students who were ever bullied when not on school property (during the 12 months before the survey)		
		1	Yes	566	18.0
		2	No	2,556	82.0
			Missing	40	
252-252	QN73		Percentage of students who were ever cyber bullied (during the 12 months before the survey)		
		1	Yes	608	20.3
		2	No	2,538	79.7
			Missing	16	
350-350	QNUNWTG		Percentage of students who were underweight (<-2SD from median for BMI by age and sex)		
		1	Yes	28	1.2
		2	No	2,511	98.8
			Missing	623	
351-351	QNOWTG		Percentage of students who were overweight (>+1SD from median for BMI by age and sex)		
		1	Yes	864	33.6
		2	No	1,675	66.4
			Missing	623	
352-352	QNOBESEG		Percentage of students who were obese (>+2SD from median for BMI by age and sex)		
		1	Yes	264	10.4
		2	No	2,275	89.6
			Missing	623	
365-365	QNFF1G		Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)		
		1	Yes	1,138	36.3
		2	No	2,014	63.7
			Missing	10	

# 2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Uruguay Survey

### Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
366-366	QNFF2G		Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)		
			1 Yes	431	14.0
			2 No	2,721	86.0
			Missing	10	
367-367	QNFF3G		Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)		
			1 Yes	172	5.7
			2 No	2,980	94.3
			Missing	10	
369-369	QNTOB2G		Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)		
			1 Yes	462	15.1
			2 No	2,673	84.9
			Missing	27	
370-370	QNNOTB2G		Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)		
			1 Yes	2,673	85.2
			2 No	452	14.8
			Missing	37	
371-371	QNBCANYG		Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)		
			1 Yes	1,126	93.7
			2 No	73	6.3
			Missing	1,963	
372-372	QNC1G		Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)		
			1 Yes	822	70.6
			2 No	354	29.4
			Missing	1,986	
<del>366-366</del>	<del>QNFF2G</del>		<del>Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)</del>		
			1 Yes	431	14.0
			2 No	2,721	86.0
			Missing	10	

# 2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

## Uruguay Survey

### Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
373-373	QNPA5G		Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)		
			1 Yes	877	29.1
			2 No	2,131	70.9
			Missing	154	
374-374	QNPA7G		Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey )		
			1 Yes	404	13.6
			2 No	2,604	86.4
			Missing	154	
375-375	QNPE3G		Percentage of students who attended physical education classes on three or more days (each week during this school year)		
			1 Yes	740	24.8
			2 No	2,221	75.2
			Missing	201	
376-376	QNPE5G		Percentage of students who attended physical education classes on five or more days (each week during this school year)		
			1 Yes	563	18.6
			2 No	2,398	81.4
			Missing	201	
377-386	WEIGHT				
387-395	STRATUM				
396-400	PSU				