

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Montevideo) Survey Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
17-17	Q1	Q1	How old are you?		
			1 11 years old or younger	1	0.0
			2 12 years old	1	0.1
			3 13 years old	193	10.6
			4 14 years old	361	18.2
			5 15 years old	358	21.6
			6 16 years old	288	20.4
			7 17 years old	227	18.6
			8 18 years old or older	120	10.4
			Missing	6	
18-18	Q2	Q2	What is your sex?		
			1 Male	754	48.7
			2 Female	783	51.3
			Missing	18	
19-19	Q3	Q3	In what grade are you?		
			1 CB	405	22.6
			2 3 CB	488	23.6
			3 1 BD	235	20.3
			4 2 BD	255	18.7
			5 3 BD	154	14.7
			Missing	18	
20-23	Q4	Q5	How tall are you without your shoes on? (Note: Data are in meters.)		
24-29	Q5	Q6	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
30-30	Q6	Q10	During the past 30 days, how often did you go hungry because there was not enough food in your home?		
			1 Never	1,049	68.4
			2 Rarely	344	22.1
			3 Sometimes	124	7.7
			4 Most of the time	18	1.2
			5 Always	11	0.6
			Missing	9	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Montevideo) Survey Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
34-34	Q10	Q16	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as McDonald's, Burger King, Barney's, or chorizo carts?		
			1 0 days	1,041	66.5
			2 1 day	351	23.0
			3 2 days	97	6.2
			4 3 days	32	2.1
			5 4 days	12	0.8
			6 5 days	8	0.6
			7 6 days	1	0.1
			8 7 days	8	0.6
			Missing	5	
39-39	Q15	Q20	During the past 12 months, how many times were you physically attacked?		
			1 0 times	1,310	86.1
			2 1 time	120	7.6
			3 2 or 3 times	63	3.8
			4 4 or 5 times	15	0.9
			5 6 or 7 times	4	0.2
			6 8 or 9 times	5	0.3
			7 10 or 11 times	1	0.1
			8 12 or more times	18	1.0
			Missing	19	
40-40	Q16	Q23	During the past 12 months, how many times were you in a physical fight?		
			1 0 times	1,228	80.4
			2 1 time	166	10.0
			3 2 or 3 times	98	6.2
			4 4 or 5 times	26	1.7
			5 6 or 7 times	5	0.3
			6 8 or 9 times	7	0.5
			7 10 or 11 times	3	0.1
			8 12 or more times	13	0.8
			Missing	9	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Montevideo) Survey Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
41-41	Q17	Q17	During the past 12 months, how many times were you seriously injured?		
			1 0 times	912	64.1
			2 1 time	280	19.3
			3 2 or 3 times	161	11.1
			4 4 or 5 times	40	2.8
			5 6 or 7 times	20	1.3
			6 8 or 9 times	5	0.4
			7 10 or 11 times	4	0.3
			8 12 or more times	12	0.7
			Missing	121	
42-42	Q18	Q18	During the past 12 months, what was the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	988	68.2
			2 I had a broken bone or a dislocated joint	121	8.0
			3 I had a cut or stab wound	29	1.9
			4 I had a concussion or other head or neck injury, was knocked out, or could not breathe	21	1.4
			5 I had a gunshot wound	1	0.1
			6 I had a bad burn	5	0.3
			7 I was poisoned or took too much of a drug	0	0.0
			8 Something else happened to me	292	20.2
			Missing	98	
43-43	Q19	Q19	During the past 12 months, what was the major cause of the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	978	68.0
			2 I was in a motor vehicle accident or hit by a motor vehicle	9	0.6
			3 I fell	136	8.7
			4 Something fell on me or hit me	31	2.2
			5 I was attacked or abused or was fighting with someone	19	1.2
			6 I was in a fire or too near a flame or something hot	3	0.1
			7 I inhaled or swallowed something bad for me	10	0.6
			8 Something else caused my injury	261	18.5
			Missing	108	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Montevideo) Survey Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
46-46	Q22	Q31	During the past 12 months, how often have you felt lonely?		
			1 Never	388	24.4
			2 Rarely	405	26.1
			3 Sometimes	525	34.7
			4 Most of the time	173	11.2
			5 Always	60	3.7
			Missing	4	
47-47	Q23	Q32	During the past 12 months, how often have you been so worried about something that you could not sleep at night?		
			1 Never	433	26.9
			2 Rarely	480	30.9
			3 Sometimes	455	30.2
			4 Most of the time	135	9.1
			5 Always	43	2.8
			Missing	9	
48-48	Q24	Q35	During the past 12 months, did you ever seriously consider attempting suicide?		
			1 Yes	272	17.3
			2 No	1,259	82.7
			Missing	24	
49-49	Q25	Q36	During the past 12 months, did you make a plan about how you would attempt suicide?		
			1 Yes	243	15.7
			2 No	1,301	84.3
			Missing	11	
50-50	Q26	Q37	During the past 12 months, how many times did you actually attempt suicide?		
			1 0 times	1,375	89.4
			2 1 time	103	6.7
			3 2 or 3 times	41	2.5
			4 4 or 5 times	15	0.8
			5 6 or more times	12	0.6
			Missing	9	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Montevideo) Survey

Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
51-51	Q27	Q38	How many close friends do you have?		
			1 0	72	4.7
			2 1	153	10.2
			3 2	301	20.4
			4 3 or more	1,019	64.7
			Missing	10	
53-53	Q29	Q44	During the past 30 days, on how many days did you smoke cigarettes?		
			1 0 days	1,368	88.8
			2 1 or 2 days	82	5.2
			3 3 to 5 days	30	2.0
			4 6 to 9 days	22	1.6
			5 10 to 19 days	20	1.2
			6 20 to 29 days	7	0.4
			7 All 30 days	11	0.8
			Missing	15	
54-54	Q30	Q45	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as pipe, hand rolled tobacco or chewing tobacco?		
			1 0 days	1,436	93.0
			2 1 or 2 days	56	3.6
			3 3 to 5 days	14	0.8
			4 6 to 9 days	14	0.9
			5 10 to 19 days	11	0.8
			6 20 to 29 days	7	0.4
			7 All 30 days	6	0.4
			Missing	11	
58-58	Q34	Q47	How old were you when you had your first drink of alcohol other than a few sips?		
			1 I have never had a drink of alcohol other than a few sips	381	24.1
			2 7 years old or younger	61	4.3
			3 8 or 9 years old	61	4.0
			4 10 or 11 years old	110	6.7
			5 12 or 13 years old	345	22.1
			6 14 or 15 years old	424	30.8
			7 16 or 17 years old	86	7.5
			8 18 years old or older	6	0.5
			Missing	81	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Montevideo) Survey Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
59-59	Q35	Q49	During the past 30 days, on how many days did you have at least one drink containing alcohol?		
			1 0 days	815	50.9
			2 1 or 2 days	404	28.0
			3 3 to 5 days	158	11.4
			4 6 to 9 days	82	6.0
			5 10 to 19 days	36	2.6
			6 20 to 29 days	10	0.7
			7 All 30 days	5	0.3
			Missing	45	
60-60	Q36	Q50	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?		
			1 I did not drink alcohol during the past 30 days	777	48.7
			2 Less than one drink	86	5.5
			3 1 drink	119	7.6
			4 2 drinks	105	7.1
			5 3 drinks	110	8.0
			6 4 drinks	75	5.6
			7 5 or more drinks	246	17.6
			Missing	37	
61-61	Q37	Q51	During the past 30 days, how did you usually get the alcohol you drank?		
			1 I did not drink alcohol during the past 30 days	785	49.4
			2 I bought it in a store, shop, or from a street vendor	295	22.8
			3 I gave someone else money to buy it for me	41	2.7
			4 I got it from my friends	176	12.0
			5 I got it from my family	107	7.3
			6 I stole it or got it without permission	5	0.3
			7 I got it some other way	93	5.6
			Missing	53	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Montevideo) Survey Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
62-62	Q38	Q53	During your life, how many times did you drink so much alcohol that you were really drunk?		
			1 0 times	992	62.4
			2 1 or 2 times	310	21.5
			3 3 to 9 times	156	11.6
			4 10 or more times	56	4.5
			Missing	41	
63-63	Q39	Q54	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?		
			1 0 times	1,174	76.2
			2 1 or 2 times	245	17.1
			3 3 to 9 times	61	4.6
			4 10 or more times	28	2.1
			Missing	47	
68-68	Q44	Q63	Have you ever had sexual intercourse?		
			1 Yes	577	43.4
			2 No	882	56.6
			Missing	96	
69-69	Q45	Q64	How old were you when you had sexual intercourse for the first time?		
			1 I have never had sexual intercourse	929	59.0
			2 11 years old or younger	26	1.5
			3 12 years old	27	1.7
			4 13 years old	97	5.9
			5 14 years old	125	9.0
			6 15 years old	154	12.3
			7 16 or 17 years old	114	10.2
			8 18 years old or older	5	0.4
			Missing	78	
70-70	Q46	Q65	During your life, with how many people have you had sexual intercourse?		
			1 I have never had sexual intercourse	954	60.8
			2 1 person	215	15.7
			3 2 people	78	5.8
			4 3 people	73	5.4
			5 4 people	32	2.5
			6 5 people	46	3.4
			7 6 or more people	81	6.5
			Missing	76	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Montevideo) Survey

Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
71-71	Q47	Q66	The last time you had sexual intercourse, did you or your partner use a condom forro, or preservative		
			1 I have never had sexual intercourse	943	60.0
			2 Yes	429	31.8
			3 No	105	8.1
			Missing	78	
72-72	Q48	Q68	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?		
			1 I have never had sexual intercourse	928	59.7
			2 Yes	263	21.1
			3 No	227	16.2
			4 I do not know	44	3.1
			Missing	93	
73-73	Q49	Q71	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
			1 0 days	244	18.1
			2 1 day	166	10.9
			3 2 days	255	16.8
			4 3 days	239	16.2
			5 4 days	165	10.4
			6 5 days	142	9.2
			7 6 days	76	5.5
			8 7 days	188	12.8
			Missing	80	
74-74	Q50	Q72	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?		
			1 0 days	687	46.9
			2 1 day	97	6.2
			3 2 days	73	4.9
			4 3 days	66	4.5
			5 4 days	55	3.6
			6 5 days	186	12.6
			7 6 days	26	1.7
			8 7 days	293	19.6
			Missing	72	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Montevideo) Survey Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
75-75	Q51	Q73	During this school year, on how many days did you go to physical education (PE) class each week?		
			1 0 days	446	36.5
			2 1 day	216	14.3
			3 2 days	495	30.5
			4 3 days	29	1.9
			5 4 days	13	0.8
			6 5 or more days	257	16.0
			Missing	99	
76-76	Q52	Q74	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as drinking mate?		
			1 Less than 1 hour per day	159	10.3
			2 1 to 2 hours per day	372	25.1
			3 3 to 4 hours per day	506	35.6
			4 5 to 6 hours per day	238	16.8
			5 7 to 8 hours per day	82	5.7
			6 More than 8 hours per day	102	6.5
			Missing	96	
77-77	Q53	Q75	During the past 30 days, on how many days did you miss classes or school without permission?		
			1 0 days	1,005	67.2
			2 1 or 2 days	276	19.0
			3 3 to 5 days	109	8.1
			4 6 to 9 days	43	3.1
			5 10 or more days	38	2.6
			Missing	84	
78-78	Q54	Q76	During the past 30 days, how often were most of the students in your school kind and helpful?		
			1 Never	48	3.3
			2 Rarely	124	8.3
			3 Sometimes	289	19.3
			4 Most of the time	575	39.1
			5 Always	412	30.0
			Missing	107	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Montevideo) Survey

Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
79-79	Q55	Q77	During the past 30 days, how often did your parents or guardians check to see if your homework was done?		
			1 Never	448	32.7
			2 Rarely	254	17.3
			3 Sometimes	303	20.5
			4 Most of the time	256	17.3
			5 Always	189	12.2
			Missing	105	
80-80	Q56	Q78	During the past 30 days, how often did your parents or guardians understand your problems and worries?		
			1 Never	239	15.9
			2 Rarely	224	15.4
			3 Sometimes	289	20.8
			4 Most of the time	307	20.7
			5 Always	397	27.2
			Missing	99	
81-81	Q57	Q79	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?		
			1 Never	101	6.7
			2 Rarely	157	10.9
			3 Sometimes	221	15.3
			4 Most of the time	474	32.8
			5 Always	499	34.3
			Missing	103	
88-88	Q64	Q12	During the past 7 days, how many times did you eat fruit, such as apples, bananas, or oranges?		
			1 I did not eat fruit during the past 7 days	215	13.7
			2 1 to 3 times during the past 7 days	528	34.7
			3 4 to 6 times during the past 7 days	280	18.2
			4 1 time per day	177	11.0
			5 2 times per day	165	10.7
			6 3 times per day	106	6.7
			7 4 or more times per day	78	5.0
			Missing	6	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Montevideo) Survey

Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
89-89	Q65	Q13	During the past 7 days, how many times did you eat vegetables, such as lettuce, tomatoes, carrots, chard, or pumpkin?		
			1 I did not eat vegetables during the past 7 days	142	8.7
			2 1 to 3 times during the past 7 days	484	31.5
			3 4 to 6 times during the past 7 days	391	26.5
			4 1 time per day	179	11.0
			5 2 times per day	205	13.2
			6 3 times per day	63	4.0
			7 4 or more times per day	77	5.0
			Missing	14	
90-90	Q66	Q14	During the past 7 days, how many times did you drink a can, bottle, or glass of a carbonated soft drink, such as Coca Cola, Pepsi, Nix, Fresquita, Fanta, Salus Frutte, or Pomelo?		
			1 I did not drink carbonated soft drinks during the past 7 days	363	24.1
			2 1 to 3 times during the past 7 days	606	40.0
			3 4 to 6 times during the past 7 days	233	14.4
			4 1 time per day	120	7.3
			5 2 times per day	85	5.5
			6 3 times per day	48	3.0
			7 4 or more times per day	84	5.7
			Missing	16	
94-94	Q70	Q24	During the past 12 months, have you ever been bullied on school property?		
			1 Yes	285	16.9
			2 No	1,267	83.1
			Missing	3	
95-95	Q71	Q25	During the past 12 months, have you ever been bullied when you were not on school property?		
			1 Yes	249	15.9
			2 No	1,295	84.1
			Missing	11	
97-97	Q73	Q27	During the past 12 months, have you ever been cyber bullied?		
			1 Yes	261	17.6
			2 No	1,286	82.4
			Missing	8	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Montevideo) Survey

Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
185-185	QN6		Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)		
		1	Yes	29	1.8
		2	No	1,517	98.2
			Missing	9	
189-189	QN10		Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)		
		1	Yes	1,041	66.5
		2	No	509	33.5
			Missing	5	
194-194	QN15		Percentage of students who were physically attacked (one or more times during the 12 months before the survey)		
		1	Yes	226	13.9
		2	No	1,310	86.1
			Missing	19	
195-195	QN16		Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
		1	Yes	318	19.6
		2	No	1,228	80.4
			Missing	9	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Montevideo) Survey Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
196-196	QN17		Percentage of students who were seriously injured (one or more times during the 12 months before the survey)		
			1 Yes	522	35.9
			2 No	912	64.1
			Missing	121	
197-197	QN18		Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)		
			1 Yes	121	25.1
			2 No	348	74.9
			Missing	1,086	
198-198	QN19		Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)		
			1 Yes	9	1.9
			2 No	460	98.1
			Missing	1,086	
201-201	QN22		Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)		
			1 Yes	233	14.8
			2 No	1,318	85.2
			Missing	4	
202-202	QN23		Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)		
			1 Yes	178	12.0
			2 No	1,368	88.0
			Missing	9	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Montevideo) Survey

Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
203-203	QN24		Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)		
			1 Yes	272	17.3
			2 No	1,259	82.7
			Missing	24	
204-204	QN25		Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)		
			1 Yes	243	15.7
			2 No	1,301	84.3
			Missing	11	
205-205	QN26		Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
			1 Yes	171	10.6
			2 No	1,375	89.4
			Missing	9	
206-206	QN27		Percentage of students who did not have any close friends		
			1 Yes	72	4.7
			2 No	1,473	95.3
			Missing	10	
208-208	QN29		Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
			1 Yes	172	11.2
			2 No	1,368	88.8
			Missing	15	
209-209	QN30		Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)		
			1 Yes	108	7.0
			2 No	1,436	93.0
			Missing	11	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Montevideo) Survey

Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
213-213	QN34		Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)		
			1 Yes	577	48.9
			2 No	516	51.1
			Missing	462	
214-214	QN35		Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)		
			1 Yes	695	49.1
			2 No	815	50.9
			Missing	45	
215-215	QN36		Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)		
			1 Yes	536	74.6
			2 No	205	25.4
			Missing	814	
216-216	QN37		Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)		
			1 Yes	176	23.7
			2 No	541	76.3
			Missing	838	
217-217	QN38		Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)		
			1 Yes	522	37.6
			2 No	992	62.4
			Missing	41	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Montevideo) Survey

Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
218-218	QN39		Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)		
			1 Yes	334	23.8
			2 No	1,174	76.2
			Missing	47	
223-223	QN44		Percentage of students who ever had sexual intercourse		
			1 Yes	577	43.4
			2 No	882	56.6
			Missing	96	
224-224	QN45		Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)		
			1 Yes	150	22.2
			2 No	398	77.8
			Missing	1,007	
225-225	QN46		Percentage of students who had sexual intercourse with two or more persons (during their life)		
			1 Yes	310	23.5
			2 No	1,169	76.5
			Missing	76	
226-226	QN47		Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)		
			1 Yes	429	79.7
			2 No	105	20.3
			Missing	1,021	
227-227	QN48		Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)		
			1 Yes	263	52.2
			2 No	271	47.8
			Missing	1,021	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Montevideo) Survey

Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
228-228	QN49		Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)		
			1 Yes	244	18.1
			2 No	1,231	81.9
			Missing	80	
229-229	QN50		Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)		
			1 Yes	687	46.9
			2 No	796	53.1
			Missing	72	
230-230	QN51		Percentage of students who did not attend physical education classes (each week during this school year)		
			1 Yes	446	36.5
			2 No	1,010	63.5
			Missing	99	
231-231	QN52		Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)		
			1 Yes	928	64.6
			2 No	531	35.4
			Missing	96	
232-232	QN53		Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)		
			1 Yes	466	32.8
			2 No	1,005	67.2
			Missing	84	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Montevideo) Survey

Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
233-233	QN54		Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)		
			1 Yes	987	69.1
			2 No	461	30.9
			Missing	107	
234-234	QN55		Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)		
			1 Yes	445	29.5
			2 No	1,005	70.5
			Missing	105	
235-235	QN56		Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)		
			1 Yes	704	47.9
			2 No	752	52.1
			Missing	99	
236-236	QN57		Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)		
			1 Yes	973	67.0
			2 No	479	33.0
			Missing	103	
238-238	QN59		Percentage of students who lived with both parents or guardians (most days of the week)		
			1 Yes	925	60.1
			2 No	595	39.9
			Missing	35	
243-243	QN64		Percentage of students who did not eat fruit (during the 7 days before the survey)		
			1 Yes	215	13.7
			2 No	1,334	86.3
			Missing	6	
244-244	QN65		Percentage of students who did not eat vegetables (during the 7 days before the survey)		
			1 Yes	142	8.7
			2 No	1,399	91.3
			Missing	14	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Montevideo) Survey Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
245-245	QN66		Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 7 days before the survey)		
			1 Yes	363	24.1
			2 No	1,176	75.9
			Missing	16	
249-249	QN70		Percentage of students who were ever bullied on school property (during the 12 months before the survey)		
			1 Yes	285	16.9
			2 No	1,267	83.1
			Missing	3	
250-250	QN71		Percentage of students who were ever bullied when not on school property (during the 12 months before the survey)		
			1 Yes	249	15.9
			2 No	1,295	84.1
			Missing	11	
252-252	QN73		Percentage of students who were ever cyber bullied (during the 12 months before the survey)		
			1 Yes	261	17.6
			2 No	1,286	82.4
			Missing	8	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Montevideo) Survey

Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
350-350	QNUNWTG		Percentage of students who were underweight (<-2SD from median for BMI by age and sex)		
			1 Yes	9	0.9
			2 No	1,162	99.1
			Missing	384	
351-351	QNOWTG		Percentage of students who were overweight (>+1SD from median for BMI by age and sex)		
			1 Yes	397	33.5
			2 No	774	66.5
			Missing	384	
352-352	QNOBESEG		Percentage of students who were obese (>+2SD from median for BMI by age and sex)		
			1 Yes	102	8.5
			2 No	1,069	91.5
			Missing	384	
365-365	QNFF1G		Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)		
			1 Yes	509	33.5
			2 No	1,041	66.5
			Missing	5	
366-366	QNFF2G		Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)		
			1 Yes	158	10.5
			2 No	1,392	89.5
			Missing	5	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Montevideo) Survey Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
367-367	QNFF3G		Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)		
			1 Yes	61	4.3
			2 No	1,489	95.7
			Missing	5	
369-369	QNTOB2G		Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)		
			1 Yes	190	12.5
			2 No	1,352	87.5
			Missing	13	
370-370	QNNOTB2G		Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)		
			1 Yes	1,352	87.9
			2 No	184	12.1
			Missing	19	
371-371	QNBCANYG		Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)		
			1 Yes	486	94.2
			2 No	29	5.8
			Missing	1,040	
372-372	QNC1G		Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)		
			1 Yes	335	68.3
			2 No	165	31.7
			Missing	1,055	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Montevideo) Survey Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
373-373	QNPA5G		Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)		
			1 Yes	406	27.6
			2 No	1,069	72.4
			Missing	80	
374-374	QNPA7G		Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)		
			1 Yes	188	12.8
			2 No	1,287	87.2
			Missing	80	
375-375	QNPE3G		Percentage of students who attended physical education classes on three or more days (each week during this school year)		
			1 Yes	299	18.7
			2 No	1,157	81.3
			Missing	99	
376-376	QNPE5G		Percentage of students who attended physical education classes on five or more days (each week during this school year)		
			1 Yes	257	16.0
			2 No	1,199	84.0
			Missing	99	
377-386	WEIGHT				
387-395	STRATUM				
396-400	PSU				