

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Rest of Country) Survey Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
17-17	Q1	Q1	How old are you?		
			1 11 years old or younger	2	0.1
			2 12 years old	3	0.2
			3 13 years old	174	10.7
			4 14 years old	320	20.4
			5 15 years old	365	22.2
			6 16 years old	329	19.7
			7 17 years old	262	16.9
			8 18 years old or older	145	9.8
			Missing	7	
18-18	Q2	Q2	What is your sex?		
			1 Male	690	42.7
			2 Female	901	57.3
			Missing	16	
19-19	Q3	Q3	In what grade are you?		
			1 CB	368	22.9
			2 3 CB	346	24.0
			3 1 BD	362	20.7
			4 2 BD	284	18.0
			5 3 BD	225	14.4
			Missing	22	
20-23	Q4	Q5	How tall are you without your shoes on? (Note: Data are in meters.)		
24-29	Q5	Q6	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
30-30	Q6	Q10	During the past 30 days, how often did you go hungry because there was not enough food in your home?		
			1 Never	1,107	69.3
			2 Rarely	354	22.0
			3 Sometimes	109	6.9
			4 Most of the time	21	1.2
			5 Always	8	0.6
			Missing	8	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Rest of Country) Survey

Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
34-34	Q10	Q16	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as McDonald's, Burger King, Barney's, or chorizo carts?		
			1 0 days	973	61.8
			2 1 day	356	21.8
			3 2 days	162	9.7
			4 3 days	66	4.0
			5 4 days	23	1.4
			6 5 days	13	0.8
			7 6 days	2	0.1
			8 7 days	7	0.4
			Missing	5	
39-39	Q15	Q20	During the past 12 months, how many times were you physically attacked?		
			1 0 times	1,399	88.0
			2 1 time	101	6.1
			3 2 or 3 times	57	3.5
			4 4 or 5 times	17	1.1
			5 6 or 7 times	6	0.3
			6 8 or 9 times	2	0.1
			7 10 or 11 times	3	0.2
			8 12 or more times	10	0.6
			Missing	12	
40-40	Q16	Q23	During the past 12 months, how many times were you in a physical fight?		
			1 0 times	1,326	83.5
			2 1 time	135	8.3
			3 2 or 3 times	86	5.3
			4 4 or 5 times	20	1.2
			5 6 or 7 times	8	0.5
			6 8 or 9 times	7	0.4
			7 10 or 11 times	2	0.1
			8 12 or more times	14	0.8
			Missing	9	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Rest of Country) Survey Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
41-41	Q17	Q17	During the past 12 months, how many times were you seriously injured?		
			1 0 times	973	66.3
			2 1 time	273	18.4
			3 2 or 3 times	159	10.5
			4 4 or 5 times	37	2.4
			5 6 or 7 times	10	0.6
			6 8 or 9 times	8	0.6
			7 10 or 11 times	7	0.4
			8 12 or more times	12	0.8
			Missing	128	
42-42	Q18	Q18	During the past 12 months, what was the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	1,070	71.0
			2 I had a broken bone or a dislocated joint	112	7.3
			3 I had a cut or stab wound	17	1.1
			4 I had a concussion or other head or neck injury, was knocked out, or could not breathe	31	1.9
			5 I had a gunshot wound	3	0.2
			6 I had a bad burn	6	0.4
			7 I was poisoned or took too much of a drug	2	0.2
			8 Something else happened to me	277	18.1
			Missing	89	
43-43	Q19	Q19	During the past 12 months, what was the major cause of the most serious injury that happened to you?		
			1 I was not seriously injured during the past 12 months	1,046	69.8
			2 I was in a motor vehicle accident or hit by a motor vehicle	22	1.4
			3 I fell	124	7.9
			4 Something fell on me or hit me	31	2.2
			5 I was attacked or abused or was fighting with someone	14	0.8
			6 I was in a fire or too near a flame or something hot	1	0.1
			7 I inhaled or swallowed something bad for me	17	0.9
			8 Something else caused my injury	252	16.8
			Missing	100	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Rest of Country) Survey Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
46-46	Q22	Q31	During the past 12 months, how often have you felt lonely?		
			1 Never	442	26.9
			2 Rarely	402	24.8
			3 Sometimes	485	30.7
			4 Most of the time	189	12.0
			5 Always	83	5.5
			Missing	6	
47-47	Q23	Q32	During the past 12 months, how often have you been so worried about something that you could not sleep at night?		
			1 Never	462	28.6
			2 Rarely	463	29.0
			3 Sometimes	480	30.5
			4 Most of the time	141	9.1
			5 Always	46	2.8
			Missing	15	
48-48	Q24	Q35	During the past 12 months, did you ever seriously consider attempting suicide?		
			1 Yes	324	20.7
			2 No	1,264	79.3
			Missing	19	
49-49	Q25	Q36	During the past 12 months, did you make a plan about how you would attempt suicide?		
			1 Yes	261	16.9
			2 No	1,332	83.1
			Missing	14	
50-50	Q26	Q37	During the past 12 months, how many times did you actually attempt suicide?		
			1 0 times	1,397	87.3
			2 1 time	123	7.8
			3 2 or 3 times	57	3.6
			4 4 or 5 times	9	0.5
			5 6 or more times	10	0.7
			Missing	11	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Rest of Country) Survey Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
51-51	Q27	Q38	How many close friends do you have?		
			1 0	105	6.9
			2 1	198	12.3
			3 2	339	21.4
			4 3 or more	948	59.5
			Missing	17	
53-53	Q29	Q44	During the past 30 days, on how many days did you smoke cigarettes?		
			1 0 days	1,338	84.1
			2 1 or 2 days	109	6.6
			3 3 to 5 days	48	3.1
			4 6 to 9 days	33	2.0
			5 10 to 19 days	23	1.5
			6 20 to 29 days	24	1.4
			7 All 30 days	19	1.3
			Missing	13	
54-54	Q30	Q45	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as pipe, hand rolled tobacco or chewing tobacco?		
			1 0 days	1,474	92.3
			2 1 or 2 days	57	3.5
			3 3 to 5 days	22	1.5
			4 6 to 9 days	10	0.6
			5 10 to 19 days	14	0.9
			6 20 to 29 days	8	0.5
			7 All 30 days	10	0.6
			Missing	12	
58-58	Q34	Q47	How old were you when you had your first drink of alcohol other than a few sips?		
			1 I have never had a drink of alcohol other than a few sips	280	18.2
			2 7 years old or younger	79	4.9
			3 8 or 9 years old	74	5.0
			4 10 or 11 years old	115	7.8
			5 12 or 13 years old	416	26.9
			6 14 or 15 years old	485	32.2
			7 16 or 17 years old	69	4.8
			8 18 years old or older	4	0.3
			Missing	85	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Rest of Country) Survey Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
59-59	Q35	Q49	During the past 30 days, on how many days did you have at least one drink containing alcohol?		
			1 0 days	626	40.1
			2 1 or 2 days	416	27.7
			3 3 to 5 days	232	14.3
			4 6 to 9 days	166	10.2
			5 10 to 19 days	85	5.8
			6 20 to 29 days	22	1.3
			7 All 30 days	9	0.6
			Missing	51	
60-60	Q36	Q50	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?		
			1 I did not drink alcohol during the past 30 days	566	36.7
			2 Less than one drink	90	5.9
			3 1 drink	108	7.1
			4 2 drinks	121	8.3
			5 3 drinks	119	7.7
			6 4 drinks	136	8.3
			7 5 or more drinks	407	26.0
			Missing	60	
61-61	Q37	Q51	During the past 30 days, how did you usually get the alcohol you drank?		
			1 I did not drink alcohol during the past 30 days	591	38.0
			2 I bought it in a store, shop, or from a street vendor	495	31.5
			3 I gave someone else money to buy it for me	39	2.5
			4 I got it from my friends	185	12.1
			5 I got it from my family	118	7.7
			6 I stole it or got it without permission	3	0.2
			7 I got it some other way	119	7.9
			Missing	57	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Rest of Country) Survey

Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
62-62	Q38	Q53	During your life, how many times did you drink so much alcohol that you were really drunk?		
			1 0 times	857	54.9
			2 1 or 2 times	423	26.5
			3 3 to 9 times	189	12.3
			4 10 or more times	100	6.3
			Missing	38	
63-63	Q39	Q54	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?		
			1 0 times	1,083	68.9
			2 1 or 2 times	319	19.9
			3 3 to 9 times	114	7.2
			4 10 or more times	60	4.0
			Missing	31	
68-68	Q44	Q63	Have you ever had sexual intercourse?		
			1 Yes	764	50.4
			2 No	747	49.6
			Missing	96	
69-69	Q45	Q64	How old were you when you had sexual intercourse for the first time?		
			1 I have never had sexual intercourse	786	51.9
			2 11 years old or younger	23	1.4
			3 12 years old	43	2.6
			4 13 years old	103	6.9
			5 14 years old	192	13.0
			6 15 years old	218	14.2
			7 16 or 17 years old	148	9.6
			8 18 years old or older	6	0.4
			Missing	88	
70-70	Q46	Q65	During your life, with how many people have you had sexual intercourse?		
			1 I have never had sexual intercourse	801	52.8
			2 1 person	273	17.7
			3 2 people	128	8.2
			4 3 people	103	6.7
			5 4 people	69	4.8
			6 5 people	44	3.0
			7 6 or more people	99	6.8
			Missing	90	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Rest of Country) Survey

Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
71-71	Q47	Q66	The last time you had sexual intercourse, did you or your partner use a condom forro, or preservative		
			1 I have never had sexual intercourse	832	54.2
			2 Yes	527	34.3
			3 No	175	11.5
			Missing	73	
72-72	Q48	Q68	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?		
			1 I have never had sexual intercourse	803	53.5
			2 Yes	390	25.5
			3 No	277	18.6
			4 I do not know	34	2.4
			Missing	103	
73-73	Q49	Q71	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
			1 0 days	299	20.4
			2 1 day	144	9.4
			3 2 days	228	15.0
			4 3 days	227	14.5
			5 4 days	164	10.5
			6 5 days	161	9.9
			7 6 days	94	6.2
			8 7 days	216	14.1
			Missing	74	
74-74	Q50	Q72	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?		
			1 0 days	433	29.0
			2 1 day	84	5.5
			3 2 days	82	5.3
			4 3 days	77	5.0
			5 4 days	73	4.3
			6 5 days	301	19.9
			7 6 days	34	2.2
			8 7 days	446	28.9
			Missing	77	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Rest of Country) Survey

Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
75-75	Q51	Q73	During this school year, on how many days did you go to physical education (PE) class each week?		
			1 0 days	555	38.1
			2 1 day	144	9.0
			3 2 days	365	23.8
			4 3 days	122	7.9
			5 4 days	13	0.9
			6 5 or more days	306	20.3
			Missing	102	
76-76	Q52	Q74	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as drinking mate?		
			1 Less than 1 hour per day	195	13.3
			2 1 to 2 hours per day	380	25.1
			3 3 to 4 hours per day	504	33.2
			4 5 to 6 hours per day	235	15.8
			5 7 to 8 hours per day	83	5.6
			6 More than 8 hours per day	103	7.0
			Missing	107	
77-77	Q53	Q75	During the past 30 days, on how many days did you miss classes or school without permission?		
			1 0 days	1,003	66.1
			2 1 or 2 days	301	19.5
			3 3 to 5 days	126	8.5
			4 6 to 9 days	43	2.9
			5 10 or more days	44	3.0
			Missing	90	
78-78	Q54	Q76	During the past 30 days, how often were most of the students in your school kind and helpful?		
			1 Never	78	5.0
			2 Rarely	190	13.1
			3 Sometimes	327	21.6
			4 Most of the time	516	34.6
			5 Always	389	25.7
			Missing	107	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Rest of Country) Survey

Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
79-79	Q55	Q77	During the past 30 days, how often did your parents or guardians check to see if your homework was done?		
			1 Never	456	31.1
			2 Rarely	257	16.7
			3 Sometimes	265	18.0
			4 Most of the time	264	17.3
			5 Always	258	16.9
			Missing	107	
80-80	Q56	Q78	During the past 30 days, how often did your parents or guardians understand your problems and worries?		
			1 Never	270	18.6
			2 Rarely	243	16.8
			3 Sometimes	248	16.4
			4 Most of the time	326	21.0
			5 Always	412	27.3
			Missing	108	
81-81	Q57	Q79	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?		
			1 Never	146	10.3
			2 Rarely	138	10.0
			3 Sometimes	212	14.2
			4 Most of the time	437	28.7
			5 Always	562	36.8
			Missing	112	
88-88	Q64	Q12	During the past 7 days, how many times did you eat fruit, such as apples, bananas, or oranges?		
			1 I did not eat fruit during the past 7 days	266	16.7
			2 1 to 3 times during the past 7 days	533	32.9
			3 4 to 6 times during the past 7 days	269	17.2
			4 1 time per day	174	10.5
			5 2 times per day	167	10.3
			6 3 times per day	104	7.0
			7 4 or more times per day	89	5.5
			Missing	5	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Rest of Country) Survey Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
89-89	Q65	Q13	During the past 7 days, how many times did you eat vegetables, such as lettuce, tomatoes, carrots, chard, or pumpkin?		
			1 I did not eat vegetables during the past 7 days	128	8.0
			2 1 to 3 times during the past 7 days	489	31.0
			3 4 to 6 times during the past 7 days	411	25.4
			4 1 time per day	187	11.7
			5 2 times per day	222	14.0
			6 3 times per day	56	3.5
			7 4 or more times per day	100	6.4
			Missing	14	
90-90	Q66	Q14	During the past 7 days, how many times did you drink a can, bottle, or glass of a carbonated soft drink, such as Coca Cola, Pepsi, Nix, Fresquita, Fanta, Salus Frutte, or Pomelo?		
			1 I did not drink carbonated soft drinks during the past 7 days	310	19.7
			2 1 to 3 times during the past 7 days	633	39.8
			3 4 to 6 times during the past 7 days	256	15.7
			4 1 time per day	132	8.1
			5 2 times per day	99	6.2
			6 3 times per day	63	4.0
			7 4 or more times per day	107	6.5
			Missing	7	
94-94	Q70	Q24	During the past 12 months, have you ever been bullied on school property?		
			1 Yes	319	19.9
			2 No	1,280	80.1
			Missing	8	
95-95	Q71	Q25	During the past 12 months, have you ever been bullied when you were not on school property?		
			1 Yes	317	19.5
			2 No	1,261	80.5
			Missing	29	
97-97	Q73	Q27	During the past 12 months, have you ever been cyber bullied?		
			1 Yes	347	22.2
			2 No	1,252	77.8
			Missing	8	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Rest of Country) Survey Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
185-185	QN6		Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)		
		1	Yes	29	1.8
		2	No	1,570	98.2
			Missing	8	
189-189	QN10		Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)		
		1	Yes	973	61.8
		2	No	629	38.2
			Missing	5	
194-194	QN15		Percentage of students who were physically attacked (one or more times during the 12 months before the survey)		
		1	Yes	196	12.0
		2	No	1,399	88.0
			Missing	12	
195-195	QN16		Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
		1	Yes	272	16.5
		2	No	1,326	83.5
			Missing	9	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Rest of Country) Survey

Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
196-196	QN17		Percentage of students who were seriously injured (one or more times during the 12 months before the survey)		
			1 Yes	506	33.7
			2 No	973	66.3
			Missing	128	
197-197	QN18		Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)		
			1 Yes	112	25.1
			2 No	336	74.9
			Missing	1,159	
198-198	QN19		Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)		
			1 Yes	22	4.8
			2 No	439	95.2
			Missing	1,146	
201-201	QN22		Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)		
			1 Yes	272	17.6
			2 No	1,329	82.4
			Missing	6	
202-202	QN23		Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)		
			1 Yes	187	11.9
			2 No	1,405	88.1
			Missing	15	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Rest of Country) Survey

Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
203-203	QN24		Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)		
			1 Yes	324	20.7
			2 No	1,264	79.3
			Missing	19	
204-204	QN25		Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)		
			1 Yes	261	16.9
			2 No	1,332	83.1
			Missing	14	
205-205	QN26		Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
			1 Yes	199	12.7
			2 No	1,397	87.3
			Missing	11	
206-206	QN27		Percentage of students who did not have any close friends		
			1 Yes	105	6.9
			2 No	1,485	93.1
			Missing	17	
208-208	QN29		Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
			1 Yes	256	15.9
			2 No	1,338	84.1
			Missing	13	
209-209	QN30		Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)		
			1 Yes	121	7.7
			2 No	1,474	92.3
			Missing	12	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Rest of Country) Survey

Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
213-213	QN34		Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)		
			1 Yes	684	54.5
			2 No	558	45.5
			Missing	365	
214-214	QN35		Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)		
			1 Yes	930	59.9
			2 No	626	40.1
			Missing	51	
215-215	QN36		Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)		
			1 Yes	783	79.5
			2 No	198	20.5
			Missing	626	
216-216	QN37		Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)		
			1 Yes	185	19.5
			2 No	774	80.5
			Missing	648	
217-217	QN38		Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)		
			1 Yes	712	45.1
			2 No	857	54.9
			Missing	38	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Rest of Country) Survey

Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
218-218	QN39		Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)		
			1 Yes	493	31.1
			2 No	1,083	68.9
			Missing	31	
223-223	QN44		Percentage of students who ever had sexual intercourse		
			1 Yes	764	50.4
			2 No	747	49.6
			Missing	96	
224-224	QN45		Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)		
			1 Yes	169	22.7
			2 No	564	77.3
			Missing	874	
225-225	QN46		Percentage of students who had sexual intercourse with two or more persons (during their life)		
			1 Yes	443	29.5
			2 No	1,074	70.5
			Missing	90	
226-226	QN47		Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)		
			1 Yes	527	74.9
			2 No	175	25.1
			Missing	905	
227-227	QN48		Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)		
			1 Yes	390	54.8
			2 No	311	45.2
			Missing	906	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Rest of Country) Survey

Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
228-228	QN49		Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)		
			1 Yes	299	20.4
			2 No	1,234	79.6
			Missing	74	
229-229	QN50		Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)		
			1 Yes	433	29.0
			2 No	1,097	71.0
			Missing	77	
230-230	QN51		Percentage of students who did not attend physical education classes (each week during this school year)		
			1 Yes	555	38.1
			2 No	950	61.9
			Missing	102	
231-231	QN52		Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)		
			1 Yes	925	61.6
			2 No	575	38.4
			Missing	107	
232-232	QN53		Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)		
			1 Yes	514	33.9
			2 No	1,003	66.1
			Missing	90	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Rest of Country) Survey

Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
233-233	QN54		Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)		
			1 Yes	905	60.3
			2 No	595	39.7
			Missing	107	
234-234	QN55		Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)		
			1 Yes	522	34.2
			2 No	978	65.8
			Missing	107	
235-235	QN56		Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)		
			1 Yes	738	48.2
			2 No	761	51.8
			Missing	108	
236-236	QN57		Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)		
			1 Yes	999	65.6
			2 No	496	34.4
			Missing	112	
243-243	QN64		Percentage of students who did not eat fruit (during the 7 days before the survey)		
			1 Yes	266	16.7
			2 No	1,336	83.3
			Missing	5	
244-244	QN65		Percentage of students who did not eat vegetables (during the 7 days before the survey)		
			1 Yes	128	8.0
			2 No	1,465	92.0
			Missing	14	
245-245	QN66		Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 7 days before the survey)		
			1 Yes	310	19.7
			2 No	1,290	80.3
			Missing	7	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Rest of Country) Survey

Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
249-249	QN70		Percentage of students who were ever bullied on school property (during the 12 months before the survey)		
		1	Yes	319	19.9
		2	No	1,280	80.1
			Missing	8	
250-250	QN71		Percentage of students who were ever bullied when not on school property (during the 12 months before the survey)		
		1	Yes	317	19.5
		2	No	1,261	80.5
			Missing	29	
252-252	QN73		Percentage of students who were ever cyber bullied (during the 12 months before the survey)		
		1	Yes	347	22.2
		2	No	1,252	77.8
			Missing	8	
350-350	QNUNWTG		Percentage of students who were underweight (<-2SD from median for BMI by age and sex)		
		1	Yes	19	1.4
		2	No	1,349	98.6
			Missing	239	
351-351	QNOWTG		Percentage of students who were overweight (>+1SD from median for BMI by age and sex)		
		1	Yes	467	33.6
		2	No	901	66.4
			Missing	239	
352-352	QNOBESEG		Percentage of students who were obese (>+2SD from median for BMI by age and sex)		
		1	Yes	162	11.6
		2	No	1,206	88.4
			Missing	239	
365-365	QNFF1G		Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)		
		1	Yes	629	38.2
		2	No	973	61.8
			Missing	5	
366-366	QNFF2G		Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)		
		1	Yes	273	16.4
		2	No	1,329	83.6
			Missing	5	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Rest of Country) Survey

Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
367-367	QNFF3G		Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)		
		1	Yes	111	6.8
		2	No	1,491	93.2
			Missing	5	
369-369	QNTOB2G		Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)		
		1	Yes	272	16.9
		2	No	1,321	83.1
			Missing	14	
370-370	QNNOTB2G		Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)		
		1	Yes	1,321	83.3
		2	No	268	16.7
			Missing	18	
371-371	QNBCANYG		Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)		
		1	Yes	640	93.4
		2	No	44	6.6
			Missing	923	
372-372	QNC1G		Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)		
		1	Yes	487	72.0
		2	No	189	28.0
			Missing	931	

2019 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Uruguay (Rest of Country) Survey

Codebook

Data Location	Standard Variable Name	Country Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
373-373	QNPA5G		Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)		
			1 Yes	471	30.2
			2 No	1,062	69.8
			Missing	74	
374-374	QNPA7G		Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)		
			1 Yes	216	14.1
			2 No	1,317	85.9
			Missing	74	
375-375	QNPE3G		Percentage of students who attended physical education classes on three or more days (each week during this school year)		
			1 Yes	441	29.1
			2 No	1,064	70.9
			Missing	102	
376-376	QNPE5G		Percentage of students who attended physical education classes on five or more days (each week during this school year)		
			1 Yes	306	20.3
			2 No	1,199	79.7
			Missing	102	
377-386	WEIGHT				
387-395	STRATUM				
396-400	PSU				