

**GYTSPAHO2021 El Salvador All Schools
Regions 1-2 -- Enhanced Codebook**

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
Q1	CR1	How old are you?		
		. Missing	8	.
		1. 11 years old or younger	3	0.1%
		2. 12 years old	19	0.9%
		3. 13 years old	633	21.9%
		4. 14 years old	788	28.2%
		5. 15 years old	800	30.1%
		6. 16 years old	362	13.5%
		7. 17 years old or older	150	5.3%
Q2	CR2	What is your sex?		
		. Missing	8	.
		1. Male	1,403	50.5%
		2. Female	1,352	49.5%
Q3	ESR3	In what grade/form are you?		
		. Missing	32	.
		1. 7th grade	1,022	34.6%
		2. 8th grade	854	33.1%
		3. 9th grade	855	32.3%
Q4	ESR4	During an average week (7 days), how much money do you have that you can spend on yourself, however you want?		
		. Missing	51	.

***GYTSPAHO2021 El Salvador All Schools
Regions 1-2 -- Enhanced Codebook***

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
		1. I usually don't have any spending money	903	32.6%
		2. Less than \$5.00	969	36.0%
		3. From \$5.00 to \$9.99	485	18.4%
		4. From \$10.00 to \$14.99	151	6.0%
		5. From \$15.00 to \$19.99	60	1.9%
		6. From \$20.00 to \$25.00	68	2.6%
		7. More than \$25.00	76	2.5%
Q5	CR5	Have you ever tried or experimented with cigarette smoking, even one or two puffs?		
		. Missing	65	.
		1. Yes	177	6.1%
		2. No	2,521	93.9%
Q6	CR6	How old were you when you first tried a cigarette?		
		. Missing	2,587	.
		1. I have never tried smoking a cigarette	.	0.0%
		2. 7 years old or younger	9	4.6%
		3. 8 or 9 years old	11	6.1%
		4. 10 or 11 years old	36	18.5%
		5. 12 or 13 years old	48	27.6%
		6. 14 or 15 years old	46	28.1%
		7. 16 years old or older	26	15.1%
Q7	CR7	During the past 30 days, on how many days did you smoke cigarettes?		

***GYTSPAHO2021 El Salvador All Schools
Regions 1-2 -- Enhanced Codebook***

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
		. Missing	2,587	.
		1. 0 days	130	70.7%
		2. 1 or 2 days	32	23.8%
		3. 3 to 5 days	4	1.3%
		4. 6 to 9 days	3	1.2%
		5. 10 to 19 days	2	0.4%
		6. 20 to 29 days	1	0.7%
		7. All 30 days	4	1.8%
Q8	CR8	Please think about the days you smoked cigarettes during the past 30 days. How many cigarettes did you usually smoke per day?		
		. Missing	2,718	.
		1. I did not smoke cigarettes during the past 30 days	.	0.0%
		2. Less than 1 cigarette per day	24	65.5%
		3. 1 cigarette per day	13	22.5%
		4. 2 to 5 cigarettes per day	4	3.7%
		5. 6 to 10 cigarettes per day	1	2.6%
		6. 1 to 20 cigarettes per day	1	4.1%
		7. More than 20 cigarettes per day	2	1.6%
Q9	CR9	Have you ever tried or experimented with any form of smoked tobacco products other than cigarettes (such as pipes, cigars, mini-cigars, waterpipes or narghile)?		
		. Missing	70	.
		1. Yes	47	1.4%

***GYTSPAHO2021 El Salvador All Schools
Regions 1-2 -- Enhanced Codebook***

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
		2. No	2,646	98.6%
Q10	CR10	During the past 30 days, did you use any form of smoked tobacco products other than cigarettes (such as pipes, cigars, mini-cigars, waterpipes or narghile)?		
		. Missing	2,717	.
		1. Yes	15	31.5%
		2. No	31	68.5%
Q11	SR1	Have you ever tried or experimented with water pipe or narghile smoking, even one or two puffs?		
		. Missing	2,717	.
		1. Yes	11	15.1%
		2. No	35	84.9%
Q12	SR3	During the past 30 days, on how many days did you smoke water pipe or narghile?		
		. Missing	2,752	.
		1. 0 days	9	85.6%
		2. 1 or 2 days	1	6.9%
		3. 3 to 5 days	1	7.5%
		4. 6 to 9 days	.	0.0%
		5. 10 to 19 days	.	0.0%
		6. 20 to 29 days	.	0.0%
		7. All 30 days	.	0.0%
Q13	ESR13	What was your main reason for starting to smoke tobacco?		

***GYTSPAHO2021 El Salvador All Schools
Regions 1-2 -- Enhanced Codebook***

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
		. Missing	2,716	.
		1. I have never smoked tobacco	.	0.0%
		2. Out of curiosity	31	69.8%
		3. Because I like it (it's cool, genial, pro)	3	7.3%
		4. Because someone in my family smokes	1	0.8%
		5. Because of social pressure (because my friends do it)	2	5.8%
		6. Because it won't harm my health in the short term	2	3.5%
		7. Another reason	8	12.7%
Q14	CR11	Do you ever smoke tobacco or feel like smoking tobacco first thing in the morning?		
		. Missing	2,716	.
		1. I don't smoke tobacco	.	0.0%
		2. No, I don't smoke tobacco or feel like smoking tobacco first thing in the morning	36	83.9%
		3. Yes, I sometimes smoke tobacco or feel like smoking tobacco first thing in the morning	8	11.9%
		4. Yes, I always smoke tobacco or feel like smoking tobacco first thing in the morning	3	4.3%
Q15	CR12	How soon after you smoke tobacco do you start to feel a strong desire to smoke again that is hard to ignore?		
		. Missing	2,715	.
		1. I don't smoke tobacco	.	0.0%
		2. I never feel a strong desire to smoke again after smoking tobacco	34	79.7%
		3. Within 60 minutes	1	0.9%
		4. 1 to 2 hours	1	2.6%
		5. More than 2 hours to 4 hours	1	0.8%

***GYTSPAHO2021 El Salvador All Schools
Regions 1-2 -- Enhanced Codebook***

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
		6. More than 4 hours but less than one full day	4	4.8%
		7. 1 to 3 days	2	1.9%
		8. 4 days or more	5	9.2%
Q16	OR9	Where do you usually smoke? (select only one response)		
		. Missing	2,715	.
		1. I do not smoke	.	0.0%
		2. At home	8	17.5%
		3. At school	1	0.8%
		4. At work	3	3.7%
		5. At friends' houses	15	35.2%
		6. At social events	5	6.5%
		7. In public places (e.g. parks, shopping centers, street corners)	5	11.0%
		8. Other	11	25.3%
Q17	CR13	Have you ever tried or experimented with any form of smokeless tobacco products (such as snuff or chewing tobacco)?		
		. Missing	80	.
		1. Yes	21	0.5%
		2. No	2,662	99.5%
Q18	CR14	During the past 30 days, did you use any form of smokeless tobacco products (such as snuff or chewing tobacco)?		
		. Missing	2,742	.

***GYTSPAHO2021 El Salvador All Schools
Regions 1-2 -- Enhanced Codebook***

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
		1. Yes	7	43.9%
		2. No	14	56.1%
Q19	ELR1	Have you ever heard of electronic cigarettes or e-cigarettes?		
		. Missing	81	.
		1. Yes	1,823	64.8%
		2. No	859	35.2%
Q20	ESR20	Have you ever tried or experimented with electronic cigarettes or vapor, even one or two vapes?		
		. Missing	947	.
		1. Yes	105	4.7%
		2. No	1,711	95.3%
Q21	ESR21	How old were you when you first tried an electronic cigarette or vapor?		
		. Missing	2,668	.
		1. I have never tried an electronic cigarette	.	0.0%
		2. 7 years old or younger	1	2.1%
		3. 8 or 9 years old	1	0.5%
		4. 10 or 11 years old	6	5.1%
		5. 12 or 13 years old	27	29.7%
		6. 14 or 15 years old	46	50.9%
		7. 16 years old or older	14	11.7%
Q22	ELR2	During the past 30 days, on how many days did you use electronic cigarettes?		

***GYTSPAHO2021 El Salvador All Schools
Regions 1-2 -- Enhanced Codebook***

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
		. Missing	2,660	.
		1. 0 days	83	85.0%
		2. 1 or 2 days	9	5.9%
		3. 3 to 5 days	4	3.7%
		4. 6 to 9 days	3	2.3%
		5. 10 to 19 days	2	1.9%
		6. 20 to 29 days	.	0.0%
		7. All 30 days	2	1.1%
Q23	ESR23	Do you think that electronic cigarettes or vapers in relation to the common cigarette are more harmful		
		or less harmful?		
		. Missing	955	.
		1. More harmful	696	40.9%
		2. Less harmful	513	25.6%
		3. There is no difference in relation to the common cigarette	599	33.5%
Q24	ESR24	What is your main reason for using electronic cigarettes or vaper?		
		. Missing	2,743	.
		1. I have never tried to use an electronic cigarette	.	0.0%
		2. Out of curiosity	6	29.1%
		3. Because I like it (it's cool, genial, pro)	5	32.5%
		4. Because someone in my family smokes	2	7.8%
		5. It tastes better	2	12.4%
		6. Because of social pressure (because my friends do it)	1	3.1%

***GYTSPAHO2021 El Salvador All Schools
Regions 1-2 -- Enhanced Codebook***

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
		7. It probably does not cause harm to health	.	0.0%
		8. Maybe it can help me to stop smoking tobacco products	4	15.1%
Q25	ESR25	The last time you used electronic cigarette or vaper, how did you get it?		
		. Missing	2,743	.
		1. I do not use electronic cigarettes	.	0.0%
		2. I bought it in a store or warehouse	5	26.7%
		3. I bought it in a kiosk	1	3.0%
		4. I bought it through social networks (Facebook, Instagram, Whatsapp, Twitter, TikTok)	3	20.5%
		5. I bought it through mobile sales applications (Hugo app, get my food, road market)	1	3.0%
		6. I bought it through websites (Amazon, Ebay, OLX or another online store)	.	0.0%
		7. I received it from someone else	8	38.8%
		8. I got them some other way	2	7.9%
Q26	CR15	Do you want to stop smoking now?		
		. Missing	2,718	.
		1. I have never smoked	.	0.0%
		2. I don't smoke now	.	0.0%
		3. Yes	36	87.3%
		4. No	9	12.7%
Q27	CR16	During the past 12 months, did you ever try to stop smoking?		
		. Missing	2,718	.
		1. I have never smoked	.	0.0%

**GYTSPAHO2021 El Salvador All Schools
Regions 1-2 -- Enhanced Codebook**

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
		2. I did not smoke during the past 12 months	.	0.0%
		3. Yes	39	91.8%
		4. No	6	8.2%
Q28	CR17	Do you think you would be able to stop smoking if you wanted to?		
		. Missing	2,718	.
		1. I have never smoked	.	0.0%
		2. I don't smoke now	.	0.0%
		3. Yes	42	95.8%
		4. No	3	4.2%
Q29	CR18	Have you ever received help or advice to help you stop smoking? (select only one response)		
		. Missing	2,718	.
		1. I have never smoked	.	0.0%
		2. Yes, from a program or professional	4	10.7%
		3. Yes, from a friend	10	19.2%
		4. Yes, from a family member	15	37.8%
		5. Yes, from both programs or professionals and from friends or family members	7	10.2%
		6. No	9	22.1%
Q30	OR10	How easy or difficult would you find it to go without smoking for as long as a week?		
		. Missing	2,718	.
		1. I do not smoke now	.	0.0%
		2. Very difficult	4	6.8%

***GYTSPAHO2021 El Salvador All Schools
Regions 1-2 -- Enhanced Codebook***

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
		3. Fairly difficult	3	5.4%
		4. Fairly easy	15	29.2%
		5. Very easy	23	58.6%
Q31	OR11	How easy or difficult would you find it to give up smoking altogether if you wanted to?		
		. Missing	2,718	.
		1. I do not smoke now	.	0.0%
		2. Very difficult	5	9.5%
		3. Fairly difficult	5	8.8%
		4. Fairly easy	13	21.7%
		5. Very easy	22	60.0%
Q32	OR12	How long ago did you stop smoking?		
		. Missing	2,620	.
		1. I have never smoked	.	0.0%
		2. I have not stopped smoking	6	4.5%
		3. Less than 1 month	9	6.4%
		4. 1-3 months	14	7.0%
		5. 4-11 months	13	7.9%
		6. One year	20	10.7%
		7. 2 years	21	20.0%
		8. 3 years or longer	60	43.6%
Q33	OR13	What was the main reason you decided to stop smoking? (select one response only)		

**GYTSPAHO2021 El Salvador All Schools
Regions 1-2 -- Enhanced Codebook**

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
		. Missing	2,620	.
		1. I have never smoked	.	0.0%
		2. I have not stopped smoking	5	3.6%
		3. To improve my health	36	27.3%
		4. To save money	.	0.0%
		5. Because my family does not like it	25	18.6%
		6. Because my friends do not like it	7	3.6%
		7. Due to COVID-19	3	1.1%
		8. Other	67	45.8%
Q34	OR14	When you stopped smoking, how did you feel about it?		
		. Missing	2,619	.
		1. I have never smoked	.	0.0%
		2. I have not stopped smoking	4	3.1%
		3. It was very difficult	12	7.3%
		4. It was rather difficult	8	6.8%
		5. It was rather easy	29	19.7%
		6. It was very easy	91	63.2%
Q35	CR19	During the past 7 days, on how many days has anyone smoked inside your home, in your presence?		
		. Missing	102	.
		1. 0 days	2,365	89.2%
		2. 1 to 2 days	147	5.4%
		3. 3 to 4 days	41	1.4%

***GYTSPAHO2021 El Salvador All Schools
Regions 1-2 -- Enhanced Codebook***

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
		4. 5 to 6 days	30	1.3%
		5. 7 days	78	2.8%
Q36	ESR36	Who in your family smokes more frequently?		
		. Missing	103	.
		1. No one in my family smokes	2,040	77.2%
		2. My father (stepfather or mother's partner)	163	6.5%
		3. My mother (stepmother or father's partner)	16	0.4%
		4. My brother	69	2.6%
		5. My sister	8	0.3%
		6. My grandmother/grandfather	66	2.1%
		7. Other family member	298	11.0%
Q37	OR15	How often do you see your father (stepfather or mother's partner) smoking in your home?		
		. Missing	2,146	.
		1. Don't have/Don't see this person	79	11.3%
		2. About every day	55	9.4%
		3. Sometimes	147	26.4%
		4. Never	336	52.8%
Q38	OR16	How often do you see your mother (stepmother or father's partner) smoking in your home?		
		. Missing	2,145	.
		1. Don't have/Don't see this person	20	4.3%
		2. About every day	21	3.6%

***GYTSPAHO2021 El Salvador All Schools
Regions 1-2 -- Enhanced Codebook***

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
		3. Sometimes	48	6.4%
		4. Never	529	85.8%
Q39	OR17	How often do you see your brother/sister smoking in your home?		
		. Missing	2,145	.
		1. Don't have/Don't see this person	11	1.6%
		2. About every day	25	3.5%
		3. Sometimes	73	11.5%
		4. Never	509	83.4%
Q40	OR18	How often do you see other people smoking in your home?		
		. Missing	108	.
		1. Don't have/Don't see this person	644	24.3%
		2. About every day	83	2.6%
		3. Sometimes	380	13.9%
		4. Never	1,548	59.2%
Q41	CR20	During the past 7 days, on how many days has anyone smoked in your presence, inside any enclosed public place, other than your home (such as school, shops, restaurants, nightclubs, shopping malls, gymnasiums, movie theaters, transport terminals, buses and		
		. Missing	112	.
		1. 0 days	1,803	69.3%
		2. 1 to 2 days	536	20.0%
		3. 3 to 4 days	129	4.5%

***GYTSPAHO2021 El Salvador All Schools
Regions 1-2 -- Enhanced Codebook***

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
		4. 5 to 6 days	58	1.9%
		5. 7 days	125	4.4%
Q42	CR21	During the past 7 days, on how many days has anyone smoked in your presence, at any outdoor public		
		place (such as sidewalks, bus stops, entrances to buildings, parks, beaches, sport courts and		
		stadiums)?		
		. Missing	116	.
		1. 0 days	1,599	62.5%
		2. 1 to 2 days	666	24.4%
		3. 3 to 4 days	164	5.8%
		4. 5 to 6 days	96	3.4%
		5. 7 days	122	3.9%
Q43	CR22	During the past 30 days, did you see anyone smoke inside the school building or outside on school		
		property?		
		. Missing	118	.
		1. Yes	265	10.4%
		2. No	2,380	89.6%
Q44	CR23	Do you think the smoke from other people's tobacco smoking is harmful to you?		
		. Missing	122	.
		1. Definitely not	58	2.2%
		2. Probably not	58	2.3%
		3. Probably yes	1,217	45.3%

***GYTSPAHO2021 El Salvador All Schools
Regions 1-2 -- Enhanced Codebook***

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
		4. Definitely yes	1,308	50.2%
Q45	CR24	Are you in favor of banning smoking inside enclosed public places (such as school, shops, restaurants, nightclubs, shopping malls, gymnasiums, movie theaters, transport terminals, buses and taxis)?		
		. Missing	125	.
		1. Yes	2,340	88.5%
		2. No	298	11.5%
Q46	CR25	Are you in favor of banning smoking at outdoor public places (such as sidewalks, bus stops, entrances to buildings, parks, beaches, sport courts and stadiums)?		
		. Missing	132	.
		1. Yes	2,182	85.0%
		2. No	449	15.0%
Q47	ESR47	The last time you smoked cigarettes during the past 30 days, how did you get them? (select only one response)		
		. Missing	2,724	.
		1. I did not smoke any cigarettes during the past 30 days	.	0.0%
		2. I bought them in a store or shop	17	37.9%
		3. I bought them from a street vendor	4	8.6%
		4. I bought them at a kiosk	1	3.0%
		5. I bought them through social networks (Facebook, Instagram, Whatsapp, Twitter, TikTok)	1	1.5%
		6. I bought them through mobile sales applications or online stores (Hugo App, Get my food, Ebay, Amazon, etc.)	.	0.0%

**GYTSPAHO2021 El Salvador All Schools
Regions 1-2 -- Enhanced Codebook**

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
		7. I got them from someone else	9	37.2%
		8. I got them some other way	7	11.9%
Q48	CR27	During the past 30 days, did anyone refuse to sell you cigarettes because of your age?		
		. Missing	2,724	.
		1. I did not try to buy cigarettes during the past 30 days	17	54.5%
		2. Yes, someone refused to sell me cigarettes because of my age	9	22.4%
		3. No, my age did not keep me from buying cigarettes	13	23.1%
Q49	CR28	The last time you bought cigarettes during the past 30 days, how did you buy them?		
		. Missing	2,742	.
		1. I did not buy cigarettes during the past 30 days	3	18.1%
		2. I bought them in a pack	5	23.3%
		3. I bought individual sticks (singles)	13	58.6%
		4. I bought them in a carton	.	0.0%
		5. I bought them in rolls	.	0.0%
		6. I bought tobacco and rolled my own	.	0.0%
Q50	ESR50	During the past 30 days, what brand of cigarettes did you usually smoke? (select only one response)		
		. Missing	2,724	.
		1. I did not smoke cigarettes during the past 30 days	.	0.0%
		2. No usual brand	13	47.2%
		3. DUNHILL	2	3.9%
		4. DIPLOMAT	4	8.3%

***GYTSPAHO2021 El Salvador All Schools
Regions 1-2 -- Enhanced Codebook***

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
		5. PALL MALL	9	13.9%
		6. MARLBORO	6	17.6%
		7. L&M	1	0.9%
		8. Other	4	8.2%
Q51	OR21	On the whole, do you find it easy or difficult to buy cigarettes from a shop?		
		. Missing	2,724	.
		1. I do not usually buy cigarettes from a shop	16	53.1%
		2. Very difficult	3	6.4%
		3. Fairly difficult	4	4.9%
		4. Fairly easy	6	14.3%
		5. Very easy	10	21.3%
Q52	OR22	Can you purchase cigarettes near your school, if you want to?		
		. Missing	130	.
		1. Yes	263	10.5%
		2. No	1,632	63.0%
		3. I don't know	738	26.5%
Q53	OR23	How easy or difficult would it be for you to get cigarettes if you wanted some?		
		. Missing	135	.
		1. Very difficult	531	19.2%
		2. Fairly difficult	329	13.0%
		3. Fairly easy	278	10.6%

**GYTSPAHO2021 El Salvador All Schools
Regions 1-2 -- Enhanced Codebook**

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
		4. Very easy	392	14.9%
		5. I don't know	1,098	42.2%
Q54	ESR54	On average, how much do you think a pack of 20 cigarettes costs?		
		. Missing	138	.
		1. Less than \$1.00	174	7.1%
		2. \$1.00 to \$1.50	554	21.7%
		3. \$1.51 to \$2.00	363	13.4%
		4. \$2.01 to \$2.50	186	6.8%
		5. \$2.51 to \$3.00	178	6.3%
		6. More than \$3.00	193	6.5%
		7. I don't know	977	38.2%
Q55	OR24	Do you think the price of cigarettes should be increased?		
		. Missing	145	.
		1. Yes	1,623	60.9%
		2. No	995	39.1%
Q56	CR30	During the past 30 days, did you see or hear any anti-tobacco media messages on television, radio, internet, social networks, billboards, posters, newspapers, magazines, or movies?		
		. Missing	145	.
		1. Yes	1,110	43.1%
		2. No	1,508	56.9%

***GYTSPAHO2021 El Salvador All Schools
Regions 1-2 -- Enhanced Codebook***

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
Q57	CR31	During the past 30 days, did you see or hear any anti-tobacco messages at sports events, fairs, concerts, or community events, or social gatherings?		
		. Missing	149	.
		1. I did not go to sports events, fairs, concerts, or community events, or social gatherings in the past 30 days	1,205	45.5%
		2. Yes	330	11.4%
		3. No	1,079	43.1%
Q58	CR32	During the past 30 days, did you see any health warnings on cigarette packages?		
		. Missing	154	.
		1. Yes, but I didn't think much of them	387	14.9%
		2. Yes, and they led me to think about quitting smoking or not starting smoking	770	28.8%
		3. No	1,452	56.3%
Q59	CR33	During the past 12 months, were you taught in any of your classes about the dangers of tobacco use?		
		. Missing	154	.
		1. Yes	1,455	57.5%
		2. No	902	33.2%
		3. I don't know	252	9.3%
Q60	CR34	During the past 30 days, did you see any people using tobacco on TV, in videos, or in movies?		
		. Missing	164	.
		1. I did not watch TV, videos, or movies in the past 30 days	158	6.3%
		2. Yes	1,546	59.5%

***GYTSPAHO2021 El Salvador All Schools
Regions 1-2 -- Enhanced Codebook***

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
		3. No	895	34.2%
Q61	CR35	During the past 30 days, did you see any advertisements or promotions for tobacco products at points of sale (such as stores, shops, convenience stores, pharmacies, kiosks, chalet, discos, restaurants, etc.)?		
		. Missing	168	.
		1. I did not visit any points of sale in the past 30 days	482	17.8%
		2. Yes	887	34.1%
		3. No	1,226	48.1%
Q62	CR36	Would you ever use or wear something that has a tobacco company or tobacco product name or picture on it such as a t-shirt, cap, sunglasses, lighter, pen drive (USB), water bottle?		
		. Missing	170	.
		1. Yes	83	2.9%
		2. Maybe	511	20.0%
		3. No	1,999	77.1%
Q63	CR37	Do you have something (for example, t-shirt, pen, backpack) with a tobacco product brand logo on it?		
		. Missing	175	.
		1. Yes	71	2.7%
		2. No	2,517	97.3%
Q64	CR38	Has a person working for a tobacco company ever offered you a free tobacco product?		
		. Missing	175	.

***GYTSPAHO2021 El Salvador All Schools
Regions 1-2 -- Enhanced Codebook***

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
		1. Yes	66	2.4%
		2. No	2,522	97.6%
Q65	CR39	If one of your best friends offered you a tobacco product, would you use it?		
		. Missing	175	.
		1. Definitely not	2,095	82.7%
		2. Probably not	387	13.6%
		3. Probably yes	94	3.3%
		4. Definitely yes	12	0.4%
Q66	CR40	At anytime during the next 12 months do you think you will use any form of tobacco?		
		. Missing	177	.
		1. Definitely not	2,247	87.4%
		2. Probably not	281	10.8%
		3. Probably yes	52	1.7%
		4. Definitely yes	6	0.2%
Q67	CR41	Once someone has started smoking tobacco, do you think it would be difficult for them to quit?		
		. Missing	183	.
		1. Definitely not	231	10.1%
		2. Probably not	204	7.5%
		3. Probably yes	1,607	61.8%
		4. Definitely yes	538	20.6%

***GYTSPAHO2021 El Salvador All Schools
Regions 1-2 -- Enhanced Codebook***

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
Q68	CR42	Do you think smoking tobacco helps people feel more comfortable or less comfortable at celebrations, parties, or in other social gatherings?		
		. Missing	188	.
		1. More comfortable	571	20.7%
		2. Less comfortable	544	20.8%
		3. No difference whether smoking or not	1,460	58.4%
Q69	CR43	Do you agree or disagree with the following: "I think I might enjoy smoking a cigarette."		
		. Missing	190	.
		1. Strongly agree	113	5.0%
		2. Agree	133	4.9%
		3. Disagree	871	34.4%
		4. Strongly disagree	1,456	55.6%
Q70	ESR70	Have you heard about heated tobacco?		
		. Missing	192	.
		1. Yes	321	12.5%
		2. No	2,250	87.5%
Q71	ESR71	Have you ever tried using a heated tobacco product, even if only one or two puffs?		
		. Missing	2,442	.
		1. Yes	19	4.0%
		2. No	302	96.0%

***GYTSPAHO2021 El Salvador All Schools
Regions 1-2 -- Enhanced Codebook***

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
Q72	ESR72	During the last 12 months, have you had any suspicious respiratory symptoms of COVID-19, such as		
		cough, fever, tiredness, loss of taste or smell?		
		. Missing	195	.
		1. Yes	669	24.2%
		2. No	1,899	75.8%
Q73	ESR73	During the past 12 months, were you diagnosed with COVID-19?		
		. Missing	199	.
		1. Yes	157	5.5%
		2. No	2,407	94.5%
Q74	ESR74	How would you describe your state of health today, after suffering from COVID-19?		
		. Missing	2,606	.
		1. I have not suffered from COVID-19	.	0.0%
		2. Very good	64	41.1%
		3. Good	42	27.7%
		4. Regular	41	24.5%
		5. Bad	8	5.7%
		6. Very bad	2	1.0%
Q75	ESR75	Are you smoking cigarettes, waterpipes or narghile, or using heated tobacco more often, about the		
		same, or less often than you did before the COVID-19 pandemic?		
		. Missing	2,723	.
		1. I never smoked cigarettes, waterpipes or narghile or used heated tobacco	.	0.0%

***GYTSPAHO2021 El Salvador All Schools
Regions 1-2 -- Enhanced Codebook***

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
		2. I do not smoke cigarettes, waterpipes or narghile or use heated tobacco now	.	0.0%
		3. More often than before	7	11.4%
		4. About the same as before	4	6.1%
		5. Less often than before	29	82.5%
Q76	ESR76	Are you using e-cigarettes or vapes more, about the same, or less than you did before the COVID-19 pandemic?		
		. Missing	2,745	.
		1. I never used e-cigarettes or vapes	.	0.0%
		2. I do not use e-cigarettes or vapes now	.	0.0%
		3. More than before	5	20.0%
		4. About the same as before	1	3.6%
		5. Less than before	12	76.4%
Q77	ESR77	Does your father (stepfather or mother's partner) smoke cigarettes, waterpipe or narghile, use heated tobacco or use electronic cigarettes or vapes more often, about the same, or less often than he did before the COVID-19 pandemic?		
		. Missing	212	.
		1. He never smoked cigarettes, waterpipe or narghile, used heated tobacco or used electronic cigarettes or vapes	2,155	85.0%
		2. He does not smoke cigarettes, waterpipe or narghile, use heated tobacco or use electronic cigarettes or vapes now	152	5.5%
		3. More often than before	13	0.4%
		4. About the same as before	84	2.9%

***GYTSPAHO2021 El Salvador All Schools
Regions 1-2 -- Enhanced Codebook***

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
		5. Less often than before	147	6.2%
Q78	ESR78	Does your mother (stepmother or father's partner) smoke cigarettes, waterpipe or narghile, use heated tobacco or use electronic cigarettes or vapes more often, about the same, or less often than she did before the COVID-19 pandemic?		
		. Missing	202	.
		1. She never smoked cigarettes, waterpipe or narghile, used heated tobacco or used electronic cigarettes or vapes	2,352	92.8%
		2. She does not smoke cigarettes, waterpipe or narghile, use heated tobacco or use electronic cigarettes or vapes now	85	2.7%
		3. More often than before	11	0.4%
		4. About the same as before	28	0.9%
		5. Less often than before	85	3.2%
Q79	ESR79	Are you thinking about quitting smoking cigarettes, waterpipe or narghile, using heated tobacco or using electronic cigarettes or vapes more, about the same, or less than you did before the COVID-19 pandemic?		
		. Missing	2,711	.
		1. I never smoked cigarettes, waterpipe or narghile, used heated tobacco or used electronic cigarettes or vapes	.	0.0%
		2. I do not smoke cigarettes, waterpipe or narghile, use heated tobacco or use electronic cigarettes or vapes now	.	0.0%
		3. More than before	34	67.8%
		4. About the same as before	7	9.3%

**GYTSPAHO2021 El Salvador All Schools
Regions 1-2 -- Enhanced Codebook**

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
		5. Less than before	11	22.9%
Q80	ESR80	Do you think tobacco smokers are more at risk or less at risk of becoming infected with the COVID-19 virus?		
		. Missing	201	.
		1. More at risk	1,817	69.8%
		2. Less at risk	86	3.7%
		3. No difference whether smoking tobacco or not	659	26.6%
Q81	ESR81	Do you think COVID-19 is more severe or less severe in people who smoke tobacco?		
		. Missing	209	.
		1. More severe	1,852	71.5%
		2. Less severe	154	5.8%
		3. No difference whether smoking tobacco or not	548	22.7%
	AGECIG10	TOBACCO USE: Percentage of ever cigarette smokers who first tried a cigarette at the age of 10 or 11 years old	176	18.5%
	AGECIG10L	TOBACCO USE: Percentage of ever cigarette smokers who first tried a cigarette at less than 10 years old	176	10.7%
	AGECIG12	TOBACCO USE: Percentage of ever cigarette smokers who first tried a cigarette at the age of 12 or 13 years old	176	27.6%
	AGECIG14	TOBACCO USE: Percentage of ever cigarette smokers who first tried a cigarette at the age of 14 or 15		

***GYTSPAHO2021 El Salvador All Schools
Regions 1-2 -- Enhanced Codebook***

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
		years old	176	28.1%
	AGECIG7	TOBACCO USE: Percentage of ever cigarette smokers who first tried a cigarette at the age of 7 or younger years old	176	4.6%
	AGECIG8	TOBACCO USE: Percentage of ever cigarette smokers who first tried a cigarette at the age of 8 or 9 years old	176	6.1%
	CORE15	CESSATION: Percentage of current tobacco smokers who wanted to stop smoking	45	87.3%
	CORE16	CESSATION: Percentage of current tobacco smokers who tried to stop smoking during the past 12 months	45	91.8%
	CORE17	CESSATION: Percentage of current tobacco smokers who think they would be able to stop smoking	45	95.8%
	CORE18	CESSATION: Percentage of current tobacco smokers who have received help/advice to stop smoking from a program or professional	45	20.9%
	CORE19	SECONDHAND SMOKE: Percentage of youth who were exposed to tobacco smoke at home in the past 7 days	2,661	10.8%
	CORE20	SECONDHAND SMOKE: Percentage of youth who were exposed to tobacco smoke in enclosed public places in the past 7 days	2,651	30.7%
	CORE21	SECONDHAND SMOKE: Percentage of youth who were exposed to tobacco smoke at outdoor public places in the past 7 days	2,647	37.5%

***GYTSPAHO2021 El Salvador All Schools
Regions 1-2 -- Enhanced Codebook***

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
	CORE22	SECONDHAND SMOKE: Percentage of youth who saw anyone smoking inside the school building or outside on school property in the past 30 days	2,645	10.4%
	CORE23	KNOWLEDGE AND ATTITUDES: Percentage of youth who definitely think other people"s tobacco smoking is harmful to them	2,641	50.2%
	CORE24	KNOWLEDGE AND ATTITUDES: Percentage of youth who are in favor of prohibiting smoking in enclosed public places	2,638	88.5%
	CORE25	KNOWLEDGE AND ATTITUDES: Percentage of youth who are in favor of prohibiting smoking at outdoor public places	2,631	85.0%
	CORE26A	Access and Availability: Percentage of current cigarette smokers who obtained the cigarettes they last smoked by purchasing them from a store, shop, street vendor, or kiosk in the past 30 days	39	49.5%
	CORE26KI	Access and Availability: Percentage of current cigarette smokers who obtained the cigarettes they last smoked by purchasing them at a kiosk in the past 30 days	39	3.0%
	CORE26OPT1	Access and Availability: Percentage of current cigarette smokers who obtained the cigarettes they last smoked by purchasing them through social networks (Facebook, Instagram, Whatsapp, Twitter, TikTok) in the past 30 days	39	1.5%
	CORE26OPT2	Access and Availability: Percentage of current cigarette smokers who obtained the cigarettes they last		

***GYTSPAHO2021 El Salvador All Schools
Regions 1-2 -- Enhanced Codebook***

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
		smoked by purchasing them through mobile sales applications or online stores (Hugo App, Get my food, Ebay, Amazon, etc.) in the past 30 days	39	0.0%
	CORE26OW	Access and Availability: Percentage of current cigarette smokers who obtained the cigarettes they last smoked by obtaining them some other way in the past 30 days	39	11.9%
	CORE26SE	Access and Availability: Percentage of current cigarette smokers who obtained the cigarettes they last smoked by obtaining them from someone else in the past 30 days	39	37.2%
	CORE26ST	Access and Availability: Percentage of current cigarette smokers who obtained the cigarettes they last smoked by purchasing them in a store or shop in the past 30 days	39	37.9%
	CORE26SV	Access and Availability: Percentage of current cigarette smokers who obtained the cigarettes they last smoked by purchasing them from a street vendor in the past 30 days	39	8.6%
	CORE27	Access and Availability: Percentage of current cigarette smokers who were not prevented from buying cigarettes in the past 30 days because of their age	22	50.7%
	CORE28CT	Access and Availability: Percentage of current cigarette smokers who last bought cigarettes as a carton	18	0.0%
	CORE28IN	Access and Availability: Percentage of current cigarette smokers who last bought cigarettes as individual sticks (singles)	18	71.6%
	CORE28LS	Access and Availability: Percentage of current cigarette smokers who last bought tobacco and rolled		

***GYTSPAHO2021 El Salvador All Schools
Regions 1-2 -- Enhanced Codebook***

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
		their own	18	0.0%
	CORE28PA	Access and Availability: Percentage of current cigarette smokers who last bought cigarettes as a pack	18	28.4%
	CORE28RL	Access and Availability: Percentage of current cigarette smokers who last bought them in rolls	18	0.0%
	CORE29_1	Access and Availability: Percentage of youth who estimated the cost of a pack of 20 cigarettes is less than \$1.00	1,648	11.4%
	CORE29_2	Access and Availability: Percentage of youth who estimated the cost of a pack of 20 cigarettes is \$1.00 to \$1.50	1,648	35.1%
	CORE29_3	Access and Availability: Percentage of youth who estimated the cost of a pack of 20 cigarettes is \$1.51 to \$2.00	1,648	21.7%
	CORE29_4	Access and Availability: Percentage of youth who estimated the cost of a pack of 20 cigarettes is \$2.01 to \$2.50	1,648	11.0%
	CORE29_5	Access and Availability: Percentage of youth who estimated the cost of a pack of 20 cigarettes is \$2.51 to \$3.00	1,648	10.1%
	CORE29_6	Access and Availability: Percentage of youth who estimated the cost of a pack of 20 cigarettes is more than \$3.00	1,648	10.6%

***GYTSPAHO2021 El Salvador All Schools
Regions 1-2 -- Enhanced Codebook***

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
	CORE30	MEDIA ANTI-TOBACCO: Percentage of youth who saw or heard anti-tobacco messages in the media in the past 30 days	2,618	43.1%
	CORE31A	MEDIA ANTI-TOBACCO: Percentage of youth who saw or heard any anti-tobacco media messages at sporting or other community events in the past 30 days	2,614	11.4%
	CORE31B	MEDIA ANTI-TOBACCO: Percentage of youth who attended sporting or other community events in the past 30 days who saw or heard any anti-tobacco messages at the events	1,409	21.0%
	CORE32A	MEDIA ANTI-TOBACCO: Percentage of current tobacco smokers who noticed health warnings on cigarette packages in the past 30 days	42	73.3%
	CORE32B	MEDIA ANTI-TOBACCO: Percentage of current tobacco smokers who thought about quitting smoking in the past 30 days because of health warnings on cigarette packages	42	48.8%
	CORE32C	MEDIA ANTI-TOBACCO: Percentage of current tobacco smokers who noticed health warnings on cigarette packages in the past 30 days, who thought about quitting smoking because of the health warnings	32	66.6%
	CORE32D	MEDIA ANTI-TOBACCO: Percentage of never tobacco smokers who thought about not starting smoking in the past 30 days because of health warnings on cigarette packages	1,050	65.6%
	CORE33	MEDIA ANTI-TOBACCO: Percentage of youth who were taught about the dangers of tobacco use in class during the past 12 months	2,609	57.5%

***GYTSPAHO2021 El Salvador All Schools
Regions 1-2 -- Enhanced Codebook***

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
	CORE34A	MEDIA PRO-TOBACCO: Percentage of youth who saw someone using tobacco on television, videos, or movies in the past 30 days	2,599	59.5%
	CORE34B	MEDIA PRO-TOBACCO: Percentage of youth who watched television, videos, or movies in the past 30 days who saw someone using tobacco on television, videos, or movies	2,441	63.5%
	CORE35A	MEDIA PRO-TOBACCO: Percentage of youth who saw tobacco marketing at points of sale in the past 30 days	2,595	34.1%
	CORE35B	MEDIA PRO-TOBACCO: Percentage of youth who visited points of sale in the past 30 days who saw any tobacco marketing at the points of sale	2,113	41.5%
	CORE3637	MEDIA PRO-TOBACCO: Percentage of never tobacco users who had something with a tobacco product brand logo or who might use or wear something that has a tobacco company or product name or picture on it	2,412	22.2%
	CORE3637HTP	MEDIA PRO-TOBACCO: Percentage of never tobacco users (includes heated tobacco products) who had something with a tobacco product brand logo or who might use or wear something that has a tobacco company or product name or picture on it	2,401	22.2%
	CORE37	MEDIA PRO-TOBACCO: Percentage of youth who had something with a tobacco product brand logo on it	2,588	2.7%
	CORE38	MEDIA PRO-TOBACCO: Percentage of youth who were ever offered a free tobacco product from a tobacco company representative	2,588	2.4%
	CORE3940	TOBACCO USE: Percentage of never tobacco users who were susceptible to using tobacco in the future	2,407	18.8%

***GYTSPAHO2021 El Salvador All Schools
Regions 1-2 -- Enhanced Codebook***

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
	CORE3940HTP	TOBACCO USE: Percentage of never tobacco users (includes heated tobacco products) who were susceptible to using tobacco in the future	2,396	18.6%
	CORE41	KNOWLEDGE AND ATTITUDES: Percentage of youth who definitely think that once someone starts smoking tobacco it is difficult to quit	2,580	20.6%
	CORE42	KNOWLEDGE AND ATTITUDES: Percentage of youth who think that smoking tobacco helps people feel more comfortable at celebrations, parties, and social gatherings	2,575	20.7%
	CORE43	TOBACCO USE: Percentage of never tobacco smokers who thought they might enjoy smoking a cigarette	2,406	9.0%
	CSLT	TOBACCO USE: Percentage of youth who currently use smokeless tobacco products	2,683	0.2%
	CSMK	TOBACCO USE: Percentage of youth who currently smoke any tobacco products	2,700	1.9%
	CSMKCIG	TOBACCO USE: Percentage of youth who currently smoke cigarettes	2,697	1.8%
	CSMKECIG	Percentage of youth who currently use electronic cigarettes	1,814	0.7%
	CSMKOTH	TOBACCO USE: Percentage of youth who currently smoke tobacco products other than cigarettes	2,692	0.4%
	CSMKSHI	Percentage of youth who currently smoke shisha	46	2.2%

***GYTSPAHO2021 El Salvador All Schools
Regions 1-2 -- Enhanced Codebook***

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
	CTOB	TOBACCO USE: Percentage of youth who currently use any tobacco products	2,700	2.0%
	DUALUSE	Percentage of youth who both currently smoke any tobacco products and use smokeless tobacco products	2,698	0.1%
	EHTP	TOBACCO USE: Percentage of youth who ever used heated tobacco products	321	4.0%
	ESLT	TOBACCO USE: Percentage of youth who ever used any smokeless tobacco products	2,683	0.5%
	ESMK	TOBACCO USE: Percentage of youth who ever smoked any tobacco products	2,701	6.6%
	ESMKCIG	TOBACCO USE: Percentage of youth who ever smoked cigarettes	2,698	6.1%
	ESMKECIG	Percentage of youth who ever used electronic cigarettes	1,816	4.7%
	ESMKOTH	TOBACCO USE: Percentage of youth who ever smoked tobacco products other than cigarettes	2,693	1.4%
	ESMKSHI	Percentage of youth who ever smoked shisha	46	15.1%
	ETOB	TOBACCO USE: Percentage of youth who have ever used any tobacco products	2,701	6.9%
	ETOBHTP	TOBACCO USE: Percentage of youth who have ever used any tobacco products (includes heated tobacco products)	2,701	7.2%
	FSMKCIG	TOBACCO USE: Percentage of youth who smoked cigarettes on 20 or more days of the past 30 days	2,697	0.2%

***GYTSPAHO2021 El Salvador All Schools
Regions 1-2 -- Enhanced Codebook***

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
	NUMCIG0	TOBACCO USE: Percentage of current cigarette smokers who smoked less than 1 cigarette per day, on the days that they smoked	45	65.5%
	NUMCIG1	TOBACCO USE: Percentage of current cigarette smokers who smoked 1 cigarettes per day, on the days that they smoked	45	22.5%
	NUMCIG11	TOBACCO USE: Percentage of current cigarette smokers who smoked 11 to 20 cigarettes per day, on the days that they smoked	45	4.1%
	NUMCIG2	TOBACCO USE: Percentage of current cigarette smokers who smoked 2 to 5 cigarettes per day, on the days that they smoked	45	3.7%
	NUMCIG20	TOBACCO USE: Percentage of current cigarette smokers who smoked more than 20 cigarettes per day, on the days that they smoked	45	1.6%
	NUMCIG6	TOBACCO USE: Percentage of current cigarette smokers who smoked 6 to 10 cigarettes per day, on the days that they smoked	45	2.6%
	NUMCIG6M	TOBACCO USE: Percentage of current cigarette smokers who smoked 6 or more cigarettes per day, on the days that they smoked	45	8.3%
	OPT9A	Percentage of current cigarette smokers who usually smoke at home	44	18.7%

***GYTSPAHO2021 El Salvador All Schools
Regions 1-2 -- Enhanced Codebook***

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
	OPT9B	Percentage of current cigarette smokers who usually smoke at school	44	0.0%
	OPT9C	Percentage of current cigarette smokers who usually smoke at work	44	4.0%
	OPT9D	Percentage of current cigarette smokers who usually smoke at a friend's house	44	37.6%
	OPT9E	Percentage of current cigarette smokers who usually smoke at social events	44	5.8%
	OPT9F	Percentage of current cigarette smokers who usually smoke in public places	44	10.8%
	OTOB	Percentage of youth who currently use any tobacco products other than cigarettes	2,694	0.6%
	SMKDEP	TOBACCO USE: Percentage of current tobacco smokers who were showing signs of smoking dependence	48	22.3%