

Lady Health Worker (LHW) - Promotion of improved hygiene practices including handwashing - Women of reproductive age (WRA)

Programme: Lady Health Worker (LHW)

Programme Data

Programme Description

The Lady Health Worker (LHW) programme started in 1994, expanding to 100 000 LHWs by 2002/3, at about 1:1000 people, or about 1:150 households; the aim was 1:200 households. An evaluation found that they worked approximately 30 hours/week, with about 25 household visits per week. LHW supervisors were at a ratio of about 1:20–25.

The programme also included referral of children under 5 years of age.

Program type

Large scale programmes

Cost

1 LHW:1000 people, or about 1:150 households Financial costs: Estimated about US\$ 500 per LHW/year, of which US\$ 240 is stipend/salaries, about US\$ 2.50/household per year

References

WHO (2013) *Essential Nutrition Actions – Improving maternal, newborn, infant and young child health and nutrition*, which provides a compact of WHO guidance on nutrition interventions targeting the first 1000 days of life. Part I presents the interventions currently recommended by WHO, summarizes the rationale and the evidence, and describes the actions require to implement them. Part II provides an analysis of community-based interventions aimed at improving nutrition and indicates how effective interventions can be delivered in an integrated fashion. It shows how the essential nutrition actions described in the first part have been implemented in large-scale programmes in various settings, what the outcomes have been, and to examine the evidence for attribution of changes in nutritional outcomes to programme activities. This summary of LHW is retrieved from the ENA Part II where LHW is one of 32 large-scale community-based programs that has been reviewed in detail and evaluated.

http://www.who.int/nutrition/publications/infantfeeding/essential_nutrition_actions/en/

Implementing organisations

Action data

Start date	
Country(ies):	Pakistan
Status:	On-going
Topic:	Promotion of improved hygiene practices including handwashing
Target group:	Women of reproductive age (WRA)
Age group:	Mothers of children below 5 years
Delivery:	Community-based
Coverage level (%):	Coverage to approximately 70 % of households

Typical problems Solutions

Other actions from same programme

Lady Health Worker (LHW) - Growth monitoring and promotion - Infants and young children|Preschool-age children (Pre-SAC)

Lady Health Worker (LHW) - Nutrition education and counselling - Women of reproductive age (WRA)

Lady Health Worker (LHW) - Iron supplementation - Lactating women (LW)|Pregnant women (PW)

