



## E006: Temperature monitoring devices



<b>Product name:</b>	<b>Weblogger II</b>
<b>IMD-PQS Code:</b>	E006-043
<b>Status:</b>	Prequalified
<b>Date of acceptance:</b>	03 Mar 2017
<b>Appliance type:</b>	E006
<b>Product description:</b>	User programmable temperature data logger
<b>Manufacturer:</b>	Temperature Sensitive Solutions AB
<b>Manufacturers Reference:</b>	Weblogger II
<b>Country of Manufacture:</b>	Sweden
<b>Address:</b>	Berzelius vag 25 171 65 Solna Sweden
<b>Telephone:</b>	+46790791229
<b>Email:</b>	<a href="mailto:andras.kalmar@tss.se">andras.kalmar@tss.se</a>
<b>Website address:</b>	<a href="http://www.tss.se">http://www.tss.se</a>
<b>Valid until:</b>	31 May 2026

## Specifications

### PRODUCT SPECIFICATIONS - MAIN

<b>Mode of operation</b>	Electronic	<b>Minimum logging intervals (mins)</b>	1.00
<b>Maximum logging intervals (mins)</b>	5760.00	<b>Sensor type(s)</b>	Internal Electronic Sensor
<b>External dimensions height (mm)</b>	11.50	<b>External dimensions length (mm)</b>	90.00
<b>External dimensions width (mm)</b>	43.00	<b>Activation mechanism</b>	Button or web interface
<b>Material</b>	ABS	<b>Fixing mechanism</b>	None
<b>CE marking</b>	Yes	<b>Minimum working temperature (°C)</b>	-30.00
<b>Maximum working temperature (°C)</b>	70.00		

### MECHANICAL AND ELECTRONIC DEVICES ONLY

<b>Accuracy (+/- °C)</b>	0.50	<b>Power source</b>	Non-replaceable battery
<b>Battery type</b>	CR Lithium	<b>Battery shelf life (year)</b>	1 year
<b>Activated battery life</b>	12 months	<b>Alarm type</b>	Visual
<b>Memory size (Mb)</b>	0.5120000000	<b>Memory capacity (readings)</b>	16000.00
<b>Programmability</b>	User Programed	<b>User interface</b>	USB for computer
<b>Recording medium</b>	flash memory	<b>Ingress protection rating IP</b>	IP 65

<b>Comments</b>	The WebLogger II is a RoHS, CE and IATA compliant electronic temperature data logger. The logger can be individually configured and programmed or ordered preconfigured. It offers unique management of mission data, e.g. Shipping #, Origin, Destination, Carrier, and Data-Logger Location in the CCIS cloud. When the logger is plugged into a computer USB port, an HTM file is created containing the data. Clicking the file will display the result on a web dashboard and secure the mission data in the CCIS private secure cloud. Maximum Logging Intervals: 4 days
-----------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

### PRICE AND SHIPPING

<b>Shipping volume (m3)</b>	0.0104	<b>Weight per Package (Kg)</b>	0.0360
<b>Units per package</b>	100.00	<b>Weight per Unit (Kg)</b>	4.0000
<b>Minimum order</b>	100.00	<b>Incoterms</b>	FCA
<b>Price 1</b>	100-250: €39	<b>Price 2</b>	250+: €38
<b>Price 3</b>	1000+: on request to manufacturer	<b>Year of base price</b>	2017

**QUALITY STANDARD**

<b>Quality Standard</b>	Other	<b>Quality standard (Other)</b>	ISO 9001:2008
<b>Specification Reference</b>	Applicable PQS specification: PQS/E006/TR05.1 Applicable PQS VP(s): E006/TR05-VP.1		

**PRODUCT SITES**

<b>Organization name</b>	Temperature Sensitive Solutions AB		
<b>Address</b>	Berzelius vag 25 171 65 Solna Sweden		
<b>Current PQS status:</b>	<i>Prequalified</i>	<b>Valid until:</b>	<i>31 May 2026</i>

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.