



E005

Coolant packs

This section primarily covers coolant-packs which are used as the temperature control medium in the insulated containers described in Section E004. A coolant-pack is a purpose designed, leak-proof container filled with coolant. The term "coolant-pack" recognizes the potential for use more broadly than with frozen water as icepacks. See section E005.2. This category also covers "fixed containers" that hold coolant but are not intended for removal by users from both powered and non-powered (passive) cold chain equipment.

Details regarding the products included in each sub-category of E005, as well as guidelines, performance specifications and verification protocols for this category, can be accessed through the drop-down sections below.

E005.1: Choosing coolant-packs

The coolant-packs listed in the E005 product data sheets are all suitable for use in the transport of vaccines. IMD-PQS allows three standard sizes of coolant-pack: 0.3 litre, 0.4 litre and 0.6 litre. Coolant-packs may be used as conventional frozen or conditioned icepacks or as cool and/or warm-packs in cold climates.

Make sure coolant-pack sizes are suitable for the cold boxes or vaccine carriers they are intended to be used with. DO NOT purchase pre-filled coolant-packs, because they could be filled with a substance that is not WHO-prequalified. Additional guidelines on how to use passive containers and coolant-packs for vaccine transport and outreach operations can be found in the WHO [Vaccine Management Handbook](#).

E005.2: WHO product review

WHO will continue to review the use of non-water coolant-packs that change phase at a temperature other than 0°C ("phase-change material" or PCM). At the current time, the safety, simplicity and low transport costs associated with water-based products which are filled in-country are considered to outweigh the possible performance benefits of phase-change materials in removable coolant-packs for routine immunization.

PCMs and their use in fixed containers integrated as part of cold chain equipment is specified in the following category documentation section, and will continue to be reviewed by WHO.

CATEGORY DOCUMENTATION, GUIDANCE FOR MANUFACTURERS/SUPPLIERS & SUPPORTING INFORMATION FOR USERS

Performance specifications

[PQS performance specification E005/PMC0.1: Phase-change material containers](#)

[PQS performance specification E005/IP01.3: Water-packs for use as icepacks, cool-packs and warm-packs](#)

[PQS performance specification E005/PMC02.1: Phase-change material containers – ultra-low temperature](#)

Verification protocols

[PQS independent type-testing protocol E005/PCM02-VP0.1: Phase-change material containers - ultra-low temperature](#)

[PQS independent type-testing protocol E005/PCM01-VP0.1: Phase-change material containers](#)

[PQS independent type-testing protocol E005/IP01-VP.3: Water-packs for use as icepacks, cool-packs and warm-packs](#)

Guidance for manufacturers or suppliers

[Generic guide for the field evaluation of new technologies for WHO PQS prequalification
GENERIC/GUIDE 1.1](#)

[IMD-PQS Guidelines for Prequalification Holders](#)

Supporting information for users

[How to use passive containers and coolant-packs for vaccine transport and outreach operations](#)



E005: Coolant-packs



| | |
|---------------------------------|--|
| Product name: | Bmedical WP 0.6L;Dometic 0.6 L |
| IMD-PQS Code: | E005-001 |
| Status: | Prequalified |
| Date of acceptance: | 12 Aug 2009 |
| Appliance type: | E005 |
| Product description: | Water-pack 0.6L |
| Manufacturer: | B Medical Systems Sarl |
| Manufacturers Reference: | Bmedical WP 0.6L;Dometic 0.6 L |
| Country of Manufacture: | Luxembourg |
| Address: | 17 Op der Hei L-9809 Hosingen Luxembourg Luxembourg |
| Telephone: | + 35 2 92 07 311 |
| Email: | info@bmedicalsyste.ms.com |
| Website address: | www.bmedicalsyste.ms.com |
| Valid until: | 31 May 2026 |

Specifications

PRODUCT SPECIFICATIONS - MAIN

| | | | |
|--|------------|--|--------|
| Pack Type | Water-pack | Nominal capacity (Litre) | 0.60 |
| Rated water content (Litres) | 0.58 | External dimensions height (mm) | 35.00 |
| External dimensions length (mm) | 190.00 | External dimensions width (mm) | 120.00 |
| Weight empty (g) | 79.0000 | Weight filled (g) | 655.00 |

PRICE AND SHIPPING

| | | | |
|-----------------------------|----------|-----------------------------|-----------------|
| Shipping volume (m3) | 0.025 | Shipping weight (kg) | 3.00 |
| Pieces per package | 24 units | Minimum order (unit) | 1.00 |
| Incoterms | EXW | Price 1 | >100 units:48 € |
| Year of base price | 2025 | | |

QUALITY STANDARD

| | |
|--------------------------------|--|
| Specification Reference | Applicable PQS specification: E05/IP01.1 Applicable PQS VP(s): E05/IP01-VP.1 |
|--------------------------------|--|

VERIFICATION

| | | | |
|--------------------------------|--------------------|--------------------------------------|---------|
| Verification Laboratory | 0013X00004MI8OaQAJ | Verification Report Reference | A65899b |
|--------------------------------|--------------------|--------------------------------------|---------|

PRODUCT SITES

| | |
|--------------------------|--|
| Organization name | B Medical Systems Sarl |
| Address | 17 Op der Hei L-9809 Hosingen Luxembourg Luxembourg |

| | | | |
|----------------------------|--------------|---------------------|-------------|
| Current PQS status: | Prequalified | Valid until: | 31 May 2026 |
|----------------------------|--------------|---------------------|-------------|

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



| | |
|---------------------------------|--|
| Product name: | Bmedical WP 0.3L;Dometic 0.3 L |
| IMD-PQS Code: | E005-002 |
| Status: | Prequalified |
| Date of acceptance: | 22 Mar 2010 |
| Appliance type: | E005 |
| Product description: | Water-pack 0.3L |
| Manufacturer: | B Medical Systems Sarl |
| Manufacturers Reference: | Bmedical WP 0.3L;Dometic 0.3 L |
| Country of Manufacture: | Luxembourg |
| Address: | 17 Op der Hei L-9809 Hosingen Luxembourg Luxembourg |
| Telephone: | + 35 2 92 07 311 |
| Email: | info@bmedicalsyste.ms.com |
| Website address: | www.bmedicalsyste.ms.com |
| Valid until: | 31 May 2026 |

Specifications

PRODUCT SPECIFICATIONS - MAIN

| | | | |
|--|------------|--|--------|
| Pack Type | Water-pack | Nominal capacity (Litre) | 0.30 |
| Rated water content (Litres) | 0.35 | External dimensions height (mm) | 25.00 |
| External dimensions length (mm) | 170.00 | External dimensions width (mm) | 120.00 |
| Weight empty (g) | 69.0000 | Weight filled (g) | 418.00 |

PRICE AND SHIPPING

| | | | |
|-----------------------------|----------|-----------------------------|------------------|
| Shipping volume (m3) | 0.025 | Shipping weight (kg) | 3.00 |
| Pieces per package | 40 units | Minimum order (unit) | 1.00 |
| Incoterms | EXW | Price 1 | >100 units: 66 € |
| Year of base price | 2025 | | |

QUALITY STANDARD

| | |
|--------------------------------|--|
| Specification Reference | Applicable PQS specification: E005/IP01.1 Applicable PQS VP(s): E005/IP01-VP.1 |
|--------------------------------|--|

VERIFICATION

| | | | |
|--------------------------------|--------------------|--------------------------------------|---------|
| Verification Laboratory | 0013X00004MI8OaQAJ | Verification Report Reference | A65899a |
|--------------------------------|--------------------|--------------------------------------|---------|

PRODUCT SITES

| | |
|--------------------------|--|
| Organization name | B Medical Systems Sarl |
| Address | 17 Op der Hei L-9809 Hosingen Luxembourg Luxembourg |

| | | | |
|----------------------------|--------------|---------------------|-------------|
| Current PQS status: | Prequalified | Valid until: | 31 May 2026 |
|----------------------------|--------------|---------------------|-------------|

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



| | |
|---------------------------------|--|
| Product name: | AOV AIP-3 |
| IMD-PQS Code: | E005-004 |
| Status: | Prequalified |
| Date of acceptance: | 26 Apr 2010 |
| Appliance type: | E005 |
| Product description: | Water-pack 0.3 L |
| Manufacturer: | AOV International LLP |
| Manufacturers Reference: | AOV AIP-3 |
| Country of Manufacture: | India |
| Address: | C-22/25, Sector 57, Noida 201301 [U.P.], India India |
| Telephone: | +91 80102 66834 |
| Email: | rohit.raman@aovinternational.net |
| Website address: | www.aovinternational.net |
| Valid until: | 31 May 2026 |

Specifications

PRODUCT SPECIFICATIONS - MAIN

| | | | |
|--|------------|--|--------|
| Pack Type | Water-pack | Nominal capacity (Litre) | 0.30 |
| Rated water content (Litres) | 0.35 | External dimensions height (mm) | 34.00 |
| External dimensions length (mm) | 160.00 | External dimensions width (mm) | 91.00 |
| Weight empty (g) | 76.0000 | Weight filled (g) | 363.00 |

PRICE AND SHIPPING

| | | | |
|-----------------------------|-----------|-----------------------------|-------------------|
| Shipping volume (m3) | 0.16 | Shipping weight (kg) | 22.00 |
| Pieces per package | 240 units | Minimum order (unit) | 240.00 |
| Incoterms | EXW | Price 1 | 0.35 USD per unit |
| Year of base price | 2016 | | |

QUALITY STANDARD

| | |
|--------------------------------|---|
| Specification Reference | Applicable PQS specification: E005/IP01.1 Applicable PQS VP(s): E005/IP01-VP.1 |
|--------------------------------|---|

VERIFICATION

| | | | |
|--------------------------------------|---------------------|----------------|--|
| Verification Laboratory | TUV SUD PSB Pte Ltd | Address | 15 International Business Park TÜV SÜD @ IBP Singapore 609937Singapore |
| Telephone | +6569736355 | Email | xin-pei.kee@tuvsud.com |
| Verification Report Reference | S09EEC02224/AT/JT | | |

PRODUCT SITES

| | |
|--------------------------|---|
| Organization name | AOV International LLP |
| Address | D-137, EPIP, SURAJPUR SITE-V, KASNA, GREATER NOIDA India |

| | | | |
|----------------------------|--------------|---------------------|-------------|
| Current PQS status: | Prequalified | Valid until: | 31 May 2026 |
|----------------------------|--------------|---------------------|-------------|

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



| | |
|---------------------------------|--|
| Product name: | AOV AIP-4 |
| IMD-PQS Code: | E005-005 |
| Status: | Prequalified |
| Date of acceptance: | 26 Apr 2010 |
| Appliance type: | E005 |
| Product description: | Water-pack 0.4 L |
| Manufacturer: | AOV International LLP |
| Manufacturers Reference: | AOV AIP-4 |
| Country of Manufacture: | India |
| Address: | C-22/25, Sector 57, Noida 201301 [U.P.], India India |
| Telephone: | +91 80102 66834 |
| Email: | rohit.raman@aovinternational.net |
| Website address: | www.aovinternational.net |
| Valid until: | 31 May 2026 |

Specifications

PRODUCT SPECIFICATIONS - MAIN

| | | | |
|--|------------|--|--------|
| Pack Type | Water-pack | Nominal capacity (Litre) | 0.40 |
| Rated water content (Litres) | 0.35 | External dimensions height (mm) | 34.00 |
| External dimensions length (mm) | 164.00 | External dimensions width (mm) | 95.00 |
| Weight empty (g) | 78.0000 | Weight filled (g) | 432.00 |

PRICE AND SHIPPING

| | | | |
|-----------------------------|-----------|-----------------------------|-------------------|
| Shipping volume (m3) | 0.16 | Shipping weight (kg) | 21.00 |
| Pieces per package | 230 units | Minimum order (unit) | 230.00 |
| Incoterms | EXW | Price 1 | 0.40 USD per unit |
| Year of base price | 2016 | | |

QUALITY STANDARD

| | |
|--------------------------------|---|
| Specification Reference | Applicable PQS specification: E005/IP01.1 Applicable PQS VP(s): E005/IP01-VP.1 |
|--------------------------------|---|

VERIFICATION

| | | | |
|--------------------------------------|---------------------|----------------|--|
| Verification Laboratory | TUV SUD PSB Pte Ltd | Address | 15 International Business Park TÜV SÜD @ IBP Singapore 609937Singapore |
| Telephone | +6569736355 | Email | xin-pei.kee@tuvsud.com |
| Verification Report Reference | S09EEC02224/ATJT | | |

PRODUCT SITES

| | |
|--------------------------|---|
| Organization name | AOV International LLP |
| Address | D-137, EPIP, SURAJPUR SITE-V, KASNA, GREATER NOIDA India |

| | | | |
|----------------------------|--------------|---------------------|-------------|
| Current PQS status: | Prequalified | Valid until: | 31 May 2026 |
|----------------------------|--------------|---------------------|-------------|

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



| | |
|---------------------------------|--|
| Product name: | AOV AIP-6 0.6L |
| IMD-PQS Code: | E005-006 |
| Status: | Prequalified |
| Date of acceptance: | 26 Apr 2010 |
| Appliance type: | E005 |
| Product description: | Water-pack 0.6L |
| Manufacturer: | AOV International LLP |
| Manufacturers Reference: | AOV AIP-6 0.6L |
| Country of Manufacture: | India |
| Address: | C-22/25, Sector 57, Noida 201301 [U.P.], India India |
| Telephone: | +91 80102 66834 |
| Email: | rohit.raman@aovinternational.net |
| Website address: | www.aovinternational.net |
| Valid until: | 31 May 2026 |

Specifications

PRODUCT SPECIFICATIONS - MAIN

| | | | |
|--|------------|--|--------|
| Pack Type | Water-pack | Nominal capacity (Litre) | 0.60 |
| Rated water content (Litres) | 0.55 | External dimensions height (mm) | 35.00 |
| External dimensions length (mm) | 190.00 | External dimensions width (mm) | 119.00 |
| Weight empty (g) | 110.0000 | Weight filled (g) | 664.00 |

PRICE AND SHIPPING

| | | | |
|-----------------------------|-----------|-----------------------------|-------------------|
| Shipping volume (m3) | 0.16 | Shipping weight (kg) | 20.00 |
| Pieces per package | 150 units | Minimum order (unit) | 150.00 |
| Incoterms | EXW | Price 1 | 0.60 USD per unit |
| Year of base price | 2016 | | |

QUALITY STANDARD

| | |
|--------------------------------|---|
| Specification Reference | Applicable PQS specification: E005/IP01.1 Applicable PQS VP(s): E005/IP01-VP.1 |
|--------------------------------|---|

VERIFICATION

| | | | |
|--------------------------------------|---------------------|----------------|--|
| Verification Laboratory | TUV SUD PSB Pte Ltd | Address | 15 International Business Park TÜV SÜD @ IBP Singapore 609937Singapore |
| Telephone | +6569736355 | Email | xin-pei.kee@tuvsud.com |
| Verification Report Reference | EEC09/719162291 | | |

PRODUCT SITES

| | |
|--------------------------|---|
| Organization name | AOV International LLP |
| Address | D-137, EPIP, SURAJPUR SITE-V, KASNA, GREATER NOIDA India |

| | | | |
|----------------------------|---------------------|---------------------|-------------|
| Current PQS status: | <i>Prequalified</i> | Valid until: | 31 May 2026 |
|----------------------------|---------------------|---------------------|-------------|

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



| | |
|---------------------------------|---|
| Product name: | Apex AIIP03 |
| IMD-PQS Code: | E005-007 |
| Status: | Prequalified |
| Date of acceptance: | 05 Mar 2010 |
| Appliance type: | E005 |
| Product description: | Water-pack 0.3L |
| Manufacturer: | Apex International |
| Manufacturers Reference: | Apex AIIP03 |
| Country of Manufacture: | India |
| Address: | E-8/9, SITE-B, SURAJPUR INDUSTRIAL AREA 201306 GREATER NOIDA India |
| Telephone: | +91-120-2574851 |
| Email: | mail@apexint.org |
| Website address: | http://www.apex-international.org/ |
| Valid until: | 31 May 2026 |

Specifications

PRODUCT SPECIFICATIONS - MAIN

| | | | |
|--|------------|--|--------|
| Pack Type | Water-pack | Nominal capacity (Litre) | 0.30 |
| Rated water content (Litres) | 0.29 | External dimensions height (mm) | 31.50 |
| External dimensions length (mm) | 161.00 | External dimensions width (mm) | 89.00 |
| Weight empty (g) | 77.0000 | Weight filled (g) | 363.00 |

PRICE AND SHIPPING

| | | | |
|-----------------------------|-----------|-----------------------------|-----------------------------|
| Shipping volume (m3) | 0.045 | Shipping weight (kg) | 8.00 |
| Pieces per package | 100 units | Minimum order (unit) | 100.00 |
| Incoterms | EXW | Price 1 | 100 units or more: 0.45 USD |
| Year of base price | 2016 | | |

QUALITY STANDARD

| | |
|--------------------------------|--|
| Specification Reference | Applicable PQS specification: E005/IP01.1 Applicable PQS VP(s): E005/IP01-VP.1 |
|--------------------------------|--|

VERIFICATION

| | | | |
|--------------------------------------|---------------------|----------------|--|
| Verification Laboratory | TUV SUD PSB Pte Ltd | Address | 15 International Business Park TÜV SÜD @ IBP Singapore 609937Singapore |
| Telephone | +6569736355 | Email | xin-pei.kee@tuvsud.com |
| Verification Report Reference | 719164810EEC09/03 | | |

PRODUCT SITES

| | |
|--------------------------|---|
| Organization name | Apex International |
| Address | E-8/9, SITE-B, SURAJPUR INDUSTRIAL AREA 201306 GREATER NOIDA India |

| | | | |
|----------------------------|--------------|---------------------|-------------|
| Current PQS status: | Prequalified | Valid until: | 31 May 2026 |
|----------------------------|--------------|---------------------|-------------|

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



| | |
|---------------------------------|---|
| Product name: | Apex AIIP04 |
| IMD-PQS Code: | E005-008 |
| Status: | Prequalified |
| Date of acceptance: | 05 Mar 2010 |
| Appliance type: | E005 |
| Product description: | Water-pack 0.4L |
| Manufacturer: | Apex International |
| Manufacturers Reference: | Apex AIIP04 |
| Country of Manufacture: | India |
| Address: | E-8/9, SITE-B, SURAJPUR INDUSTRIAL AREA 201306 GREATER NOIDA India |
| Telephone: | +91-120-2574851 |
| Email: | mail@apexint.org |
| Website address: | http://www.apex-international.org/ |
| Valid until: | 31 May 2026 |

Specifications

PRODUCT SPECIFICATIONS - MAIN

| | | | |
|--|------------|--|--------|
| Pack Type | Water-pack | Nominal capacity (Litre) | 0.40 |
| Rated water content (Litres) | 0.35 | External dimensions height (mm) | 34.35 |
| External dimensions length (mm) | 163.25 | External dimensions width (mm) | 95.60 |
| Weight empty (g) | 77.0000 | Weight filled (g) | 428.00 |

PRICE AND SHIPPING

| | | | |
|-----------------------------|-----------|-----------------------------|-----------------------------|
| Shipping volume (m3) | 0.054 | Shipping weight (kg) | 8.00 |
| Pieces per package | 100 units | Minimum order (unit) | 100.00 |
| Incoterms | EXW | Price 1 | 100 units or more: 0.50 USD |
| Year of base price | 2016 | | |

QUALITY STANDARD

| | |
|--------------------------------|---|
| Specification Reference | Applicable PQS specification: E005/IP01.1 Applicable PQS VP(s): E005/IP01VP.1 |
|--------------------------------|---|

VERIFICATION

| | | | |
|--------------------------------------|---------------------|----------------|--|
| Verification Laboratory | TUV SUD PSB Pte Ltd | Address | 15 International Business Park TÜV SÜD @ IBP Singapore 609937Singapore |
| Telephone | +6569736355 | Email | xin-pei.kee@tuvsud.com |
| Verification Report Reference | 719164808EEC09/02 | | |

PRODUCT SITES

| | |
|--------------------------|---|
| Organization name | Apex International |
| Address | E-8/9, SITE-B, SURAJPUR INDUSTRIAL AREA 201306 GREATER NOIDA India |

| | | | |
|----------------------------|---------------------|---------------------|-------------|
| Current PQS status: | <i>Prequalified</i> | Valid until: | 31 May 2026 |
|----------------------------|---------------------|---------------------|-------------|

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



| | |
|---------------------------------|---|
| Product name: | Apex AIIP06 |
| IMD-PQS Code: | E005-009 |
| Status: | Prequalified |
| Date of acceptance: | 05 Mar 2010 |
| Appliance type: | E005 |
| Product description: | Water-pack 0.6 L |
| Manufacturer: | Apex International |
| Manufacturers Reference: | Apex AIIP06 |
| Country of Manufacture: | India |
| Address: | E-8/9, SITE-B, SURAJPUR INDUSTRIAL AREA 201306 GREATER NOIDA India |
| Telephone: | +91-120-2574851 |
| Email: | mail@apexint.org |
| Website address: | http://www.apex-international.org/ |
| Valid until: | 31 May 2026 |

Specifications

PRODUCT SPECIFICATIONS - MAIN

| | | | |
|--|------------|--|--------|
| Pack Type | Water-pack | Nominal capacity (Litre) | 0.60 |
| Rated water content (Litres) | 0.56 | External dimensions height (mm) | 34.34 |
| External dimensions length (mm) | 189.55 | External dimensions width (mm) | 121.20 |
| Weight empty (g) | 111.0000 | Weight filled (g) | 666.00 |

PRICE AND SHIPPING

| | | | |
|-----------------------------|-----------|-----------------------------|-----------------------------|
| Shipping volume (m3) | 0.079 | Shipping weight (kg) | 11.50 |
| Pieces per package | 100 units | Minimum order (unit) | 100.00 |
| Incoterms | EXW | Price 1 | 100 units or more: 0.65 USD |
| Year of base price | 2016 | | |

QUALITY STANDARD

| | |
|--------------------------------|--|
| Specification Reference | Applicable PQS specification: E005/IP01.1 Applicable PQS VP(s): E005/IP01-VP.1 |
|--------------------------------|--|

VERIFICATION

| | | | |
|--------------------------------------|---------------------|----------------|--|
| Verification Laboratory | TUV SUD PSB Pte Ltd | Address | 15 International Business Park TÜV SÜD @ IBP Singapore 609937Singapore |
| Telephone | +6569736355 | Email | xin-pei.kee@tuvsud.com |
| Verification Report Reference | 719164808EEC09/01 | | |

PRODUCT SITES

| | |
|--------------------------|---|
| Organization name | Apex International |
| Address | E-8/9, SITE-B, SURAJPUR INDUSTRIAL AREA 201306 GREATER NOIDA India |

| | | | |
|----------------------------|--------------|---------------------|-------------|
| Current PQS status: | Prequalified | Valid until: | 31 May 2026 |
|----------------------------|--------------|---------------------|-------------|

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



| | |
|---------------------------------|---|
| Product name: | B Lowkings BK-V4H |
| IMD-PQS Code: | E005-010 |
| Status: | Prequalified |
| Date of acceptance: | 09 Feb 2010 |
| Appliance type: | E005 |
| Product description: | Water-pack 0.3 L |
| Manufacturer: | Blowkings |
| Manufacturers Reference: | BLowkings BK-V4H |
| Country of Manufacture: | India |
| Address: | 173 , Sector 1 , Kandla Free Trade Zone 370230 Gandhidham India |
| Telephone: | +91-(0)22-22840120 |
| Email: | munjal@blowkings.co.in |
| Website address: | http://www.blowkings.co.in/ |
| Valid until: | 31 May 2026 |

Specifications

PRODUCT SPECIFICATIONS - MAIN

| | | | |
|--|------------|--|--------|
| Pack Type | Water-pack | Nominal capacity (Litre) | 0.30 |
| Rated water content (Litres) | 0.30 | External dimensions height (mm) | 34.30 |
| External dimensions length (mm) | 162.40 | External dimensions width (mm) | 89.90 |
| Weight empty (g) | 69.0000 | Weight filled (g) | 374.00 |

PRICE AND SHIPPING

| | | | |
|-----------------------------|-----------|-----------------------------|-----------------------------|
| Shipping volume (m3) | 0.12 | Shipping weight (kg) | 22.00 |
| Pieces per package | 225 units | Minimum order (unit) | 225.00 |
| Incoterms | EXW | Price 1 | 225 units or more: 0.45 USD |
| Year of base price | 2016 | | |

QUALITY STANDARD

| | |
|--------------------------------|--|
| Specification Reference | Applicable PQS specification: E005/IP01.1 Applicable PQS VP(s): E005/IP01-vp.1 |
|--------------------------------|--|

VERIFICATION

| | | | |
|--------------------------------------|---------------------|----------------|--|
| Verification Laboratory | TUV SUD PSB Pte Ltd | Address | 15 International Business Park TÜV SÜD @ IBP Singapore 609937Singapore |
| Telephone | +6569736355 | Email | xin-pei.kee@tuvsud.com |
| Verification Report Reference | 719170704-EEC10 | | |

PRODUCT SITES

| | |
|--------------------------|--|
| Organization name | Blowkings |
| Address | 173 , Sector 1 , Kandla Free Trade Zone 370230 Gandhidham India |

| | | | |
|----------------------------|---------------------|---------------------|-------------|
| Current PQS status: | <i>Prequalified</i> | Valid until: | 31 May 2026 |
|----------------------------|---------------------|---------------------|-------------|

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



| | |
|---------------------------------|---|
| Product name: | Blowkings BK-4 |
| IMD-PQS Code: | E005-011 |
| Status: | Prequalified |
| Date of acceptance: | 09 Feb 2010 |
| Appliance type: | E005 |
| Product description: | water-pack 0.4L |
| Manufacturer: | Blowkings |
| Manufacturers Reference: | Blowkings BK-4 |
| Country of Manufacture: | India |
| Address: | 173 , Sector 1 , Kandla Free Trade Zone 370230 Gandhidham India |
| Telephone: | +91-(0)22-22840120 |
| Email: | munjal@blowkings.co.in |
| Website address: | http://www.blowkings.co.in/ |
| Valid until: | 31 May 2026 |

Specifications

PRODUCT SPECIFICATIONS - MAIN

| | | | |
|--|------------|--|--------|
| Pack Type | Water-pack | Nominal capacity (Litre) | 0.40 |
| Rated water content (Litres) | 0.39 | External dimensions height (mm) | 35.00 |
| External dimensions length (mm) | 165.00 | External dimensions width (mm) | 93.00 |
| Weight empty (g) | 70.0000 | Weight filled (g) | 430.00 |

PRICE AND SHIPPING

| | | | |
|-----------------------------|-----------|-----------------------------|-----------------------------|
| Shipping volume (m3) | 0.13 | Shipping weight (kg) | 22.00 |
| Pieces per package | 225 units | Minimum order (unit) | 225.00 |
| Incoterms | EXW | Price 1 | 225 units or more: 0.50 USD |
| Year of base price | 2016 | | |

QUALITY STANDARD

| | |
|--------------------------------|--|
| Specification Reference | Applicable PQS specification: E005/IP01.1 Applicable PQS VP(s): E005/IP01-VP.1 |
|--------------------------------|--|

VERIFICATION

| | | | |
|--------------------------------------|---------------------|----------------|--|
| Verification Laboratory | TUV SUD PSB Pte Ltd | Address | 15 International Business Park TÜV SÜD @ IBP Singapore 609937Singapore |
| Telephone | +6569736355 | Email | xin-pei.kee@tuvsud.com |
| Verification Report Reference | EEC09-719162420-B | | |

PRODUCT SITES

| | |
|--------------------------|--|
| Organization name | Blowkings |
| Address | 173 , Sector 1 , Kandla Free Trade Zone 370230 Gandhidham India |

| | | | |
|----------------------------|---------------------|---------------------|-------------|
| Current PQS status: | <i>Prequalified</i> | Valid until: | 31 May 2026 |
|----------------------------|---------------------|---------------------|-------------|

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



| | |
|---------------------------------|---|
| Product name: | Blowkings BK-6 |
| IMD-PQS Code: | E005-012 |
| Status: | Prequalified |
| Date of acceptance: | 09 Feb 2010 |
| Appliance type: | E005 |
| Product description: | Water-pack 0.6L |
| Manufacturer: | Blowkings |
| Manufacturers Reference: | Blowkings BK-6 |
| Country of Manufacture: | India |
| Address: | 173 , Sector 1 , Kandla Free Trade Zone 370230 Gandhidham India |
| Telephone: | +91-(0)22-22840120 |
| Email: | munjal@blowkings.co.in |
| Website address: | http://www.blowkings.co.in/ |
| Valid until: | 31 May 2026 |

Specifications

PRODUCT SPECIFICATIONS - MAIN

| | | | |
|--|------------|--|--------|
| Pack Type | Water-pack | Nominal capacity (Litre) | 0.60 |
| Rated water content (Litres) | 0.55 | External dimensions height (mm) | 35.00 |
| External dimensions length (mm) | 190.00 | External dimensions width (mm) | 120.00 |
| Weight empty (g) | 110.0000 | Weight filled (g) | 655.00 |

PRICE AND SHIPPING

| | | | |
|-----------------------------|-----------|-----------------------------|-----------------------------|
| Shipping volume (m3) | 0.13 | Shipping weight (kg) | 22.00 |
| Pieces per package | 144 units | Minimum order (unit) | 144.00 |
| Incoterms | EXW | Price 1 | 144 units or more: 0.65 USD |
| Year of base price | 2016 | | |

QUALITY STANDARD

| | |
|--------------------------------|--|
| Specification Reference | Applicable PQS specification: E005/IP01.1 Applicable PQS VP(s): E005/IP01-VP.1 |
|--------------------------------|--|

VERIFICATION

| | | | |
|--------------------------------------|---------------------|----------------|--|
| Verification Laboratory | TUV SUD PSB Pte Ltd | Address | 15 International Business Park TÜV SÜD @ IBP Singapore 609937Singapore |
| Telephone | +6569736355 | Email | xin-pei.kee@tuvsud.com |
| Verification Report Reference | EEC09-719162420 A | | |

PRODUCT SITES

| | |
|--------------------------|--|
| Organization name | Blowkings |
| Address | 173 , Sector 1 , Kandla Free Trade Zone 370230 Gandhidham India |

| | | | |
|----------------------------|---------------------|---------------------|-------------|
| Current PQS status: | <i>Prequalified</i> | Valid until: | 31 May 2026 |
|----------------------------|---------------------|---------------------|-------------|

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



| | |
|---------------------------------|---|
| Product name: | Nilkamal BIP-3 |
| IMD-PQS Code: | E005-013 |
| Status: | Prequalified |
| Date of acceptance: | 15 Oct 2010 |
| Appliance type: | E005 |
| Product description: | Water-pack 0.3L T2 |
| Manufacturer: | Nilkamal Limited |
| Manufacturers Reference: | Nilkamal BIP-3 |
| Country of Manufacture: | India |
| Address: | Site I Survey No: 389, 391, 393, 396, 343, Naroli-Kharadpada Road, Village:Kharadpada, Silvassa 396230 (U.T of D&NH), INDIA Mumbai Maharashtra India |
| Telephone: | +91 396230 9825486880 |
| Email: | vaishali.gaikwad@nilkamal.com |
| Website address: | http://www.nilkamal.com/ |
| Valid until: | 31 May 2026 |

Specifications

PRODUCT SPECIFICATIONS - MAIN

| | | | |
|--|------------|--|--------|
| Pack Type | Water-pack | Nominal capacity (Litre) | 0.30 |
| Rated water content (Litres) | 0.29 | External dimensions height (mm) | 33.00 |
| External dimensions length (mm) | 163.00 | External dimensions width (mm) | 90.50 |
| Weight empty (g) | 75.0000 | Weight filled (g) | 370.00 |

PRICE AND SHIPPING

| | | | |
|-----------------------------|-----------|-----------------------------|-----------------------------|
| Shipping volume (m3) | 0.2 | Shipping weight (kg) | 30.50 |
| Pieces per package | 380 units | Minimum order (unit) | 380.00 |
| Incoterms | EXW | Price 1 | 380 units or more: 0.47 USD |
| Year of base price | 2016 | | |

QUALITY STANDARD

| | |
|--------------------------------|--|
| Specification Reference | Applicable PQS specification: E005/IP01.2 Applicable PQS VP(s): E005/IP01-VP.2 |
|--------------------------------|--|

VERIFICATION

| | | | |
|--------------------------------------|-------------------|----------------|--|
| Verification Laboratory | CEMAFROID SAS | Address | 5 Avenue des Pres CS 20029 F94 266 Fresnes Cedex FranceFrance |
| Telephone | +33 1 49 84 84 84 | Email | gerald.cavalier@cemafroid.fr |
| Verification Report Reference | WHO 10-004 | | |

PRODUCT SITES

| | |
|--------------------------|---|
| Organization name | Nilkamal Limited |
| Address | Street No 14, MIDC - Andheri (East) Mumbai Maharashtra India |

| | | | |
|----------------------------|---------------------|---------------------|-------------|
| Current PQS status: | <i>Prequalified</i> | Valid until: | 31 May 2026 |
|----------------------------|---------------------|---------------------|-------------|

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



| | |
|---------------------------------|---|
| Product name: | Nilkamal BIP-4 |
| IMD-PQS Code: | E005-014 |
| Status: | Prequalified |
| Date of acceptance: | 15 Oct 2010 |
| Appliance type: | E005 |
| Product description: | Water-pack 0.4L |
| Manufacturer: | Nilkamal Limited |
| Manufacturers Reference: | Nilkamal BIP-4 |
| Country of Manufacture: | India |
| Address: | Site I Survey No: 389, 391, 393, 396, 343, Naroli-Kharadpada Road, Village:Kharadpada, Silvassa 396230 (U.T of D&NH), INDIA Mumbai Maharashtra India |
| Telephone: | +91 396230 9825486880 |
| Email: | vaishali.gaikwad@nilkamal.com |
| Website address: | http://www.nilkamal.com/ |
| Valid until: | 31 May 2026 |

Specifications

PRODUCT SPECIFICATIONS - MAIN

| | | | |
|--|------------|--|--------|
| Pack Type | Water-pack | Nominal capacity (Litre) | 0.40 |
| Rated water content (Litres) | 0.35 | External dimensions height (mm) | 33.00 |
| External dimensions length (mm) | 165.00 | External dimensions width (mm) | 95.00 |
| Weight empty (g) | 76.0000 | Weight filled (g) | 431.00 |

PRICE AND SHIPPING

| | | | |
|-----------------------------|-----------|-----------------------------|-----------------------------|
| Shipping volume (m3) | 0.2 | Shipping weight (kg) | 30.88 |
| Pieces per package | 380 units | Minimum order (unit) | 380.00 |
| Incoterms | EXW | Price 1 | 380 units or more: 0.49 USD |
| Year of base price | 2016 | | |

QUALITY STANDARD

| | |
|--------------------------------|--|
| Specification Reference | Applicable PQS specification: E005/IP01.2 Applicable PQS VP(s): E005/IP01-VP.2 |
|--------------------------------|--|

VERIFICATION

| | | | |
|--------------------------------------|-------------------|----------------|--|
| Verification Laboratory | CEMAFROID SAS | Address | 5 Avenue des Pres CS 20029 F94 266 Fresnes Cedex FranceFrance |
| Telephone | +33 1 49 84 84 84 | Email | gerald.cavalier@cemafroid.fr |
| Verification Report Reference | WHO 10-005 | | |

PRODUCT SITES

| | |
|--------------------------|---|
| Organization name | Nilkamal Limited |
| Address | Street No 14, MIDC - Andheri (East) Mumbai Maharashtra India |

| | | | |
|----------------------------|---------------------|---------------------|-------------|
| Current PQS status: | <i>Prequalified</i> | Valid until: | 31 May 2026 |
|----------------------------|---------------------|---------------------|-------------|

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



| | |
|---------------------------------|---|
| Product name: | Nilkamal BIP-6 |
| IMD-PQS Code: | E005-015 |
| Status: | Prequalified |
| Date of acceptance: | 15 Oct 2010 |
| Appliance type: | E005 |
| Product description: | Water-pack 0.6L |
| Manufacturer: | Nilkamal Limited |
| Manufacturers Reference: | Nilkamal BIP-6 |
| Country of Manufacture: | India |
| Address: | Site I Survey No: 389, 391, 393, 396, 343, Naroli-Kharadpada Road, Village:Kharadpada, Silvassa 396230 (U.T of D&NH), INDIA Mumbai Maharashtra India |
| Telephone: | +91 396230 9825486880 |
| Email: | vaishali.gaikwad@nilkamal.com |
| Website address: | http://www.nilkamal.com/ |
| Valid until: | 31 May 2026 |

Specifications

PRODUCT SPECIFICATIONS - MAIN

| | | | |
|--|------------|--|--------|
| Pack Type | Water-pack | Nominal capacity (Litre) | 0.60 |
| Rated water content (Litres) | 0.56 | External dimensions height (mm) | 35.00 |
| External dimensions length (mm) | 190.00 | External dimensions width (mm) | 121.00 |
| Weight empty (g) | 114.0000 | Weight filled (g) | 650.00 |

PRICE AND SHIPPING

| | | | |
|-----------------------------|-----------|-----------------------------|-----------------------------|
| Shipping volume (m3) | 0.2 | Shipping weight (kg) | 29.36 |
| Pieces per package | 150 units | Minimum order (unit) | 240.00 |
| Incoterms | EXW | Price 1 | 240 units or more: 0.63 USD |
| Year of base price | 2016 | | |

QUALITY STANDARD

| | |
|--------------------------------|--|
| Specification Reference | Applicable PQS specification: E005/IP01.2 Applicable PQS VP(s): E005/IP01-VP.2 |
|--------------------------------|--|

VERIFICATION

| | | | |
|--------------------------------------|-------------------|----------------|--|
| Verification Laboratory | CEMAFROID SAS | Address | 5 Avenue des Pres CS 20029 F94 266 Fresnes Cedex FranceFrance |
| Telephone | +33 1 49 84 84 84 | Email | gerald.cavalier@cemafrroid.fr |
| Verification Report Reference | WHO 10-006 | | |

PRODUCT SITES

| | |
|--------------------------|---|
| Organization name | Nilkamal Limited |
| Address | Street No 14, MIDC - Andheri (East) Mumbai Maharashtra India |

| | | | |
|----------------------------|---------------------|---------------------|-------------|
| Current PQS status: | <i>Prequalified</i> | Valid until: | 31 May 2026 |
|----------------------------|---------------------|---------------------|-------------|

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



| | |
|---------------------------------|--|
| Product name: | Water-pack 0.4 L |
| IMD-PQS Code: | E005-019 |
| Status: | Prequalified |
| Date of acceptance: | 29 May 2014 |
| Appliance type: | E005 |
| Product description: | Water-pack 0.4 L |
| Manufacturer: | Giostyle SpA |
| Manufacturers Reference: | Water-pack 0.4 L |
| Country of Manufacture: | Italy |
| Address: | Giostyle SpA Via Battaina 393 24059 Ugnano (BG) Italy |
| Telephone: | +39 035 4188501 |
| Email: | giostyle@giostyle.com |
| Website address: | www.giostyle.com/ |
| Valid until: | 31 May 2026 |

Specifications

PRODUCT SPECIFICATIONS - MAIN

| | | | |
|--|------------|--|--------|
| Pack Type | Water-pack | Nominal capacity (Litre) | 0.40 |
| Rated water content (Litres) | 0.38 | External dimensions height (mm) | 33.00 |
| External dimensions length (mm) | 165.00 | External dimensions width (mm) | 93.00 |
| Weight empty (g) | 50.0000 | Weight filled (g) | 420.00 |

PRICE AND SHIPPING

| | | | |
|-----------------------------|----------|-----------------------------|-------------------------------------|
| Shipping volume (m3) | 0.04 | Shipping weight (kg) | 4.00 |
| Pieces per package | 60 units | Minimum order (unit) | 60.00 |
| Incoterms | EXW | Price 1 | 60 units or more: 0.80 USD per unit |
| Year of base price | 2016 | | |

QUALITY STANDARD

| | |
|--------------------------------|--|
| Specification Reference | Applicable PQS specification: E005/IP01.2 Applicable PQS VP(s): E005/IP01-VP.2 |
|--------------------------------|--|

VERIFICATION

| | | | |
|--------------------------------------|-------------------|----------------|--|
| Verification Laboratory | CEMAFROID SAS | Address | 5 Avenue des Pres CS 20029 F94 266 Fresnes Cedex FranceFrance |
| Telephone | +33 1 49 84 84 84 | Email | gerald.cavalier@cemafroid.fr |
| Verification Report Reference | WHO-10-014 | | |

PRODUCT SITES

| | |
|--------------------------|--|
| Organization name | Giostyle SpA |
| Address | Giostyle SpA Via Battaina 393 24059 Ugnano (BG) Italy Italy |

| | | | |
|----------------------------|--------------|---------------------|-------------|
| Current PQS status: | Prequalified | Valid until: | 31 May 2026 |
|----------------------------|--------------|---------------------|-------------|

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



| | |
|---------------------------------|--|
| Product name: | Feihong WP-0.3L |
| IMD-PQS Code: | E005-020 |
| Status: | Prequalified |
| Date of acceptance: | 13 Nov 2018 |
| Appliance type: | E005 |
| Product description: | Ice Pack 0.3L |
| Manufacturer: | Qingdao Leff International Trading Co Ltd |
| Manufacturers Reference: | Feihong WP-0.3L |
| Country of Manufacture: | China |
| Address: | 10, Yan er'dao Road Qingdao 266000 P.R.China China |
| Telephone: | + 86 373 7116885 |
| Email: | david@lefftrade.org |
| Website address: | www.lefftrade.org |
| Valid until: | 31 May 2026 |

Specifications

PRODUCT SPECIFICATIONS - MAIN

| | | | |
|--|--|--|--------|
| Pack Type | Water-pack | Nominal capacity (Litre) | 0.30 |
| Rated water content (Litres) | 0.30 | External dimensions height (mm) | 30.00 |
| External dimensions length (mm) | 163.00 | External dimensions width (mm) | 90.00 |
| Weight empty (g) | 60.0000 | Weight filled (g) | 360.00 |
| Comments | 0.3L Ice Pack Shipping volume: 0.16 CBM/CTN Shipping weight (kg): 19 KGS/CTN | | |

PRICE AND SHIPPING

| | | | |
|-----------------------------|----------------------|---------------------------|---------------------|
| Shipping weight (kg) | 19.00 | Pieces per package | 300 units |
| Minimum order (unit) | 300.00 | Incoterms | EXW |
| Price 1 | USD 0.38 - 100 units | Price 2 | USD 0.44 - 10 units |
| Price 3 | USD 0.50 - 1 unit | Year of base price | 2018 |

QUALITY STANDARD

| | |
|--------------------------------|--|
| Specification Reference | Applicable PQS specification: E005/IP01.2 Applicable PQS VP(s): E005/IP01-VP.2 |
|--------------------------------|--|

VERIFICATION

| | | | |
|--------------------------------------|----------------|----------------|---|
| Verification Laboratory | CHEARI | Address | #29 Xia Jie Street, Xuan Wu district Beijing 100053 R. P. de ChineChina |
| Telephone | +86 1063162443 | Email | gongcx@cheari.com |
| Verification Report Reference | WB-18-385 | | |

PRODUCT SITES

| | |
|--------------------------|---|
| Organization name | Qingdao Leff International Trading Co Ltd |
| Address | 10, Yan er'dao Road Qingdao 266000 P.R.China China |

| | | | |
|----------------------------|--------------|---------------------|-------------|
| Current PQS status: | Prequalified | Valid until: | 31 May 2026 |
|----------------------------|--------------|---------------------|-------------|

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



| | |
|---------------------------------|--|
| Product name: | Feihong WP-0.3L |
| IMD-PQS Code: | E005-021 |
| Status: | Prequalified |
| Date of acceptance: | 13 Nov 2018 |
| Appliance type: | E005 |
| Product description: | Water pack 0.6L |
| Manufacturer: | Qingdao Leff International Trading Co Ltd |
| Manufacturers Reference: | Feihong WP-0.3L |
| Country of Manufacture: | China |
| Address: | 10, Yan er'dao Road Qingdao 266000 P.R.China China |
| Telephone: | + 86 373 7116885 |
| Email: | david@lefftrade.org |
| Website address: | www.lefftrade.org |
| Valid until: | 31 May 2026 |

Specifications

PRODUCT SPECIFICATIONS - MAIN

| | | | |
|--|------------|--|--------|
| Pack Type | Water-pack | Nominal capacity (Litre) | 0.60 |
| Rated water content (Litres) | 0.56 | External dimensions height (mm) | 34.00 |
| External dimensions length (mm) | 190.00 | External dimensions width (mm) | 120.00 |
| Weight empty (g) | 85.0000 | Weight filled (g) | 645.00 |

PRICE AND SHIPPING

| | | | |
|-----------------------------|---------------------|-----------------------------|----------------------|
| Shipping volume (m3) | 0.16 | Shipping weight (kg) | 14.00 |
| Pieces per package | 150 units | Minimum order (unit) | 150.00 |
| Incoterms | EXW | Price 1 | USD 0.58 - 100 units |
| Price 2 | USD 0.64 - 10 units | Price 3 | USD 0.7 - 1 unit |
| Year of base price | 2018 | | |

QUALITY STANDARD

| | |
|--------------------------------|---|
| Specification Reference | Applicable PQS specification: E005/IP01.2 Applicable PQS VP(s): E005/IP01-VP.2 |
|--------------------------------|---|

VERIFICATION

| | | | |
|--------------------------------------|----------------|----------------|---|
| Verification Laboratory | CHEARI | Address | #29 Xia Jie Street, Xuan Wu district Beijing 100053 R. P. de ChineChina |
| Telephone | +86 1063162443 | Email | gongcx@cheari.com |
| Verification Report Reference | WB-18-387 | | |

PRODUCT SITES

| | |
|--------------------------|---|
| Organization name | Qingdao Leff International Trading Co Ltd |
| Address | 10, Yan er'dao Road Qingdao 266000 P.R.China China |

| | | | |
|----------------------------|--------------|---------------------|-------------|
| Current PQS status: | Prequalified | Valid until: | 31 May 2026 |
|----------------------------|--------------|---------------------|-------------|

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



| | |
|---------------------------------|--|
| Product name: | Feihong WP-0.4L |
| IMD-PQS Code: | E005-022 |
| Status: | Prequalified |
| Date of acceptance: | 13 Nov 2018 |
| Appliance type: | E005 |
| Product description: | Ice Pack 0.4L |
| Manufacturer: | Qingdao Leff International Trading Co Ltd |
| Manufacturers Reference: | Feihong WP-0.4L |
| Country of Manufacture: | China |
| Address: | 10, Yan er'dao Road Qingdao 266000 P.R.China China |
| Telephone: | + 86 373 7116885 |
| Email: | david@lefftrade.org |
| Website address: | www.lefftrade.org |
| Valid until: | 31 May 2026 |

Specifications

PRODUCT SPECIFICATIONS - MAIN

| | | | |
|--|------------|--|--------|
| Pack Type | Water-pack | Nominal capacity (Litre) | 0.40 |
| Rated water content (Litres) | 0.37 | External dimensions height (mm) | 34.00 |
| External dimensions length (mm) | 163.00 | External dimensions width (mm) | 94.00 |
| Weight empty (g) | 60.0000 | Weight filled (g) | 420.00 |

PRICE AND SHIPPING

| | | | |
|-----------------------------|---------------------|-----------------------------|----------------------|
| Shipping volume (m3) | 0.17 | Shipping weight (kg) | 20.00 |
| Pieces per package | 300 units | Minimum order (unit) | 300.00 |
| Incoterms | EXW | Price 1 | USD 0.42 - 100 units |
| Price 2 | USD 0.48 - 10 units | Price 3 | USD 0.54 - 1 unit |
| Year of base price | 2018 | | |

QUALITY STANDARD

| | |
|--------------------------------|---|
| Specification Reference | Applicable PQS specification: E005/IP01.2 Applicable PQS VP(s): E005/IP01-VP.2 |
|--------------------------------|---|

VERIFICATION

| | | | |
|--------------------------------------|----------------|----------------|---|
| Verification Laboratory | CHEARI | Address | #29 Xia Jie Street, Xuan Wu district Beijing 100053 R. P. de ChineChina |
| Telephone | +86 1063162443 | Email | gongcx@cheari.com |
| Verification Report Reference | WB-18-386 | | |

PRODUCT SITES

| | |
|--------------------------|---|
| Organization name | Qingdao Leff International Trading Co Ltd |
| Address | 10, Yan er'dao Road Qingdao 266000 P.R.China China |

| | | | |
|----------------------------|---------------------|---------------------|-------------|
| Current PQS status: | <i>Prequalified</i> | Valid until: | 31 May 2026 |
|----------------------------|---------------------|---------------------|-------------|

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



| | |
|---------------------------------|--|
| Product name: | TIP-6 |
| IMD-PQS Code: | E005-025 |
| Status: | Prequalified |
| Date of acceptance: | 17 Jul 2022 |
| Appliance type: | E005 |
| Product description: | Water Pack 0.6 L |
| Manufacturer: | TRIMURTI PLAST CONTAINERS PRIVATE LIMITED |
| Manufacturers Reference: | TIP-6 |
| Country of Manufacture: | India |
| Address: | 31/833, GANESHNAGAR, DHANKAWADI PUNE India |
| Telephone: | +91 98220 22312 |
| Email: | rajesh@tpcpl.net |
| Website address: | www.tpcpl.co.in |
| Valid until: | 31 May 2026 |

Specifications

PRODUCT SPECIFICATIONS - MAIN

| | | | |
|--|------------|--|--------|
| Pack Type | Water-pack | Nominal capacity (Litre) | 0.60 |
| Rated water content (Litres) | 0.56 | External dimensions height (mm) | 35.00 |
| External dimensions length (mm) | 190.00 | External dimensions width (mm) | 120.00 |
| Weight empty (g) | 110.0000 | Weight filled (g) | 680.00 |

PRICE AND SHIPPING

| | | | |
|-----------------------------|------|-----------------------------|----------|
| Shipping volume (m3) | 0.13 | Shipping weight (kg) | 22.00 |
| Pieces per package | 144 | Minimum order (unit) | 144.00 |
| Incoterms | EXW | Price 1 | 0.60 USD |
| Year of base price | 2022 | | |

QUALITY STANDARD

| | |
|--------------------------------|---|
| Specification Reference | Applicable PQS specification: Applicable PQS VP(s): |
|--------------------------------|---|

VERIFICATION

| | | | |
|--------------------------------|--------------------|--------------------------------------|--------------------------|
| Verification Laboratory | 0013X00004MI8OaQAJ | Verification Report Reference | CE-JOB-NDA-22-000691-003 |
|--------------------------------|--------------------|--------------------------------------|--------------------------|

PRODUCT SITES

| | |
|--------------------------|--|
| Organization name | TRIMURTI PLAST CONTAINERS PRIVATE LIMITED |
| Address | 31/833, GANESHNAGAR, DHANKAWADI PUNE India |

| | | | |
|----------------------------|---------------------|---------------------|--------------------|
| Current PQS status: | <i>Prequalified</i> | Valid until: | <i>31 May 2026</i> |
|----------------------------|---------------------|---------------------|--------------------|

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



| | |
|---------------------------------|--|
| Product name: | TIP-4 |
| IMD-PQS Code: | E005-026 |
| Status: | Prequalified |
| Date of acceptance: | 17 Jul 2022 |
| Appliance type: | E005 |
| Product description: | Water Pack 0.4 L |
| Manufacturer: | TRIMURTI PLAST CONTAINERS PRIVATE LIMITED |
| Manufacturers Reference: | TIP-4 |
| Country of Manufacture: | India |
| Address: | 31/833, GANESHNAGAR, DHANKAWADI PUNE India |
| Telephone: | +91 98220 22312 |
| Email: | rajesh@tpcpl.net |
| Website address: | www.tpcpl.co.in |
| Valid until: | 31 May 2026 |

Specifications

PRODUCT SPECIFICATIONS - MAIN

| | | | |
|--|------------|--|--------|
| Pack Type | Water-pack | Nominal capacity (Litre) | 0.40 |
| Rated water content (Litres) | 0.35 | External dimensions height (mm) | 33.00 |
| External dimensions length (mm) | 164.00 | External dimensions width (mm) | 94.00 |
| Weight empty (g) | 77.0000 | Weight filled (g) | 427.00 |

PRICE AND SHIPPING

| | | | |
|-----------------------------|------|-----------------------------|----------|
| Shipping volume (m3) | 0.13 | Shipping weight (kg) | 22.00 |
| Pieces per package | 225 | Minimum order (unit) | 225.00 |
| Incoterms | EXW | Price 1 | 0.55 USD |
| Year of base price | 2022 | | |

QUALITY STANDARD

| | |
|--------------------------------|---|
| Specification Reference | Applicable PQS specification: Applicable PQS VP(s): |
|--------------------------------|---|

VERIFICATION

| | | | |
|--------------------------------|--------------------|--------------------------------------|--------------------------|
| Verification Laboratory | 0013X00004MI8OaQAJ | Verification Report Reference | CE-JOB-NDA-22-000691-002 |
|--------------------------------|--------------------|--------------------------------------|--------------------------|

PRODUCT SITES

| | |
|--------------------------|--|
| Organization name | TRIMURTI PLAST CONTAINERS PRIVATE LIMITED |
| Address | 31/833, GANESHNAGAR, DHANKAWADI PUNE India |

| | | | |
|----------------------------|---------------------|---------------------|--------------------|
| Current PQS status: | <i>Prequalified</i> | Valid until: | <i>31 May 2026</i> |
|----------------------------|---------------------|---------------------|--------------------|

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



| | |
|---------------------------------|--|
| Product name: | TIP-3 |
| IMD-PQS Code: | E005-027 |
| Status: | Prequalified |
| Date of acceptance: | 17 Jul 2022 |
| Appliance type: | E005 |
| Product description: | Water-pack 0.3L |
| Manufacturer: | TRIMURTI PLAST CONTAINERS PRIVATE LIMITED |
| Manufacturers Reference: | TIP-3 |
| Country of Manufacture: | India |
| Address: | 31/833, GANESHNAGAR, DHANKAWADI PUNE India |
| Telephone: | +91 98220 22312 |
| Email: | rajesh@tpcpl.net |
| Website address: | www.tpcpl.co.in |
| Valid until: | 31 May 2026 |

Specifications

PRODUCT SPECIFICATIONS - MAIN

| | | | |
|--|------------|--|--------|
| Pack Type | Water-pack | Nominal capacity (Litre) | 0.30 |
| Rated water content (Litres) | 0.29 | External dimensions height (mm) | 33.00 |
| External dimensions length (mm) | 162.00 | External dimensions width (mm) | 88.00 |
| Weight empty (g) | 77.0000 | Weight filled (g) | 377.00 |

PRICE AND SHIPPING

| | | | |
|-----------------------------|------|-----------------------------|----------|
| Shipping volume (m3) | 0.13 | Shipping weight (kg) | 22.00 |
| Pieces per package | 225 | Minimum order (unit) | 225.00 |
| Incoterms | EXW | Price 1 | 0.46 USD |
| Year of base price | 2022 | | |

QUALITY STANDARD

| | |
|--------------------------------|---|
| Specification Reference | Applicable PQS specification: Applicable PQS VP(s): |
|--------------------------------|---|

VERIFICATION

| | | | |
|--------------------------------|--------------------|--------------------------------------|--------------------------|
| Verification Laboratory | 0013X00004MI8OaQAJ | Verification Report Reference | CE-JOB-NDA-22-000691-001 |
|--------------------------------|--------------------|--------------------------------------|--------------------------|

PRODUCT SITES

| | |
|--------------------------|--|
| Organization name | TRIMURTI PLAST CONTAINERS PRIVATE LIMITED |
| Address | 31/833, GANESHNAGAR, DHANKAWADI PUNE India |

| | | | |
|----------------------------|---------------------|---------------------|--------------------|
| Current PQS status: | <i>Prequalified</i> | Valid until: | <i>31 May 2026</i> |
|----------------------------|---------------------|---------------------|--------------------|

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



| | |
|---------------------------------|--|
| Product name: | FF007A Eclipse 0.6L |
| IMD-PQS Code: | E005-028 |
| Status: | Prequalified |
| Date of acceptance: | 05 May 2023 |
| Appliance type: | E005 |
| Product description: | Icepack 0.6L |
| Manufacturer: | Gobi Technologies |
| Manufacturers Reference: | FF007A Eclipse 0.6L |
| Country of Manufacture: | China |
| Address: | 5406 Lake Washington Blvd NE Suite F Kirkland Washington United States of America |
| Telephone: | +49 89 310 44 84 |
| Email: | info@gobi.world |
| Website address: | https://www.gobi.world/ |
| Valid until: | 31 May 2026 |

Specifications

PRODUCT SPECIFICATIONS - MAIN

| | | | |
|--|------------|--|--------|
| Pack Type | Water-pack | Nominal capacity (Litre) | 0.60 |
| Rated water content (Litres) | 0.59 | External dimensions height (mm) | 34.00 |
| External dimensions length (mm) | 190.00 | External dimensions width (mm) | 120.00 |
| Weight empty (g) | 100.0000 | Weight filled (g) | 683.00 |

| | |
|-----------------|--|
| Comments | Icepack 0.6L Shipping weight (kg): 12 KG |
|-----------------|--|

PRICE AND SHIPPING

| | | | |
|-----------------------------|---------|-----------------------------|-------|
| Shipping volume (m3) | 0.078 | Shipping weight (kg) | 12.00 |
| Minimum order (unit) | 100.00 | Incoterms | EXW |
| Price 1 | 1.5 USD | Year of base price | 2023 |

VERIFICATION

| | | | |
|--------------------------------|--------------------|--------------------------------------|---------------|
| Verification Laboratory | 0013X00004MI8OkQAJ | Verification Report Reference | MI-22-14458-M |
|--------------------------------|--------------------|--------------------------------------|---------------|

PRODUCT SITES

| | |
|--------------------------|--|
| Organization name | Gobi Technologies |
| Address | 5406 Lake Washington Blvd NE Suite F Kirkland Washington United States of America |

| | | | |
|----------------------------|--------------|---------------------|-------------|
| Current PQS status: | Prequalified | Valid until: | 31 May 2026 |
|----------------------------|--------------|---------------------|-------------|

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



| | |
|---------------------------------|--|
| Product name: | GKS IP - 04 |
| IMD-PQS Code: | E005-029 |
| Status: | Prequalified |
| Date of acceptance: | 11 Feb 2025 |
| Product description: | Ice pack 0.4 Ltrs |
| Manufacturer: | GKS Healthsol LLP |
| Manufacturers Reference: | GKS IP - 04 |
| Country of Manufacture: | India |
| Address: | Plot No 301 Sector 53 Phase V HSIIDC Kundli 131028 Sonipat India |
| Telephone: | +919820895063 |
| Email: | dinesh@gkshealth.com |
| Website address: | www.gkshealth.com |
| Valid until: | 31 May 2026 |

Specifications

PRODUCT SPECIFICATIONS - MAIN

| | | | |
|--|--------|--|---------|
| Nominal capacity (Litre) | 0.40 | Rated water content (Litres) | 0.37 |
| External dimensions height (mm) | 164.00 | External dimensions length (mm) | 95.00 |
| External dimensions width (mm) | 35.00 | Weight empty (g) | 92.0000 |
| Weight filled (g) | 463.00 | | |

PRICE AND SHIPPING

| | | | |
|-----------------------------|------|-----------------------------|----------|
| Shipping volume (m3) | 0.07 | Shipping weight (kg) | 11.50 |
| Pieces per package | 102 | Minimum order (unit) | 102.00 |
| Incoterms | EXW | Price 1 | USD 0.39 |
| Year of base price | 2025 | | |

VERIFICATION

| | | | |
|--------------------------------------|----------------------------|----------------|---|
| Verification Laboratory | UL India Private Limited | Address | A-12, Infocity-1, Sector-34, Gurgaon (Haryana)-122001India |
| Telephone | +91-8130427334 | Email | satish.kumar@ul.com |
| Verification Report Reference | 4790381969-01-others-S1-R1 | | |

| | | | |
|----------------------------|--------------|---------------------|-------------|
| Current PQS status: | Prequalified | Valid until: | 31 May 2026 |
|----------------------------|--------------|---------------------|-------------|

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



| | |
|---------------------------------|--|
| Product name: | GKS-IP 6 |
| IMD-PQS Code: | E005-030 |
| Status: | Prequalified |
| Date of acceptance: | 18 Oct 2024 |
| Product description: | Freeze Preventive Vaccine Carrier |
| Manufacturer: | GKS Healthsol LLP |
| Manufacturers Reference: | GKS-IP 6 |
| Country of Manufacture: | India |
| Address: | Plot No 301 Sector 53 Phase V HSIIDC Kundli 131028 Sonipat India |
| Telephone: | +919820895063 |
| Email: | dinesh@gkshealth.com |
| Website address: | www.gkshealth.com |
| Valid until: | 31 May 2026 |

Specifications

PRODUCT SPECIFICATIONS - MAIN

| | | | |
|--|--------|--|----------|
| Nominal capacity (Litre) | 0.60 | Rated water content (Litres) | 0.56 |
| External dimensions height (mm) | 189.00 | External dimensions length (mm) | 120.00 |
| External dimensions width (mm) | 35.00 | Weight empty (g) | 114.0000 |
| Weight filled (g) | 673.00 | | |

PRICE AND SHIPPING

| | | | |
|-----------------------------|--------|-----------------------------|----------|
| Shipping volume (m3) | 0.16 | Shipping weight (kg) | 23.00 |
| Minimum order (unit) | 175.00 | Price 1 | USD 0.65 |
| Year of base price | 2025 | | |

VERIFICATION

| | | | |
|--------------------------------------|--------------------------|----------------|---|
| Verification Laboratory | UL India Private Limited | Address | A-12, Infocity-1, Sector-34, Gurgaon (Haryana)-122001India |
| Telephone | +91-8130427334 | Email | satish.kumar@ul.com |
| Verification Report Reference | 4790932529-01-OTHER-S1 | | |

| | | | |
|----------------------------|---------------------|---------------------|--------------------|
| Current PQS status: | <i>Prequalified</i> | Valid until: | <i>31 May 2026</i> |
|----------------------------|---------------------|---------------------|--------------------|

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



| | |
|---------------------------------|---|
| Product name: | IP03 |
| IMD-PQS Code: | E005-031 |
| Status: | Prequalified |
| Date of acceptance: | 07 Oct 2024 |
| Product description: | Ice Pack |
| Manufacturer: | Thermos International Trading Limited |
| Manufacturers Reference: | IP03 |
| Country of Manufacture: | China |
| Address: | Room E, 31F, Noble center, No. 1006, Fuzhong 3rd Road, Futian District, Shenzhen, China |
| Telephone: | +86 755 25945218 |
| Email: | international@thermos.com |
| Website address: | www.thermos.com |
| Valid until: | 31 May 2026 |

Specifications

PRODUCT SPECIFICATIONS - MAIN

| | | | |
|--|--------|--|---------|
| Nominal capacity (Litre) | 0.30 | Rated water content (Litres) | 0.30 |
| External dimensions height (mm) | 173.00 | External dimensions length (mm) | 120.00 |
| External dimensions width (mm) | 26.00 | Weight empty (g) | 67.0000 |
| Weight filled (g) | 367.00 | | |

PRICE AND SHIPPING

| | | | |
|-----------------------------|--------------|-----------------------------|------|
| Shipping volume (m3) | 0.015 | Shipping weight (kg) | 1.65 |
| Minimum order (unit) | 100.00 | Incoterms | FOB |
| Price 1 | USD 6.99 /PC | Year of base price | 2023 |

VERIFICATION

| | | | |
|--------------------------------------|----------------|----------------|---|
| Verification Laboratory | CHEARI | Address | #29 Xia Jie Street, Xuan Wu district Beijing 100053 R. P. de ChineChina |
| Telephone | +86 1063162443 | Email | gongcx@cheari.com |
| Verification Report Reference | WB-22-0175 | | |

| | | | |
|----------------------------|---------------------|---------------------|--------------------|
| Current PQS status: | <i>Prequalified</i> | Valid until: | <i>31 May 2026</i> |
|----------------------------|---------------------|---------------------|--------------------|

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.