



E005

Coolant packs

This section primarily covers coolant-packs which are used as the temperature control medium in the insulated containers described in Section E004. A coolant-pack is a purpose designed, leak-proof container filled with coolant. The term "coolant-pack" recognizes the potential for use more broadly than with frozen water as icepacks. See section E005.2. This category also covers "fixed containers" that hold coolant but are not intended for removal by users from both powered and non-powered (passive) cold chain equipment.

Details regarding the products included in each sub-category of E005, as well as guidelines, performance specifications and verification protocols for this category, can be accessed through the drop-down sections below.

E005.1: Choosing coolant-packs

The coolant-packs listed in the E005 product data sheets are all suitable for use in the transport of vaccines. IMD-PQS allows three standard sizes of coolant-pack: 0.3 litre, 0.4 litre and 0.6 litre. Coolant-packs may be used as conventional frozen or conditioned icepacks or as cool and/or warm-packs in cold climates.

Make sure coolant-pack sizes are suitable for the cold boxes or vaccine carriers they are intended to be used with. DO NOT purchase pre-filled coolant-packs, because they could be filled with a substance that is not WHO-prequalified. Additional guidelines on how to use passive containers and coolant-packs for vaccine transport and outreach operations can be found in the WHO [Vaccine Management Handbook](#).

E005.2: WHO product review

WHO will continue to review the use of non-water coolant-packs that change phase at a temperature other than 0°C ("phase-change material" or PCM). At the current time, the safety, simplicity and low transport costs associated with water-based products which are filled in-country are considered to outweigh the possible performance benefits of phase-change materials in removable coolant-packs for routine immunization.

PCMs and their use in fixed containers integrated as part of cold chain equipment is specified in the following category documentation section, and will continue to be reviewed by WHO.

CATEGORY DOCUMENTATION, GUIDANCE FOR MANUFACTURERS/SUPPLIERS & SUPPORTING INFORMATION FOR USERS

Performance specifications

[PQS performance specification E005/PMC0.1: Phase-change material containers](#)

[PQS performance specification E005/IP01.3: Water-packs for use as icepacks, cool-packs and warm-packs](#)

[PQS performance specification E005/PMC02.1: Phase-change material containers – ultra-low temperature](#)

Verification protocols

[PQS independent type-testing protocol E005/PCM02-VP0.1: Phase-change material containers - ultra-low temperature](#)

[PQS independent type-testing protocol E005/PCM01-VP0.1: Phase-change material containers](#)

[PQS independent type-testing protocol E005/IP01-VP.3: Water-packs for use as icepacks, cool-packs and warm-packs](#)

Guidance for manufacturers or suppliers

[Generic guide for the field evaluation of new technologies for WHO PQS prequalification
GENERIC/GUIDE 1.1](#)

[IMD-PQS Guidelines for Prequalification Holders](#)

Supporting information for users

[How to use passive containers and coolant-packs for vaccine transport and outreach operations](#)



E005: Coolant-packs



Product name:	Waterpack 0.6 L
IMD-PQS Code:	E005-001
Status:	Prequalified
Date of acceptance:	12 Aug 2009
Appliance type:	E005
Manufacturer:	B Medical Systems Sarl
Manufacturers Reference:	Waterpack 0.6 L
Country of Manufacture:	Luxembourg
Address:	17 Op der Hei Hosingen Luxembourg Luxembourg
Telephone:	+ 35 2 92 07 311
Email:	info@bmedicalsyste.ms.com
Website address:	www.bmedicalsyste.ms.com
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Pack Type	Waterpack	Nominal capacity (Litre)	0.60
Rated water content (Litres)	0.58	External dimensions height (mm)	35.00
External dimensions length (mm)	190.00	External dimensions width (mm)	120.00
Weight empty (g)	79.0000	Weight filled (g)	655.00

PRICE AND SHIPPING

Shipping volume (m3)	0.025	Shipping weight (kg)	3.00
Pieces per package	24 units	Minimum order (unit)	1.00
Incoterms	EXW	Price 1	>100 units: 50 €
Year of base price	2026		

QUALITY STANDARD

Specification Reference	Applicable PQS specification: E05/IP01.1 Applicable PQS VP(s): E05/IP01-VP.1
--------------------------------	--

VERIFICATION

Verification Laboratory	Intertek India	Address	Intertek India Private Limited E-20, Block B1, Mohan Cooperative Industrial Estate Mathura Road New Delhi - 110044 IndiaIndia
Telephone	+91-9820213510	Email	manas.das@intertek.com
Verification Report Reference	A65899b		

PRODUCT SITES

Organization name	B Medical Systems Sarl
Address	17 Op der Hei Hosingen Luxemburg Luxembourg

Current PQS status:	Prequalified	Valid until:	31 May 2027
----------------------------	--------------	---------------------	-------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



Product name:	Waterpack 0.3 L
IMD-PQS Code:	E005-002
Status:	Prequalified
Date of acceptance:	22 Mar 2010
Appliance type:	E005
Manufacturer:	B Medical Systems Sarl
Manufacturers Reference:	Waterpack 0.3 L
Country of Manufacture:	Luxembourg
Address:	17 Op der Hei Hosingen Luxemburg Luxembourg
Telephone:	+ 35 2 92 07 311
Email:	info@bmedicalsyste.ms.com
Website address:	www.bmedicalsyste.ms.com
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Pack Type	Waterpack	Nominal capacity (Litre)	0.30
Rated water content (Litres)	0.35	External dimensions height (mm)	25.00
External dimensions length (mm)	170.00	External dimensions width (mm)	120.00
Weight empty (g)	69.0000	Weight filled (g)	418.00

PRICE AND SHIPPING

Shipping volume (m3)	0.025	Shipping weight (kg)	3.00
Pieces per package	40 units	Minimum order (unit)	1.00
Incoterms	EXW	Price 1	>100 units: 66 €
Year of base price	2026		

QUALITY STANDARD

Specification Reference	Applicable PQS specification: E005/IP01.1 Applicable PQS VP(s): E005/IP01-VP.1
--------------------------------	--

VERIFICATION

Verification Laboratory	Intertek India	Address	Intertek India Private Limited E-20, Block B1, Mohan Cooperative Industrial Estate Mathura Road New Delhi - 110044 IndiaIndia
Telephone	+91-9820213510	Email	manas.das@intertek.com
Verification Report Reference	A65899a		

PRODUCT SITES

Organization name	B Medical Systems Sarl
Address	17 Op der Hei Hosingen Luxemburg Luxembourg

Current PQS status:	<i>Prequalified</i>	Valid until:	<i>31 May 2027</i>
----------------------------	---------------------	---------------------	--------------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



Product name:	AOV AIP-3
IMD-PQS Code:	E005-004
Status:	Prequalified
Date of acceptance:	26 Apr 2010
Appliance type:	E005
Manufacturer:	AOV International LLP
Manufacturers Reference:	AOV AIP-3
Country of Manufacture:	India
Address:	C-22/25, Sector 57, Noida 201301 [U.P.] GREATER NOIDA Uttar Pradesh India
Telephone:	+91 80102 66834
Email:	rohit.raman@aovinternational.net
Website address:	www.aovinternational.net
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Pack Type	Waterpack	Nominal capacity (Litre)	0.30
Rated water content (Litres)	0.35	External dimensions height (mm)	34.00
External dimensions length (mm)	160.00	External dimensions width (mm)	91.00
Weight empty (g)	76.0000	Weight filled (g)	363.00

PRICE AND SHIPPING

Shipping volume (m3)	0.16	Shipping weight (kg)	22.00
Pieces per package	240 units	Minimum order (unit)	240.00
Incoterms	EXW	Price 1	0.35 USD per unit
Year of base price	2016		

QUALITY STANDARD

Specification Reference	Applicable PQS specification: E005/IP01.1 Applicable PQS VP(s): E005/IP01-VP.1
--------------------------------	--

VERIFICATION

Verification Laboratory	TUV SUD PSB Pte Ltd	Address	15 International Business Park TÜV SÜD @ IBP Singapore 609937Singapore
Telephone	+6569736355	Email	xin-pei.kee@tuvsud.com
Verification Report Reference	S09EEC02224/AT/JT		

PRODUCT SITES

Organization name	AOV International LLP
Address	D-137, EPIP, SURAJPUR SITE-V, KASNA GREATER NOIDA Uttar Pradesh India

Current PQS status:	Prequalified	Valid until:	31 May 2027
----------------------------	--------------	---------------------	-------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



Product name:	AOV AIP-4
IMD-PQS Code:	E005-005
Status:	Prequalified
Date of acceptance:	26 Apr 2010
Appliance type:	E005
Manufacturer:	AOV International LLP
Manufacturers Reference:	AOV AIP-4
Country of Manufacture:	India
Address:	C-22/25, Sector 57, Noida 201301 [U.P.] GREATER NOIDA Uttar Pradesh India
Telephone:	+91 80102 66834
Email:	rohit.raman@aovinternational.net
Website address:	www.aovinternational.net
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Pack Type	Waterpack	Nominal capacity (Litre)	0.40
Rated water content (Litres)	0.35	External dimensions height (mm)	34.00
External dimensions length (mm)	164.00	External dimensions width (mm)	95.00
Weight empty (g)	78.0000	Weight filled (g)	432.00

PRICE AND SHIPPING

Shipping volume (m3)	0.16	Shipping weight (kg)	21.00
Pieces per package	230 units	Minimum order (unit)	230.00
Incoterms	EXW	Price 1	0.40 USD per unit
Year of base price	2016		

QUALITY STANDARD

Specification Reference	Applicable PQS specification: E005/IP01.1 Applicable PQS VP(s): E005/IP01-VP.1
--------------------------------	---

VERIFICATION

Verification Laboratory	TUV SUD PSB Pte Ltd	Address	15 International Business Park TÜV SÜD @ IBP Singapore 609937Singapore
Telephone	+6569736355	Email	xin-pei.kee@tuvsud.com
Verification Report Reference	S09EEC02224/ATJT		

PRODUCT SITES

Organization name	AOV International LLP
Address	D-137, EPIP, SURAJPUR SITE-V, KASNA GREATER NOIDA Uttar Pradesh India

Current PQS status:	Prequalified	Valid until:	31 May 2027
----------------------------	--------------	---------------------	-------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



Product name:	AOV AIP-6 0.6L
IMD-PQS Code:	E005-006
Status:	Prequalified
Date of acceptance:	26 Apr 2010
Appliance type:	E005
Manufacturer:	AOV International LLP
Manufacturers Reference:	AOV AIP-6 0.6L
Country of Manufacture:	India
Address:	C-22/25, Sector 57, Noida 201301 [U.P.] GREATER NOIDA Uttar Pradesh India
Telephone:	+91 80102 66834
Email:	rohit.raman@aovinternational.net
Website address:	www.aovinternational.net
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Pack Type	Waterpack	Nominal capacity (Litre)	0.60
Rated water content (Litres)	0.55	External dimensions height (mm)	35.00
External dimensions length (mm)	190.00	External dimensions width (mm)	119.00
Weight empty (g)	110.0000	Weight filled (g)	664.00

PRICE AND SHIPPING

Shipping volume (m3)	0.16	Shipping weight (kg)	20.00
Pieces per package	150 units	Minimum order (unit)	150.00
Incoterms	EXW	Price 1	0.60 USD per unit
Year of base price	2016		

QUALITY STANDARD

Specification Reference	Applicable PQS specification: E005/IP01.1 Applicable PQS VP(s): E005/IP01-VP.1
--------------------------------	--

VERIFICATION

Verification Laboratory	TUV SUD PSB Pte Ltd	Address	15 International Business Park TÜV SÜD @ IBP Singapore 609937Singapore
Telephone	+6569736355	Email	xin-pei.kee@tuvsud.com
Verification Report Reference	EEC09/719162291		

PRODUCT SITES

Organization name	AOV International LLP
Address	D-137, EPIP, SURAJPUR SITE-V, KASNA GREATER NOIDA Uttar Pradesh India

Current PQS status:	Prequalified	Valid until:	31 May 2027
----------------------------	--------------	---------------------	-------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



Product name:	Apex AIIP03
IMD-PQS Code:	E005-007
Status:	Prequalified
Date of acceptance:	05 Mar 2010
Appliance type:	E005
Manufacturer:	Apex International
Manufacturers Reference:	Apex AIIP03
Country of Manufacture:	India
Address:	E-8/9, SITE-B, SURAJPUR INDUSTRIAL AREA GREATER NOIDA Uttar Pradesh India
Telephone:	+91-120-2574851
Email:	mail@apexint.org
Website address:	http://www.apex-international.org/
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Pack Type	Waterpack	Nominal capacity (Litre)	0.30
Rated water content (Litres)	0.29	External dimensions height (mm)	31.50
External dimensions length (mm)	161.00	External dimensions width (mm)	89.00
Weight empty (g)	77.0000	Weight filled (g)	363.00

PRICE AND SHIPPING

Shipping volume (m3)	0.045	Shipping weight (kg)	8.00
Pieces per package	100 units	Minimum order (unit)	100.00
Incoterms	EXW	Price 1	100 units or more: 0.45 USD
Year of base price	2016		

QUALITY STANDARD

Specification Reference	Applicable PQS specification: E005/IP01.1 Applicable PQS VP(s): E005/IP01-VP.1
--------------------------------	--

VERIFICATION

Verification Laboratory	TUV SUD PSB Pte Ltd	Address	15 International Business Park TÜV SÜD @ IBP Singapore 609937Singapore
Telephone	+6569736355	Email	xin-pei.kee@tuvsud.com
Verification Report Reference	719164810EEC09/03		

PRODUCT SITES

Organization name	Apex International
Address	E-8/9, SITE-B, SURAJPUR INDUSTRIAL AREA GREATER NOIDA Uttar Pradesh India

Current PQS status:	Prequalified	Valid until:	31 May 2027
----------------------------	--------------	---------------------	-------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



Product name:	Apex AIIP04
IMD-PQS Code:	E005-008
Status:	Prequalified
Date of acceptance:	05 Mar 2010
Appliance type:	E005
Manufacturer:	Apex International
Manufacturers Reference:	Apex AIIP04
Country of Manufacture:	India
Address:	E-8/9, SITE-B, SURAJPUR INDUSTRIAL AREA GREATER NOIDA Uttar Pradesh India
Telephone:	+91-120-2574851
Email:	mail@apexint.org
Website address:	http://www.apex-international.org/
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Pack Type	Waterpack	Nominal capacity (Litre)	0.40
Rated water content (Litres)	0.35	External dimensions height (mm)	34.35
External dimensions length (mm)	163.25	External dimensions width (mm)	95.60
Weight empty (g)	77.0000	Weight filled (g)	428.00

PRICE AND SHIPPING

Shipping volume (m3)	0.054	Shipping weight (kg)	8.00
Pieces per package	100 units	Minimum order (unit)	100.00
Incoterms	EXW	Price 1	100 units or more: 0.50 USD
Year of base price	2016		

QUALITY STANDARD

Specification Reference	Applicable PQS specification: E005/IP01.1 Applicable PQS VP(s): E005/IP01VP.1
--------------------------------	---

VERIFICATION

Verification Laboratory	TUV SUD PSB Pte Ltd	Address	15 International Business Park TÜV SÜD @ IBP Singapore 609937Singapore
Telephone	+6569736355	Email	xin-pei.kee@tuvsud.com
Verification Report Reference	719164808EEC09/02		

PRODUCT SITES

Organization name	Apex International
Address	E-8/9, SITE-B, SURAJPUR INDUSTRIAL AREA GREATER NOIDA Uttar Pradesh India

Current PQS status:	Prequalified	Valid until:	31 May 2027
----------------------------	--------------	---------------------	-------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



Product name:	Apex AIIP06
IMD-PQS Code:	E005-009
Status:	Prequalified
Date of acceptance:	05 Mar 2010
Appliance type:	E005
Manufacturer:	Apex International
Manufacturers Reference:	Apex AIIP06
Country of Manufacture:	India
Address:	E-8/9, SITE-B, SURAJPUR INDUSTRIAL AREA GREATER NOIDA Uttar Pradesh India
Telephone:	+91-120-2574851
Email:	mail@apexint.org
Website address:	http://www.apex-international.org/
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Pack Type	Waterpack	Nominal capacity (Litre)	0.60
Rated water content (Litres)	0.56	External dimensions height (mm)	34.34
External dimensions length (mm)	189.55	External dimensions width (mm)	121.20
Weight empty (g)	111.0000	Weight filled (g)	666.00

PRICE AND SHIPPING

Shipping volume (m3)	0.079	Shipping weight (kg)	11.50
Pieces per package	100 units	Minimum order (unit)	100.00
Incoterms	EXW	Price 1	100 units or more: 0.65 USD
Year of base price	2016		

QUALITY STANDARD

Specification Reference	Applicable PQS specification: E005/IP01.1 Applicable PQS VP(s): E005/IP01-VP.1
--------------------------------	--

VERIFICATION

Verification Laboratory	TUV SUD PSB Pte Ltd	Address	15 International Business Park TÜV SÜD @ IBP Singapore 609937Singapore
Telephone	+6569736355	Email	xin-pei.kee@tuvsud.com
Verification Report Reference	719164808EEC09/01		

PRODUCT SITES

Organization name	Apex International
Address	E-8/9, SITE-B, SURAJPUR INDUSTRIAL AREA GREATER NOIDA Uttar Pradesh India

Current PQS status:	Prequalified	Valid until:	31 May 2027
----------------------------	--------------	---------------------	-------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



Product name:	BLowkings BK-V4H
IMD-PQS Code:	E005-010
Status:	Prequalified
Date of acceptance:	09 Feb 2010
Appliance type:	E005
Manufacturer:	Blowkings
Manufacturers Reference:	BLowkings BK-V4H
Country of Manufacture:	India
Address:	53-C Mittal Court Nariman Point Mumbai Maharashtra India
Telephone:	+91-22-40023311
Email:	munjal@blowkings.co.in
Website address:	http://www.blowkings.co.in/
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Pack Type	Waterpack	Nominal capacity (Litre)	0.30
Rated water content (Litres)	0.30	External dimensions height (mm)	35.80
External dimensions length (mm)	163.10	External dimensions width (mm)	91.03
Weight empty (g)	74.0000	Weight filled (g)	370.00

PRICE AND SHIPPING

Shipping volume (m3)	0.12	Shipping weight (kg)	22.00
Pieces per package	225 units	Minimum order (unit)	225.00
Incoterms	EXW	Price 1	0.70 USD per unit
Year of base price	2016		

QUALITY STANDARD

Specification Reference	Applicable PQS specification: E005/IP01.3 Applicable PQS VP(s): E005/IP01-VP.3
--------------------------------	--

VERIFICATION

Verification Laboratory	Intertek India	Address	Intertek India Private Limited E-20, Block B1, Mohan Cooperative Industrial Estate Mathura Road New Delhi - 110044 IndiaIndia
Telephone	+91-9820213510	Email	manas.das@intertek.com
Verification Report Reference	CE-JOB-NDA-23-001745-3-001		

PRODUCT SITES

Organization name	Blowkings
Address	173 , Sector 1 , Kandla Free Trade Zone Gandhidham Gujarat India

Current PQS status:	Prequalified	Valid until:	31 May 2027
----------------------------	--------------	---------------------	-------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



Product name:	Blowkings BK-4
IMD-PQS Code:	E005-011
Status:	Prequalified
Date of acceptance:	09 Feb 2010
Appliance type:	E005
Manufacturer:	Blowkings
Manufacturers Reference:	Blowkings BK-4
Country of Manufacture:	India
Address:	53-C Mittal Court Nariman Point Mumbai Maharashtra India
Telephone:	+91-22-40023311
Email:	munjal@blowkings.co.in
Website address:	http://www.blowkings.co.in/
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Pack Type	Waterpack	Nominal capacity (Litre)	0.40
Rated water content (Litres)	0.39	External dimensions height (mm)	35.55
External dimensions length (mm)	162.80	External dimensions width (mm)	94.86
Weight empty (g)	70.0000	Weight filled (g)	424.00

PRICE AND SHIPPING

Shipping volume (m3)	0.13	Shipping weight (kg)	22.00
Pieces per package	225 units	Minimum order (unit)	225.00
Incoterms	EXW	Price 1	0.70 USD per unit
Year of base price	2026		

QUALITY STANDARD

Specification Reference	Applicable PQS specification: E005/IP01.3 Applicable PQS VP(s): E005/IP01-VP.3
--------------------------------	--

VERIFICATION

Verification Laboratory	Intertek India	Address	Intertek India Private Limited E-20, Block B1, Mohan Cooperative Industrial Estate Mathura Road New Delhi - 110044 IndiaIndia
Telephone	+91-9820213510	Email	manas.das@intertek.com
Verification Report Reference	CE-JOB-NDA-23-001745-3-002		

PRODUCT SITES


Organization name	Blowkings
Address	173 , Sector 1 , Kandla Free Trade Zone Gandhidham Gujarat India

Current PQS status:	Prequalified	Valid until:	31 May 2027
----------------------------	--------------	---------------------	-------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



Product name:	Blowkings BK-6
IMD-PQS Code:	E005-012
Status:	Prequalified
Date of acceptance:	09 Feb 2010
Appliance type:	E005
Manufacturer:	Blowkings
Manufacturers Reference:	Blowkings BK-6
Country of Manufacture:	India
Address:	53-C Mittal Court Nariman Point Mumbai Maharashtra India
Telephone:	+91-22-40023311
Email:	munjal@blowkings.co.in
Website address:	http://www.blowkings.co.in/
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Pack Type	Waterpack	Nominal capacity (Litre)	0.60
Rated water content (Litres)	0.55	External dimensions height (mm)	35.62
External dimensions length (mm)	190.12	External dimensions width (mm)	120.34
Weight empty (g)	101.0000	Weight filled (g)	658.00

PRICE AND SHIPPING

Shipping volume (m3)	0.13	Shipping weight (kg)	22.00
Pieces per package	144 units	Minimum order (unit)	144.00
Incoterms	EXW	Price 1	1.00 USD per unit
Year of base price	2016		

QUALITY STANDARD

Specification Reference	Applicable PQS specification: E005/IP01.3 Applicable PQS VP(s): E005/IP01-VP.3
--------------------------------	--

VERIFICATION

Verification Laboratory	Intertek India	Address	Intertek India Private Limited E-20, Block B1, Mohan Cooperative Industrial Estate Mathura Road New Delhi - 110044 IndiaIndia
Telephone	+91-9820213510	Email	manas.das@intertek.com
Verification Report Reference	CE-JOB-NDA-23-001745-3-003		

PRODUCT SITES

Organization name	Blowkings
Address	173 , Sector 1 , Kandla Free Trade Zone Gandhidham Gujarat India

Current PQS status:	Prequalified	Valid until:	31 May 2027
----------------------------	--------------	---------------------	-------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



Product name:	Nilkamal BIP-3
IMD-PQS Code:	E005-013
Status:	Prequalified
Date of acceptance:	15 Oct 2010
Appliance type:	E005
Manufacturer:	Nilkamal Limited
Manufacturers Reference:	Nilkamal BIP-3
Country of Manufacture:	India
Address:	Site I Survey No: 389, 391, 393, 396, 343, Naroli-Kharadpada Road, Village:Kharadpada, Silvassa 396230 (U.T of D&NH), INDIA Mumbai Maharashtra India
Telephone:	+91 9920026701
Email:	vaishali.gaikwad@nilkamal.com
Website address:	http://www.nilkamal.com/
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Pack Type	Waterpack	Nominal capacity (Litre)	0.30
Rated water content (Litres)	0.29	External dimensions height (mm)	33.00
External dimensions length (mm)	163.00	External dimensions width (mm)	90.50
Weight empty (g)	75.0000	Weight filled (g)	370.00

PRICE AND SHIPPING

Shipping volume (m3)	0.2	Shipping weight (kg)	30.50
Pieces per package	380 units	Minimum order (unit)	380.00
Incoterms	EXW	Price 1	380 units or more: 0.47 USD
Year of base price	2016		

QUALITY STANDARD

Specification Reference	Applicable PQS specification: E005/IP01.2 Applicable PQS VP(s): E005/IP01-VP.2
--------------------------------	--

VERIFICATION

Verification Laboratory	CEMAFROID SAS	Address	5 Avenue des Pres CS 20029 F94 266 Fresnes Cedex FranceFrance
Telephone	+33 1 49 84 84 84	Email	gerald.cavalier@cemafrroid.fr
Verification Report Reference	WHO 10-004		

PRODUCT SITES

Organization name	Nilkamal Limited
Address	Street No 14, MIDC - Andheri (East) Mumbai Maharashtra India

Current PQS status:	<i>Prequalified</i>	Valid until:	<i>31 May 2027</i>
----------------------------	---------------------	---------------------	--------------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



Product name:	Nilkamal BIP-4
IMD-PQS Code:	E005-014
Status:	Prequalified
Date of acceptance:	15 Oct 2010
Appliance type:	E005
Manufacturer:	Nilkamal Limited
Manufacturers Reference:	Nilkamal BIP-4
Country of Manufacture:	India
Address:	Site I Survey No: 389, 391, 393, 396, 343, Naroli-Kharadpada Road, Village:Kharadpada, Silvassa 396230 (U.T of D&NH), INDIA Mumbai Maharashtra India
Telephone:	+91 9920026701
Email:	vaishali.gaikwad@nilkamal.com
Website address:	http://www.nilkamal.com/
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Pack Type	Waterpack	Nominal capacity (Litre)	0.40
Rated water content (Litres)	0.35	External dimensions height (mm)	33.00
External dimensions length (mm)	165.00	External dimensions width (mm)	95.00
Weight empty (g)	76.0000	Weight filled (g)	431.00

PRICE AND SHIPPING

Shipping volume (m3)	0.2	Shipping weight (kg)	30.88
Pieces per package	380 units	Minimum order (unit)	380.00
Incoterms	EXW	Price 1	380 units or more: 0.49 USD
Year of base price	2016		

QUALITY STANDARD

Specification Reference	Applicable PQS specification: E005/IP01.2 Applicable PQS VP(s): E005/IP01-VP.2
--------------------------------	--

VERIFICATION

Verification Laboratory	CEMAFROID SAS	Address	5 Avenue des Pres CS 20029 F94 266 Fresnes Cedex FranceFrance
Telephone	+33 1 49 84 84 84	Email	gerald.cavalier@cemafrroid.fr
Verification Report Reference	WHO 10-005		

PRODUCT SITES

Organization name	Nilkamal Limited
Address	Street No 14, MIDC - Andheri (East) Mumbai Maharashtra India

Current PQS status:	<i>Prequalified</i>	Valid until:	<i>31 May 2027</i>
----------------------------	---------------------	---------------------	--------------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



Product name:	Nilkamal BIP-6
IMD-PQS Code:	E005-015
Status:	Prequalified
Date of acceptance:	15 Oct 2010
Appliance type:	E005
Manufacturer:	Nilkamal Limited
Manufacturers Reference:	Nilkamal BIP-6
Country of Manufacture:	India
Address:	Site I Survey No: 389, 391, 393, 396, 343, Naroli-Kharadpada Road, Village:Kharadpada, Silvassa 396230 (U.T of D&NH), INDIA Mumbai Maharashtra India
Telephone:	+91 9920026701
Email:	vaishali.gaikwad@nilkamal.com
Website address:	http://www.nilkamal.com/
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Pack Type	Waterpack	Nominal capacity (Litre)	0.60
Rated water content (Litres)	0.56	External dimensions height (mm)	35.00
External dimensions length (mm)	190.00	External dimensions width (mm)	121.00
Weight empty (g)	114.0000	Weight filled (g)	650.00

PRICE AND SHIPPING

Shipping volume (m3)	0.2	Shipping weight (kg)	29.36
Pieces per package	150 units	Minimum order (unit)	240.00
Incoterms	EXW	Price 1	240 units or more: 0.63 USD
Year of base price	2016		

QUALITY STANDARD

Specification Reference	Applicable PQS specification: E005/IP01.2 Applicable PQS VP(s): E005/IP01-VP.2
--------------------------------	--

VERIFICATION

Verification Laboratory	CEMAFROID SAS	Address	5 Avenue des Pres CS 20029 F94 266 Fresnes Cedex FranceFrance
Telephone	+33 1 49 84 84 84	Email	gerald.cavalier@cemafrroid.fr
Verification Report Reference	WHO 10-006		

PRODUCT SITES

Organization name	Nilkamal Limited
Address	Street No 14, MIDC - Andheri (East) Mumbai Maharashtra India

Current PQS status:	<i>Prequalified</i>	Valid until:	<i>31 May 2027</i>
----------------------------	---------------------	---------------------	--------------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



Product name:	Waterpack 0.4 L
IMD-PQS Code:	E005-019
Status:	Prequalified
Date of acceptance:	29 May 2014
Appliance type:	E005
Manufacturer:	Giostyle SpA
Manufacturers Reference:	Waterpack 0.4 L
Country of Manufacture:	Italy
Address:	Giostyle SpA Via Battaina 393 Urgnano Lombardia Italy
Telephone:	+39 035 4188501
Email:	giostyle@giostyle.com
Website address:	www.giostyle.com/
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Pack Type	Waterpack	Nominal capacity (Litre)	0.40
Rated water content (Litres)	0.38	External dimensions height (mm)	33.00
External dimensions length (mm)	165.00	External dimensions width (mm)	93.00
Weight empty (g)	50.0000	Weight filled (g)	420.00

PRICE AND SHIPPING

Shipping volume (m3)	0.04	Shipping weight (kg)	4.00
Pieces per package	60 units	Minimum order (unit)	60.00
Incoterms	EXW	Price 1	1,60 €
Year of base price	2025		

QUALITY STANDARD

Quality Standard	Other	Quality standard (Other)	ISO 9001:2015; ISO 14001:2015
Specification Reference	Applicable PQS specification: E005/IP01.2 Applicable PQS VP(s): E005/IP01-VP.2		

VERIFICATION

Verification Laboratory	CEMAFROID SAS	Address	5 Avenue des Pres CS 20029 F94 266 Fresnes Cedex FranceFrance
Telephone	+33 1 49 84 84 84	Email	gerald.cavalier@cemafrroid.fr
Verification Report Reference	WHO-10-014		

PRODUCT SITES

Organization name	Giostyle SpA
Address	Giostyle SpA Via Battaina 393 Urgnano Lombardia Italy

Current PQS status:	Prequalified	Valid until:	31 May 2027
----------------------------	--------------	---------------------	-------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



Product name:	Feihong WP-0.3L
IMD-PQS Code:	E005-020
Status:	Prequalified
Date of acceptance:	13 Nov 2018
Appliance type:	E005
Manufacturer:	Qingdao Leff International Trading Co Ltd
Manufacturers Reference:	Feihong WP-0.3L
Country of Manufacture:	China
Address:	Room 3203 10, Yan er'dao Road Shinan district Qingdao Shandong China
Telephone:	+86 532 88961819
Email:	david@lefftrade.org
Website address:	www.lefftrade.org
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Pack Type	Icepack	Nominal capacity (Litre)	0.30
Rated water content (Litres)	0.30	External dimensions height (mm)	30.00
External dimensions length (mm)	163.00	External dimensions width (mm)	90.00
Weight empty (g)	60.0000	Weight filled (g)	360.00
Comments	0.3L Ice Pack Shipping volume: 0.16 CBM/CTN Shipping weight (kg): 19 KGS/CTN		

PRICE AND SHIPPING

Shipping weight (kg)	19.00	Pieces per package	300 units
Minimum order (unit)	300.00	Incoterms	EXW
Price 1	USD 0.38 - 100 units	Price 2	USD 0.44 - 10 units
Price 3	USD 0.50 - 1 unit	Year of base price	2018

QUALITY STANDARD

Specification Reference	Applicable PQS specification: E005/IP01.2 Applicable PQS VP(s): E005/IP01-VP.2
--------------------------------	--

VERIFICATION

Verification Laboratory	CHEARI	Address	#29 Xia Jie Street, Xuan Wu district Beijing 100053 R. P. de ChineChina
Telephone	+86 1063162443	Email	gongcx@cheari.com
Verification Report Reference	WB-18-385		

PRODUCT SITES

Organization name	Henan Phefon Cold Chain Equipment Co., Ltd
Address	Beihuan East road New energy industrial zone Xinxiang China

Current PQS status:	Prequalified	Valid until:	31 May 2027
----------------------------	--------------	---------------------	-------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



Product name:	Feihong WP-0.3L
IMD-PQS Code:	E005-021
Status:	Prequalified
Date of acceptance:	13 Nov 2018
Appliance type:	E005
Manufacturer:	Qingdao Leff International Trading Co Ltd
Manufacturers Reference:	Feihong WP-0.3L
Country of Manufacture:	China
Address:	Room 3203 10, Yan er'dao Road Shinan district Qingdao Shandong China
Telephone:	+86 532 88961819
Email:	david@lefftrade.org
Website address:	www.lefftrade.org
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Pack Type	Waterpack	Nominal capacity (Litre)	0.60
Rated water content (Litres)	0.56	External dimensions height (mm)	34.00
External dimensions length (mm)	190.00	External dimensions width (mm)	120.00
Weight empty (g)	85.0000	Weight filled (g)	645.00

PRICE AND SHIPPING

Shipping volume (m3)	0.16	Shipping weight (kg)	14.00
Pieces per package	150 units	Minimum order (unit)	150.00
Incoterms	EXW	Price 1	USD 0.58 - 100 units
Price 2	USD 0.64 - 10 units	Price 3	USD 0.7 - 1 unit
Year of base price	2018		

QUALITY STANDARD

Specification Reference	Applicable PQS specification: E005/IP01.2 Applicable PQS VP(s): E005/IP01-VP.2
--------------------------------	--

VERIFICATION

Verification Laboratory	CHEARI	Address	#29 Xia Jie Street, Xuan Wu district Beijing 100053 R. P. de ChineChina
Telephone	+86 1063162443	Email	gongcx@cheari.com
Verification Report Reference	WB-18-387		

PRODUCT SITES

Organization name	Henan Phefon Cold Chain Equipment Co., Ltd
Address	Beihuan East road New energy industrial zone Xinxiang China

Current PQS status:	Prequalified	Valid until:	31 May 2027
----------------------------	--------------	---------------------	-------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



Product name:	Feihong WP-0.4L
IMD-PQS Code:	E005-022
Status:	Prequalified
Date of acceptance:	13 Nov 2018
Appliance type:	E005
Manufacturer:	Qingdao Leff International Trading Co Ltd
Manufacturers Reference:	Feihong WP-0.4L
Country of Manufacture:	China
Address:	Room 3203 10, Yan er'dao Road Shinan district Qingdao Shandong China
Telephone:	+86 532 88961819
Email:	david@lefftrade.org
Website address:	www.lefftrade.org
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Pack Type	Icepack	Nominal capacity (Litre)	0.40
Rated water content (Litres)	0.37	External dimensions height (mm)	34.00
External dimensions length (mm)	163.00	External dimensions width (mm)	94.00
Weight empty (g)	60.0000	Weight filled (g)	420.00

PRICE AND SHIPPING

Shipping volume (m3)	0.17	Shipping weight (kg)	20.00
Pieces per package	300 units	Minimum order (unit)	300.00
Incoterms	EXW	Price 1	USD 0.42 - 100 units
Price 2	USD 0.48 - 10 units	Price 3	USD 0.54 - 1 unit
Year of base price	2018		

QUALITY STANDARD

Specification Reference	Applicable PQS specification: E005/IP01.2 Applicable PQS VP(s): E005/IP01-VP.2
--------------------------------	--

VERIFICATION

Verification Laboratory	CHEARI	Address	#29 Xia Jie Street, Xuan Wu district Beijing 100053 R. P. de ChineChina
Telephone	+86 1063162443	Email	gongcx@cheari.com
Verification Report Reference	WB-18-386		

PRODUCT SITES

Organization name	Henan Phefon Cold Chain Equipment Co., Ltd
Address	Beihuan East road New energy industrial zone Xinxiang China

Current PQS status:	Prequalified	Valid until:	31 May 2027
----------------------------	--------------	---------------------	-------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



Product name:	TIP-6
IMD-PQS Code:	E005-025
Status:	Prequalified
Date of acceptance:	17 Jul 2022
Appliance type:	E005
Manufacturer:	TRIMURTI PLAST CONTAINERS PRIVATE LIMITED
Manufacturers Reference:	TIP-6
Country of Manufacture:	India
Address:	31/833, GANESHNAGAR, DHANKAWADI PUNE Maharashtra India
Telephone:	+91 98220 22312
Email:	rajesh@tpcpl.net
Website address:	www.tpcpl.co.in
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Pack Type	Waterpack	Nominal capacity (Litre)	0.60
Rated water content (Litres)	0.56	External dimensions height (mm)	35.00
External dimensions length (mm)	190.00	External dimensions width (mm)	120.00
Weight empty (g)	110.0000	Weight filled (g)	680.00

PRICE AND SHIPPING

Shipping volume (m3)	0.13	Shipping weight (kg)	22.00
Pieces per package	144	Minimum order (unit)	144.00
Incoterms	EXW	Price 1	0.60 USD
Year of base price	2022		

QUALITY STANDARD

Specification Reference	Applicable PQS specification: E005/IP01.3 Applicable PQS VP(s): E005/IP01-VP.3
-------------------------	--

VERIFICATION

Verification Laboratory	Intertek India	Address	Intertek India Private Limited E-20, Block B1, Mohan Cooperative Industrial Estate Mathura Road New Delhi - 110044 IndiaIndia
Telephone	+91-9820213510	Email	manas.das@intertek.com
Verification Report Reference	CE-JOB-NDA-22-000691-003		

PRODUCT SITES

Organization name	TRIMURTI PLAST CONTAINERS PRIVATE LIMITED
Address	31/833, GANESHNAGAR, DHANKAWADI PUNE Maharashtra India

Current PQS status:	Prequalified	Valid until:	31 May 2027
---------------------	--------------	--------------	-------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



Product name:	TIP-4
IMD-PQS Code:	E005-026
Status:	Prequalified
Date of acceptance:	17 Jul 2022
Appliance type:	E005
Manufacturer:	TRIMURTI PLAST CONTAINERS PRIVATE LIMITED
Manufacturers Reference:	TIP-4
Country of Manufacture:	India
Address:	31/833, GANESHNAGAR, DHANKAWADI PUNE Maharashtra India
Telephone:	+91 98220 22312
Email:	rajesh@tpcpl.net
Website address:	www.tpcpl.co.in
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Pack Type	Waterpack	Nominal capacity (Litre)	0.40
Rated water content (Litres)	0.35	External dimensions height (mm)	33.00
External dimensions length (mm)	164.00	External dimensions width (mm)	94.00
Weight empty (g)	77.0000	Weight filled (g)	427.00

PRICE AND SHIPPING

Shipping volume (m3)	0.13	Shipping weight (kg)	22.00
Pieces per package	225	Minimum order (unit)	225.00
Incoterms	EXW	Price 1	0.55 USD
Year of base price	2022		

QUALITY STANDARD

Specification Reference	Applicable PQS specification: E005/IP01.3 Applicable PQS VP(s): E005/IP01-VP.3
-------------------------	--

VERIFICATION

Verification Laboratory	Intertek India	Address	Intertek India Private Limited E-20, Block B1, Mohan Cooperative Industrial Estate Mathura Road New Delhi - 110044 IndiaIndia
Telephone	+91-9820213510	Email	manas.das@intertek.com
Verification Report Reference	CE-JOB-NDA-22-000691-002		

PRODUCT SITES

Organization name	TRIMURTI PLAST CONTAINERS PRIVATE LIMITED
Address	31/833, GANESHNAGAR, DHANKAWADI PUNE Maharashtra India

Current PQS status:	Prequalified	Valid until:	31 May 2027
---------------------	--------------	--------------	-------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



Product name:	TIP-3
IMD-PQS Code:	E005-027
Status:	Prequalified
Date of acceptance:	17 Jul 2022
Appliance type:	E005
Manufacturer:	TRIMURTI PLAST CONTAINERS PRIVATE LIMITED
Manufacturers Reference:	TIP-3
Country of Manufacture:	India
Address:	31/833, GANESHNAGAR, DHANKAWADI PUNE Maharashtra India
Telephone:	+91 98220 22312
Email:	rajesh@tpcpl.net
Website address:	www.tpcpl.co.in
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Pack Type	Waterpack	Nominal capacity (Litre)	0.30
Rated water content (Litres)	0.29	External dimensions height (mm)	33.00
External dimensions length (mm)	162.00	External dimensions width (mm)	88.00
Weight empty (g)	77.0000	Weight filled (g)	377.00

PRICE AND SHIPPING

Shipping volume (m3)	0.13	Shipping weight (kg)	22.00
Pieces per package	225	Minimum order (unit)	225.00
Incoterms	EXW	Price 1	0.46 USD
Year of base price	2022		

QUALITY STANDARD

Specification Reference	Applicable PQS specification: E005/IP01.3 Applicable PQS VP(s): E005/IP01-VP.3
--------------------------------	--

VERIFICATION

Verification Laboratory	Intertek India	Address	Intertek India Private Limited E-20, Block B1, Mohan Cooperative Industrial Estate Mathura Road New Delhi - 110044 IndiaIndia
Telephone	+91-9820213510	Email	manas.das@intertek.com
Verification Report Reference	CE-JOB-NDA-22-000691-001		

PRODUCT SITES

Organization name	TRIMURTI PLAST CONTAINERS PRIVATE LIMITED
Address	31/833, GANESHNAGAR, DHANKAWADI PUNE Maharashtra India

Current PQS status:	<i>Prequalified</i>	Valid until:	<i>31 May 2027</i>
----------------------------	---------------------	---------------------	--------------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



Product name:	FF007A Eclipse 0.6L
IMD-PQS Code:	E005-028
Status:	Prequalified
Date of acceptance:	05 May 2023
Appliance type:	E005
Manufacturer:	Gobi Technologies
Manufacturers Reference:	FF007A Eclipse 0.6L
Country of Manufacture:	China
Address:	5406 Lake Washington Blvd NE Suite F Kirkland Washington United States of America
Telephone:	+49 89 310 44 84
Email:	info@gobi.world
Website address:	https://www.gobi.world/
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Pack Type	Icepack	Nominal capacity (Litre)	0.60
Rated water content (Litres)	0.59	External dimensions height (mm)	34.00
External dimensions length (mm)	190.00	External dimensions width (mm)	120.00
Weight empty (g)	100.0000	Weight filled (g)	683.00
Comments	Icepack 0.6L Shipping weight (kg): 12 KG		

PRICE AND SHIPPING

Shipping volume (m3)	0.078	Shipping weight (kg)	12.00
Minimum order (unit)	100.00	Incoterms	EXW
Price 1	1.5 USD	Year of base price	2023

QUALITY STANDARD

Specification Reference	Applicable PQS specification: E005/IP01.3 Applicable PQS VP(s): E005/IP01-VP.3
--------------------------------	--

VERIFICATION

Verification Laboratory	Micom Laboratories INC.	Address	556 Avenue lepine Dorval, Quebec H9P 2V6 CanadaCanada
Telephone	+1 514 633 0078	Email	mcomtois@micomlab.com
Verification Report Reference	MI-22-14458-M		

PRODUCT SITES

Organization name	Gobi Technologies
Address	PMI Joinease Plastic & Metal Products (Huizhou) Co.,Ltd MUTOUTAN, GROUP NO 2, LIZHIDUN VILLAGE FUTIAN TOWN, BOLUO COUNTY, HUIZHOU MUNICIPALITY, FUTIAN TOWN Guangdong China

Current PQS status:	Prequalified	Valid until:	31 May 2027
----------------------------	--------------	---------------------	-------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



Product name:	GKS IP - 04
IMD-PQS Code:	E005-029
Status:	Prequalified
Date of acceptance:	11 Feb 2025
Appliance type:	E005
Manufacturer:	GKS Healthsol LLP
Manufacturers Reference:	GKS IP - 04
Country of Manufacture:	India
Address:	B1/03 Palm Grove Villa Ardee City Sector 52 Gurgaon Haryana India
Telephone:	+91 9820895063
Email:	rakesh@gkshealth.com
Website address:	www.gkshealth.com
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Pack Type	Icepack	Nominal capacity (Litre)	0.40
Rated water content (Litres)	0.37	External dimensions height (mm)	164.00
External dimensions length (mm)	95.00	External dimensions width (mm)	35.00
Weight empty (g)	92.0000	Weight filled (g)	463.00

PRICE AND SHIPPING

Shipping volume (m3)	0.07	Shipping weight (kg)	11.50
Pieces per package	102	Minimum order (unit)	102.00
Incoterms	EXW	Price 1	USD 0.39
Year of base price	2025		

QUALITY STANDARD

Specification Reference	Applicable PQS specification: E005/IP01.3 Applicable PQS VP(s): E005/IP01-VP.3
--------------------------------	--

VERIFICATION

Verification Laboratory	UL India Private Limited	Address	A-12, Infocity-1, Sector-34, Gurgaon (Haryana)-122001India
Telephone	+91-8130427334	Email	satish.kumar@ul.com
Verification Report Reference	4790381969-01-others-S1-R1		

PRODUCT SITES

Organization name	GKS Healthsol LLP
Address	Plot No-4 , Gali No -3, Gurkul Industrail Area, Faridabad Haryana India

Current PQS status:	Prequalified	Valid until:	31 May 2027
----------------------------	--------------	---------------------	-------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



Product name:	GKS-IP 6
IMD-PQS Code:	E005-030
Status:	Prequalified
Date of acceptance:	18 Oct 2024
Appliance type:	E005
Manufacturer:	GKS Healthsol LLP
Manufacturers Reference:	GKS-IP 6
Country of Manufacture:	India
Address:	B1/03 Palm Grove Villa Ardee City Sector 52 Gurgaon Haryana India
Telephone:	+91 9820895063
Email:	rakesh@gkshealth.com
Website address:	www.gkshealth.com
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Pack Type	Waterpack	Nominal capacity (Litre)	0.60
Rated water content (Litres)	0.56	External dimensions height (mm)	189.00
External dimensions length (mm)	120.00	External dimensions width (mm)	35.00
Weight empty (g)	114.0000	Weight filled (g)	673.00

PRICE AND SHIPPING

Shipping volume (m3)	0.16	Shipping weight (kg)	23.00
Minimum order (unit)	175.00	Price 1	USD 0.65
Year of base price	2025		

QUALITY STANDARD

Specification Reference	Applicable PQS specification: E005/IP01.3 Applicable PQS VP(s): E005/IP01-VP.3
--------------------------------	--

VERIFICATION

Verification Laboratory	UL India Private Limited	Address	A-12, Infocity-1, Sector-34, Gurgaon (Haryana)-122001India
Telephone	+91-8130427334	Email	satish.kumar@ul.com
Verification Report Reference	4790932529-01-OTHER-S1		

PRODUCT SITES

Organization name	GKS Healthsol LLP
Address	Plot No-4 , Gali No -3, Gurkul Industrail Area, Faridabad Haryana India

Current PQS status:	<i>Prequalified</i>	Valid until:	<i>31 May 2027</i>
----------------------------	---------------------	---------------------	--------------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



Product name:	IP03
IMD-PQS Code:	E005-031
Status:	Prequalified
Date of acceptance:	07 Oct 2024
Appliance type:	E005
Manufacturer:	Thermos International Trading Limited
Manufacturers Reference:	IP03
Country of Manufacture:	China
Address:	Room E, 31F, Noble center, No. 1006, Fuzhong 3rd Road, Futian District, Shenzhen Guangdong China
Telephone:	+86 755 25945218
Email:	international@thermos.com
Website address:	www.thermos.com
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Pack Type	Icepack	Nominal capacity (Litre)	0.30
Rated water content (Litres)	0.30	External dimensions height (mm)	173.00
External dimensions length (mm)	120.00	External dimensions width (mm)	26.00
Weight empty (g)	67.0000	Weight filled (g)	367.00

PRICE AND SHIPPING

Shipping volume (m3)	0.015	Shipping weight (kg)	1.65
Minimum order (unit)	100.00	Incoterms	FOB
Price 1	USD 6.99 /PC	Year of base price	2023

QUALITY STANDARD

Specification Reference	Applicable PQS specification: E005/IP01.3 Applicable PQS VP(s): E005/IP01-VP.3
--------------------------------	--

VERIFICATION

Verification Laboratory	CHEARI	Address	#29 Xia Jie Street, Xuan Wu district Beijing 100053 R. P. de ChineChina
Telephone	+86 1063162443	Email	gongcx@cheari.com
Verification Report Reference	WB-22-0175		

PRODUCT SITES

Organization name	Thermos International Trading Limited
Address	Room E, 31F, Noble center, No. 1006, Fuzhong 3rd Road, Futian District, Shenzhen Guangdong China

Current PQS status:	<i>Prequalified</i>	Valid until:	<i>31 May 2027</i>
----------------------------	---------------------	---------------------	--------------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



Product name:	MIP-03
IMD-PQS Code:	E005-032
Status:	Prequalified
Date of acceptance:	16 Dec 2025
Appliance type:	E005
Manufacturer:	Mark Enterprises
Manufacturers Reference:	MIP-03
Country of Manufacture:	India
Address:	Shed No.1, Plot No.93/2, Street No.17, City: MIDC Satpur, Nashik, Maharashtra Nashik Maharashtra India
Telephone:	+91 7276009009
Email:	certifications@markent.co.in
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Pack Type	Type 3: 0.4 liter	Nominal capacity (Litre)	0.40
Rated water content (Litres)	0.36	External dimensions height (mm)	34.00
External dimensions length (mm)	163.00	External dimensions width (mm)	94.00
Weight empty (g)	72.0000	Weight filled (g)	435.00
Comments	The product is a 0.4 L Type 3 water-pack (MIP-03) designed for use as an ice-pack, cool-pack, or warm-pack in cold boxes and vaccine carriers. Fully conforms to WHO PQS E005/IP01.3 and E005/IP01-VP.3 performance and verification requirements.		

PRICE AND SHIPPING

Shipping volume (m3)	0.07	Shipping weight (kg)	11.50
Pieces per package	100	Minimum order (unit)	100.00
Incoterms	EXW	Price 1	Per 100 units is 59.00 USD
Year of base price	2025		

QUALITY STANDARD

Quality Standard	ISO 9001: 2000	Specification Reference	E005/IP01.3
-------------------------	----------------	--------------------------------	-------------

VERIFICATION

Verification Laboratory	Intertek India	Address	Intertek India Private Limited E-20, Block B1, Mohan Cooperative Industrial Estate Mathura Road New Delhi - 110044 IndiaIndia
Telephone	+91-9820213510	Email	manas.das@intertek.com
Verification Report Reference	CE-JOB-NDA-25-001697-001		

PRODUCT SITES

Organization name	Mark Enterprises
Address	Shed No.1, Plot No.93/2, Street No.17, City: MIDC Satpur Nashik Maharashtra India

Current PQS status:	<i>Prequalified</i>	Valid until:	31 May 2027
----------------------------	---------------------	---------------------	-------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



Product name:	MIP-04
IMD-PQS Code:	E005-033
Status:	Prequalified
Date of acceptance:	16 Dec 2025
Appliance type:	E005
Manufacturer:	Mark Enterprises
Manufacturers Reference:	MIP-04
Country of Manufacture:	India
Address:	Shed No.1, Plot No.93/2, Street No.17, City: MIDC Satpur, Nashik, Maharashtra Nashik Maharashtra India
Telephone:	+91 7276009009
Email:	certifications@markent.co.in
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Pack Type	Type 4:0.6 liter	Nominal capacity (Litre)	0.60
Rated water content (Litres)	0.56	External dimensions height (mm)	34.00
External dimensions length (mm)	190.00	External dimensions width (mm)	120.00
Weight empty (g)	112.0000	Weight filled (g)	667.00
Comments	The Product is a 0.6 L Type 4 water-pack(MIL-04) designed for use as an ice-pack, cool pack, or warm-pack in cold boxes and vaccine carrier. fully confirms to WHO PQS E005/IP01.3 and E005/IP01-VP.3 performance and verification requirements		

PRICE AND SHIPPING

Shipping volume (m3)	0.16	Shipping weight (kg)	16.10
Pieces per package	100	Minimum order (unit)	100.00
Incoterms	EXW	Price 1	Per 100 units is 120.00 USD
Price 2	This should be in KGs	Price 3	Should be in Numbers
Year of base price	2025		

QUALITY STANDARD

Quality Standard	ISO 9000: 2000	Specification Reference	E005/IP01.3
-------------------------	----------------	--------------------------------	-------------

VERIFICATION

Verification Laboratory	Intertek India	Address	Intertek India Private Limited E-20, Block B1, Mohan Cooperative Industrial Estate Mathura Road New Delhi - 110044 IndiaIndia
Telephone	+91-9820213510	Email	manas.das@intertek.com
Verification Report Reference	CE-JOB-NDA-25-001697-002		

PRODUCT SITES

Organization name	Mark Enterprises
Address	Shed No.1, Plot No.93/2, Street No.17, City: MIDC Satpur Nashik Maharashtra India

Current PQS status:

Prequalified

Valid until:

31 May 2027

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E005: Coolant-packs



Product name:	GKS IP-3
IMD-PQS Code:	E005-034
Status:	Prequalified
Date of acceptance:	21 Aug 2026
Appliance type:	E005
Manufacturer:	GKS Healthsol LLP
Manufacturers Reference:	GKS IP-3
Country of Manufacture:	India
Address:	B1/03 Palm Grove Villa Ardee City Sector 52 Gurgaon Haryana India
Telephone:	+91 9820895063
Email:	rakesh@gkshealth.com
Website address:	www.gkshealth.com
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Pack Type	Type-2	Nominal capacity (Litre)	0.30
Rated water content (Litres)	0.30	External dimensions height (mm)	162.00
External dimensions length (mm)	91.00	External dimensions width (mm)	34.00
Weight empty (g)	79.0000	Weight filled (g)	395.00

PRICE AND SHIPPING

Shipping volume (m3)	0.07	Shipping weight (kg)	10.20
Pieces per package	102	Minimum order (unit)	102.00
Incoterms	EXW	Price 1	USD 0.35 per Unit

QUALITY STANDARD

Quality Standard	Other	Quality standard (Other)	ISO 9001:2015
Specification Reference	WHO/PQS/ E005/ IP01 WHO/PQS/ E005/ IP01-VP.3		

VERIFICATION

Verification Laboratory	UL India Private Limited	Address	A-12, Infocity-1, Sector-34, Gurgaon (Haryana)-122001India
Telephone	+91-8130427334	Email	satish.kumar@ul.com
Verification Report Reference	4790381969 -01-OTHER-S2-R1		

PRODUCT SITES

Organization name	GKS Healthsol LLP
Address	Plot No-4 , Gali No -3, Gurkul Industrail Area, Faridabad Haryana India

Current PQS status:	Prequalified	Valid until:	31 May 2027
----------------------------	--------------	---------------------	-------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.