



# E010

## Waste-management Equipment

---

This category of products includes safety boxes, needle cutters and disablers and small-scale incinerators or autoclaves. Waste disposal is a key element of any immunization programme. Poorly managed waste from immunization sessions exposes health workers and the community to injury and infection. Guidelines for safe delivery of immunization injections and safe disposal of used syringes and needles can be found in WHO's [Immunization in practice: Module 3: Ensuring safe injections](#).

The cost of waste disposal must be incorporated into the national budget for immunization activities and training curricula should include waste disposal procedures.

Details regarding the products included in each sub-category of E010, as well as guidelines, performance specifications and verification protocols for this category, can be accessed through the drop-down sections below.

### **E010.1: Safety boxes**

Puncture-resistant containers for the collection and disposal of auto-disable syringes, needles and other injection materials must be provided and used for all immunization activities. These containers reduce the risk posed by contaminated needles and syringes both to health staff and the community. Containers are available in a range of sizes.

Guidelines for the procurement, capacity needs and use of safety boxes can be found in the WHO [Guidelines for estimating costs of introducing new vaccines into the national immunization system](#).

Training for health workers on the management of sharps waste can be found available in the [Training Health Workers in the Management of Sharps Waste: Guide for Training Injection Providers](#) from PATH and the WHO's [Training for mid-level managers \(MLM\): 3. Immunization safety](#).

A guidance document on [Designing safe syringe disposal systems for immunization services](#) is also available from PATH.

## **CATEGORY DOCUMENTATION, GUIDANCE FOR MANUFACTURERS/SUPPLIERS & SUPPORTING INFORMATION FOR USERS**

### **Performance specifications**

[PQS performance specification E010/NC01.1: Needle cutter for health waste management](#)

[PQS performance specification E010/SB01.1: Safety box for the disposal of used sharps](#)

### **Verification protocols**

[PQS independent type-testing protocol E010/NC.1-VP.1: Needle cutter for health waste management](#)

[PQS independent type-testing protocol E010/SB01-VP.1: Safety box for the disposal of used sharps](#)

### **Guidance for manufacturers/suppliers**

[Generic guide for the field evaluation of new technologies for WHO PQS prequalification  
GENERIC/GUIDE 1.1](#)

[IMD-PQS Guidelines for Prequalification Holders](#)

[Designing safe syringe disposal systems for immunization services](#)

### **Supporting information for users**

[Guidelines for estimating costs of introducing new vaccines into the national immunization system](#)

[Training Health Workers in the Management of Sharps Waste: Guide for Training Injection Providers](#)

[Training for mid-level managers \(MLM\): 3. Immunization safety](#)



## E010: Waste management equipment



<b>Product name:</b>	<b>POLYSAFE® 5L</b>
<b>IMD-PQS Code:</b>	E010-001
<b>Status:</b>	Prequalified
<b>Date of acceptance:</b>	07 Oct 2008
<b>Appliance type:</b>	E010
<b>Product description:</b>	Safety box 5L
<b>Manufacturer:</b>	POLYNOR AS
<b>Manufacturers Reference:</b>	POLYSAFE® 5L
<b>Country of Manufacture:</b>	Norway
<b>Address:</b>	Oslo Science Park Gaustadalléen 21 N- 0349 Oslo Norway Norway
<b>Telephone:</b>	+47 932 59 486
<b>Email:</b>	<a href="mailto:maria@polynor.no">maria@polynor.no</a>
<b>Website address:</b>	<a href="http://www.polynor.no">http://www.polynor.no</a>
<b>Valid until:</b>	31 May 2026

## Specifications

### PRODUCT SPECIFICATIONS - MAIN

<b>Volume (Litre)</b>	5.00	<b>Temperature Zones</b>	Temperate
<b>Capacity (# units)</b>	155.00	<b>Diameter syringe hole (mm)</b>	38.00
<b>Material</b>	recycled carton board	<b>Colour</b>	White
<b>Walls thickness (mm)</b>	1.30	<b>Weight fully assembled (grams)</b>	300.00
<b>Ext.Dimension After Assembly Height(mm)</b>	274.00	<b>Ext.Dimension After Assembly Length(mm)</b>	155.00
<b>Ext.Dimension After Assembly Width(mm)</b>	121.00	<b>Ext.Dimension Before Assembly Height(mm)</b>	5.00
<b>Ext.Dimension Before Assembly Length(mm)</b>	590.00	<b>Ext.Dimension Before Assembly Width(mm)</b>	280.00

### PRICE AND SHIPPING

<b>Shipping volume (m3)</b>	0.02	<b>Weight per Unit (Kg)</b>	8.0000
<b>Pieces per package</b>	25 units	<b>Minimum order</b>	25.00
<b>Price 1</b>	On request	<b>Year of base price</b>	2008
<b>Incoterms</b>	FCA		

### QUALITY STANDARD

<b>Quality Standard</b>	Other	<b>Quality standard (Other)</b>	ISO 9001
<b>Specification Reference</b>	Applicable PQS specification: E010/SB01.1 Applicable PQS VP(s): E010/SB0-VP.1		

### VERIFICATION

<b>Verification Laboratory</b>	ForceTechnology	<b>Address</b>	FORCE Technology Brøndby Park Allé 345 2605 Brøndby DenmarkDenmark
<b>Telephone</b>	+45 43250591	<b>Email</b>	njs@force.dk
<b>Verification Report Reference</b>	115-26166.e rev.1		

### PRODUCT SITES

<b>Organization name</b>	POLYNOR AS
<b>Address</b>	Oslo Science Park Gaustadalléen 21 N- 0349 Oslo Norway Norway

**Current PQS status:**

*Prequalified*

**Valid until:**

*31 May 2026*

---

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



## E010: Waste management equipment



Product name:	POLYSAFE® 15L
IMD-PQS Code:	E010-003
Status:	Prequalified
Date of acceptance:	07 Oct 2008
Appliance type:	E010
Product description:	Safety box 15L
Manufacturer:	POLYNOR AS
Manufacturers Reference:	POLYSAFE® 15L
Country of Manufacture:	Norway
Address:	Oslo Science Park Gaustadalléen 21 N- 0349 Oslo Norway Norway
Telephone:	+47 932 59 486
Email:	<a href="mailto:maria@polynor.no">maria@polynor.no</a>
Website address:	<a href="http://www.polynor.no">http://www.polynor.no</a>
Valid until:	31 May 2026

## Specifications

### PRODUCT SPECIFICATIONS - MAIN

Volume (Litre)	15.00	Capacity (# units)	450.00
Diameter syringe hole (mm)	39.00	Material	Recycled carton board, water resistant
Colour	White	Walls thickness (mm)	1.30
Weight fully assembled (grams)	680.00	Ext.Dimension After Assembly Height(mm)	210.00
Ext.Dimension After Assembly Length(mm)	310.00	Ext.Dimension After Assembly Width(mm)	240.00
Ext.Dimension Before Assembly Height(mm)	6.00	Ext.Dimension Before Assembly Length(mm)	775.00
Ext.Dimension Before Assembly Width(mm)	445.00		

### PRICE AND SHIPPING

Shipping volume (m3)	0.02	Weight per Unit (Kg)	8.1000
Pieces per package	10 units per carton	Minimum order	10.00
Price 1	On request	Year of base price	2008
Incoterms	FCA		

### QUALITY STANDARD

Quality Standard	Other	Quality standard (Other)	ISO 9001
Specification Reference	Applicable PQS specification: E010/CB01.1 Applicable PQS VP(s): E010/CB-VP.1		

### VERIFICATION

Verification Laboratory	ForceTechnology	Address	FORCE Technology Brøndby Park Allé 345 2605 Brøndby DenmarkDenmark
Telephone	+45 43250591	Email	<a href="mailto:njs@force.dk">njs@force.dk</a>
Verification Report Reference	108-21912-3		

### PRODUCT SITES

Organization name	POLYNOR AS
Address	Oslo Science Park Gaustadalléen 21 N- 0349 Oslo Norway Norway

**Current PQS status:**

*Prequalified*

**Valid until:**

*31 May 2026*

---

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



## E010: Waste management equipment



<b>Product name:</b>	Kojak safety box 5L
<b>IMD-PQS Code:</b>	E010-006
<b>Status:</b>	Prequalified
<b>Date of acceptance:</b>	28 Apr 2009
<b>Appliance type:</b>	E010
<b>Product description:</b>	Safety box 5L
<b>Manufacturer:</b>	Hindustan Syringes & Medical Devices Ltd.
<b>Manufacturers Reference:</b>	Kojak safety box 5L
<b>Country of Manufacture:</b>	India
<b>Address:</b>	174, Sector - 25, Ballabgarh - 121 004 (Haryana) India
<b>Telephone:</b>	+91 129-4289000
<b>Email:</b>	<a href="mailto:hmduk@hmdhealthcare.com">hmduk@hmdhealthcare.com</a>
<b>Website address:</b>	<a href="http://www.hmdhealthcare.com">www.hmdhealthcare.com</a>
<b>Valid until:</b>	31 May 2026

## Specifications

### PRODUCT SPECIFICATIONS - MAIN

<b>Volume (Litre)</b>	5.00	<b>Capacity (# units)</b>	100.00
<b>Diameter syringe hole (mm)</b>	38.00	<b>Material</b>	Yellow duplex kraft board
<b>Colour</b>	Yellow	<b>Walls thickness (mm)</b>	1.10
<b>Weight fully assembled (grams)</b>	275.00	<b>Ext.Dimension After Assembly Height(mm)</b>	125.00
<b>Ext.Dimension After Assembly Length(mm)</b>	285.00	<b>Ext.Dimension After Assembly Width(mm)</b>	160.00
<b>Ext.Dimension Before Assembly Height(mm)</b>	4.00	<b>Ext.Dimension Before Assembly Length(mm)</b>	585.00
<b>Ext.Dimension Before Assembly Width(mm)</b>	285.00		

### PRICE AND SHIPPING

<b>Shipping volume (m3)</b>	0.016	<b>Weight per Unit (Kg)</b>	8.1000
<b>Pieces per package</b>	25 units	<b>Minimum order</b>	25.00
<b>Price 1</b>	0.60 USD/pc	<b>Year of base price</b>	2025
<b>Incoterms</b>	FCA		

### QUALITY STANDARD

<b>Quality Standard</b>	Other	<b>Quality standard (Other)</b>	ISO 9001
<b>Specification Reference</b>	Applicable PQS specification: E010/CB01.1 Applicable PQS VP(s): E010/CB-VP.1		

### VERIFICATION

<b>Verification Laboratory</b>	ForceTechnology	<b>Address</b>	FORCE Technology Brøndby Park Allé 345 2605 Brøndby DenmarkDenmark
<b>Telephone</b>	+45 43250591	<b>Email</b>	njs@force.dk
<b>Verification Report Reference</b>	108-32733-(20 April 2009)		

### PRODUCT SITES

<b>Organization name</b>	Hindustan Syringes & Medical Devices Ltd.
<b>Address</b>	174, Sector - 25, Ballabgarh - 121 004 (Haryana) India

**Current PQS status:**

*Prequalified*

**Valid until:**

*31 May 2026*

---

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



## E010: Waste management equipment



<b>Product name:</b>	Medibest Disposafe 2.5L
<b>IMD-PQS Code:</b>	E010-008
<b>Status:</b>	Prequalified
<b>Date of acceptance:</b>	24 Jul 2009
<b>Appliance type:</b>	E010
<b>Product description:</b>	Safety box 2.5L
<b>Manufacturer:</b>	PT.Medibest Indonesia
<b>Manufacturers Reference:</b>	Medibest Disposafe 2.5L
<b>Country of Manufacture:</b>	Indonesia
<b>Address:</b>	The Manhattan Square Mid. Tower 21st Floor, Jl. TB. Simatupang Kav. 1S, Cilandak Timur, Jakarta Selatan, Indonesia 12650
<b>Telephone:</b>	+62 21 29406858 / +62 21 29406859
<b>Email:</b>	<a href="mailto:info@medibestgroup.com">info@medibestgroup.com</a>
<b>Website address:</b>	<a href="http://www.medibestgroup.com">http://www.medibestgroup.com</a>
<b>Valid until:</b>	31 May 2026

## Specifications

### PRODUCT SPECIFICATIONS - MAIN

<b>Volume (Litre)</b>	2.50	<b>Capacity (# units)</b>	81.00
<b>Diameter syringe hole (mm)</b>	40.00	<b>Material</b>	recycled board and virgin fiber
<b>Colour</b>	Yellow	<b>Walls thickness (mm)</b>	1.10
<b>Weight fully assembled (grams)</b>	290.00	<b>Ext.Dimension After Assembly Height(mm)</b>	116.00
<b>Ext.Dimension After Assembly Length(mm)</b>	238.00	<b>Ext.Dimension After Assembly Width(mm)</b>	127.00
<b>Ext.Dimension Before Assembly Height(mm)</b>	2.00	<b>Ext.Dimension Before Assembly Length(mm)</b>	551.00
<b>Ext.Dimension Before Assembly Width(mm)</b>	238.00		

<b>Comments</b>	Carton of 25 units; custom made printing on demand
-----------------	--

### PRICE AND SHIPPING

<b>Shipping volume (m3)</b>	0.024	<b>Weight per Unit (Kg)</b>	7.5000
<b>Pieces per package</b>	25 units	<b>Minimum order</b>	25.00
<b>Price 1</b>	On request	<b>Year of base price</b>	2009
<b>Incoterms</b>	FCA		

### QUALITY STANDARD

<b>Quality Standard</b>	Other	<b>Quality standard (Other)</b>	ISO 9001
<b>Specification Reference</b>	Applicable PQS specification: E010/CB01.1 Applicable PQS VP(s): E010/CB-VP.1		

### VERIFICATION

<b>Verification Laboratory</b>	ForceTechnology	<b>Address</b>	FORCE Technology Brøndby Park Allé 345 2605 Brøndby DenmarkDenmark
<b>Telephone</b>	+45 43250591	<b>Email</b>	njs@force.dk
<b>Verification Report Reference</b>	109-24758-1 (May 2009)		

### PRODUCT SITES

<b>Organization name</b>	PT.Medibest Indonesia
<b>Address</b>	The Manhattan Square Mid. Tower 21st Floor, Jl. TB. Simatupang Kav. 1S, Cilandak Timur, Jakarta Selatan, Indonesia 12650 Indonesia

<b>Current PQS status:</b>	<i>Prequalified</i>	<b>Valid until:</b>	<i>31 May 2026</i>
----------------------------	---------------------	---------------------	--------------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



## E010: Waste management equipment



<b>Product name:</b>	Medibest Disposafe 5L
<b>IMD-PQS Code:</b>	E010-009
<b>Status:</b>	Prequalified
<b>Date of acceptance:</b>	24 Jul 2009
<b>Appliance type:</b>	E010
<b>Product description:</b>	Safety box 5L
<b>Manufacturer:</b>	PT.Medibest Indonesia
<b>Manufacturers Reference:</b>	Medibest Disposafe 5L
<b>Country of Manufacture:</b>	Indonesia
<b>Address:</b>	The Manhattan Square Mid. Tower 21st Floor, Jl. TB. Simatupang Kav. 1S, Cilandak Timur, Jakarta Selatan, Indonesia 12650
<b>Telephone:</b>	+62 21 29406858 / +62 21 29406859
<b>Email:</b>	<a href="mailto:info@medibestgroup.com">info@medibestgroup.com</a>
<b>Website address:</b>	<a href="http://www.medibestgroup.com">http://www.medibestgroup.com</a>
<b>Valid until:</b>	31 May 2026

## Specifications

### PRODUCT SPECIFICATIONS - MAIN

<b>Volume (Litre)</b>	5.00	<b>Capacity (# units)</b>	142.00
<b>Diameter syringe hole (mm)</b>	40.00	<b>Material</b>	recycled carton board and virgin fiber
<b>Colour</b>	Yellow	<b>Walls thickness (mm)</b>	1.00
<b>Weight fully assembled (grams)</b>	376.00	<b>Ext.Dimension After Assembly Height(mm)</b>	130.00
<b>Ext.Dimension After Assembly Length(mm)</b>	290.00	<b>Ext.Dimension After Assembly Width(mm)</b>	158.00
<b>Ext.Dimension Before Assembly Height(mm)</b>	2.00	<b>Ext.Dimension Before Assembly Length(mm)</b>	660.00
<b>Ext.Dimension Before Assembly Width(mm)</b>	238.00		
<b>Comments</b>	Carton of 25 units; custom printing on demand		

### PRICE AND SHIPPING

<b>Shipping volume (m3)</b>	0.029	<b>Weight per Unit (Kg)</b>	9.0000
<b>Pieces per package</b>	25 units	<b>Minimum order</b>	25.00
<b>Price 1</b>	On request	<b>Year of base price</b>	2009
<b>Incoterms</b>	FCA		

### QUALITY STANDARD

<b>Quality Standard</b>	Other	<b>Quality standard (Other)</b>	ISO 9001
<b>Specification Reference</b>	Applicable PQS specification: E010/CB01.1 Applicable PQS VP(s): E010/CB-VP.1		

### VERIFICATION

<b>Verification Laboratory</b>	ForceTechnology	<b>Address</b>	FORCE Technology Brøndby Park Allé 345 2605 Brøndby DenmarkDenmark
<b>Telephone</b>	+45 43250591	<b>Email</b>	njs@force.dk
<b>Verification Report Reference</b>	109-24758.b (June 2009)		

PRODUCT SITES

Organization name	PT.Medibest Indonesia
Address	The Manhattan Square Mid. Tower 21st Floor, Jl. TB. Simatupang Kav. 1S, Cilandak Timur, Jakarta Selatan, Indonesia 12650 Indonesia

Current PQS status:	Prequalified	Valid until:	31 May 2026
---------------------	--------------	--------------	-------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



## E010: Waste management equipment



<b>Product name:</b>	Sol-Millennium Safety Box 5L
<b>IMD-PQS Code:</b>	E010-010
<b>Status:</b>	Prequalified
<b>Date of acceptance:</b>	11 Jan 2010
<b>Appliance type:</b>	E010
<b>Product description:</b>	Safety box 5L
<b>Manufacturer:</b>	Shanghai Sol-Millennium Medical Products Co. Ltd.
<b>Manufacturers Reference:</b>	Sol-Millennium Safety Box 5L
<b>Country of Manufacture:</b>	China
<b>Address:</b>	Unit 2501-2506, No. 2 Grand Gateway No. 3 Hongqiao Road Xuhui District 20030 Shanghai China
<b>Telephone:</b>	+86-21-68622586-17
<b>Email:</b>	<a href="mailto:ichen@solm.com">ichen@solm.com</a>
<b>Website address:</b>	<a href="http://www.sol-m.com">www.sol-m.com</a>
<b>Valid until:</b>	31 May 2026

## Specifications

### PRODUCT SPECIFICATIONS - MAIN

<b>Volume (Litre)</b>	5.00	<b>Capacity (# units)</b>	150.00
<b>Diameter syringe hole (mm)</b>	38.00	<b>Material</b>	cardboard
<b>Colour</b>	Brown	<b>Walls thickness (mm)</b>	1.30
<b>Weight fully assembled (grams)</b>	270.00	<b>Ext.Dimension After Assembly Height(mm)</b>	130.00
<b>Ext.Dimension After Assembly Length(mm)</b>	288.00	<b>Ext.Dimension After Assembly Width(mm)</b>	165.00
<b>Ext.Dimension Before Assembly Height(mm)</b>	5.00	<b>Ext.Dimension Before Assembly Length(mm)</b>	600.00
<b>Ext.Dimension Before Assembly Width(mm)</b>	280.00		

### PRICE AND SHIPPING

<b>Shipping volume (m3)</b>	0.018	<b>Weight per Unit (Kg)</b>	8.0000
<b>Pieces per package</b>	25	<b>Minimum order</b>	5000.00
<b>Price 1</b>	On request	<b>Year of base price</b>	2010
<b>Incoterms</b>	EXW		

### QUALITY STANDARD

<b>Quality Standard</b>	Other	<b>Quality standard (Other)</b>	ISO 9001
<b>Specification Reference</b>	Applicable PQS specification: E010/SB01.1 Applicable PQS VP(s): E010/SB01-VP.1		

### VERIFICATION

<b>Verification Laboratory</b>	ForceTechnology	<b>Address</b>	FORCE Technology Brøndby Park Allé 345 2605 Brøndby DenmarkDenmark
<b>Telephone</b>	+45 43250591	<b>Email</b>	<a href="mailto:njs@force.dk">njs@force.dk</a>
<b>Verification Report Reference</b>	110-29507 (August 2010)		

### PRODUCT SITES

<b>Organization name</b>	Shanghai Sol-Millennium Medical Products Co. Ltd.
<b>Address</b>	Unit 2501-2506, No. 2 Grand Gateway No. 3 Hongqiao Road Xuhui District 20030 Shanghai China

**Current PQS status:**

*Prequalified*

**Valid until:**

*31 May 2026*

---

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



## E010: Waste management equipment



<b>Product name:</b>	SB TimSafe 5L NE
<b>IMD-PQS Code:</b>	E010-011
<b>Status:</b>	Prequalified
<b>Date of acceptance:</b>	24 Sep 2013
<b>Appliance type:</b>	E010
<b>Product description:</b>	Safety box 5L
<b>Manufacturer:</b>	Smurfit Westrock Sverige AB
<b>Manufacturers Reference:</b>	SB TimSafe 5L NE
<b>Country of Manufacture:</b>	Sweden
<b>Address:</b>	Bruksvägen 31G SE-285 40 Markaryd, Sweden Sweden
<b>Telephone:</b>	+46 433 18100
<b>Email:</b>	<a href="mailto:lina.harrysson@smurfitkappa.se">lina.harrysson@smurfitkappa.se</a>
<b>Website address:</b>	<a href="http://www.timboard.se">http://www.timboard.se</a>
<b>Valid until:</b>	31 May 2026

## Specifications

### PRODUCT SPECIFICATIONS - MAIN

<b>Volume (Litre)</b>	5.00	<b>Capacity (# units)</b>	150.00
<b>Diameter syringe hole (mm)</b>	38.00	<b>Material</b>	Recycled board and virgin fiber
<b>Colour</b>	White	<b>Walls thickness (mm)</b>	1.20
<b>Weight fully assembled (grams)</b>	250.00	<b>Ext.Dimension After Assembly Height(mm)</b>	315.00
<b>Ext.Dimension After Assembly Length(mm)</b>	154.00	<b>Ext.Dimension After Assembly Width(mm)</b>	113.00
<b>Ext.Dimension Before Assembly Height(mm)</b>	4.00	<b>Ext.Dimension Before Assembly Length(mm)</b>	468.00
<b>Ext.Dimension Before Assembly Width(mm)</b>	260.00		

### PRICE AND SHIPPING

<b>Shipping volume (m3)</b>	0.013	<b>Weight per Unit (Kg)</b>	6.5400
<b>Pieces per package</b>	25 units	<b>Minimum order</b>	100.00
<b>Price 1</b>	0.89 €	<b>Price 2</b>	22.25 € per 25 pack
<b>Year of base price</b>	2018	<b>Incoterms</b>	EXW

### QUALITY STANDARD

<b>Quality Standard</b>	Other	<b>Quality standard (Other)</b>	ISO 9001
<b>Specification Reference</b>	Applicable PQS specification: E010/SB01.1 Applicable PQS VP(s): E010/SB01-VP.1		

### VERIFICATION

<b>Verification Laboratory</b>	ForceTechnology	<b>Address</b>	FORCE Technology Brøndby Park Allé 345 2605 Brøndby DenmarkDenmark
<b>Telephone</b>	+45 43250591	<b>Email</b>	njs@force.dk
<b>Verification Report Reference</b>	113-28810		

### PRODUCT SITES

<b>Organization name</b>	Smurfit Westrock Sverige AB
<b>Address</b>	Bruksvägen 31G SE-285 40 Markaryd, Sweden Sweden

**Current PQS status:**

*Prequalified*

**Valid until:**

*31 May 2026*

---

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



## E010: Waste management equipment



<b>Product name:</b>	2.5L Safety Box
<b>IMD-PQS Code:</b>	E010-013
<b>Status:</b>	Prequalified
<b>Date of acceptance:</b>	18 Aug 2017
<b>Product description:</b>	2.5L Safety Box
<b>Manufacturer:</b>	PT. Tonnindo Eramulya
<b>Manufacturers Reference:</b>	2.5L Safety Box
<b>Country of Manufacture:</b>	Indonesia
<b>Address:</b>	Jl. AKBP R.Agil Kusumadya No.203 59346 Kudus – Jawa Tengah Indonesia
<b>Telephone:</b>	+62 291 444361 / 444363
<b>Email:</b>	<a href="mailto:tonnindo@cbn.net.id">tonnindo@cbn.net.id</a>
<b>Website address:</b>	<a href="http://www.puragroup.com">www.puragroup.com</a>
<b>Valid until:</b>	31 May 2026

## Specifications

### PRODUCT SPECIFICATIONS - MAIN

<b>Volume (Litre)</b>	2.50	<b>Capacity (# units)</b>	80.00
<b>Diameter syringe hole (mm)</b>	42.00	<b>Material</b>	recycled board and virgin fibre, water resistant
<b>Colour</b>	yellow	<b>Weight empty (g)</b>	227.0000
<b>Ext.Dimension After Assembly Height(mm)</b>	235.00	<b>Ext.Dimension After Assembly Length(mm)</b>	120.00
<b>Ext.Dimension After Assembly Width(mm)</b>	110.00	<b>Ext.Dimension Before Assembly Height(mm)</b>	530.00
<b>Ext.Dimension Before Assembly Length(mm)</b>	230.00	<b>Ext.Dimension Before Assembly Width(mm)</b>	28.00

### PRICE AND SHIPPING

<b>Shipping volume (m3)</b>	0.001	<b>Weight per Unit (Kg)</b>	9.0000
<b>Pieces per package</b>	25	<b>Minimum order</b>	100.00
<b>Price 1</b>	> 10,000 USD 2.46	<b>Price 2</b>	>1,000 USD 2.93
<b>Price 3</b>		<b>Year of base price</b>	2017
<b>Incoterms</b>	DDP		

### QUALITY STANDARD

<b>Quality Standard</b>	Other	<b>Quality standard (Other)</b>	ISO 9001
-------------------------	-------	---------------------------------	----------

### VERIFICATION

<b>Verification Laboratory</b>	ForceTechnology	<b>Address</b>	FORCE Technology Brøndby Park Allé 345 2605 Brøndby DenmarkDenmark
<b>Telephone</b>	+45 43250591	<b>Email</b>	<a href="mailto:njs@force.dk">njs@force.dk</a>
<b>Current PQS status:</b>	<i>Prequalified</i>	<b>Valid until:</b>	31 May 2026

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



## E010: Waste management equipment



<b>Product name:</b>	5L Safety Box
<b>IMD-PQS Code:</b>	E010-015
<b>Status:</b>	Prequalified
<b>Date of acceptance:</b>	18 Aug 2017
<b>Product description:</b>	Safety box 5L
<b>Manufacturer:</b>	PT. Tonnindo Eramulya
<b>Manufacturers Reference:</b>	5L Safety Box
<b>Country of Manufacture:</b>	Indonesia
<b>Address:</b>	Jl. AKBP R.Agil Kusumadya No.203 59346 Kudus – Jawa Tengah Indonesia
<b>Telephone:</b>	+62 291 444361 / 444363
<b>Email:</b>	<a href="mailto:tonnindo@cbn.net.id">tonnindo@cbn.net.id</a>
<b>Website address:</b>	<a href="http://www.puragroup.com">www.puragroup.com</a>
<b>Valid until:</b>	31 May 2026

## Specifications

### PRODUCT SPECIFICATIONS - MAIN

<b>Volume (Litre)</b>	5.00	<b>Capacity (# units)</b>	171.00
<b>Diameter syringe hole (mm)</b>	38.00	<b>Material</b>	recycled board and virgin fibre, water resistant
<b>Colour</b>	yellow	<b>Weight empty (g)</b>	357.0000
<b>Ext.Dimension After Assembly Height(mm)</b>	290.00	<b>Ext.Dimension After Assembly Length(mm)</b>	150.00
<b>Ext.Dimension After Assembly Width(mm)</b>	120.00	<b>Ext.Dimension Before Assembly Height(mm)</b>	584.00
<b>Ext.Dimension Before Assembly Length(mm)</b>	270.00	<b>Ext.Dimension Before Assembly Width(mm)</b>	28.00

### PRICE AND SHIPPING

<b>Shipping volume (m3)</b>	0.00163	<b>Weight per Unit (Kg)</b>	12.5000
<b>Pieces per package</b>	25	<b>Minimum order</b>	100.00
<b>Price 1</b>	>10,000 USD 3.46	<b>Price 2</b>	>1,000 USD 3.92
<b>Price 3</b>	>100 USD 3.98	<b>Year of base price</b>	2017
<b>Incoterms</b>	DDP		

### QUALITY STANDARD

<b>Quality Standard</b>	Other	<b>Quality standard (Other)</b>	ISO 9001
-------------------------	-------	---------------------------------	----------

### VERIFICATION

<b>Verification Laboratory</b>	ForceTechnology	<b>Address</b>	FORCE Technology Brøndby Park Allé 345 2605 Brøndby DenmarkDenmark
<b>Telephone</b>	+45 43250591	<b>Email</b>	njs@force.dk
<b>Verification Report Reference</b>	117-24734.b rev.1		

<b>Current PQS status:</b>	Prequalified	<b>Valid until:</b>	31 May 2026
----------------------------	--------------	---------------------	-------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



## E010: Waste management equipment



<b>Product name:</b>	Medeco Safety Box 5L
<b>IMD-PQS Code:</b>	E010-016
<b>Status:</b>	Prequalified
<b>Date of acceptance:</b>	15 Feb 2019
<b>Product description:</b>	5L Safety box
<b>Manufacturer:</b>	Abu Dhabi Medical Devices Co. L.L.C
<b>Manufacturers Reference:</b>	Medeco Safety Box 5L
<b>Address:</b>	MUSSAFAH INDUSTRIAL AREA, M-43, PLOT 124, 30485, ABU DHABI United Arab Emirates
<b>Telephone:</b>	+971-2-6199100
<b>Email:</b>	<a href="mailto:info@admd.ae">info@admd.ae</a>
<b>Website address:</b>	<a href="http://www.admd.ae">http://www.admd.ae</a>
<b>Valid until:</b>	31 May 2026

## Specifications

### PRODUCT SPECIFICATIONS - MAIN

<b>Volume (Litre)</b>	5.00	<b>Capacity (# units)</b>	377.00
<b>Diameter syringe hole (mm)</b>	39.00	<b>Material</b>	recyclable cardboard
<b>Colour</b>	yellow	<b>Weight empty (g)</b>	215.0000
<b>Ext.Dimension After Assembly Height(mm)</b>	310.00	<b>Ext.Dimension After Assembly Length(mm)</b>	150.00
<b>Ext.Dimension After Assembly Width(mm)</b>	10.00	<b>Ext.Dimension Before Assembly Height(mm)</b>	465.00
<b>Ext.Dimension Before Assembly Length(mm)</b>	255.00	<b>Ext.Dimension Before Assembly Width(mm)</b>	5.00

### PRICE AND SHIPPING

<b>Shipping volume (m3)</b>	0.02	<b>Weight per Unit (Kg)</b>	6.5000
<b>Pieces per package</b>	25	<b>Minimum order</b>	25.00
<b>Price 1</b>	1USD	<b>Year of base price</b>	2019
<b>Incoterms</b>	EXW		

### QUALITY STANDARD

<b>Quality Standard</b>	Other	<b>Quality standard (Other)</b>	ISO 9001
-------------------------	-------	---------------------------------	----------

### VERIFICATION

<b>Verification Report Reference</b>	7191172189-EEC17-WBH
--------------------------------------	----------------------

<b>Current PQS status:</b>	<i>Prequalified</i>	<b>Valid until:</b>	<i>31 May 2026</i>
----------------------------	---------------------	---------------------	--------------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



## E010: Waste management equipment



<b>Product name:</b>	SAFE5L4K
<b>IMD-PQS Code:</b>	E010-017
<b>Status:</b>	Prequalified
<b>Date of acceptance:</b>	07 May 2019
<b>Appliance type:</b>	E010
<b>Product description:</b>	5L Safety box
<b>Manufacturer:</b>	Pa-Hu Oy
<b>Manufacturers Reference:</b>	SAFE5L4K
<b>Country of Manufacture:</b>	Finland
<b>Address:</b>	Teollisuustie 2, FIN-02880 Veikkola, Finland Finland
<b>Telephone:</b>	+358-20 789 1000
<b>Email:</b>	<a href="mailto:ilkka.raikamo@pa-hu.fi">ilkka.raikamo@pa-hu.fi</a>
<b>Website address:</b>	<a href="http://www.pa-hu.fi">http://www.pa-hu.fi</a>
<b>Valid until:</b>	31 May 2026

## Specifications

### PRODUCT SPECIFICATIONS - MAIN

<b>Volume (Litre)</b>	5.00	<b>Capacity (# units)</b>	150.00
<b>Diameter syringe hole (mm)</b>	38.00	<b>Material</b>	carton
<b>Colour</b>	brown	<b>Walls thickness (mm)</b>	1.20
<b>Weight fully assembled (grams)</b>	210.00	<b>Ext.Dimension After Assembly Height(mm)</b>	153.00
<b>Ext.Dimension After Assembly Length(mm)</b>	305.00	<b>Ext.Dimension After Assembly Width(mm)</b>	113.00
<b>Ext.Dimension Before Assembly Height(mm)</b>	4.00	<b>Ext.Dimension Before Assembly Length(mm)</b>	460.00
<b>Ext.Dimension Before Assembly Width(mm)</b>	260.00		

### PRICE AND SHIPPING

<b>Shipping volume (m3)</b>	0.014	<b>Weight per Unit (Kg)</b>	5.8000
<b>Pieces per package</b>	25	<b>Minimum order</b>	2000.00
<b>Price 1</b>	2000 pieces 0.86€/pc	<b>Price 2</b>	> 46,000 pc 0.82€/pc
<b>Price 3</b>	>96,000 0.77€/pc	<b>Year of base price</b>	2025
<b>Incoterms</b>	FCA		

### QUALITY STANDARD

<b>Quality Standard</b>	Other	<b>Quality standard (Other)</b>	ISO 9001
<b>Specification Reference</b>	Applicable PQS specification: E10/SB01-VP.1 Applicable PQS VP(s): E10/SB01.1		

### VERIFICATION

<b>Verification Laboratory</b>	ForceTechnology	<b>Address</b>	FORCE Technology Brøndby Park Allé 345 2605 Brøndby DenmarkDenmark
<b>Telephone</b>	+45 43250591	<b>Email</b>	njs@force.dk
<b>Verification Report Reference</b>	123-28428.b 30.11.2023		

### PRODUCT SITES

<b>Organization name</b>	Pa-Hu Oy
<b>Address</b>	Teollisuustie 2, FIN-02880 Veikkola, Finland Finland

**Current PQS status:**

*Prequalified*

**Valid until:**

*31 May 2026*

---

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



## E010: Waste management equipment



<b>Product name:</b>	5 litre Safety box "LeSafe"
<b>IMD-PQS Code:</b>	E010-018
<b>Status:</b>	Prequalified
<b>Date of acceptance:</b>	03 Mar 2022
<b>Appliance type:</b>	E010
<b>Product description:</b>	Safety Box 5L
<b>Manufacturer:</b>	Qingdao Leff International Trading Co Ltd
<b>Manufacturers Reference:</b>	5 litre Safety box "LeSafe"
<b>Country of Manufacture:</b>	China
<b>Address:</b>	10, Yan er'dao Road Qingdao 266000 P.R.China China
<b>Telephone:</b>	+ 86 373 7116885
<b>Email:</b>	<a href="mailto:david@lefftrade.org">david@lefftrade.org</a>
<b>Website address:</b>	<a href="http://www.lefftrade.org">www.lefftrade.org</a>
<b>Valid until:</b>	31 May 2026

## Specifications

### PRODUCT SPECIFICATIONS - MAIN

<b>Volume (Litre)</b>	5.00	<b>Capacity (# units)</b>	171.00
<b>Diameter syringe hole (mm)</b>	39.00	<b>Material</b>	cardboard
<b>Colour</b>	brown	<b>Walls thickness (mm)</b>	1.30
<b>Weight fully assembled (grams)</b>	254.00	<b>Ext.Dimension After Assembly Height(mm)</b>	112.00
<b>Ext.Dimension After Assembly Length(mm)</b>	310.00	<b>Ext.Dimension After Assembly Width(mm)</b>	150.00
<b>Ext.Dimension Before Assembly Height(mm)</b>	4.00	<b>Ext.Dimension Before Assembly Length(mm)</b>	595.00
<b>Ext.Dimension Before Assembly Width(mm)</b>	255.00		

### PRICE AND SHIPPING

<b>Shipping volume (m3)</b>	0.016	<b>Weight per Unit (Kg)</b>	7.2000
<b>Pieces per package</b>	25	<b>Minimum order</b>	100.00
<b>Price 1</b>	100 units: USD 0.98	<b>Price 2</b>	1000 units: USD 0.97
<b>Price 3</b>	10000 units: USD 0.89	<b>Year of base price</b>	2022
<b>Incoterms</b>	EXW		

### QUALITY STANDARD

<b>Quality Standard</b>	Other	<b>Quality standard (Other)</b>	ISO 9001
<b>Specification Reference</b>	Applicable PQS specification: E10/SB01.1 Applicable PQS VP(s): E10/SB01-VP.1		

### VERIFICATION

<b>Verification Laboratory</b>	ForceTechnology	<b>Address</b>	FORCE Technology Brøndby Park Allé 345 2605 Brøndby DenmarkDenmark
<b>Telephone</b>	+45 43250591	<b>Email</b>	njs@force.dk
<b>Verification Report Reference</b>	122-21633 rev.2, dated on Apr. 8th, 2022		

### PRODUCT SITES

<b>Organization name</b>	Qingdao Leff International Trading Co Ltd
--------------------------	---

**Address** 10, Yan er'dao Road Qingdao 266000 P.R.China  
China

---

<b>Current PQS status:</b>	<i>Prequalified</i>	<b>Valid until:</b>	<i>31 May 2026</i>
----------------------------	---------------------	---------------------	--------------------

---

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



## E010: Waste management equipment



<b>Product name:</b>	HFD-5L
<b>IMD-PQS Code:</b>	E010-019
<b>Status:</b>	Prequalified
<b>Date of acceptance:</b>	18 Jan 2023
<b>Appliance type:</b>	E010
<b>Product description:</b>	5L Safety box
<b>Manufacturer:</b>	Qingdao Hengfengda EPT INC.
<b>Manufacturers Reference:</b>	HFD-5L
<b>Country of Manufacture:</b>	China
<b>Address:</b>	Room 1502, Unit 2, Building 26, No. 37 Xintun Road, Huangdao District Qingdao City Shandong Province 266000 China
<b>Telephone:</b>	86-152 752 666 81
<b>Email:</b>	<a href="mailto:alex@qdhfdept.com.invalid">alex@qdhfdept.com.invalid</a>
<b>Valid until:</b>	31 May 2026

## Specifications

### PRODUCT SPECIFICATIONS - MAIN

<b>Volume (Litre)</b>	5.00	<b>Capacity (# units)</b>	150.00
<b>Diameter syringe hole (mm)</b>	38.00	<b>Material</b>	cardboard
<b>Colour</b>	brown	<b>Walls thickness (mm)</b>	1.40
<b>Weight fully assembled (grams)</b>	332.00	<b>Ext.Dimension After Assembly Height(mm)</b>	125.00
<b>Ext.Dimension After Assembly Length(mm)</b>	325.00	<b>Ext.Dimension After Assembly Width(mm)</b>	162.00
<b>Ext.Dimension Before Assembly Height(mm)</b>	4.00	<b>Ext.Dimension Before Assembly Length(mm)</b>	568.00
<b>Ext.Dimension Before Assembly Width(mm)</b>	281.00		

### PRICE AND SHIPPING

<b>Shipping volume (m3)</b>	0.016	<b>Weight per Unit (Kg)</b>	9.0000
<b>Pieces per package</b>	25	<b>Minimum order</b>	100.00
<b>Price 1</b>	1,000 units USD 0.93	<b>Price 2</b>	10,000 units: USD 0.86
<b>Price 3</b>	1,000,000 units: USD 0.72	<b>Year of base price</b>	2023

### QUALITY STANDARD

<b>Quality Standard</b>	Other	<b>Quality standard (Other)</b>	ISO 9001
<b>Specification Reference</b>	Applicable PQS specification: WHO/PQS/E10/SB0 Applicable PQS VP(s): WHO/PQS/E10/SB0		

### VERIFICATION

<b>Verification Laboratory</b>	ForceTechnology	<b>Address</b>	FORCE Technology Brøndby Park Allé 345 2605 Brøndby DenmarkDenmark
<b>Telephone</b>	+45 43250591	<b>Email</b>	njs@force.dk
<b>Verification Report Reference</b>	122-30007		

### PRODUCT SITES

<b>Organization name</b>	Qingdao Hengfengda EPT INC.
--------------------------	-----------------------------

**Address**

Room 1502, Unit 2, Building 26, No. 37 Xintun Road, Huangdao District Qingdao City Shandong  
Province 266000 China  
China

<b>Current PQS status:</b>	<i>Prequalified</i>	<b>Valid until:</b>	<i>31 May 2026</i>
----------------------------	---------------------	---------------------	--------------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



## E010: Waste management equipment



No image  
available

<b>Product name:</b>	PT. Tonnindo Eramulya 2.5L Safety Box
<b>IMD-PQS Code:</b>	E10 013
<b>Status:</b>	Prequalified
<b>Date of acceptance:</b>	18 Aug 2017
<b>Appliance type:</b>	E010
<b>Product description:</b>	2.5L Safety Box
<b>Manufacturer:</b>	PT. Tonnindo Eramulya
<b>Manufacturers Reference:</b>	PT. Tonnindo Eramulya 2.5L Safety Box
<b>Country of Manufacture:</b>	Indonesia
<b>Address:</b>	Jl. AKBP R.Agil Kusumadya No.203 59346 Kudus – Jawa Tengah Indonesia
<b>Telephone:</b>	+62 291 444361 / 444363
<b>Email:</b>	<a href="mailto:tonnindo@cbn.net.id">tonnindo@cbn.net.id</a>
<b>Website address:</b>	<a href="http://www.puragroup.com">www.puragroup.com</a>
<b>Valid until:</b>	31 May 2024

## Specifications

### PRODUCT SPECIFICATIONS - MAIN

<b>Volume (Litre)</b>	2.50	<b>Capacity (# units)</b>	80.00
<b>Diameter syringe hole (mm)</b>	42.00	<b>Material</b>	recycled board and virgin fibre, water resistant
<b>Colour</b>	yellow	<b>Walls thickness (mm)</b>	1.80
<b>Weight fully assembled (grams)</b>	227.00	<b>Ext.Dimension After Assembly Height(mm)</b>	110.00
<b>Ext.Dimension After Assembly Length(mm)</b>	235.00	<b>Ext.Dimension After Assembly Width(mm)</b>	120.00
<b>Ext.Dimension Before Assembly Height(mm)</b>	28.00	<b>Ext.Dimension Before Assembly Length(mm)</b>	530.00
<b>Ext.Dimension Before Assembly Width(mm)</b>	230.00		

<b>Comments</b>	Title: 2.5L Safety Box
-----------------	------------------------

### PRICE AND SHIPPING

<b>Shipping volume (m3)</b>	0.001	<b>Weight per Unit (Kg)</b>	9.0000
<b>Pieces per package</b>	25	<b>Minimum order</b>	100.00
<b>Price 1</b>	> 10,000 USD 2.46	<b>Price 2</b>	>1,000 USD 2.93
<b>Price 3</b>		<b>Year of base price</b>	2017
<b>Incoterms</b>	DDP		

### QUALITY STANDARD

<b>Quality Standard</b>	Other	<b>Quality standard (Other)</b>	ISO 9001
<b>Specification Reference</b>	Applicable PQS specification: E10/SB01.1 Applicable PQS VP(s): E10/SB01-VP.1		

### VERIFICATION

<b>Verification Laboratory</b>	ForceTechnology	<b>Address</b>	FORCE Technology Brøndby Park Allé 345 2605 Brøndby DenmarkDenmark
<b>Telephone</b>	+45 43250591	<b>Email</b>	njs@force.dk
<b>Verification Report Reference</b>	0		

PRODUCT SITES

Organization name	PT. Tonnindo Eramulya
Address	Jl.Pembangunan III # 14E. Jakarta 10130 Indonesia Indonesia

Current PQS status:	Prequalified	Valid until:	31 May 2024
---------------------	--------------	--------------	-------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



## E010: Waste management equipment



<b>Product name:</b>	PT. Tonnindo Eramulya 5L Safety Box
<b>IMD-PQS Code:</b>	E10 015
<b>Status:</b>	Prequalified
<b>Date of acceptance:</b>	10 Mar 2017
<b>Appliance type:</b>	E010
<b>Product description:</b>	5L Safety Box
<b>Manufacturer:</b>	PT. Tonnindo Eramulya
<b>Manufacturers Reference:</b>	PT. Tonnindo Eramulya 5L Safety Box
<b>Country of Manufacture:</b>	Indonesia
<b>Address:</b>	Jl. AKBP R.Agil Kusumadya No.203 59346 Kudus – Jawa Tengah Indonesia
<b>Telephone:</b>	+62 291 444361 / 444363
<b>Email:</b>	<a href="mailto:tonnindo@cbn.net.id">tonnindo@cbn.net.id</a>
<b>Website address:</b>	<a href="http://www.puragroup.com">www.puragroup.com</a>
<b>Valid until:</b>	31 May 2024

## Specifications

### PRODUCT SPECIFICATIONS - MAIN

<b>Volume (Litre)</b>	5.00	<b>Capacity (# units)</b>	171.00
<b>Diameter syringe hole (mm)</b>	38.00	<b>Material</b>	recycled board and virgin fibre, water resistant
<b>Colour</b>	yellow	<b>Walls thickness (mm)</b>	1.80
<b>Weight fully assembled (grams)</b>	357.00	<b>Ext.Dimension After Assembly Height(mm)</b>	120.00
<b>Ext.Dimension After Assembly Length(mm)</b>	290.00	<b>Ext.Dimension After Assembly Width(mm)</b>	150.00
<b>Ext.Dimension Before Assembly Height(mm)</b>	28.00	<b>Ext.Dimension Before Assembly Length(mm)</b>	584.00
<b>Ext.Dimension Before Assembly Width(mm)</b>	270.00		

<b>Comments</b>	Title: 5L Safety Box
-----------------	----------------------

### PRICE AND SHIPPING

<b>Shipping volume (m3)</b>	0.00163	<b>Weight per Unit (Kg)</b>	12.5000
<b>Pieces per package</b>	25	<b>Minimum order</b>	100.00
<b>Price 1</b>	>10,000 USD 3.46	<b>Price 2</b>	>1,000 USD 3.92
<b>Price 3</b>	>100 USD 3.98	<b>Year of base price</b>	2017
<b>Incoterms</b>	DDP		

### QUALITY STANDARD

<b>Quality Standard</b>	Other	<b>Quality standard (Other)</b>	ISO 9001
<b>Specification Reference</b>	Applicable PQS specification: E10/SB01.1 Applicable PQS VP(s): E10/SB01-VP.1		

### VERIFICATION

<b>Verification Laboratory</b>	ForceTechnology	<b>Address</b>	FORCE Technology Brøndby Park Allé 345 2605 Brøndby DenmarkDenmark
<b>Telephone</b>	+45 43250591	<b>Email</b>	njs@force.dk
<b>Verification Report Reference</b>	117-24734.b rev.1		

PRODUCT SITES

Organization name	PT. Tonnindo Eramulya
Address	Jl.Pembangunan III # 14E. Jakarta 10130 Indonesia Indonesia

Current PQS status:	Prequalified	Valid until:	31 May 2024
---------------------	--------------	--------------	-------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.