



E010

Waste-management Equipment

This category of products includes safety boxes, needle cutters and disablers and small-scale incinerators or autoclaves. Waste disposal is a key element of any immunization programme. Poorly managed waste from immunization sessions exposes health workers and the community to injury and infection. Guidelines for safe delivery of immunization injections and safe disposal of used syringes and needles can be found in WHO's [Immunization in practice: Module 3: Ensuring safe injections](#).

The cost of waste disposal must be incorporated into the national budget for immunization activities and training curricula should include waste disposal procedures.

Details regarding the products included in each sub-category of E010, as well as guidelines, performance specifications and verification protocols for this category, can be accessed through the drop-down sections below.

E010.1: Safety boxes

Puncture-resistant containers for the collection and disposal of auto-disable syringes, needles and other injection materials must be provided and used for all immunization activities. These containers reduce the risk posed by contaminated needles and syringes both to health staff and the community. Containers are available in a range of sizes.

Guidelines for the procurement, capacity needs and use of safety boxes can be found in the WHO [Guidelines for estimating costs of introducing new vaccines into the national immunization system](#).

Training for health workers on the management of sharps waste can be found available in the [Training Health Workers in the Management of Sharps Waste: Guide for Training Injection Providers](#) from PATH and the WHO's [Training for mid-level managers \(MLM\): 3. Immunization safety](#).

A guidance document on [Designing safe syringe disposal systems for immunization services](#) is also available from PATH.

CATEGORY DOCUMENTATION, GUIDANCE FOR MANUFACTURERS/SUPPLIERS & SUPPORTING INFORMATION FOR USERS

Performance specifications

[PQS performance specification E010/NC01.1: Needle cutter for health waste management](#)

[PQS performance specification E010/SB01.1: Safety box for the disposal of used sharps](#)

Verification protocols

[PQS independent type-testing protocol E010/NC.1-VP.1: Needle cutter for health waste management](#)

[PQS independent type-testing protocol E010/SB01-VP.1: Safety box for the disposal of used sharps](#)

Guidance for manufacturers/suppliers

[Generic guide for the field evaluation of new technologies for WHO PQS prequalification
GENERIC/GUIDE 1.1](#)

[IMD-PQS Guidelines for Prequalification Holders](#)

[Designing safe syringe disposal systems for immunization services](#)

Supporting information for users

[Guidelines for estimating costs of introducing new vaccines into the national immunization system](#)

[Training Health Workers in the Management of Sharps Waste: Guide for Training Injection Providers](#)

[Training for mid-level managers \(MLM\): 3. Immunization safety](#)



E010: Waste management equipment



Product name:	POLYSAFE® 5L
IMD-PQS Code:	E010-001
Status:	Prequalified
Date of acceptance:	07 Oct 2008
Appliance type:	E010
Manufacturer:	POLYNOR AS
Manufacturers Reference:	POLYSAFE® 5L
Country of Manufacture:	Norway
Address:	Oslo Science Park Gaustadalléen 21 Oslo Oslo Norway
Telephone:	+47 932 59 486
Email:	maria@polynor.no
Website address:	http://www.polynor.no
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Volume (Litre)	5.00	Capacity (# units)	155.00
Diameter syringe hole (mm)	38.00	Material	recycled carton board
Colour	White	Walls thickness (mm)	1.30
Weight fully assembled (grams)	300.00	Ext.Dimension After Assembly Height(mm)	274.00
Ext.Dimension After Assembly Length(mm)	155.00	Ext.Dimension After Assembly Width(mm)	121.00
Ext.Dimension Before Assembly Height(mm)	5.00	Ext.Dimension Before Assembly Length(mm)	590.00
Ext.Dimension Before Assembly Width(mm)	280.00		

PRICE AND SHIPPING

Shipping volume (m3)	0.02	Weight per Unit (Kg)	8.0000
Pieces per package	25 units	Minimum order	25.00
Price 1	On request	Year of base price	2008
Incoterms	FCA		

QUALITY STANDARD

Quality Standard	Other	Quality standard (Other)	ISO 9001
Specification Reference	Applicable PQS specification: E010/SB01.1 Applicable PQS VP(s): E010/SB0-VP.1		

VERIFICATION

Verification Laboratory	ForceTechnology	Address	FORCE Technology Brøndby Park Allé 345 2605 Brøndby DenmarkDenmark
Telephone	+45 43250591	Email	njs@force.dk
Verification Report Reference	115-26166.e rev.1		

PRODUCT SITES

Organization name	POLYNOR AS
-------------------	------------

Address	Oslo Science Park Gaustadalléen 21 Oslo Oslo Norway
----------------	--

Current PQS status:	<i>Prequalified</i>	Valid until:	<i>31 May 2027</i>
----------------------------	---------------------	---------------------	--------------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E010: Waste management equipment



Product name:	POLYSAFE® 15L
IMD-PQS Code:	E010-003
Status:	Prequalified
Date of acceptance:	07 Oct 2008
Appliance type:	E010
Manufacturer:	POLYNOR AS
Manufacturers Reference:	POLYSAFE® 15L
Country of Manufacture:	Norway
Address:	Oslo Science Park Gaustadalléen 21 Oslo Oslo Norway
Telephone:	+47 932 59 486
Email:	maria@polynor.no
Website address:	http://www.polynor.no
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Volume (Litre)	15.00	Capacity (# units)	450.00
Diameter syringe hole (mm)	39.00	Material	Recycled carton board, water resistant
Colour	White	Walls thickness (mm)	1.30
Weight fully assembled (grams)	680.00	Ext.Dimension After Assembly Height(mm)	210.00
Ext.Dimension After Assembly Length(mm)	310.00	Ext.Dimension After Assembly Width(mm)	240.00
Ext.Dimension Before Assembly Height(mm)	6.00	Ext.Dimension Before Assembly Length(mm)	775.00
Ext.Dimension Before Assembly Width(mm)	445.00		

PRICE AND SHIPPING

Shipping volume (m3)	0.02	Weight per Unit (Kg)	8.1000
Pieces per package	10 units per carton	Minimum order	10.00
Price 1	On request	Year of base price	2008
Incoterms	FCA		

QUALITY STANDARD

Quality Standard	Other	Quality standard (Other)	ISO 9001
Specification Reference	Applicable PQS specification: E010/CB01.1 Applicable PQS VP(s): E010/CB-VP.1		

VERIFICATION

Verification Laboratory	ForceTechnology	Address	FORCE Technology Brøndby Park Allé 345 2605 Brøndby DenmarkDenmark
Telephone	+45 43250591	Email	njs@force.dk
Verification Report Reference	108-21912-3		

PRODUCT SITES

Organization name	POLYNOR AS
-------------------	------------

Address	Oslo Science Park Gaustadalléen 21 Oslo Oslo Norway
----------------	--

Current PQS status:	<i>Prequalified</i>	Valid until:	<i>31 May 2027</i>
----------------------------	---------------------	---------------------	--------------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E010: Waste management equipment



Product name:	Kojak safety box 5L
IMD-PQS Code:	E010-006
Status:	Prequalified
Date of acceptance:	28 Apr 2009
Appliance type:	E010
Manufacturer:	Hindustan Syringes & Medical Devices Ltd.
Manufacturers Reference:	Kojak safety box 5L
Country of Manufacture:	India
Address:	174, 178/25 Ballabgarh Faridabad Haryana India
Telephone:	+91 98 102 90320
Email:	regulatory@hmdhealthcare.com
Website address:	www.hmdhealthcare.com
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Volume (Litre)	5.00	Capacity (# units)	100.00
Diameter syringe hole (mm)	38.00	Material	Yellow duplex kraft board
Colour	Yellow	Walls thickness (mm)	1.10
Weight fully assembled (grams)	275.00	Ext.Dimension After Assembly Height(mm)	125.00
Ext.Dimension After Assembly Length(mm)	285.00	Ext.Dimension After Assembly Width(mm)	160.00
Ext.Dimension Before Assembly Height(mm)	4.00	Ext.Dimension Before Assembly Length(mm)	585.00
Ext.Dimension Before Assembly Width(mm)	285.00		

PRICE AND SHIPPING

Shipping volume (m3)	0.016	Weight per Unit (Kg)	8.1000
Pieces per package	25 units	Minimum order	25.00
Price 1	0.70 USD/pc	Year of base price	2026
Incoterms	FCA		

QUALITY STANDARD

Quality Standard	Other	Quality standard (Other)	ISO 9001:2015
Specification Reference	Applicable PQS Specification: E10/SB01.1 Applicable PQS VP(s): E10/SB01-VP.1		

VERIFICATION

Verification Laboratory	ForceTechnology	Address	FORCE Technology Brøndby Park Allé 345 2605 Brøndby DenmarkDenmark
Telephone	+45 43250591	Email	njs@force.dk
Verification Report Reference	108-32733-(20 April 2009)		

PRODUCT SITES

Organization name	M/S PAK TECH
--------------------------	--------------

Address	Plot No. 90, Sector-59, HSIIDC Faridabad Haryana India
----------------	---

Current PQS status:	<i>Prequalified</i>	Valid until:	<i>31 May 2027</i>
----------------------------	---------------------	---------------------	--------------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E010: Waste management equipment



Product name:	Medibest Disposafe 2.5L
IMD-PQS Code:	E010-008
Status:	Prequalified
Date of acceptance:	24 Jul 2009
Appliance type:	E010
Manufacturer:	PT.Medibest Indonesia
Manufacturers Reference:	Medibest Disposafe 2.5L
Country of Manufacture:	Indonesia
Address:	The Manhattan Square Mid. Tower 21st Floor, Jl. TB. Simatupang Kav. 1S, Cilandak Timur, Selatan, Jakarta Jawa Indonesia
Telephone:	+62 21 29406858 / +62 21 29406859
Email:	info@medibestgroup.com
Website address:	http://www.medibestgroup.com
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Volume (Litre)	2.50	Capacity (# units)	81.00
Diameter syringe hole (mm)	40.00	Material	recycled board and virgin fiber
Colour	Yellow	Walls thickness (mm)	1.10
Weight fully assembled (grams)	290.00	Ext.Dimension After Assembly Height(mm)	116.00
Ext.Dimension After Assembly Length(mm)	238.00	Ext.Dimension After Assembly Width(mm)	127.00
Ext.Dimension Before Assembly Height(mm)	2.00	Ext.Dimension Before Assembly Length(mm)	551.00
Ext.Dimension Before Assembly Width(mm)	238.00		

Comments	Carton of 25 units; custom made printing on demand
-----------------	--

PRICE AND SHIPPING

Shipping volume (m3)	0.024	Weight per Unit (Kg)	7.5000
Pieces per package	25 units	Minimum order	25.00
Price 1	On request	Year of base price	2009
Incoterms	FCA		

QUALITY STANDARD

Quality Standard	Other	Quality standard (Other)	ISO 9001
Specification Reference	Applicable PQS specification: E010/CB01.1 Applicable PQS VP(s): E010/CB-VP.1		

VERIFICATION

Verification Laboratory	ForceTechnology	Address	FORCE Technology Brøndby Park Allé 345 2605 Brøndby DenmarkDenmark
Telephone	+45 43250591	Email	njs@force.dk
Verification Report Reference	109-24758-1 (May 2009)		

PRODUCT SITES

Organization name	PT.Medibest Indonesia
Address	The Manhattan Square Mid. Tower 21st Floor, Jl. TB. Simatupang Kav. 1S, Cilandak Timur, Selatan, Jakarta Jawa Indonesia

Current PQS status:	<i>Prequalified</i>	Valid until:	<i>31 May 2027</i>
----------------------------	---------------------	---------------------	--------------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



No image
available

E010: Waste management equipment

IMD-PQS Code:	E010-009
Status:	Suspended
Date of acceptance:	24 Jul 2009
Appliance type:	E010

Specifications

Current PQS status:	<i>Suspended</i>	Valid until:
---------------------	------------------	--------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E010: Waste management equipment



Product name:	Sol-Millennium Safety Box 5L
IMD-PQS Code:	E010-010
Status:	Prequalified
Date of acceptance:	11 Jan 2010
Appliance type:	E010
Manufacturer:	Shanghai Sol-Millennium Medical Products Co. Ltd.
Manufacturers Reference:	Sol-Millennium Safety Box 5L
Country of Manufacture:	China
Address:	Unit 2501-2506, No. 2 Grand Gateway No. 3 Hongqiao Road Xuhui District Shanghai Shanghai China
Telephone:	+86-21-68622586-17
Email:	ichen@solm.com
Website address:	www.sol-m.com
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Volume (Litre)	5.00	Capacity (# units)	150.00
Diameter syringe hole (mm)	38.00	Material	cardboard
Colour	Brown	Walls thickness (mm)	1.30
Weight fully assembled (grams)	270.00	Ext.Dimension After Assembly Height(mm)	130.00
Ext.Dimension After Assembly Length(mm)	288.00	Ext.Dimension After Assembly Width(mm)	165.00
Ext.Dimension Before Assembly Height(mm)	5.00	Ext.Dimension Before Assembly Length(mm)	600.00
Ext.Dimension Before Assembly Width(mm)	280.00		

PRICE AND SHIPPING

Shipping volume (m3)	0.018	Weight per Unit (Kg)	8.0000
Pieces per package	25	Minimum order	5000.00
Price 1	On request	Year of base price	2010
Incoterms	EXW		

QUALITY STANDARD

Quality Standard	Other	Quality standard (Other)	ISO 9001
Specification Reference	Applicable PQS specification: E010/SB01.1 Applicable PQS VP(s): E010/SB01-VP.1		

VERIFICATION

Verification Laboratory	ForceTechnology	Address	FORCE Technology Brøndby Park Allé 345 2605 Brøndby DenmarkDenmark
Telephone	+45 43250591	Email	njs@force.dk
Verification Report Reference	110-29507 (August 2010)		

PRODUCT SITES

Organization name	Chongqing hangbiao packaging products Co., Ltd.
--------------------------	---

Address	No. 9 Jiangqiao road Nan'an district Chongqing China
----------------	--

Current PQS status:	<i>Prequalified</i>	Valid until:	<i>31 May 2027</i>
----------------------------	---------------------	---------------------	--------------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E010: Waste management equipment



Product name:	SB TimSafe 5L NE
IMD-PQS Code:	E010-011
Status:	Prequalified
Date of acceptance:	24 Sep 2013
Appliance type:	E010
Manufacturer:	Smurfit Westrock Sverige AB
Manufacturers Reference:	SB TimSafe 5L NE
Country of Manufacture:	Sweden
Address:	Bruksvägen 31G Markaryd Kronobergs län Sweden
Telephone:	+46 433 18100
Email:	lina.harrysson@smurfitkappa.se
Website address:	http://www.timboard.se
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Volume (Litre)	5.00	Capacity (# units)	150.00
Diameter syringe hole (mm)	38.00	Material	Recycled board and virgin fiber
Colour	White	Walls thickness (mm)	1.20
Weight fully assembled (grams)	250.00	Ext.Dimension After Assembly Height(mm)	315.00
Ext.Dimension After Assembly Length(mm)	154.00	Ext.Dimension After Assembly Width(mm)	113.00
Ext.Dimension Before Assembly Height(mm)	4.00	Ext.Dimension Before Assembly Length(mm)	468.00
Ext.Dimension Before Assembly Width(mm)	260.00		

PRICE AND SHIPPING

Shipping volume (m3)	0.013	Weight per Unit (Kg)	6.5400
Pieces per package	25 units	Minimum order	100.00
Price 1	0.89 €	Price 2	22.25 € per 25 pack
Year of base price	2018	Incoterms	EXW

QUALITY STANDARD

Quality Standard	Other	Quality standard (Other)	ISO 9001
Specification Reference	Applicable PQS specification: E010/SB01.1 Applicable PQS VP(s): E010/SB01-VP.1		

VERIFICATION

Verification Laboratory	ForceTechnology	Address	FORCE Technology Brøndby Park Allé 345 2605 Brøndby DenmarkDenmark
Telephone	+45 43250591	Email	njs@force.dk
Verification Report Reference	113-28810		

PRODUCT SITES

Organization name	Smurfit Westrock Sverige AB
-------------------	-----------------------------

Address	Bruksvägen 31G Markaryd Kronobergs län Sweden
----------------	--

Current PQS status:	<i>Prequalified</i>	Valid until:	<i>31 May 2027</i>
----------------------------	---------------------	---------------------	--------------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E010: Waste management equipment



Product name:	2.5L Safety Box
IMD-PQS Code:	E010-013
Status:	Prequalified
Date of acceptance:	18 Aug 2017
Appliance type:	E010
Manufacturer:	PT. Tonnindo Eramulya
Manufacturers Reference:	2.5L Safety Box
Country of Manufacture:	Indonesia
Address:	JL. Development III No.14 E Petojo Gambir Jakarta Jakarta Raya Indonesia
Telephone:	+62 291 444361 / 444363
Email:	tonnindo@cbn.net.id
Website address:	www.puragroup.com
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Volume (Litre)	2.50	Capacity (# units)	80.00
Diameter syringe hole (mm)	42.00	Material	recycled board and virgin fibre, water resistant
Colour	yellow	Weight empty (g)	227.0000
Ext.Dimension After Assembly Height(mm)	235.00	Ext.Dimension After Assembly Length(mm)	120.00
Ext.Dimension After Assembly Width(mm)	110.00	Ext.Dimension Before Assembly Height(mm)	530.00
Ext.Dimension Before Assembly Length(mm)	230.00	Ext.Dimension Before Assembly Width(mm)	28.00

PRICE AND SHIPPING

Shipping volume (m3)	0.001	Weight per Unit (Kg)	9.0000
Pieces per package	25	Minimum order	100.00
Price 1	> 10,000 USD 2.46	Price 2	>1,000 USD 2.93
Price 3		Year of base price	2017
Incoterms	DDP		

QUALITY STANDARD

Quality Standard	Other	Quality standard (Other)	ISO 9001
Specification Reference	Applicable PQS specification: E010/SB01.1 Applicable PQS VP(s): E010/SB01-VP.1		

VERIFICATION

Verification Laboratory	ForceTechnology	Address	FORCE Technology Brøndby Park Allé 345 2605 Brøndby DenmarkDenmark
Telephone	+45 43250591	Email	njs@force.dk

PRODUCT SITES

Organization name	PT. Pura Barutama
--------------------------	-------------------

Address	Jl. AKBP R.Agil Kusumadya No.203 Kudus Jawa Tengah Indonesia
----------------	---

Current PQS status:	<i>Prequalified</i>	Valid until:	<i>31 May 2027</i>
----------------------------	---------------------	---------------------	--------------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E010: Waste management equipment



Product name:	5L Safety Box
IMD-PQS Code:	E010-015
Status:	Prequalified
Date of acceptance:	18 Aug 2017
Appliance type:	E010
Manufacturer:	PT. Tonnindo Eramulya
Manufacturers Reference:	5L Safety Box
Country of Manufacture:	Indonesia
Address:	JL. Development III No.14 E Petojo Gambir Jakarta Jakarta Raya Indonesia
Telephone:	+62 291 444361 / 444363
Email:	tonnindo@cbn.net.id
Website address:	www.puragroup.com
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Volume (Litre)	5.00	Capacity (# units)	171.00
Diameter syringe hole (mm)	38.00	Material	recycled board and virgin fibre, water resistant
Colour	yellow	Weight empty (g)	357.0000
Ext.Dimension After Assembly Height(mm)	290.00	Ext.Dimension After Assembly Length(mm)	150.00
Ext.Dimension After Assembly Width(mm)	120.00	Ext.Dimension Before Assembly Height(mm)	584.00
Ext.Dimension Before Assembly Length(mm)	270.00	Ext.Dimension Before Assembly Width(mm)	28.00

PRICE AND SHIPPING

Shipping volume (m3)	0.00163	Weight per Unit (Kg)	12.5000
Pieces per package	25	Minimum order	100.00
Price 1	>10,000 USD 3.46	Price 2	>1,000 USD 3.92
Price 3	>100 USD 3.98	Year of base price	2017
Incoterms	DDP		

QUALITY STANDARD

Quality Standard	Other	Quality standard (Other)	ISO 9001
Specification Reference	Applicable PQS specification: E010/SB01.1 Applicable PQS VP(s): E010/SB01-VP.1		

VERIFICATION

Verification Laboratory	ForceTechnology	Address	FORCE Technology Brøndby Park Allé 345 2605 Brøndby DenmarkDenmark
Telephone	+45 43250591	Email	njs@force.dk
Verification Report Reference	117-24734.b rev.1		

PRODUCT SITES

Organization name	PT. Pura Barutama
-------------------	-------------------

Address	Jl. AKBP R.Agil Kusumadya No.203 Kudus Jawa Tengah Indonesia
----------------	---

Current PQS status:	<i>Prequalified</i>	Valid until:	<i>31 May 2027</i>
----------------------------	---------------------	---------------------	--------------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E010: Waste management equipment



Product name:	Medeco Safety Box 5L
IMD-PQS Code:	E010-016
Status:	Prequalified
Date of acceptance:	15 Feb 2019
Appliance type:	E010
Manufacturer:	Abu Dhabi Medical Devices Co. L.L.C
Manufacturers Reference:	Medeco Safety Box 5L
Address:	MUSSAFAH INDUSTRIAL AREA, M-43, PLOT 124 ABU DHABI United Arab Emirates
Telephone:	+971-2-6199100
Email:	info@admd.ae
Website address:	http://www.admd.ae
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Volume (Litre)	5.00	Capacity (# units)	377.00
Diameter syringe hole (mm)	39.00	Material	recyclable cardboard
Colour	yellow	Weight empty (g)	215.0000
Ext.Dimension After Assembly Height(mm)	310.00	Ext.Dimension After Assembly Length(mm)	150.00
Ext.Dimension After Assembly Width(mm)	10.00	Ext.Dimension Before Assembly Height(mm)	465.00
Ext.Dimension Before Assembly Length(mm)	255.00	Ext.Dimension Before Assembly Width(mm)	5.00

PRICE AND SHIPPING

Shipping volume (m3)	0.02	Weight per Unit (Kg)	6.5000
Pieces per package	25	Minimum order	25.00
Price 1	1USD	Year of base price	2019
Incoterms	EXW		

QUALITY STANDARD

Quality Standard	Other	Quality standard (Other)	ISO 9001
Specification Reference	Applicable PQS specification: E010/SB01.1 Applicable PQS VP(s): E010/SB01-VP.1		

VERIFICATION

Verification Report Reference	7191172189-EEC17-WBH
--------------------------------------	----------------------

PRODUCT SITES

Organization name	Abu Dhabi Medical Devices Co. L.L.C
Address	MUSSAFAH INDUSTRIAL AREA, M-43, PLOT 124 ABU DHABI United Arab Emirates

Current PQS status:	Prequalified	Valid until:	31 May 2027
----------------------------	--------------	---------------------	-------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E010: Waste management equipment



Product name:	SAFE5L4K
IMD-PQS Code:	E010-017
Status:	Prequalified
Date of acceptance:	07 May 2019
Appliance type:	E010
Manufacturer:	Pa-Hu Oy
Manufacturers Reference:	SAFE5L4K
Country of Manufacture:	Finland
Address:	Teollisuustie 2, Veikkola Uusimaa Finland
Telephone:	+358-20 789 1000
Email:	ilkka.raikamo@pa-hu.fi
Website address:	http://www.pa-hu.fi
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Volume (Litre)	5.00	Capacity (# units)	150.00
Diameter syringe hole (mm)	38.00	Material	carton
Colour	brown	Walls thickness (mm)	1.20
Weight fully assembled (grams)	210.00	Ext.Dimension After Assembly Height(mm)	153.00
Ext.Dimension After Assembly Length(mm)	305.00	Ext.Dimension After Assembly Width(mm)	113.00
Ext.Dimension Before Assembly Height(mm)	4.00	Ext.Dimension Before Assembly Length(mm)	460.00
Ext.Dimension Before Assembly Width(mm)	260.00		

PRICE AND SHIPPING

Shipping volume (m3)	0.014	Weight per Unit (Kg)	5.8000
Pieces per package	25	Minimum order	2000.00
Price 1	2000 pieces 0.86€/pc	Price 2	> 46,000 pc 0.82€/pc
Price 3	>96,000 0.77€/pc	Year of base price	2025
Incoterms	FCA		

QUALITY STANDARD

Quality Standard	Other	Quality standard (Other)	ISO 9001
Specification Reference	Applicable PQS specification: E10/SB01-VP.1 Applicable PQS VP(s): E10/SB01.1		

VERIFICATION

Verification Laboratory	ForceTechnology	Address	FORCE Technology Brøndby Park Allé 345 2605 Brøndby DenmarkDenmark
Telephone	+45 43250591	Email	njs@force.dk
Verification Report Reference	123-28428.b 30.11.2023		

PRODUCT SITES

Organization name	Pa-Hu Oy
--------------------------	----------

Address	Teollisuustie 2, Veikkola Uusimaa Finland
----------------	--

Current PQS status:	<i>Prequalified</i>	Valid until:	<i>31 May 2027</i>
----------------------------	---------------------	---------------------	--------------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E010: Waste management equipment



Product name:	5 litre Safety box "LeSafe"
IMD-PQS Code:	E010-018
Status:	Prequalified
Date of acceptance:	03 Mar 2022
Appliance type:	E010
Manufacturer:	Qingdao Leff International Trading Co Ltd
Manufacturers Reference:	5 litre Safety box "LeSafe"
Country of Manufacture:	China
Address:	Room 3203 10, Yan er'dao Road Shinan district Qingdao Shandong China
Telephone:	+86 532 88961819
Email:	david@lefftrade.org
Website address:	www.lefftrade.org
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Volume (Litre)	5.00	Capacity (# units)	171.00
Diameter syringe hole (mm)	39.00	Material	cardboard
Colour	brown	Walls thickness (mm)	1.30
Weight fully assembled (grams)	254.00	Ext.Dimension After Assembly Height(mm)	112.00
Ext.Dimension After Assembly Length(mm)	310.00	Ext.Dimension After Assembly Width(mm)	150.00
Ext.Dimension Before Assembly Height(mm)	4.00	Ext.Dimension Before Assembly Length(mm)	595.00
Ext.Dimension Before Assembly Width(mm)	255.00		

PRICE AND SHIPPING

Shipping volume (m3)	0.016	Weight per Unit (Kg)	7.2000
Pieces per package	25	Minimum order	100.00
Price 1	100 units: USD 0.98	Price 2	1000 units: USD 0.97
Price 3	10000 units: USD 0.89	Year of base price	2022
Incoterms	EXW		

QUALITY STANDARD

Quality Standard	Other	Quality standard (Other)	ISO 9001
Specification Reference	Applicable PQS specification: E10/SB01.1 Applicable PQS VP(s): E10/SB01-VP.1		

VERIFICATION

Verification Laboratory	ForceTechnology	Address	FORCE Technology Brøndby Park Allé 345 2605 Brøndby DenmarkDenmark
Telephone	+45 43250591	Email	njs@force.dk
Verification Report Reference	122-21633 rev.2, dated on Apr. 8th, 2022		

PRODUCT SITES

Organization name	Qingdao Kinghorn Packaging CO., Ltd
--------------------------	-------------------------------------

Address	Qinjiazhuang Villiage Bei an district, Jimo city Qingdao China
----------------	--

Current PQS status:	<i>Prequalified</i>	Valid until:	<i>31 May 2027</i>
----------------------------	---------------------	---------------------	--------------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.



E010: Waste management equipment



Product name:	HFD-5L
IMD-PQS Code:	E010-019
Status:	Prequalified
Date of acceptance:	18 Jan 2023
Appliance type:	E010
Manufacturer:	Qingdao Hengfengda EPT INC.
Manufacturers Reference:	HFD-5L
Country of Manufacture:	China
Address:	Room 1502, Unit 2, Building 26, No. 37 Xintun Road, Huangdao District Qingdao City Shandong China
Telephone:	86-152 752 666 81
Email:	alex@qdhfdept.com.invalid
Valid until:	31 May 2027

Specifications

PRODUCT SPECIFICATIONS - MAIN

Volume (Litre)	5.00	Capacity (# units)	150.00
Diameter syringe hole (mm)	38.00	Material	cardboard
Colour	brown	Walls thickness (mm)	1.40
Weight fully assembled (grams)	332.00	Ext.Dimension After Assembly Height(mm)	125.00
Ext.Dimension After Assembly Length(mm)	325.00	Ext.Dimension After Assembly Width(mm)	162.00
Ext.Dimension Before Assembly Height(mm)	4.00	Ext.Dimension Before Assembly Length(mm)	568.00
Ext.Dimension Before Assembly Width(mm)	281.00		

PRICE AND SHIPPING

Shipping volume (m3)	0.016	Weight per Unit (Kg)	9.0000
Pieces per package	25	Minimum order	100.00
Price 1	1,000 units USD 0.93	Price 2	10,000 units: USD 0.86
Price 3	1,000,000 units: USD 0.72	Year of base price	2023

QUALITY STANDARD

Quality Standard	Other	Quality standard (Other)	ISO 9001
Specification Reference	Applicable PQS specification: WHO/PQS/E10/SB0 Applicable PQS VP(s): WHO/PQS/E10/SB0		

VERIFICATION

Verification Laboratory	ForceTechnology	Address	FORCE Technology Brøndby Park Allé 345 2605 Brøndby DenmarkDenmark
Telephone	+45 43250591	Email	njs@force.dk
Verification Report Reference	122-30007		

PRODUCT SITES

Organization name	Qingdao Hengfengda EPT INC.
-------------------	-----------------------------

Address	Room 1502, Unit 2, Building 26, No. 37 Xintun Road, Huangdao District Qingdao City Shandong China
----------------	--

Current PQS status:	<i>Prequalified</i>	Valid until:	<i>31 May 2027</i>
----------------------------	---------------------	---------------------	--------------------

Note: If Current PQS status is 'Suspended' or 'Withdrawn', this product is NOT to be purchased.