# **LABELLING**

# PARTICULARS TO APPEAR ON THE OUTER PACKAGING

#### Bottle

#### 1. Name of the medicinal product

[TB302 trade name]\* Isoniazid/Rifampicin 50mg/75mg Dispersible Tablets

#### 2. Statement of active substance

Each tablet contains 50 mg isoniazid and 75 mg rifampicin.

#### 3. List of excipients

Contains aspartame

See patient information leaflet for further information.

#### 4. Pharmaceutical form and contents

Dispersible tablets

100 tablets

#### 5. Method and route of administration

Oral use.

Read the patient information leaflet before use.

# 6. Special warning that the medicinal product must be stored out of the reach and sight of children

Keep this medicine out of the sight and reach of children.

### 7. Other special warning(s), if necessary

#### 8. Expiry date

EXP {MM/YYYY}

Date opened {DD/MM/YYYY}

#### 9. Special storage conditions

Do not store above 25°C. Store in dry place. Protect from light.

Once opened, use within 120 days.

# 10. Special precautions for disposal of unused medicinal products or waste materials derived from such medicinal products, if appropriate

# 11. Name and address of the supplier

Macleods Pharmaceuticals Limited

304, Atlanta Arcade

Marol Church road

Andheri (East)

Mumbai - 400 059

India

### **12. WHO Reference Number (Prequalification Programme)**

TB302

#### 13. Manufacturer's batch number

<Batch> <Lot> {number}

<sup>\*</sup> Trade names are not prequalified by WHO. This is the national medicines regulatory authority's responsibility.

Page 2 of 7

# **14.** (Advice on) General classification for supply Medicinal product subject to medical prescription.

# 15. Instructions on use

dispersible tablets (Macleods Pharmaceuticals Ltd), TB302

# PARTICULARS TO APPEAR ON THE OUTER PACKAGING Strip pack carton

### 1. Name of the medicinal product

[TB302 trade name] Isoniazid/Rifampicin 50mg/75mg Dispersible Tablets

#### 2. Statement of active substance

Each tablet contains 50 mg isoniazid and 75 mg rifampicin.

#### 3. List of excipients

Contains aspartame

See patient information leaflet for further information.

#### 4. Pharmaceutical form and contents

Dispersible tablets

10 x 10 tablets

#### 5. Method and route of administration

Oral use.

Read the patient information leaflet before use.

# 6. Special warning that the medicinal product must be stored out of the reach and sight of children

Keep this medicine out of the sight and reach of children.

### 7. Other special warning(s), if necessary

#### 8. Expiry date

EXP {MM/YYYY}

#### 9. Special storage conditions

Do not store above 25°C, store in dry place, protect from light.

# 10. Special precautions for disposal of unused medicinal products or waste materials derived from such medicinal products, if appropriate

### 11. Name and address of the supplier

Macleods Pharmaceuticals Limited 304, Atlanta Arcade

Marol Church road

Andheri (East)

Mumbai - 400 059

India

# 12. WHO Reference Number (Prequalification Programme)

TB302

#### 13. Manufacturer's batch number

<Batch> <Lot> {number}

# 14. (Advice on) General classification for supply

Medicinal product subject to medical prescription.

October 2021

# 15. Instructions on use

dispersible tablets (Macleods Pharmaceuticals Ltd), TB302

# MINIMUM PARTICULARS TO APPEAR ON BLISTERS OR STRIP

Alu/Alu strip

# 1. Name of the medicinal product

[TB302 trade name] Isoniazid/Rifampicin 50mg/75mg Dispersible Tablets

### 2. Name of the supplier

Macleods Pharmaceuticals Limited

### 3. Expiry date

### 4. Manufacturer's batch number

<Batch> <Lot>{number}

### 5. Other

(Macleods Pharmaceuticals Ltd), TB302

# MINIMUM PARTICULARS TO APPEAR ON SMALL IMMEDIATE PACKAGING UNITS

{Nature/type}

# 1. Name of the medicinal product and route(s) of administration

[<PQ number> trade name] {name} {strength} {pharmaceutical form}
{Active substance(s)}
{Route(s) of administration}

#### 2. Method of administration

# 3. Expiry date

### 4. Manufacturer's batch number

<Batch> <Lot> {number}

# 5. Contents by weight, by volume, or by unit

#### 6. Other