

Thailand

Population 2016

69 million

Estimates of TB burden*, 2016	Number (thousands)	Rate (per 100 000 population)
Mortality (excludes HIV+TB)	8.6 (7.2–10)	13 (10–15)
Mortality (HIV+TB only)	3.9 (2.3–5.9)	5.7 (3.4–8.6)
Incidence (includes HIV+TB)	119 (70–180)	172 (102–261)
Incidence (HIV+TB only)	10 (6.1–16)	15 (8.8–23)
Incidence (MDR/RR-TB)**	4.7 (3–6.3)	6.8 (4.4–9.2)

Estimated TB incidence by age and sex (thousands)*, 2016	0-14 years		> 14 years		Total
	Number	Rate	Number	Rate	
Females	4.2 (2.3–6.1)	10 (5.5–16)	36 (19–52)	10 (5.5–16)	40 (21–58)
Males	4.7 (2.5–6.9)	11 (6.1–16)	74 (40–108)	11 (6.1–16)	79 (42–115)
Total	8.9 (4.8–13)	11 (6.1–16)	110 (59–161)	11 (6.1–16)	119 (70–180)

TB case notifications, 2016	
Total cases notified	74 190
Total new and relapse	70 114
- % tested with rapid diagnostics at time of diagnosis	3%
- % with known HIV status	83%
- % pulmonary	84%
- % bacteriologically confirmed among pulmonary	60%

Universal health coverage and social protection	
TB treatment coverage (notified/estimated incidence), 2016	59% (39–100)
TB patients facing catastrophic total costs	
TB case fatality ratio (estimated mortality/estimated incidence), 2016	0.11 (0.06–0.17)

TB/HIV care in new and relapse TB patients, 2016	Number	(%)
Patients with known HIV-status who are HIV-positive	6 794	11%
- on antiretroviral therapy	4 495	66%

Drug-resistant TB care, 2016	New cases	Previously treated cases	Total number***
Estimated MDR/RR-TB cases among notified pulmonary TB cases			2 800 (2 100–3 500)
Estimated % of TB cases with MDR/RR-TB	2.2% (1.5–2.9)	24% (16–32)	
% notified tested for rifampicin resistance	8%	17%	6 889
MDR/RR-TB cases tested for resistance to second-line drugs			499
Laboratory-confirmed cases		MDR/RR-TB: 955, XDR-TB: 13	
Patients started on treatment ****		MDR/RR-TB: 952, XDR-TB: 8	

Treatment success rate and cohort size	Success	Cohort
New and relapse cases registered in 2015	79%	59 399
Previously treated cases, excluding relapse, registered in 2015	68%	4 612
HIV-positive TB cases registered in 2015	69%	6 002
MDR/RR-TB cases started on second-line treatment in 2014	58%	414
XDR-TB cases started on second-line treatment in 2014	14%	7

TB preventive treatment, 2016	
% of HIV-positive people (newly enrolled in care) on preventive treatment	
% of children (aged < 5) household contacts of bacteriologically-confirmed TB cases on preventive treatment	

TB financing, 2017	
National TB budget (US\$ millions)	20
Funding source: 77% domestic, 18% international, 6% unfunded	

* Ranges represent uncertainty intervals


** MDR is TB resistant to rifampicin and isoniazid; RR is TB resistant to rifampicin

*** Includes cases with unknown previous TB treatment history

**** Includes patients diagnosed before 2016 and patients who were not laboratory-confirmed


Tuberculosis profile

(Rate per 100 000 population per year)




— Mortality (excludes HIV+TB)

(Rate per 100 000 population per year)




— Incidence
— Notified (new and relapse)
— Incidence (HIV+TB only)

Notified cases by age group and sex, 2016




Treatment success rate (%)



— New and relapse
— Retreatment, excluding relapse
— HIV-positive — MDR/RR-TB — XDR-TB

Total budget (US\$ millions)



— Unfunded
— Funded internationally
— Funded domestically